[redacted]

Pharmacology Exam for Pharmacy Students (Year-II)

[redacted]

I. Choose the correct answer from the given alternatives and encircle it

1. One of the following is **true** regarding histamine-1 receptor antagonists
   A. First-generation antihistamine drugs cause less CNS depression
   B. Second-generation antihistamine drugs cause variety of unwanted adverse effects
   C. Meclizine is included in the first generation antihistamine
   D. They are used for peptic ulcer disease treatment
2. One of the following drug is histamine-2 receptor antagonists
   A. Diphenhydramine
   B. Loratadine
   C. Fexofenadine
   D. None
3. One of the following drug is preferred in the treatment of chemotherapy induced emesis
   A. Ondansetron
   B. Diphenhydramine
   C. Chlorpheniramine
   D. Meclizine
4. All members of 5-HT receptors are G protein-coupled receptors (GPCRs)
   A. True
   B. False
5. **True** statement concerning antacids
   A. They neutralize gastric acid
   B. Effectively suppresses HCl secretion
   C. Stimulating secretion of mucus and bicarbonate
   D. All
6. One of the following is different
   A. Magnesium hydroxide
   B. Omeprazole
   C. Calcium carbonate
   D. Antacids
7. True statement concerning misoprostol include all of the following **except:**
   A. PGF2 alpha analogue
   B. Cytoprotective for NSAID-induced gastric ulcer
   C. Contraindicated in pregnancy
   D. Diarrhea is its most common adverse effects
8. All the following are adverse effects of cimetidine
   A. Gynecomastia
   B. Galactorrhea
   C. Drug-drug interaction
   D. All
9. Which agent for gastrointestinal problems is **contraindicated** in pregnancy?
   A. Famotidine
   B. Omeprazole
   C. Calcium carbonate
   D. Misoprostol
10. True statement concerning proton pump inhibitors include all of the following **except:**
    A. They are prodrugs

B. Irreversibly block the H+/K+-ATPase enzyme
C. Reversibly block the H+/K+-ATPase enzyme
D. Combined with antimicrobial regimens used *H. Pylori* eradication

11. One of the following drug is included in PPIs
A. Sucralfate
B. Pantoprazole
C. Ranitidine
D. Magnesium hydroxide

12. One of the following is **correctly** matched with its adverse effects
A. Aluminum hydroxide – constipation
B. Magnesium hydroxide-constipation
C. Sucralfate – diarrhea
D. Misoprostol- constipation

13. Triple anti- *H. pylori* therapy may include all the following drugs **except**
A. Lansoprazole
B. Magnesium hydroxide
C. Amoxicillin
D. Clarithromycin

14. One of the following drug is used as cytoprotective as well as quadruple therapy to treat *H. Pylori* related ulcers
A. Misoprostol
B. Bismuth subsalicylate
C. Calcium carbonate
D. Sucralfate

15. One the following antacid drug causes metabolic alkalosis
A. Calcium carbonate
B. Aluminum hydroxide
C. Sodium bicarbonate
D. Magnesium hydroxide

16. A 35-year-old patient with peptic ulcer related symptoms plus *H. Pylori* positive. The Clinician decides to start triple therapy, but the patient has known **penicillin-allergy**. Which drug combination is most appropriate?
A. PPI, amoxicillin, clarithromycin
B. PPI, clarithromycin, metronidazole
C. PPI, amoxicillin, metronidazole
D. PPI, bismuth subsalicylate, tinidazole

17. A 64-year-old man presents with mild to moderate musculoskeletal back pain. He states that he has tried acetaminophen without relief. His medical history includes diabetes, hypertension, hyperlipidemia, gastric ulcer (resolved), and coronary artery disease. Which is the most appropriate NSAID regimen to treat this patient's pain?
A. Celecoxib
B. Naproxen and omeprazole
C. Indomethacin and omeprazole
D. Naproxen

18. Which agent for rheumatoid arthritis competes with CD28 to prevent full T-cell activation?
A. Sarilumab
B. Abatacept
C. Golimumab
D. Adalimumab

19. A 54-year-old man with gout is found to have an issue with renal excretion of uric acid. Which drug is an oral agent that would target the cause of his acute gout attacks?
A. Allopurinol
B. Probenecid
C. Febuxostat
D. Pegloticase

20. The following drug in the treatment of RA act as Janus kinase inhibitor
A. Tofacitinib
C. Rituximab

B. Tocilizumab

D. Golimumab

II. Match the following

'A'	'B'
21. Acetaminophen	A. Inhibit phospholipase A2
22. Aspirin	B. Cardioprotective
23. Ibuprofen	C. Propionic acid derivative
24. Celecoxib	D. Antipyretic
25. Corticosteroids	E. COX-2 selective

III. Short answer

26. How aspirin induce asthma? (2 pts)
27. List the therapeutic uses and adverse effects of non-steroidal anti-inflammatory drugs (NSAIDs) (3 pts)
28. What is autacoid? (Bonus, 1 pt)