


Dreamtopia Database Documentation & Entity Relationship Diagram (ERD)

This document provides a detailed breakdown of the PostgreSQL schema defined in `prisma/schema.prisma` for Dreamtopia studio management.

1. Entity Relationship Diagram (ERD)



Dreamtopia Database ERD

2. Enumerations (Enums)

Enum	Allowed Values	Description
Role	ADMIN , INSTRUCTOR , MEMBER	Core access control level for users.
SessionType	POLE_CLASS , TRIAL , PRACTICE , RENTAL	Class categories offered by the studio.
BookingMode	PACKAGE_ONLY , WALK_IN_ONLY , BOTH	Determines how a session can be booked (credits vs bank slip).
SessionStatus	PENDING_INSTRUCTOR , SCHEDULED , CANCELLED , COMPLETED	Lifecycle states of a scheduled class/slot.
BookingStatus	PENDING , CONFIRMED , REJECTED , CANCELLED , PAID_AWAITING_RESOLUTION	State of an individual member's seat in a session.
PackageStatus	PENDING_REVIEW , ACTIVE , EXHAUSTED , EXPIRED , REJECTED	Lifecycle of purchased credit packages.
PaymentMethod	BANK_TRANSFER , CREDITS	Member payment mechanism.
Attendance	UNMARKED , PRESENT , ABSENT , NO_SHOW	Instructor attendance tracking values.

3. Detailed Model Reference

3.1. User

Stores credentials and base account profile for all participants in the platform.

- **id** (String / UUID, Primary Key): Unique user identifier.
- **email** (String , Unique): Login email address.
- **name** (String): User's full name.
- **passwordHash** (String): Bcrypt-hashed password.
- **role** (Role , Default: MEMBER): Role for RBAC authorization guards.
- **credits** (Int , Default: 0): Aggregated balance of available credits.
- **createdAt** (DateTime): Timestamp when user registered.

3.2. Instructor

Optional 1-to-1 extension of a **User** account containing instructor profile data.

- **id** (String / UUID, Primary Key): Unique instructor record ID.
- **userId** (String? , Unique, Foreign Key -> User.id): Linked user login account.

- **email** (String , Unique): Public/contact email.
 - **name** (String): Display name.
 - **phone** (String?): Contact phone number.
 - **bio** (String): Description and teaching history.
 - **specialty** (String): Focus areas (e.g., "Pole flow", "Inversions").
 - **autoAccept** (Boolean , Default: false): If true, newly scheduled sessions are automatically confirmed without requiring manual instructor confirmation.
-

3.3. PackageProduct

Catalog of package templates available for purchase.

- **id** (String / UUID, Primary Key): Product identifier.
 - **name** (String): Name (e.g. "4-Class Starter Pass").
 - **description** (String): Terms and marketing description.
 - **credits** (Int): Amount of credits granted when purchased.
 - **price** (Int): Cost in base currency units (e.g. MMK).
 - **validityDays** (Int , Default: 30): Validity window duration once activated.
 - **allowedTypes** (SessionType[]): Array of class types eligible for credit redemption.
 - **active** (Boolean , Default: true): Whether the product is available in the store.
 - **createdAt** (DateTime): Timestamp created.
-

3.4. MemberPackage

Instance of a purchased package owned by a specific member.

- **id** (String / UUID, Primary Key): Purchased package ID.
 - **userId** (String , Foreign Key -> User.id): Owning member.
 - **packageProductId** (String , Foreign Key -> PackageProduct.id): Template product.
 - **creditsTotal** (Int): Starting credits.
 - **creditsRemaining** (Int): Credits remaining.
 - **pricePaid** (Int): Actual price paid at purchase time.
 - **status** (PackageStatus , Default: PENDING_REVIEW): Current status.
 - **proofId** (String? , Unique, Foreign Key -> PaymentProof.id): Uploaded payment slip.
 - **rejectionReason** (String?): Admin rejection note if payment proof is rejected.
 - **activatedAt** (DateTime?): When approved and activated by admin.
 - **expiresAt** (DateTime?): Expiration datetime.
 - **Indexes:** [userId, status] , [expiresAt] .
-

3.5. Session

A scheduled class, trial, practice, or studio rental on the calendar.

- **id** (String / UUID, Primary Key): Session ID.
- **title** (String): Class title.
- **type** (SessionType): Session type.

- **bookingMode** (BookingMode , Default: BOTH): Payment mode permitted.
 - **creditCost** (Int , Default: 1): Number of credits required to book.
 - **startsAt** (DateTime): Start time.
 - **endsAt** (DateTime): End time.
 - **capacity** (Int): Maximum attendance limit.
 - **price** (Int): Walk-in bank transfer price.
 - **level** (String , Default: "All levels"): Difficulty level.
 - **description** (String): Notes or requirements.
 - **instructorId** (String? , Foreign Key -> Instructor.id): Assigned instructor.
 - **status** (SessionStatus): Lifecycle status.
 - **deletedAt** (DateTime?): Soft-delete timestamp.
 - **Indexes:** [startsAt, status] , [instructorId, startsAt] .
-

3.6. UnavailableSlot

Blocks of time during which an instructor is unavailable.

- **id** (String / UUID, Primary Key): Block ID.
 - **instructorId** (String , Foreign Key -> Instructor.id): Blocked instructor.
 - **startsAt** (DateTime): Block start.
 - **endsAt** (DateTime): Block end.
 - **reason** (String): Reason for time off.
 - **Index:** [instructorId, startsAt] .
-

3.7. PaymentProof

Uploaded receipts or screenshots for bank transfer payments.

- **id** (String / UUID, Primary Key): Proof ID.
 - **userId** (String , Foreign Key -> User.id): Uploader.
 - **filename** (String): Stored file name on disk.
 - **mime** (String): MIME type (e.g. image/jpeg , image/png).
 - **createdAt** (DateTime): Upload timestamp.
-

3.8. Booking

Records a member's reservation in a session.

- **id** (String / UUID, Primary Key): Booking ID.
- **memberId** (String , Foreign Key -> User.id): Member booking the seat.
- **sessionId** (String , Foreign Key -> Session.id): Target session.
- **status** (BookingStatus , Default: PENDING): Booking status.
- **paymentMethod** (PaymentMethod): Credits or bank transfer.
- **packageId** (String? , Foreign Key -> MemberPackage.id): Deducted package (if credits used).
- **creditsUsed** (Int , Default: 0): Credits consumed.

- **proofId** (String? , Unique, Foreign Key -> PaymentProof.id): Payment receipt slip.
 - **amount** (Int): Cash amount charged.
 - **discount** (Int , Default: 0): Discount amount deducted.
 - **promoCode** (String?): Applied coupon code.
 - **creditReserved** (Boolean , Default: false): Tracks whether credits were held.
 - **attendance** (Attendance , Default: UNMARKED): Attendance status.
 - **rejectionReason** (String?): Rejection note if denied.
 - **overrideReason** (String?): Overcapacity resolution note.
 - **Indexes:** [memberId, status] , [sessionId, status] .
-

3.9. CreditLedger

Immutable audit log tracking every credit increase and deduction.

- **id** (String / UUID, Primary Key): Audit entry ID.
 - **userId** (String , Foreign Key -> User.id): Member.
 - **packageId** (String? , Foreign Key -> MemberPackage.id): Associated package.
 - **delta** (Int): Positive (credits added) or negative (credits spent/refunded).
 - **reason** (String): Explanatory transaction description.
 - **bookingId** (String?): Linked booking ID.
 - **createdAt** (DateTime): Transaction timestamp.
 - **Index:** [userId, createdAt] .
-

3.10. Promotion

Discount voucher codes.

- **id** (String / UUID, Primary Key): Promo record ID.
 - **code** (String , Unique): Uppercase promo string (e.g. WELCOME20).
 - **percent** (Int): Percentage discount.
 - **expiresAt** (DateTime): Expiration datetime.
 - **active** (Boolean , Default: true): Active flag.
-

3.11. Notification

User notifications for in-app alert feeds.

- **id** (String / UUID, Primary Key): Notification ID.
 - **userId** (String , Foreign Key -> User.id): Recipient.
 - **title** (String): Notification header.
 - **body** (String): Message content.
 - **readAt** (DateTime?): Null if unread, timestamp when viewed.
 - **dedupeKey** (String? , Unique): Unique key preventing duplicate notifications.
 - **createdAt** (DateTime): Timestamp sent.
 - **Index:** [userId, createdAt] .
-

3.12. TimeslotRequest

Member-submitted requests for custom class timeslots or private sessions.

- **id** (String / UUID, Primary Key): Request ID.
- **memberId** (String , Foreign Key -> User.id): Requesting member.
- **type** (SessionType): Requested session category.
- **startsAt** (DateTime): Preferred start datetime.
- **endsAt** (DateTime): Preferred end datetime.
- **note** (String): Additional requests or notes from member.
- **status** (String , Default: "PENDING"): Status (PENDING , APPROVED , DECLINED).
- **response** (String?): Admin response message.
- **createdAt** (DateTime): Timestamp created.
- **Index:** [memberId, status].