
Index

A

Adaptive management, 12, 40, 43, 49, 88, 334, 410, 458, 459, 568, 578, 591, 594
Advective transport, 425, 426, 429
Aeration, 537
Agriculture, 12, 37, 41, 138, 469, 511, 567, 568, 570, 571, 574, 575, 585, 613
Algae eutrophication modelling, 438
Allocations, 30, 75, 83, 85, 97–99, 101, 102, 105–111, 113–115, 155, 166, 167, 169, 172, 175, 188–190, 197, 207, 209, 210, 305–307, 311–313, 315, 319, 329, 386, 387, 389, 458, 469, 505, 518, 583
Alternatives, 6, 34, 35, 38, 40, 45, 60, 69, 73, 76, 79, 81, 82, 88, 94, 96, 151, 163, 233, 270, 327, 346, 349, 366, 376–379, 394, 397, 398, 402, 414, 465, 490, 530, 596, 610
Anaerobic, 438, 441, 555, 557
Annual value, 96, 137, 313
Aquatic systems, 428
Aquifer, 2, 5, 6, 31, 38, 67, 71, 151, 258, 379, 568, 574
Artificial neural networks, 55, 63, 179–181, 183, 207
Autocorrelations, 251, 254, 256, 257, 260, 270, 299, 303
Autoregressive-moving average (ARMA) models, 269, 270
Average values, 215, 367, 425, 439

B

Benefit-cost analyses ratio, 165, 583
Benefits, 1, 16, 20, 24, 30, 33, 35, 37, 38, 41, 62, 75, 83, 85, 90, 94–96, 98, 99, 102, 107–109, 111, 114, 137, 155, 156, 158, 169, 171, 196, 210, 259, 288, 293–295, 307, 328, 373, 380, 383, 385–387, 393, 474, 493, 504, 505, 508, 512–514, 519, 520, 522, 558, 592
Bias, 183, 186, 211, 220, 222, 229, 256, 290, 297
Biochemical oxygen demand (BOD), 433, 436, 462, 537, 555
Boundary conditions, 104, 336, 338, 572, 573, 576, 585, 595, 607
Box-Jenkins models, 269
Budget, 58, 385, 512, 579, 580, 583, 587, 598

C

Calibration, 55, 80, 144, 145, 147, 179–181, 336–338, 340–342, 354, 360, 370, 425, 473, 536, 543, 559, 606
Capacity expansion, 75, 115, 116, 155, 174, 512, 514, 515
Capital, 24, 74, 95, 172, 216, 292, 387, 388, 559
Capital recovery factor, 96
Case studies, 2
Censored data, 245
Central limit theorem, 357
Chance constraints, 306, 327, 329
Climate change, 2, 527, 589, 590, 594, 595
Coasts beaches
 management, 2, 5, 40, 41, 43, 207, 425
 zones, 2, 40, 43, 580, 589
Coefficient of skewness, 220, 222, 223, 225, 235, 237–240, 244, 263, 290
Coefficient of variation, 220, 224, 225, 236, 240, 241, 248, 256, 290
Coliform bacteria, 537
Collective goods, 382
Compensation criterion, 382
Competitive conditions, 381
Concave functions, 98, 157, 160, 161
Concentration gradient, 426, 427
Confidence intervals, 231, 233, 277, 337
Constituents conservative
 first-order, 433
Constraint method, 395–397, 412, 415
Constraints, 71, 75, 79, 85, 102–105, 121, 129, 138, 142, 149, 151, 158, 163, 176, 211, 243, 307, 317, 327, 339, 378, 389, 402, 464, 477, 482–484, 486, 506, 508, 511, 515, 525, 559, 576, 586, 588, 606
Continuous variables, 339, 353
Convex functions, 101, 159–161
Correlation, 233, 234, 248, 251, 255, 260–264, 266–270, 289, 292, 294, 298, 299, 302, 303, 308, 342, 357–359, 555
Cost, 2, 10, 31, 34, 37, 41, 73, 76–79, 94–96, 116, 117, 119, 120, 146, 148–150, 153, 155, 156, 165, 166, 168, 169, 172–174, 177, 196, 211, 292, 293, 338,

- 340, 365, 373, 377, 379, 382, 384, 385, 411, 419,
458, 469, 494, 500, 510, 512, 514, 517, 522, 554,
559, 569, 575, 589, 596, 606
- Cost-effectiveness, 380, 490
- Count, 61, 308, 397, 420
- Covariance, 193, 261, 263, 265, 268, 281, 298, 299
- Critical value, 214, 231, 233, 234
- Crop, 1, 5, 172–176, 297, 388, 421, 524–526, 571
- Cross-correlation, 248, 267, 269
- D**
- Data
- collection, 39, 78, 151, 331, 338, 343, 458, 576, 587,
591, 606
 - management, 173
 - mining, 63
- Dead storage, 474, 494, 510, 517, 518, 523
- Decision-making, 35, 51, 63, 64, 69, 74, 79, 94, 108, 117,
120, 123, 151, 367, 399, 410, 422, 583, 602, 603
- Decision support systems
- uncertainty, 181
 - variables, 181
- Deficit value, 175, 278, 292, 296, 462
- Degrees of freedom, 269
- Demand
- agricultural, 12, 504
 - function, 101, 167, 170, 383–385
 - industrial, 1, 20, 31, 37, 267, 418, 504, 574, 585
 - municipal, 1, 2, 34, 37, 116, 267, 293, 469, 504, 582
- Depression storage, 541, 543, 544
- Depth, 10, 12, 33, 37, 121, 215, 218, 220, 226, 245, 257,
261, 282, 336, 339, 347, 349, 350, 389, 390, 402,
404, 405, 432, 447, 450, 452, 478, 499, 505, 523,
532, 540, 541, 543, 547, 570, 575
- Design, 2, 25, 28, 39, 42, 51, 53, 57, 59, 63, 73, 75, 77,
78, 81, 93, 94, 138, 144, 166, 172, 183, 219, 258,
270, 280, 287, 301, 331, 334, 353, 366, 374, 375,
377, 390, 429, 431, 469, 470, 479, 494, 500, 504,
511, 515, 519, 522, 528, 536, 539, 541, 559, 565,
574, 591, 592, 595, 596, 600, 603, 604
- Deterministic equivalent, 307, 327, 329
- Deterministic modeling, 137, 213, 301, 311, 315, 317,
327, 341
- Differential equations, 105, 166, 452, 456, 462, 463
- Differential persistence, 264
- Dimensionality, 115
- Disaggregation, 265, 267–269, 298
- Discount factors, 95, 168, 519
- Dispersion
- bulk, 1, 445, 536
- Dispersive transport, 426
- Dissolved oxygen, 54, 379, 389, 414, 418, 420, 422, 433,
435, 436, 438, 440, 449, 462, 463, 465, 537,
553–555
- Distribution systems, 187, 527–529, 531, 536, 559, 561,
565
- Diversions, 5, 97, 312, 469–471, 504, 506
- Dominance, 394, 428, 555
- Droughts
- El Niño and La Niña
indices, 259
 - management, 490
 - triggers, 31, 579
 - virtual exercises
- Dynamic expansion, 512
- Dynamic programming
- backward-moving, 108, 109, 111, 112, 118, 120, 169,
312
 - deterministic, 312, 314
 - dimensionality, 115
 - forward-moving, 112, 113, 117, 119, 168
 - network, 105, 108, 112, 115, 169
 - stochastic, 315
- E**
- Ecology
- ecological criteria, 389
- Economics
- criteria, 165, 380
 - economies of scale, 117, 174
 - long-run benefits, 386, 388
 - loss functions, 387, 388, 519
 - short-run benefits, 386, 387
- Ecosystems, 1, 2, 5, 12, 18, 30, 32, 36–38, 43, 56, 59,
281, 332, 378, 389, 392, 417–419, 423, 449, 457,
459, 469, 502, 527, 558, 567, 568, 570, 571, 581,
585, 609
- Effective, 32, 35–37, 39, 41, 45, 54, 60, 93, 97, 121, 165,
169, 193, 248, 282, 327, 367, 368, 376, 379, 418,
422, 430, 458, 489, 503, 515, 530, 554, 558, 572,
576, 579, 605, 610
- Environmental criteria
- impacts, 389
- Epilimnion, 450–452
- Equity, 38, 204–206, 392, 393, 430, 611, 613
- Equivalent, 22, 95, 96, 102, 159, 166, 176, 197, 218, 235,
240, 248, 264, 266, 293, 318, 368, 369, 381, 400,
427, 475, 476, 500, 544
- Error, 79, 81, 105, 122, 144, 152, 156, 184, 188, 222,
255, 257, 286, 290, 293, 294, 299, 332–334,
336–338, 344, 345, 347, 349, 350, 352, 354, 356,
357, 360, 377, 421, 453, 455, 459, 485, 559, 606
- Estimation
- estimators, 219, 220, 222–224, 227, 229, 233, 235,
239, 243, 245–248, 250
- Eutrophication, 1, 14, 57, 424, 437, 439, 440, 447, 555
- Evaporation, 22, 123, 213, 226, 258, 282, 302, 373, 427,
432, 472–474, 478–480, 485, 486, 517–519, 523,
541, 570
- Excess value, 154, 155
- Expansion, 116, 118–120, 137, 154, 155, 168, 174, 289,
292, 293, 511, 512, 536
- Expectations, 2, 45, 56, 218, 266, 268, 610
- Expected value, 213, 214, 218, 221, 222, 256, 257, 259,
281, 287, 291, 303, 311, 315, 325, 350, 367, 374,
409, 481

F

Failure, 1, 38, 39, 53, 59, 61, 215, 259, 275, 277, 278, 280, 409, 481, 485, 495–497, 499–501, 524, 608, 611

Feasible, 20, 41, 59, 79, 81, 83, 106, 107, 116, 118, 123, 127, 140, 142, 149, 150, 163, 188–190, 243, 274, 313, 315, 318, 377, 378, 381, 393, 394, 396, 398, 401, 410, 420, 515, 521

Finite difference, 452, 463

Firm yield, 481

First-order, 251, 261, 289, 309, 314, 345, 350–352, 370, 428, 433, 434, 436, 441, 445, 452, 457, 489, 523

Fixed costs, 117, 152, 153, 156, 159, 174

Flood

- control reservoir, 491, 493
- damage, 31, 37, 393, 470, 474, 490–495, 499–501, 517, 519, 522, 589
- flood dikes and levees, 496, 497
- flood storage capacity, 126, 210, 474, 488, 490, 492–494, 518–520, 522
- management, 19
- protection, 12, 16, 31, 74, 123, 287, 375, 383, 405, 490, 494, 495, 500, 501, 519, 612
- return period, 492, 495, 500, 519
- risk, 41, 250, 489, 490, 495, 500, 501, 589
- storage, 75, 126, 209, 210, 387, 474, 487, 488, 490, 492–494, 500, 510, 518–520, 522

Flow augmentation, 377, 412, 465, 504, 505

Fractional factorial design, 353

Fuzzy models

- optimization, 196, 204
- sets, 196

G

Generalized likelihood estimates, 359

Genetic algorithms, 180, 181, 187, 189–193, 207, 210, 473

Genetic programming, 181, 187, 193, 195, 207

Global optimum, 104, 190

Goal attainment, 400, 401, 412, 414

Goal programming, 401, 412, 414

Goodness-of-fit, 224, 233, 234, 360

Groundwater

- flow, 37, 260
- interactions, 19, 207
- management, 34, 606
- modeling, 207

Growth, 33, 54, 248, 292, 390, 418, 420, 422, 427, 433, 439–441, 446, 447, 455, 463, 535, 553, 560, 573, 574, 585, 590, 594, 610

H

Hazen plotting position, 291

Heat, 432, 463, 543

Heavy metals, 32, 418, 441, 444, 449, 555, 557

Hill-climbing methods, 99, 170

Hydroelectric power, 3, 24, 37, 470, 474, 502, 504

Hydrological models

- groundwater, 37, 207, 489
- parameters, 75, 81, 207, 213, 336, 341, 470, 547
- processes, 213, 267
- surface water, 267, 489

Hypolimnion, 450–452

Hypothesis, 233, 296, 366, 550

I

Impervious, 421, 543, 544, 564

Incremental flow, 91, 99, 455, 472, 510, 521

Index-flood method, 247, 248

Indifference analysis, 369, 399, 415

Inequality constraints, 104

Infiltration, 373, 472, 527, 539, 543, 545–547, 549

Inflation, 95, 251

Interest, 2, 7, 16, 23, 30, 37, 38, 40, 44, 55, 63, 66, 67, 76, 84, 95, 96, 117, 165, 173, 226, 230, 243, 247, 265, 289, 333, 344, 351, 370, 376, 386, 397, 402, 405, 422, 456, 471, 507, 508, 514, 552, 553, 560, 575, 576, 579, 583, 591, 598, 600, 601, 603, 604, 610, 612

Internal rate of return, 165

Interquartile range, 219, 275, 287

Investments, 19, 38, 73, 96, 143, 166, 343, 378, 388, 580, 583, 587, 594, 596

Irreversibility, 368

Irrigation, 1–3, 5, 19, 37, 88, 175, 209, 272, 287, 380, 381, 383, 393, 412, 418, 464, 489, 504, 515, 524, 571, 575, 582, 612

J

Joules, 503

K

Kilowatts, 503, 504

Knowledge uncertainty, 334, 335, 337, 457

Kolmogorov–Smirnov, 231, 233, 234, 291

L

Lagrange multipliers, 97, 99, 103–105, 108, 110, 166

Lake

- outflow, 33, 88–90, 211, 450, 441, 472, 473, 485, 510, 544
- quality, 352, 425, 449
- recreation, 1, 18, 24, 30, 34, 120, 123, 381, 382, 405, 493, 504, 505, 506

Land, 1, 3, 5, 8, 14, 16, 22, 25, 33, 37, 38, 41, 59, 74, 172, 176, 250, 341, 385, 405, 421, 469, 490, 500, 525, 527, 547, 550, 564

Latin hypercube sampling, 356, 360, 361, 374

Level, 1, 10, 16, 19, 20, 31, 39, 42, 45, 67, 69, 93, 139, 149, 184, 209, 214, 215, 251, 287, 294, 338, 343,

- 345, 353, 354, 356, 363, 365, 374, 381, 388, 405,
417, 421, 459, 492, 503, 522, 570, 576, 583, 585,
590, 596, 600, 602, 604
- Lexicography, 398
- Light, 41, 153, 334, 446, 449, 530, 539, 553, 557
- Linear programming
 linearizations, 151, 152
 piecewise linearization, 154, 158
- Loading, 1, 12, 54, 57, 342, 347, 418, 419, 422, 424, 428,
432, 450, 539, 549, 550, 552, 559
- Local optima, 104
- Log-likelihood, 227, 243
- Long-run, 42, 386–388, 519, 610
- Loss, 5, 24, 28, 32, 292, 353, 387, 401, 445, 472, 474,
478, 479, 486, 517, 519, 523, 533, 534, 536, 541,
543, 553, 569
- ## M
- Management
 adaptive, 12, 40, 43, 49, 88, 334, 410, 458, 459, 568,
578, 591, 594
 approaches, 34, 41, 43
 models, 39, 53, 60, 145–147, 149, 150, 155, 206, 395,
421, 429, 457, 459, 471, 504, 545
- Marginal, 95, 96, 98, 99, 103, 104, 126, 149, 150, 166,
211, 218, 261, 269, 317, 382, 385, 395, 397
- Market prices, 381–384, 388
- Markov
 chains, 215, 229, 250, 251, 254, 265, 295, 309, 316,
317, 523
 processes, 250, 251, 261, 263, 266, 308, 314
- Mass diagram, 474–476, 478, 517
- Mass transport, 427
- Maximum likelihood estimates, 228, 236, 237, 239, 290
- Mean, 1, 31, 37, 42, 75, 86, 123, 138, 140, 175, 203, 214,
219, 220, 222, 224, 228, 236, 241, 246, 249, 251,
255, 261, 262, 264, 269, 277, 278, 289, 294, 303,
308, 329, 347, 352, 357, 366, 404, 407, 408, 430,
472, 484, 505, 579, 593, 595, 606
- Median, 213, 214, 219, 235, 236, 247, 275, 278, 287,
292, 296, 363, 366
- Method of moments, 228, 236, 238, 243
- Michaelis–Menten kinetics, 463
- Mineralization, 434
- Model
 adequacy, 230, 466
 calibration, 55, 80, 144, 179, 180, 337, 338, 340, 341,
343, 354, 360, 370, 536, 559
 data, 338, 423
 development, 40, 59, 65, 66, 70, 74, 75, 80, 93, 94,
151, 194, 344, 422, 457, 508
 dynamic, 68, 452, 470, 512, 515, 560
 errors, 269, 338, 352
 fuzzy, 204
 journal, 605
 linear, 138, 143, 153, 156, 173, 226, 268, 328, 357
 optimization, 51, 77, 79, 81, 84, 85, 93, 94, 97, 111,
116, 117, 137, 138, 144, 146, 163, 175, 196, 199,
201, 204, 207, 250, 270, 307, 311, 314, 327, 394,
430, 450, 470, 476, 479, 481, 491, 504, 511, 517,
519, 522, 523, 528, 559, 565, 583, 591
 output, 51, 59, 62, 65, 67, 179, 185, 187, 301,
331–333, 334, 336, 337, 339, 340, 342, 343, 345,
347, 352, 354, 367, 369, 373, 455
 selection criteria, 421
 shared-vision, 68
 simulation, 40, 63, 73–75, 81, 85, 91, 93, 105, 138,
179, 187, 215, 258, 259, 270, 273, 282, 301, 304,
311, 325, 327, 341–343, 345, 352–354, 366, 392,
402, 452, 453, 491, 517, 519, 523, 528, 529, 541,
545–547, 552, 558, 560, 561, 588, 607
 steady-state, 428, 560
 structure, 51, 75, 194, 331, 334–338, 340–343, 349,
373, 587
 success, 53, 61, 607–608
 verification, 55, 81, 425, 606
- Moments
 L-moments, 224, 225, 228, 242, 243
- Monitoring network
 plan, 12
 sampling
- Monte Carlo
 sampling, 354, 355, 370, 374
 simulation, 304, 306, 327, 329, 353, 357, 359, 360
- Multi-criteria analyses
 constraint method, 395, 396, 397, 415
 dominance, 394
 goal-attainment, 400, 401, 414
 goal-programming, 401, 412, 414
 indifference analysis, 369, 399, 415
 interactive methods, 397, 402
 lexicography, 398
 satisficing, 398, 399
 weighting method, 395–397, 402, 415
- Multiple criteria or objectives, 410
- Multiple purposes, 30, 301, 411, 489, 504
- Multiple yields, 480, 484, 485
- Multiplier, 97, 99, 103–105, 164, 166, 171
- Multivariate models, 265
- ## N
- National economic development, 393
- Navigation, 7, 8, 16, 24, 37, 44, 380, 469, 504, 570
- Network, 35, 67, 68, 105–108, 114, 117, 123, 127, 169,
172, 181, 183, 184, 210, 211, 328, 423, 512, 529,
531, 534, 535, 540, 559, 565, 574, 583, 605
- Nitrogen
 cycle, 433, 440, 441
 models, 54, 422, 433, 438, 440, 463, 464, 466
- Non-inferior, 394, 395, 397–399, 401, 402, 414, 415
- Non-point
 models, 418, 421, 424, 425, 454, 465

quality, 418, 421, 424, 425, 454, 465
 runoff, 418, 420, 425
 Normal distributions, 234, 244, 264, 356
 Nutrients
 cycling, 441
 models, 440

O

Objective, 2, 7, 34, 35, 38, 43, 51, 55, 57–59, 64, 69, 71, 73, 75, 76, 78, 81, 85, 94, 104, 112, 126, 137, 150, 169, 187, 189, 197, 201, 210, 312, 332, 370, 376–380, 393–396, 398–402, 410, 411, 414, 415, 494, 511, 524, 579, 581, 582, 592, 595, 605, 608, 609, 611
 OMR costs, 96
 Operating policy, 73, 75, 81, 82, 84, 94, 137, 167, 171, 270, 273, 274, 278, 281, 326, 328, 377, 491, 504, 521–523, 574
 Operating rule, 39, 487, 524
 Operations research, 71
 Opportunity cost, 38, 385, 569, 570
 Optimal, 42, 64, 69, 79, 85, 94, 105, 114, 115, 127, 151, 167, 197, 201, 293, 315, 319, 326, 328, 345, 414, 513, 514, 521, 526, 560
 Optimization, 40, 51, 63, 73, 79, 81, 84, 85, 90, 93, 94, 97, 99, 105, 116, 137, 138, 163, 181, 196, 201, 213, 250, 307, 311, 314, 327, 345, 392, 412, 450, 476, 479, 491, 511, 515, 517, 522, 523, 529, 558–560, 583, 594, 610
 Organics micropollutants, 441, 444, 445
 Over-year storage, 258, 481, 482, 484, 485, 488, 508
 Oxygen, 33, 54, 418, 422, 427, 433, 434, 436, 438, 439, 441, 447, 449, 462, 463, 553–555, 557

P

Parameter
 calibration, 425
 performance measures, 67, 73, 85, 122, 156, 195, 340, 341, 343, 344, 349, 363, 364, 366, 375, 389, 486, 512
 uncertainty, 259, 333, 335, 338, 457, 478
 value, 63, 74, 75, 78, 81, 145, 147, 148, 170, 181, 191, 203, 210, 211, 247, 259, 261, 265, 299, 302, 327, 334–338, 340–342, 345, 346, 354, 370, 607
 Peak flow, 490, 491, 494, 496, 497, 500, 518
 Performance criteria, 30, 35, 76, 135, 179, 195, 274, 340, 375, 377, 379, 380, 389, 392, 402, 410, 553
 Phosphorus
 cycle, 438, 441
 model, 169, 339, 347, 352, 356, 357, 359, 389, 390, 438–440, 446
 Photosynthesis, 436, 439, 557
 Plan formulation
 implementation, 607
 selection, 75

Planning

 approaches, 594
 economic, 96
 financial, 32, 38, 45, 56, 58, 79, 151, 380, 410, 511, 512, 568, 587, 593, 598
 integrated, 34, 40, 45, 579, 581, 596, 600
 Plant capacity, 168, 292, 503, 504, 511, 518
 Plant factor, 503, 504
 Plotting positions, 231, 233, 234, 246, 291
 Population, 1, 5, 16, 36, 187, 189, 190, 193, 228, 290, 380, 384, 385, 490, 531, 574, 585, 590, 594, 612
 Precipitation, 249, 260, 265, 267, 282, 332, 336, 373, 444, 446, 489, 539, 564
 Present value, 95, 116, 118, 165, 168, 174, 293, 512, 514, 519
 Primary treatment, 537
 Principal of optimality, 115
 Probability
 beta, 230, 234, 243, 289
 conditional distribution, 217, 218, 261, 310, 356, 360
 cumulative, 219, 230, 241, 291, 303, 307, 329, 356, 374, 431, 496
 density, 216–218, 227, 229, 230, 236, 237, 239, 289, 302, 307, 329, 339, 364, 390
 exceedance, 246, 249, 481, 485, 491, 492, 497, 499, 500
 exponential, 231, 233, 237, 240, 245, 249, 250, 290
 functions, 497, 500
 gamma, 222, 223, 226, 237–245, 263, 264, 289, 290, 292
 Gumbel and GEV, 231, 241
 joint, 216, 227, 289, 316, 328, 340
 lognormal, 226, 227, 230, 232–237, 240, 244, 247, 264, 292
 log-pearson Type 3, 239, 240
 marginal, 95, 96, 98, 99, 103, 104, 126, 149, 150, 166, 211, 217, 218, 260, 261, 263, 264, 269, 289, 299, 317, 379, 382, 385, 387, 395, 397
 normal, 236
 transition, 252, 310, 315, 316
 unconditional, 252, 307, 309, 314, 316
 Project
 management, 5, 43, 173, 567, 605
 scheduling, 470, 511–513, 515
 Public, 3, 12, 34, 44, 56, 96, 344, 367, 376, 381, 389, 407, 490, 561, 567, 575, 598, 611, 613

Q

Quality Impacts, 417, 418, 553
 Quantity
 flows, 12, 37, 472, 529
 storage, 278, 381
 velocities, 425, 469
 Quantiles, 219, 223, 229, 232, 233, 239, 241, 246, 248, 360

R

- Radioactive substances, 441, 446
 - Radionuclides, 446
 - Rainfall
 - design rainfall, 541
 - distribution in space and time, 281
 - models, 194, 229, 260, 336, 425, 471
 - synthetic rainfall, 539, 540
 - Random
 - independent, 217, 241, 255, 289
 - variables, 215–220, 226, 230, 235, 239, 250, 252, 256, 262–264, 267, 271, 277, 280, 288, 297, 302, 303, 305, 308, 327, 339, 374
 - Rate, 20, 94, 95, 117, 165, 166, 186, 214, 249, 275, 277, 291, 342, 352, 395, 428, 433, 434, 439, 445, 446, 452, 457, 463, 472, 503, 545, 550, 564, 591
 - Reaction, 7, 213, 334, 427, 428, 433, 436, 441, 444, 535
 - Re-aeration, 426, 433, 435, 438, 462, 463
 - Recreation, 7, 10, 12, 18, 24, 34, 120, 126, 172, 209, 214, 287, 375, 380, 381, 383, 384, 387, 413, 420, 469, 470, 474, 486, 490, 502, 505, 506, 510, 520, 522, 569, 574, 611
 - Recurrence, 481
 - Recursive, 105, 111, 114, 115, 118, 142, 167, 169, 263, 315, 318, 514
 - Redundant constraints, 105
 - Regional, 9, 19, 20, 37, 42, 63, 224, 229, 233, 241, 247, 248, 332, 353, 386, 396, 573, 575, 580, 581, 612
 - Regionalization, 224, 228, 241, 247, 248, 282
 - Regret, 40, 294, 576, 595
 - Reliability, 38, 59, 76, 135, 139, 260, 272, 274, 275, 277, 280, 282, 307, 331, 344, 355, 364, 366, 368, 374, 376, 390, 405, 409, 420, 469, 478, 480, 484–487, 523, 535, 579, 607, 612
 - Reservoir
 - active storage volume, 123, 139, 318, 412, 479, 485, 519
 - capacity, 75, 83, 84, 140, 169, 171, 174, 273, 312, 314, 317, 412, 482, 484, 485, 491, 494, 517–520, 524
 - dead storage volume, 519, 523
 - flood storage volume, 75, 126, 209, 210, 387, 487–495, 510, 517–519, 521
 - operation, 38, 67, 75, 108, 115, 120, 126, 127, 130–133, 137, 141, 167, 202, 207, 312, 480, 487
 - optimization, 199
 - over-year storage, 258, 481, 482, 484, 485, 487
 - release rule, 122, 135, 318, 326, 479
 - simulation, 294
 - within-year storage, 470, 479, 482, 483, 487, 488
 - yield, 138–141, 173, 476, 479, 481, 516, 517, 519, 523
 - Resilience, 135, 405, 409, 609
 - Respiration, 433, 436, 438
 - Response, 2, 36, 40, 52, 196, 203, 213, 347, 349, 352, 360, 377, 384, 388, 420, 421, 511, 547, 555, 561, 580, 581, 610
 - Return period, 249, 491, 492, 494, 495, 500, 510, 519, 539–541, 612
 - Revenue, 38, 102, 104, 167, 170, 287, 570
 - River basins
 - management, 19, 33, 34, 64, 504
 - simulation, 91, 251, 258, 272
 - Rivers, 1, 3, 6, 20, 28, 49, 379, 390, 419, 425, 428, 430, 447, 452, 489, 570, 574, 581, 582, 609
 - Robust, 42, 81, 180, 246, 258, 334, 578, 595
 - Routing, 211, 470, 472, 473, 478, 491, 494, 543, 544
 - Root zone
 - Rule curves, 121, 480, 487
 - Runoff, 5, 12, 18, 31, 37, 59, 179, 207, 229, 247, 260, 377, 417, 418, 420, 425, 449, 462, 471, 472, 505, 527, 528, 539–545, 547, 549, 552, 557, 561, 564, 565
- S**
- Safe yield, 480
 - Sampling
 - Monte Carlo, 354–356, 370, 374
 - uncertainty, 356
 - Satisficing, 398, 399
 - Scale
 - processes, 581, 593, 605
 - spatial, 33, 267, 335
 - temporal, 34, 67, 336
 - Scarcity, 22, 23, 30
 - Scheduling, 470, 511–513, 515, 559, 583, 598
 - Screening, 39, 63, 79, 86, 138, 151, 163, 327, 376, 486, 515, 576, 591, 592
 - Search, 6, 28, 63, 79, 115, 151, 181, 187, 191, 194, 243, 405, 559
 - Second-order conditions, 228
 - Sediment
 - bed load, 23
 - burial, 443
 - resuspension and sedimentation, 33, 209, 442, 444, 446, 449
 - settling, 35, 441, 442, 444, 446, 451
 - suspended load, 420, 427, 441–443, 446
 - Seepage, 123, 472–474, 517, 519
 - Sensitivity Analyses
 - coefficients, 345, 350–352
 - first-order analysis, 351
 - Sequent peak analyses, 476
 - Series, 94
 - Settling
 - detritus, 439, 441, 446
 - inorganic, 441, 442, 444, 445
 - sediment, 444, 451
 - Sewer systems, 187, 536, 539, 549, 551
 - Silica cycle
 - Simulation
 - accuracy, 277, 453, 455
 - methods, 79, 163, 452, 486
 - uncertainty, 277, 301, 457, 458
 - Social criteria, 42, 380, 392, 393
 - Stakeholder, 2, 11, 28, 34, 35, 39, 44, 45, 56, 61, 64–66, 68, 75, 173, 187, 282, 368, 376–380, 393, 397,

- 407, 410, 421, 458, 490, 506, 527, 567, 575, 576, 579, 580, 583–585, 587, 589, 591, 592, 597–604, 610
- State variable, 106, 115, 123, 295, 328, 446
- Static analyses, 470
- Stationarity, 250, 251, 259, 332
- Statistical, 55, 115, 179–181, 184, 213, 224, 226, 230, 231, 251, 254, 258–261, 273, 280, 282, 297, 302, 304, 332, 336, 343–346, 360, 366, 367, 407, 421, 470, 560
- Steady-state, 127, 129, 136, 137, 142, 252, 254, 316, 318, 432, 463, 465, 487, 511, 519, 559, 560
- Step method, 402
- Stochastic
 model, 252, 259, 261, 282, 301, 314, 315, 317, 327, 332
 optimization, 215, 311, 314, 327
 processes, 215, 250–252, 254, 260, 282, 457
 simulation, 215, 226, 270–272, 282
 variables, 187, 193, 255, 261, 263, 271, 295, 301, 457, 560
- Storage-yield functions, 139, 140, 476
- Storage zones
 active, 82, 123, 139, 140, 171, 312, 318, 412, 414, 474–476, 479–483, 485, 487, 488, 490, 494, 510, 517, 519, 523
 dead, 474, 494, 510, 517, 518, 523
 flood, 75, 126, 209, 387, 474, 487, 488, 490–495, 518, 519
 over-year, 258, 470, 480–482, 484–488, 508, 523, 524, 580
 within-year, 482, 486, 487, 523
- Storms, 22, 539, 540, 550, 557, 560
- Stormwater, 81, 418, 527, 539, 552, 553, 558, 565
- Stratification, 33, 54, 422, 425, 447, 449–451
- Streamflow
 estimation, 471
 gauge, 539, 540
 generation, 257, 259, 260, 267, 297
 routing, 472
 synthetic values, 257, 258, 261, 264, 296, 298, 299
- Streeter and Phelps, 433
- Student's t-distribution, 281
- Substitution, 218, 255, 266, 395, 397, 611
- Sustainability, 30, 35, 42, 43, 49, 88, 389, 410, 565, 581, 591, 599, 614
- Synthetic streamflow, 257, 258, 261, 265, 273, 274, 296, 298, 299
- Systems analysis, 12, 39, 71, 88, 571
- Systems approach, 528, 571
- T**
- Target, 37, 43, 73, 75, 82, 121, 123, 126, 127, 163, 166, 169, 171, 172, 174, 175, 198, 199, 209, 274, 275, 278, 295, 306, 307, 311, 318, 328, 329, 333, 343, 362–365, 368, 379, 386, 387, 389, 401, 412, 414, 505, 508, 511, 520, 522, 560, 569, 570, 581, 592
- Temperature, 143, 144, 196, 197, 218, 257, 282, 336, 342, 420, 432–434, 436, 439, 444, 446, 449, 456, 457, 463, 543, 565
- Thermocline, 450, 451
- Thomas-Fiering model, 269, 273, 298
- Time periods, 34, 81, 85, 95, 96, 106, 108, 117–119, 121, 137, 209, 304, 308, 310, 311, 313, 342, 388, 425, 454, 470, 473, 475, 479, 491, 504, 506, 517, 518, 539, 559, 560, 580
- Time series, 67, 81, 89, 95, 114, 127, 215, 250, 251, 254, 255, 263, 267, 269, 282, 301, 303, 308, 336, 337, 402, 404, 405, 407–409, 473, 539, 550, 595
- Time value, 96
- Toxic chemicals, 441
- Tradeoffs, 28, 35, 38, 41, 42, 69, 73, 340, 365, 367, 375, 376, 379, 380, 393, 396, 397, 402, 407, 410, 412, 430, 504, 508
- Transition probability, 252, 310, 315, 316
- Transpiration, 543
- Transport, 9, 16, 18, 25, 194, 375, 417, 425–427, 432, 444, 446, 452, 502, 528, 529, 549, 552, 568, 574, 575
- Trial and error, 78, 81, 122, 188, 270, 459, 559
- U**
- Uncertainty
 analyses, 81, 181, 213, 301, 332, 339, 343, 344, 352, 366, 367, 373, 374, 422, 458, 515, 607
 model, 338, 457
 parameter, 259, 333, 335, 338, 457, 478
- Uniform, 96, 189, 271, 297, 302, 304, 309, 360, 362, 462, 472, 525, 536, 541
- Urban Drainage
 model, 187, 539, 540, 544
 pollutant loading, 81, 418–420, 424, 425, 429, 449, 549, 550, 552
 runoff, 41, 528
- V**
- Validation, 81, 184, 211, 607
- Value, 95
- Variability, 2, 20, 33, 34, 44, 220, 234, 251, 258, 259, 262, 287, 332, 334–337, 345, 357, 367, 457, 511, 561, 580, 609
- Variables
 deterministic, 213, 327
 random, 215–219, 221, 226, 227, 230, 237, 250, 252, 262, 264, 269, 271, 277, 281, 299, 302, 303, 306, 309, 327, 339, 340
- Variance, 219–223, 227, 228, 230, 233, 236, 238, 240, 242, 247, 251, 254–257, 260, 262–264, 280, 287, 290, 297, 299, 302, 304, 329, 351, 352, 356, 366, 407
- Verification, 16, 55, 81, 425, 606
- Vulnerability, 135, 280, 405, 409, 489, 582

W**Wastewater**

collection, 378, 527, 528, 536, 569
 discharge, 31, 143, 145, 177, 302, 377, 429, 430, 586
 treatment, 37, 75, 76, 142, 143, 146, 149, 168–170,
 172, 179, 187, 210, 288, 292, 378, 418, 420, 436,
 465, 469, 529, 537, 538, 565, 568, 570, 613

Water

groundwater, 20, 31, 32, 34, 151, 152, 174, 191, 258,
 270, 377, 380, 458, 469, 489, 528, 545, 561, 568,
 574, 581, 613
 polluted, 5
 quality, 12, 19, 20, 30–32, 36, 56, 67, 74, 79, 142,
 143, 145, 146, 148, 150, 185, 202, 206, 219, 246,
 346, 377, 378, 389, 393, 404, 412, 414, 417–423,
 425, 429, 432, 433, 439, 446–449, 452, 454,
 457–459, 469, 502, 505, 535, 536, 553, 555, 560,
 575, 582, 592, 612
 quantity, 2, 12, 34, 373, 389, 417, 425, 426, 458, 459,
 469, 585, 587, 609
 surface water, 2, 5, 59, 376, 377, 389, 445, 449, 458,
 473, 474, 478, 489, 528, 552, 574, 585

Watershed, 20, 32, 33, 37, 88, 121, 181, 247, 339, 344,
 370, 380, 389, 419, 421, 469, 471, 472, 474, 517,
 529, 564, 567, 582, 589

Weibull plotting position, 291

Weighting method, 395–397, 402, 415

Wetlands, 5, 10, 12, 23, 25, 32, 37, 38, 338, 390, 469

Wilcoxon test, 296

Willingness to pay, 95, 381–383, 385, 411

Wilson–Hilferty transformation, 239

Withdrawals, 1, 2, 6, 31, 305, 470, 504, 585

Within-year

periods, 34, 122, 123, 142, 311, 313, 317, 318, 412, 450,
 470–472, 480–485, 486, 487, 508, 511, 518, 524
 storage, 470, 479, 482–484, 487, 488

Y

Yield, 25, 28, 41, 90, 95, 99, 103, 104, 138–142, 171,
 175, 176, 219, 227, 237, 246, 250, 263, 269, 287,
 296, 297, 338, 347, 358, 402, 476, 478–488, 499,
 511, 517, 522–525, 551, 612

Zooplankton

Open Access This chapter is distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (<http://creativecommons.org/licenses/by-nc/4.0/>), which permits any noncommercial use, duplication, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license and indicate if changes were made.



The images or other third party material in this chapter are included in the work's Creative Commons license, unless indicated otherwise in the credit line; if such material is not included in the work's Creative Commons license and the respective action is not permitted by statutory regulation, users will need to obtain permission from the license holder to duplicate, adapt or reproduce the material.