## Gilbert Bajacan

## 2023-10-10

```
#1. VECTORS #A.
first_eleven <- LETTERS[1:11]</pre>
first_eleven
## [1] "A" "B" "C" "D" "E" "F" "G" "H" "I" "J" "K"
#B.
odd_letters <- LETTERS[seq(1,25,2)]</pre>
odd_letters
## [1] "A" "C" "E" "G" "I" "K" "M" "O" "Q" "S" "U" "W" "Y"
#C.
vowels <- c(letters[which(letters %in% c("a","e","i","o","u"))],</pre>
            LETTERS[which(LETTERS %in% c("A","E","I","O","U"))])
vowels
## [1] "a" "e" "i" "o" "u" "A" "E" "I" "O" "U"
#D.
last5letter <- tail(letters, 5)</pre>
last5letter
## [1] "v" "w" "x" "y" "z"
#E.
letterbetween15to24 <- letters[15:24]</pre>
letterbetween15to24
## [1] "o" "p" "q" "r" "s" "t" "u" "v" "w" "x"
#NUMBER 2 #A.
city <- c("Tuguegarao City", "Manila", "Iloilo City", "Tacloban", "Samal Island", "Davao City")
city
                                                                "Tacloban"
## [1] "Tuguegarao City" "Manila"
                                             "Iloilo City"
## [5] "Samal Island"
                        "Davao City"
#B.
temp \leftarrow c(42, 39, 34, 34, 30, 27)
## [1] 42 39 34 34 30 27
#C.
```

```
df <- data.frame(city, temp)</pre>
df
##
               city temp
## 1 Tuguegarao City
                      42
## 2
             Manila
                      39
## 3
       Iloilo City 34
                     34
## 4
           Tacloban
     Samal Island 30
## 5
## 6
       Davao City 27
#D.
names(df) <- c("City", "Temperature")</pre>
df
##
               City Temperature
## 1 Tuguegarao City
## 2
             Manila
                             39
## 3
       Iloilo City
                             34
## 4
           Tacloban
                             34
## 5
     Samal Island
                             30
## 6
        Davao City
                             27
#E.
str(df)
## 'data.frame':
                   6 obs. of 2 variables:
            : chr "Tuguegarao City" "Manila" "Iloilo City" "Tacloban" ...
## $ Temperature: num 42 39 34 34 30 27
#F.
df[3:4,]
           City Temperature
## 3 Iloilo City
## 4 Tacloban
                         34
#G.
highest_temp_city <- df$City[which.max(df$Temperature)]</pre>
lowest_temp_city <- df$City[which.min(df$Temperature)]</pre>
highest_temp_city
## [1] "Tuguegarao City"
lowest_temp_city
## [1] "Davao City"
#2 MATRICES #A.
m <- matrix(c(1:8,11:14),ncol=4,nrow=3)</pre>
##
        [,1] [,2] [,3] [,4]
## [1,] 1 4 7 12
## [2,]
        2 5 8
                       13
        3 6 11
## [3,]
                        14
```

```
#B.
matrix(c(1:8,11:14),ncol=4,nrow=3) * 2
      [,1] [,2] [,3] [,4]
## [1,]
        2
             8 14 24
## [2,]
        4 10
                   16
                        26
## [3,]
        6
              12
                   22
                        28
#C.
matrix(c(1:8,11:14),ncol=4,nrow=3)[2,]
## [1] 2 5 8 13
#D.
matrix(c(1:8,11:14),ncol=4,nrow=3)[1:2,c(3,4)]
       [,1] [,2]
##
## [1,]
        7 12
## [2,]
        8 13
#E.
matrix(c(1:8,11:14),ncol=4,nrow=3)[3,c(2,3)]
## [1] 6 11
#F.
matrix(c(1:8,11:14),ncol=4,nrow=3)[,4]
## [1] 12 13 14
#G.
mat <- matrix(c(1:8,11:14)*2,ncol=4,nrow=3)</pre>
rownames(mat) <- c("isa","dalawa","tatlo")</pre>
colnames(mat) <- c("uno", "dos", "tres", "quatro")</pre>
\mathtt{mat}
##
         uno dos tres quatro
## isa
         2 8 14
                          24
## dalawa 4 10
                   16
                          26
## tatlo
           6 12
                   22
                          28
#H.
dim(m) \leftarrow c(6,2)
m
        [,1] [,2]
##
## [1,]
          1
             7
## [2,]
          2
               8
## [3,]
             11
## [4,]
        4
             12
## [5,]
          5
              13
## [6,]
          6
             14
#3. ARRAYS #A.
```

```
values \leftarrow c(1, 2, 3, 6, 7, 8, 9, 0, 3, 4, 5, 1)
array_3d \leftarrow array(values, dim = c(2, 4, 3))
values
## [1] 1 2 3 6 7 8 9 0 3 4 5 1
array_3d
## , , 1
##
## [,1] [,2] [,3] [,4]
## [1,] 1 3 7 9
## [2,] 2 6 8
##
## , , 2
##
     [,1] [,2] [,3] [,4]
## [1,] 3 5 1
## [2,]
       4 1
                   2
##
## , , 3
##
      [,1] [,2] [,3] [,4]
## [1,] 7 9 3 5
## [2,]
       8 0 4 1
#B.
#B: The array has three dimensions.
#C.
dimnames(array_3d) <- list(c("a", "b"), LETTERS[1:4], c("1st-Dimensional Array", "2nd-Dimensional Array")</pre>
array_3d
## , , 1st-Dimensional Array
## A B C D
## a 1 3 7 9
## b 2 6 8 0
##
## , , 2nd-Dimensional Array
##
## A B C D
## a 3 5 1 3
## b 4 1 2 6
##
## , , 3rd-Dimensional Array
##
## A B C D
## a 7 9 3 5
## b 8 0 4 1
```