

Integration Theory MATM39: Summary of Important Results

Simon Gustafsson

Chapter 1

Definition 1. Let X be an arbitrary set. A collection $\mathcal{A}$ of subsets of X is called a σ -algebra on X if:

- (a) $X \in \mathcal{A}$,
- (b) if $A \in \mathcal{A}$, then $A^c \in \mathcal{A}$,
- (c) if $\{A_i\}_{i=1}^{\infty} \subset \mathcal{A}$, then $\bigcup_{i=1}^{\infty} A_i \in \mathcal{A}$,
- (d) if $\{A_i\}_{i=1}^{\infty} \subset \mathcal{A}$, then $\bigcap_{i=1}^{\infty} A_i \in \mathcal{A}$.

Proof. Assume (a), (b), and (c). Let $\{A_i\}_{i=1}^{\infty} \subset \mathcal{A}$. Then $A_i^c \in \mathcal{A}$ for all i , and by (c), $\bigcup_{i=1}^{\infty} A_i^c \in \mathcal{A}$. By (b) again, $(\bigcup_{i=1}^{\infty} A_i^c)^c \in \mathcal{A}$. By De Morgan's law,

$$\bigcap_{i=1}^{\infty} A_i = \left(\bigcup_{i=1}^{\infty} A_i^c \right)^c \in \mathcal{A}$$

□

Chapter 2

Chapter 3

Chapter 5