



React + TypeScript + Vite Starter

A modern, production-ready React starter template with TypeScript, Vite, and best-in-class development tools configured for professional development.



Features



- **Vite 8** - Ultra-fast build tool with HMR
- **React 19** - Latest React with React Compiler
- **TypeScript 6** - Strict type checking with modern features
- **Vitest** - Fast unit testing framework
- **Playwright** - E2E testing framework
- **ESLint 10** - Modern flat config with React & TypeScript rules
- **Prettier** - Code formatting with consistent style
- **Path Aliases** - Clean imports with @/ aliases
- **Lefthook** - Git hooks for code quality
- **Commitizen** - Interactive conventional commits
- **Commitlint** - Commit message validation
- **Lint-staged** - Run linters on staged files only



Quick Start

```
# Install dependencies
```

```
pnpm install
```

```
# Start development server
```

```
pnpm dev
```

```
# Run tests
```

```
pnpm test
```

```
# Build for production
```

```
pnpm build
```

Documentation

For comprehensive documentation, including: - Detailed configuration explanations - Complete usage guide - Workflow examples - Best practices - Troubleshooting

[See Complete Documentation](#)

Available Scripts

Command	Description
<code>pnpm dev</code>	Start development server
<code>pnpm build</code>	Build for production
<code>pnpm preview</code>	Preview production build
<code>pnpm lint</code>	Run ESLint
<code>pnpm test</code>	Run unit tests in watch mode
<code>pnpm test:ui</code>	Run tests with UI
<code>pnpm test:e2e</code>	Run E2E tests
<code>*pnpm coverage</code>	Generate coverage report
<code>pnpm commit</code>	Interactive commit with Commitizen

Tech Stack

- **React 19.2.6** - UI library
- **TypeScript 6.0.2** - Type safety
- **Vite 8.0.12** - Build tool
- **Vitest 4.1.8** - Unit testing
- **Playwright 1.60.0** - E2E testing
- **ESLint 10.4.1** - Linting
- **Prettier 3.8.3** - Formatting
- **pnpm** - Package manager

Project Structure

```
src/
├─ components/    # React components
├─ hooks/         # Custom hooks
├─ utils/         # Utility functions
```

```
├─ types/           # TypeScript types
├─ assets/          # Static assets
└─ *.test.tsx       # Component tests
```

Path Aliases

```
import { Button } from '@components/Button'
import { useAuth } from '@hooks/useAuth'
import { formatDate } from '@utils/formatDate'
import type { User } from '@types/user'
```

Testing

```
# Unit tests
pnpm test           # Watch mode
pnpm test --run     # Single run
pnpm test:ui        # UI mode
pnpm coverage       # Coverage report
```

```
# E2E tests
pnpm test:e2e       # Run E2E tests
pnpm test:e2e:ui    # UI mode
```

Git Workflow

This project uses conventional commits with automated validation:

```
# Use interactive commit wizard
pnpm commit

# Or commit directly with conventional format
git commit -m "feat: add new feature"
```

Pre-commit hooks automatically run linters on staged files.

Configuration

- **TypeScript:** tsconfig.json
- **Vite:** vite.config.ts
- **ESLint:** eslint.config.js
- **Prettier:** .prettierrc.json



- **Vitest:** `vitest.config.ts`
- **Git Hooks:** `lefthook.yml`

React Compiler



The React Compiler is enabled to automatically optimize your React components. See [React Compiler documentation](#) for more information.

Contributing

1. Create a feature branch
2. Make your changes
3. Write tests
4. Run `pnpm lint` and `pnpm test`
5. Commit with `pnpm commit`
6. Push and create a PR

License

MIT