# REAL LIFE
DATA STRUCTURES APPLICATION

@Ankit Pangasa

- **MS Excel uses DAG (Directed Acyclic Graphs).**
- **On all social media networking sites, every user is Node, uses the graph to suggest friends.**
- **Flight Networks.**
- **React's virtual DOM uses graph data structures.**

GRAPHS:-

@Ankit Pangasa

1.

- **Undo/Redo button/operation in word processors.**
- **Wearing/Removing Bangles.**
- **Pile of Dinner Plates.**
- **Stacked chairs.**
- **Changing wearables on a cold evening, first in, comes out at last.**
- **Browser History :) of visited websites.**

STACKS:

@Ankit Pangasa

2.

TREE:

- **Databases also use B-Tree data structures for indexing.**
- **Domain Name Server (DNS) also uses tree structures.**

The file system of computer or mobile

- **Code Compression (zip), DOM in Html.**

3.

- **Train coaches are connected to one another in a doubly-linked list fashion.**
- **Music Players next, previous buttons use doubly/circular linked list based on our preference.**
- **Escalators List. - Circular linked**
- **Social media content "feeds".**

LINKED LIST:-

@Ankit Pangasa

4.

- **Operating System uses queues for job/task scheduling.**
- **Printer spooler.**
- **Sending emails.**
- **Car washes queue.**
- **Server while responding to requests**

QUEUES:-

@Ankit Pangasa

5.

- **Playing Cards with your friends (Insertion Sort).**
- **Order things by their value.**
- **Backend Databases (Merge Sort).**
- **sort() uses IntroSort (a - hybrid of Quicksort, Heapsort, and Insertion Sort), Faster than qsort().**

SORTING ALGORITHM:

ARRAYS:-

- **2D arrays (as matrix), are used in image processing.**
- **Sudoku or Chess Board are 2D arrays.**
- **In an online exam question paper numbering.**
- **Book titles in a Library Management Systems.**
- **Online ticket booking.**
- **Contacts on a cell phone.**

@Ankit Pangasa

7.

FOR MORE SUCH
CONTENT
Be a Part

@Ankit Pangasa