



GILLES KRATZER, PHD

PROF. REINHARD FURRER

USER! CONFERENCE, ONLINE 07.07.2021

http://r-bayesian-networks.org/ gilles.kratzer@gmail.com reinhard.furrer@math.uzh.ch

ADVANCED BAYESIAN NETWORK MODELLING



ADVANCED METHODS WITH BN MODELING

Outline of the talk

- Heuristic search
- MCMC over structures

- Other advanced methods/features:
 - Scoring system
 - Tunable parameter prior
 - Structural prior
 - Data separation
 - Covariate adjustment
 - Likelihood contribution

ADVANCED METHODS WITH BN MODELING


Find maximum a posteriori score

- √ Exact search
- ▶ Heuristic search
- MCMC over structures


HEURISTIC SEARCH

Heuristic search: Greedy Hill-Climbing

- Simplest heuristic local search
 - Start with a given network
 - empty network
 - best tree
 - a random network
 - At each iteration
 - Evaluate all possible changes
 - Apply change that leads to best improvement in score
 - Reiterate
 - Stop when no modification improves score
- Pitfalls:
 - Local Maxima
 - Plateaus
- ▶ Solution:
 - Tabu
 - Random restart
 - Simulated annealing









Kratzer and al. (2020) in Front. Vet. Sci.






Kratzer and al. (2020) in Front. Vet. Sci.






Kratzer and al. (2020) in Front. Vet. Sci.







Kratzer and al. (2020) in Front. Vet. Sci.













MCMC OVER STRUCTURE - POSTERIOR DISTRIBUTION









Best Unique Bayesian Network


































MCMC OVER STRUCTURES

MCMC over structures

- Selecting the most probable structure
- Controlling for overfitting
- Sampling the landscape of high scoring structures
 - In applied perspective avoid reducing the richness of BN modelling to only **one** structure
 - Quantify the marginal impact of relationships by marginalising out over structures

MCMC OVER STRUCTURES

MCMC over structures

- Selecting the most probable structure
- Controlling for overfitting
- Sampling the landscape of high scoring structures
 - In applied perspective avoid reducing the richness of BN modelling to only **one** structure
 - Quantify the marginal impact of relationships by marginalising out over structures

Question?

Why in a typical regression analysis (GLM) based on observational data we usually present only the best fitting model?

HA

HANDS-ON EXERCICES

