Campaign Agent

One offer in. A live test campaign out.

Three launch-ready landing pages with a logo and AI photos, image ads and ad copy for your traffic source, Privacy and Terms pages, and a campaign dashboard, built and deployed live with one command in Claude Code.

SETUP GUIDE · CLAUDE CODE EDITION

```
> /launch-offer auto insurance
```

Chanel Stevens
@chanelstevens

Version 2.1 · 2026

WELCOME

Stop guessing. Start testing.

Most affiliates build one landing page and hope. This system scores 5 emotional angles for your buyer and builds pages for the best 3, so a $50 test shows which one sells.

PAIN	CURIOSITY	PROOF	FEAR	BENEFIT
The frustration	**Open a loop**	**What others did**	**The cost of waiting**	**The result**
The daily problem, then the way out.	Tease a discovery. The click closes it.	Real, sourced proof only. Never invented.	Factual consequences. Skipped in Health.	The outcome first, next step easy.

The method

1. **Pick an offer that's already converting** in your network, not just the one with the biggest payout.
2. **Run** `/launch-offer`**.** Claude researches the niche, picks the best 3 angles and a format for each, builds the pages, ads and dashboard, and puts them live.
3. **Spend $50:** about $16.67 per angle, all three at once. Hands off for 48 hours.
4. **Let the data pick the winner.** Every page tags its clicks (`sub=pain`...) so your tracker shows which angle converts.


What's in your download

FILE	WHAT IT DOES
`CLAUDE.md`	The rules Claude follows, plus your **Settings**.
`/setup`	One-time setup: your site address and business details.
`/launch-offer`	Builds and deploys a full campaign.
`/swap-link` `/swap-logo` `/swap-image` `/legal`	Edit a live campaign and redeploy.
`templates/`	Every page, dashboard and legal design.
`_tools/` `_addons/`	Image-ad builder; video ads add-on (off).
`example-campaign/`	A finished campaign to show what you get.


WHAT ONE COMMAND BUILDS

Launch-ready pages, not wireframes


Every page ships with a logo header, real-looking AI photos and designed sections, so you can send traffic the same day. A real Home Warranty campaign, built with one command:



Advertorial (Pain angle)




Quiz with picture answers (Curiosity)



Quiz (Benefit angle)

Plus a dashboard for every campaign

Why these angles won, every page with its image and format, image ads to download, every ad ready to copy, and notices to check before launch.



BEFORE YOU START

What you need

Set aside about 15 minutes for the one-time setup. After that, each campaign takes a single command.

- [ ] **A paid Claude plan (Pro or Max)**
  Claude Code is included with these plans. Check current pricing at claude.com/pricing.
- [ ] **A free GitHub account**
  Sign up at github.com. GitHub hosts your pages for free with GitHub Pages.
- [ ] **Your affiliate link**
  (optional to start) You can launch with a placeholder and add the real link later with `/swap-link`.
- [ ] **Your business details**
  (optional to start) Business name, email, mailing address and state, for the Privacy Policy and Terms on every campaign. Until you add them, they show as yellow placeholders.
- [ ] **Higgsfield account**
  (optional, for AI images) Connect it to Claude and every campaign gets photos and image ads automatically (about 2 credits per image). Without it, pages ship with image spots you fill with your own photos.
- [ ] **A Mac or Windows PC with a web browser**
  Chrome, Edge, Safari or Firefox. No coding, and nothing to install if you use Claude Code on the web.

Two ways to run Claude Code

On the web (easiest)

Go to **claude.ai/code** and sign in. Works the same on Mac and Windows, even older computers. This guide uses this option.

In your terminal or VS Code

For people who already use Claude Code on their computer. Same commands, same results. See page 6.

Terminal version won't start?

Your operating system may be older than Claude Code supports (older Macs show a "Symbol not found" error). Use claude.ai/code instead. It runs in the cloud, so your Mac or Windows version doesn't matter.

STEP 1 OF 5

Create your landing page repo

A "repository" (repo) is a folder on GitHub. Anything you put in this one becomes a live web page.

1. Sign in at **github.com**. Click the **+** at the top right, then **New repository**.
2. Name it `landers`.
3. Set visibility to **Public**. Free GitHub Pages needs a public repo.
4. Turn **Add README** on, so the repo isn't empty.
5. Click **Create repository**.

Turn on GitHub Pages

1. In your new repo, click **Settings**, then **Pages** in the left menu.
2. Under **Source**, choose **Deploy from a branch**.
3. Set the branch to **main** and the folder to **/ (root)**. Click **Save**.
4. Wait a minute and refresh. You'll see **"Your site is live at..."** with your address, for example:

```
https://yourname.github.io/landers/
```

Save this address.
It's your Site URL, and every campaign you launch will live under it.

STEP 2 OF 5

Upload the Campaign Agent files

Unzip your download and make sure you can see the `.claude` folder, where the commands live. Folders starting with a dot can be hidden.

Mac

Unzip: double-click the zip in Finder. A `campaign-agent` folder appears.
Show hidden folders: open `campaign-agent` in Finder and press **Cmd + Shift + .** (the period key).

Windows

Unzip: right-click the zip, choose **Extract All**, then **Extract**. Work from the extracted folder, not inside the zip.
Show hidden folders: in File Explorer, **View → Show → Hidden items** (Windows 11) or tick **Hidden items** on the View tab (Windows 10).

Upload to GitHub

1. In your `landers` repo on GitHub, click **Add file**, then **Upload files**.
2. Select **everything inside** `campaign-agent` (`.claude`, `_addons`, `_tools`, `_config.yml`, `CLAUDE.md`, `RUNBOOK.md`, `templates`, `example-campaign`, and `START-HERE.txt`) and drag it onto the page. Use Chrome or Edge on Windows, or Chrome or Safari on Mac.
3. Scroll down and click **Commit changes**.

Check that the .claude folder made it.
Refresh your repo. No `.claude` folder in the list? The commands won't work. Drag it in again on its own.

Prefer the terminal? (optional)

Skip this if you use claude.ai/code. Install Claude Code once (official commands from code.claude.com). Windows also needs **Git for Windows** (git-scm.com).

```
# Mac (Terminal)
curl -fsSL https://claude.ai/install.sh | bash
# Windows (PowerShell)
irm https://claude.ai/install.ps1 | iex
# then, on either one, after the upload above
git clone https://github.com/yourname/landers
cd landers
claude          # inside Claude Code: /setup, then /launch-offer
```

STEPS 3 & 4 OF 5

Open Claude Code and run setup

Step 3: Connect your repo

1. Go to **claude.ai/code** and sign in.
2. Click **Select repository...** under the message box. The first time, it asks you to connect GitHub. Follow the prompts.
3. If `landers` isn't in the list, click **Install the Claude GitHub App**, choose **All repositories** (or select `landers`), and save. Back in Claude, click **Refresh list**.
4. Pick **yourname/landers**.

Step 4: Run setup (one time only)

Type this into the message box and press Enter:

```
/setup
```

Claude finds your Site URL and asks you to confirm it matches what you saw in Step 1. Then it asks for your business details for the Privacy Policy and Terms (skip any you don't have yet), saves everything in `CLAUDE.md`, and publishes the change.

> **Claude may ask permission**
> before it edits files or publishes. That's normal. Approve it, or choose "always allow" for this repo.

Optional: turn on AI images

1. **Connect Higgsfield to Claude** from Claude's connectors settings and sign in to your Higgsfield account.
2. **Let your cloud sessions save the images.** In claude.ai/code, click the **cloud icon** above the message box, then the **gear** next to your environment. Set **Network access** to **Custom**, add `d8j0ntlcm91z4.cloudfront.net` under **Allowed domains**, tick **Also include default list of common package managers**, and save.

Skip step 2 and images still show, but they load from Higgsfield instead of your own site. Prefer your own photos? Set **Images** to `none` in the Settings block of `CLAUDE.md`.

STEP 5 OF 5

Launch your first campaign

Type the command, the offer, and your affiliate link:

```
/launch-offer auto insurance https://your-affiliate-link.com/...
```

No link yet? Leave it off and Claude uses a placeholder. Page 9 lists every option.

What happens next (about 5 to 10 minutes)

1. **Checks the offer:** whether your traffic source's ad policy allows the niche. If it doesn't (Google bans credit repair ads, for example), it stops before building anything.
2. **Researches the niche:** the customer avatar and their top 10 pains.
3. **Scores all 5 angles and picks the best 3,** explaining why, and saves it to `research.md`.
4. **Builds three launch-ready pages** from the templates, each angle in its best format, with a made-up publisher name and logo, real-looking AI photos (compressed for fast mobile loading), and Privacy and Terms pages with the disclaimers your traffic source expects.
5. **Makes the ads and the dashboard:** hooks, a PAS body, copy for your traffic source, and image ads sized for it (Facebook and Instagram feed, or native).
6. **Checks its work** (links, tags, compliance), **publishes it live,** and replies with your links.

Where to find your links later

Each campaign gets its own folder, named after the offer:

PAGE	ADDRESS
Dashboard	`yourname.github.io/landers/auto-insurance/`
Pain lander	`…/auto-insurance/pain.html`
Curiosity lander	`…/auto-insurance/curiosity.html`
Social Proof lander	`…/auto-insurance/social-proof.html`

Give it a minute.
GitHub Pages takes 30 to 90 seconds to publish. A 404? Wait and refresh.

COMMAND REFERENCE

Everything /launch-offer takes

Four inputs, in any order. Only the offer is required. Plain English works too ("PropellerAds popunder").

```
/launch-offer <offer> [affiliate link] [EPC] [traffic source]
```

INPUT	EXAMPLE	IF YOU LEAVE IT OUT
Offer (required)	auto insurance. Also names the folder.	Required
Affiliate or tracker link	`https://trk.example.com/abc`. Every button goes here with a `sub` tag for its angle.	A placeholder; add the link later with `/swap-link`
EPC	`$1.20` or `EPC 1.20`. Shown on the dashboard.	Not shown
Traffic source	Facebook, Google Search, TikTok, Native. Drives the policy check, formats and ad copy.	Facebook + Native

Examples

```
/launch-offer solar
/launch-offer debt relief https://trk.example.com/x $1.40 TikTok
/launch-offer keto supplement Native
```

Other commands

`/setup`	One-time: saves your Site URL.
`/swap-link <folder> <link>`	Puts your real link on every button and the quiz redirect.
`/swap-logo <folder> <name or domain>`	Renames the publisher to match your domain, or uses your logo file.
`/swap-image <folder> <file or all>`	Replaces, regenerates or saves images and image ads.
`/legal <folder or all>`	Fills Privacy and Terms with your business details and updates the disclaimers.

After a run, just ask. Type requests like *"make the pain headline punchier"*, *"turn the curiosity page into a quiz"* or *"add a fear page"*, and Claude edits and republishes.

AFTER LAUNCH

Get ready, then run the $50 test

Before you spend a dollar


1. **Swap in your affiliate link** if you launched with the placeholder. Every button keeps its tracking tag.

```
/swap-link auto-insurance https://…
```

2. **Fill your legal pages.** Every page links to a Privacy Policy and Terms, with the disclaimer line your traffic source expects (Meta, Google, Microsoft, TikTok or native). Still yellow? Tell Claude your business name, email, address and state, then run:

```
/legal all
```

3. **Download your image ads** from each angle's tab on the dashboard.



Facebook and Instagram get 4:5 and 1:1 with the headline on the image. Native gets 16:9 with no text. Search, pop and TikTok get none.

The test

SETTING	WHAT TO DO
Budget	$50 total, about $16.67 per angle
Setup	One ad set per angle: same audience, same budget, each pointing at its own lander
Run time	All three at once. Don't touch anything for 48 hours.
Track	Lander click-through, cost per click and conversions by `sub` tag
Judge	Compare the 3 angles using benchmarks for your traffic source (Meta and pop norms differ a lot).

Tracker-ready.
Every page passes your tracker's click ID (RedTrack, Voluum and others) onto every button and the quiz redirect. Use your tracker's click URL as the link.

The Privacy and Terms pages are starting templates, not legal advice. Have a lawyer review them before you scale.

OPTIONAL ADD-ON

Video ads for your winners

In your download, switched off. Videos are never made at launch, so you only spend credits on campaigns worth scaling.

What you get per angle

A 15-second, UGC-style video: an AI narrator (the same person for every angle) talks to camera, with captions timed to her voice and an end card. Sized 9:16 for TikTok, Reels and Stories, and 4:5 for the Facebook and Instagram feed, with hooks and captions to copy on the dashboard.

What it needs

Higgsfield connected, about 26 credits per angle (about 81 for a 3-angle campaign). **ffmpeg**: already there on claude.ai/code. On your own computer, install it with `brew install ffmpeg` (Mac) or `winget install ffmpeg` (Windows).

Turn it on and make videos

1. In Claude Code, type: *"Turn on the video ads add-on and publish the change."*
2. Start a new session (on the web) or restart Claude Code (in the terminal) so the new command appears.
3. Run `/make-video` with the campaign's folder name (see the table below).

Label it as AI.
Turn on TikTok's "AI-generated content" setting when you upload. The narrator explains; she never poses as a customer or expert.

Prompts and commands you can use

YOU WANT TO…	TYPE THIS IN CLAUDE CODE
Turn it on	*"Turn on the video ads add-on and publish the change."* Then start a new session.
Check if it's on	*"Is the video ads add-on on?"*
Videos for every angle	`/make-video auto-insurance`
Video for one angle	`/make-video auto-insurance pain`
Redo a video	*"Remake the pain video with hook 2."* or *"...with a narrator in her 50s."*
Spend fewer credits	*"Switch the video model to veo3_1_lite."* (about 24 instead of 26 per angle)
Turn it off	*"Turn off the video ads add-on and publish the change."* Videos already made stay.

MAKE IT YOURS

Customize and troubleshoot

Change anything in plain English

The commands are ordinary text files. You can edit them yourself, or ask Claude:

- "Add a TikTok ad section to `/launch-offer`."
- "Make the pain headline on auto-insurance punchier and redeploy."

If something goes wrong

PROBLEM	FIX
`/launch-offer` isn't recognized	The `.claude` folder didn't upload. Redo Step 2 and make sure it shows in your repo.
It says to run /setup first	Your Site URL isn't saved yet. Run `/setup`.
404 on the live link	Wait a minute and refresh. Still a 404 after 5 minutes? On github.com, open any file in your repo, click the pencil, make a tiny edit, and commit. That triggers a fresh publish.
Repo missing in claude.ai/code	Install the Claude GitHub App for that repo (Step 3.3), then click Refresh list.
Yellow highlights on Privacy or Terms	Your business details are still placeholders. Add them (tell Claude, or edit Settings in `CLAUDE.md`), then run `/legal all`.
Images show as tinted blocks	Higgsfield isn't connected, or Images is `none`. Connect it, or drop your own photos into the campaign's `img/` folder with the listed names.
Dashboard says images are linked	Allow the image domain (page 7), then run `/swap-image <folder> all` to save them.

Built to pass ad review

The pages follow rules that help avoid ad network rejections: no invented testimonials or ratings, no made-up savings numbers, no fake countdowns, a visible affiliate disclosure, and a Privacy Policy, Terms and the right platform disclaimer on every page. Images follow the same rules: no text or logos in them, no before/after, no people presented as customers, and every page notes that images are illustrations. Keep those rules in `CLAUDE.md`. Always read your pages before running traffic, and follow your ad network's and the offer's own terms.

Results vary. This product is a tool for building and testing campaigns faster. It does not guarantee earnings. Claude, Claude Code, and GitHub are trademarks of their respective owners, and this product is not affiliated with or endorsed by them.