## NumPy Exercises

Import NumPy as np

```
import numpy as np
```

Create an array of 10 zeros

```
np.zeros(10)

→ array([0., 0., 0., 0., 0., 0., 0., 0., 0., 0.])

Start coding or generate with AI.

→ array([0., 0., 0., 0., 0., 0., 0., 0., 0., 0.])

✓ Create an array of 10 ones
```

```
np.ones(10)

→ array([1., 1., 1., 1., 1., 1., 1., 1., 1.])

Start coding or generate with AI.

→ array([1., 1., 1., 1., 1., 1., 1., 1., 1.])
```

Create an array of 10 fives

```
np.full(10,5)

→ array([5, 5, 5, 5, 5, 5, 5, 5, 5])

Start coding or generate with AI.

→ array([5., 5., 5., 5., 5., 5., 5., 5., 5., 5.])
```

Create an array of the integers from 10 to 50

```
np.arange(10,51)

array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50])

Start coding or generate with AI.

array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50])
```

```
aray=np.arange(10,51,dtype=int)
aray[aray%2==0]

→ array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42,
44, 46, 48, 50])

Start coding or generate with AI.

→ array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42,
44, 46, 48, 50])
```

Create a 3x3 matrix with values ranging from 0 to 8

```
array=np.arange(0,9)
array.reshape(3,3)
```

```
\rightarrow array([[0, 1, 2],
            [3, 4, 5],
            [6, 7, 8]])
Start coding or generate with AI.
 \rightarrow array([[0, 1, 2],
  Create a 3x3 identity matrix
array=np.identity(3)
array
 → array([[1., 0., 0.],
            [0., 1., 0.], [0., 0., 1.]])
Start coding or generate with AI.
 → array([[ 1., 0., 0.],
            [ 0., 1., 0.],
[ 0., 0., 1.]])
aray=np.random.rand(1)
aray
 → array([0.42913096])
Start coding or generate with AI.
 → array([0.68660432])
  Create the following matrix:
import numpy as np
\mbox{\#} Create the 1D array with values from 0.01 to 1.00 with a step of 0.01
array_1d = np.arange(0.01, 1.01, 0.01)
# Reshape the 1D array into a 10x10 2D array
array_2d = array_1d.reshape((10, 10))
print(array_2d)
 → [[0.01 0.02 0.03 0.04 0.05 0.06 0.07 0.08 0.09 0.1
      [0.11 0.12 0.13 0.14 0.15 0.16 0.17 0.18 0.19 0.2 ]
      [0.21 0.22 0.23 0.24 0.25 0.26 0.27 0.28 0.29 0.3
      [0.31 0.32 0.33 0.34 0.35 0.36 0.37 0.38 0.39 0.4 [0.41 0.42 0.43 0.44 0.45 0.46 0.47 0.48 0.49 0.5
      [0.51 0.52 0.53 0.54 0.55 0.56 0.57 0.58 0.59 0.6
      [0.61 0.62 0.63 0.64 0.65 0.66 0.67 0.68 0.69 0.7
      [0.71 0.72 0.73 0.74 0.75 0.76 0.77 0.78 0.79 0.8 ]
      [0.81 0.82 0.83 0.84 0.85 0.86 0.87 0.88 0.89 0.9 ]
      [0.91 0.92 0.93 0.94 0.95 0.96 0.97 0.98 0.99 1. ]]
Start coding or generate with AI.
     _____
     TypeError
                                              Traceback (most recent call last)
     <ipython-input-25-e083292b02f1> in <cell line: 1>()
                                                                      0.08, 0.09, 0.1],
     ----> 1 array([[ 0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07,
                      0.11, 0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2 ],
                      0.21, 0.22, 0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3 ],
0.31, 0.32, 0.33, 0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4 ],
                    [ 0.41, 0.42, 0.43, 0.44, 0.45, 0.46, 0.47, 0.48, 0.49, 0.5 ],
     TypeError: 'numpy.ndarray' object is not callable
```

Create an array of 20 linearly spaced points between 0 and 1:

```
(Hint: Use linspace function)
import numpy as np
\mbox{\#} Create an array with 20 values evenly spaced between 0 and 1
array = np.linspace(0, 1, 20)
print(array)
                0.05263158 0.10526316 0.15789474 0.21052632 0.26315789
 <del>_</del> [0.
      0.31578947 0.36842105 0.42105263 0.47368421 0.52631579 0.57894737
      0.63157895 0.68421053 0.73684211 0.78947368 0.84210526 0.89473684
      0.94736842 1.
                          1
Start coding or generate with AI.
             0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211, 0.78947368, 0.84210526, 0.89473684, 0.94736842, 1.
Start coding or generate with AI.

    Numpy Indexing and Selection
```

You are given this matrix named mat. Write some code to get the outputs accordingly in the cells given below

```
#Enter your code here
np.arange(12,26).reshape(7,2)
→ array([[12, 13],
             [14, 15],
[16, 17],
             [18, 19],
             [20, 21],
             [22, 23],
             [24, 25]])
#Enter your code here
Start coding or generate with AI.
<del>→</del> 20
#Enter your code here
array=np.arange(2,13,5).reshape(3,1)
print(array)
print(sum(array))
<del>→</del> [[ 2]
      [ 7]
[12]]
     [21]
#Enter your code here
Start coding or generate with AI.
→ array([21, 22, 23, 24, 25])
#Enter your code here
Start coding or generate with AI.
```

## ✓ Get the sum of all the values in mat

```
Start coding or <u>generate</u> with AI.

Start coding or <u>generate</u> with AI.
```

## 

```
Start coding or generate with AI.

Start coding or generate with AI.

7.211102550927978
```

## ✓ Get the sum of all the columns in mat

```
Start coding or generate with AI.

Start coding or generate with AI.

array([55, 60, 65, 70, 75])
```