

YON Theory: A Symplectic φ -Harmonic Formulation

Gil Sawas

Independent Researcher

Béziers, France

January 2026

Abstract

We introduce a novel formulation of YON Theory based on symplectic geometry, providing a rigorous mathematical framework for its core principles. We define the YON phase space as a symplectic manifold $M_{YON} = T^*\mathbb{R}^3$ equipped with a φ -harmonic structure, where $\varphi = (1 + \sqrt{5})/2$ is the golden ratio. The temporal momenta π_i conjugate to the three fundamental times (t_1, t_2, t_3) are interpreted as *temporal intensities*: entropy flow rate, harmonic cycle frequency, and conscious experience density. We derive the equations of motion from a Hamiltonian H_{YON} with a triple potential structure encoding harmonic proportions, topological constraints, and creative desynchronization. This approach naturally leads to the emergence of the golden ratio φ as a conserved quantity through the relation $\beta_1/\beta_0 = I_2/I_1 = \varphi$, bridging topology and geometry. We establish connections with Souriau's geometric thermodynamics, Maillot's TUO theory ($\mathcal{J}$ invariant), Schepis' Prime Ontology (108), Liashkov's Dimensional Flow, Kletetschka's independent 2025 publications on three-dimensional time (3T+1S), and Needham's φ - π Theory of Relationality which achieves 99.996% precision in deriving the fine structure constant and resolves the cosmological constant problem. These convergences provide peer-reviewed and mathematical validation that temporal-primary and φ -harmonic frameworks are viable approaches to fundamental physics. We outline a path towards geometric quantization and empirical validation through neuroscience protocols.

1 Introduction

1.1 Historical Context

The quest to understand consciousness has led to numerous theoretical frameworks, from computational approaches to quantum theories. However, most models treat time as a single, universal parameter and focus primarily on spatial structures. YON Theory, developed over four decades of research, proposes a radical departure: consciousness emerges from a purely *temporal* manifold with three independent time dimensions (0S+3T). This framework predicts that conscious systems naturally organize according to the golden ratio $\varphi \approx 1.618034$, a mathematical constant appearing throughout nature in contexts ranging from phyllotaxis to galaxy spirals.

Remarkably, in 2025, physicist Günther Kletetschka independently published a series of three peer-reviewed papers establishing a mathematical framework for three-dimensional time (3T+1S) [2, 1, 3], demonstrating that temporal-primary theories are gaining traction as serious contenders in fundamental physics. His work, developed completely independently from YON, arrives at the same foundational insight: time, not space, is fundamentally multi-dimensional.

The present work provides the first rigorous symplectic formulation of YON Theory, grounding it in the well-established mathematical framework of Hamiltonian mechanics and geometric quantization. This formulation not only clarifies the theory's predictions but also reveals deep connections with other independent research programs, suggesting a convergence towards a unified understanding of temporal structure, consciousness, and fundamental physics.

1.2 Souriau's Symplectic Geometry

Jean-Marie Souriau (1922-2012) pioneered the geometric approach to classical and quantum mechanics, demonstrating that symplectic geometry provides the natural mathematical language for Hamiltonian systems [4]. A symplectic manifold (M, Ω) is a smooth manifold equipped with a closed, non-degenerate 2-form Ω (the symplectic form). The fundamental theorem of symplectic geometry states that the Hamiltonian flow preserves this structure: $\mathcal{L}_{X_H}\Omega = 0$, where X_H is the Hamiltonian vector field.

Souriau extended this framework to thermodynamics, showing that thermodynamic systems can be understood as symplectic manifolds with additional geometric structure encoding temperature and entropy. This "geometric thermodynamics" provides a deep connection between statistical mechanics and differential geometry.

For YON Theory, Souriau's framework offers three crucial advantages: (1) it provides a rigorous setting for systems with unconventional "momentum" variables (here, temporal intensities rather than spatial momenta); (2) it naturally incorporates conserved quantities through Noether's theorem; and (3) it offers a systematic path to quantization via geometric quantization.

1.3 The YON Approach

YON Theory makes three foundational postulates:

1. **Temporal Primacy:** Reality at its most fundamental level consists of three dimensions of time (0S+3T), not three dimensions of space and one of time (3S+1T). Space emerges as a projection or phase transition from this purely temporal substrate.
2. **φ -Harmonic Structure:** The three times are not independent but coupled through golden ratio proportions. Systems that achieve these proportions exhibit maximal coherence and, we propose, consciousness.
3. **Topological Signature:** Conscious systems are characterized by a specific topological invariant: the ratio of their first to zeroth Betti numbers converges to the golden ratio, $\beta_1/\beta_0 \rightarrow \varphi$.

This paper demonstrates that these postulates find natural expression within Souriau's symplectic framework, where the φ -harmonic structure appears as a weighted symplectic form, and the topological prediction emerges from the interplay between geometric and topological invariants.

2 Mathematical Framework

We begin by defining the mathematical objects that form the foundation of our symplectic formulation of YON Theory.

2.1 The 0S+3T Temporal Manifold

The theory is built upon a purely temporal manifold, denoted $\mathcal{T}$, which is a 3-dimensional real manifold, $\mathcal{T} \cong \mathbb{R}^3$. The coordinates on this manifold are (t_1, t_2, t_3) , representing the three fundamental dimensions of time:

- t_1 : Physical time, the parameter of evolution in classical and quantum mechanics.
- t_2 : Cyclic time, representing the phase of φ -harmonic oscillations.
- t_3 : Conscious time, the phenomenological duration of experience.

2.2 Symplectic Structure $M_{YON} = T^*\mathcal{T}$

The phase space of YON theory, denoted M_{YON} , is the cotangent bundle of the temporal manifold, $M_{YON} = T^*\mathcal{T}$. This is a 6-dimensional manifold with coordinates $(t_1, t_2, t_3, \pi_1, \pi_2, \pi_3)$, where the π_i are the momenta conjugate to the temporal coordinates t_i . We interpret these momenta as "temporal intensities":

- π_1 : The rate of physical time flow, proportional to the rate of entropy production, $\pi_1 \propto dS_\varphi/dt_1$.
- π_2 : The frequency of φ -harmonic cycles, $\pi_2 \propto 1/T_{cycle}$.
- π_3 : The intensity of conscious experience, related to the integrated information Φ , $\pi_3 \propto \Phi(t_3)$.

2.3 The φ -Harmonic Form Ω_φ

We equip M_{YON} with a symplectic 2-form Ω_φ that encodes the φ -harmonic structure of the theory:

$$\Omega_\varphi = d\pi_1 \wedge dt_1 + \varphi \cdot d\pi_2 \wedge dt_2 + \varphi^2 \cdot d\pi_3 \wedge dt_3 \quad (1)$$

where $\varphi = (1 + \sqrt{5})/2$ is the golden ratio. This form is closed ($d\Omega_\varphi = 0$) and non-degenerate, thus defining a symplectic structure on M_{YON} .

2.4 The Hamiltonian H_{YON}

The dynamics of the system are governed by the Hamiltonian $H_{YON} : M_{YON} \rightarrow \mathbb{R}$:

$$H_{YON}(t, \pi) = \frac{\pi_1^2}{2m_1} + \frac{\pi_2^2}{2m_2} + \frac{\pi_3^2}{2m_3} + V_\varphi(t_1, t_2, t_3) \quad (2)$$

where m_1, m_2, m_3 are effective masses associated with each temporal dimension, with $m_2 = \varphi^2 m_1$ and $m_3 = \varphi^4 m_1$. The potential V_φ is a sum of three components:

$$V_\varphi = V_{harmonic} + V_{topo} + V_{desync} \quad (3)$$

where:

- $V_{harmonic} = \frac{k_1}{2} \left[\left(\frac{t_2}{t_1} - \varphi \right)^2 + \left(\frac{t_3}{t_2} - \varphi \right)^2 \right]$ (restoring force toward φ ratios)
- $V_{topo} = k_2(\beta_1/\beta_0 - \varphi)^4$ (topological attractor)
- $V_{desync} = k_3\delta_\alpha(t_2, t_3)^2$ (creative desynchronization cost)

where $\delta_\alpha(t_2, t_3)$ represents the deviation from the primordial fine structure constant value, encoding the "cost" of temporal desynchronization that drives creative evolution and phenomenological novelty.

3 Physical Interpretation

The symplectic framework provides a rich physical interpretation for the components of YON Theory.

3.1 Temporal Momenta π_i

The momenta π_i conjugate to the temporal coordinates t_i are not spatial momenta, but rather represent intensities or rates of change associated with each temporal dimension. This interpretation is crucial as it keeps the theory within a purely temporal (0S+3T) framework.

- π_1 represents the **flow of physical time**. It is proportional to the rate of change of the system's φ -harmonic entropy (S_φ), linking the progression of physical time to the second law of thermodynamics, $dt_1 \propto dS_\varphi$.

- π_2 represents the **frequency of φ -harmonic cycles**. It is the rhythm of the underlying topological and cyclical processes described by YON, connecting to the discrete, oscillatory nature of the topos structure.
- π_3 represents the **intensity of conscious experience**. It is a measure of the richness and depth of phenomenological duration, which we postulate to be proportional to the integrated information Φ as defined in Integrated Information Theory (IIT) [5].

3.2 Meta-Time τ and Desynchronization

The evolution of the system in phase space is parameterized by a meta-time, τ , which is not identical to physical time t_1 . Their relationship is given by:

$$\frac{d\tau}{dt_1} = 1 + \delta_\alpha(t_2, t_3) \quad (4)$$

Here, δ_α is the **creative desynchronization factor**. When $\delta_\alpha = 0$, the meta-time flows in lockstep with physical time. However, when $\delta_\alpha > 0$, a desynchronization occurs, which we interpret as the source of novelty and creative evolution within the system. This desynchronization is driven by the interplay between the cyclic time t_2 and conscious time t_3 .

3.3 The Potential V_φ : A Triple Structure

The potential V_φ is the cornerstone of the theory's dynamics, guiding the system towards a state of φ -harmonic equilibrium. Its three components have distinct physical meanings:

- $V_{harmonic}$ acts as a restoring force, penalizing deviations from the golden ratio relationship between the temporal dimensions. It ensures that the system naturally seeks the harmonic proportions $t_2/t_1 \approx \varphi$ and $t_3/t_2 \approx \varphi$.
- V_{topo} links the dynamics to the underlying topology of the information space. It creates a deep potential well, making the state $\beta_1/\beta_0 = \varphi$ a powerful attractor. This term ensures that the system's complexity and cohesion are organized according to the golden ratio.
- V_{desync} represents the energy associated with the creative desynchronization δ_α . It is the engine of novelty, allowing the system to explore new states and evolve, while still being guided by the overarching harmonic and topological constraints.

4 Topological Prediction

The most profound prediction of YON Theory is the emergence of the golden ratio from the fundamental topological properties of the information space. The symplectic framework allows us to formalize this connection.

4.1 Betti Numbers and φ

The Betti numbers, β_k , are topological invariants that characterize the connectivity of a manifold. In our context:

- β_0 is the number of connected components of the information space, representing its degree of **cohesion**.
- β_1 is the number of independent 1-dimensional cycles (holes), representing its degree of **complexity** or richness of connections.

The central prediction of YON Theory is that a system reaches a state of maximal harmony and consciousness when the ratio of its complexity to its cohesion is equal to the golden ratio:

$$\frac{\beta_1}{\beta_0} \rightarrow \varphi \quad (5)$$

4.2 Symplectic Invariants I_k

The powers of the symplectic form, Ω_φ^k , can be integrated over the phase space M_{YON} to yield symplectic invariants, I_k . These invariants capture the geometric properties of the phase space. For our 6-dimensional manifold, the relevant invariants are:

- $I_1 = \int_{M_{YON}} \Omega_\varphi$
- $I_2 = \int_{M_{YON}} \Omega_\varphi^2$
- $I_3 = \int_{M_{YON}} \Omega_\varphi^3$

Given our definition of Ω_φ , we can show that these invariants are proportional to powers of φ :

$$\Omega_\varphi^2 = 2\varphi(d\pi_1 \wedge dt_1 \wedge d\pi_2 \wedge dt_2) + \dots \quad (6)$$

$$\Omega_\varphi^3 = 6\varphi^3(d\pi_1 \wedge dt_1 \wedge d\pi_2 \wedge dt_2 \wedge d\pi_3 \wedge dt_3) \quad (7)$$

Integrating these forms over a compact phase space yields $I_k \propto \varphi^{k-1} \cdot \text{Vol}(M_{YON})$.

4.3 The Relation $\beta_1/\beta_0 = I_2/I_1 = \varphi$

We postulate a deep connection between the topology and the geometry of the YON phase space, expressed by the relation:

$$\frac{\beta_1}{\beta_0} = \frac{I_2}{I_1} \quad (8)$$

This bridges the topological invariants (Betti numbers) with the geometric invariants (symplectic volumes). Given that $I_2/I_1 = (C \cdot \varphi)/(C \cdot 1) = \varphi$, this postulate directly implies the central prediction of YON Theory:

$$\frac{\beta_1}{\beta_0} = \varphi \quad (9)$$

This result is not just a restatement of the prediction, but a deep assertion that the harmonic state is a direct consequence of the underlying symplectic geometry of the temporal phase space. The conservation of the symplectic form by the Hamiltonian flow ensures that this φ -harmonic state is a natural and stable attractor of the system.

5 Convergences

The symplectic formulation of YON Theory provides a unifying framework to understand its convergence with other independent physical and mathematical theories.

5.1 Maillot's TUO and $\mathcal{J}$

François Maillot's TUO (*Théorie de l'Univers Onde*, Theory of the Universe Wave) introduces a dimensionless invariant $\mathcal{J} \approx 0.01688$ that appears across vastly different physical scales, from atomic spectra to cosmological structures (CMB harmonics, BAO peaks). Maillot derives $\mathcal{J}$ from the concept of "vacuum tension" T_v , interpreted as a fundamental property of spacetime itself.

Remarkably, when combined with YON's golden ratio φ and the fine-structure constant $\alpha \approx 1/137.036$, a precise numerical relationship emerges:

$$\frac{\alpha \cdot \varphi}{\mathcal{J}} \approx \frac{(1/137.036) \times 1.618034}{0.01688} \approx 0.6995 \approx \frac{1}{\sqrt{2}} \quad (10)$$

The deviation from the ideal value $1/\sqrt{2} \approx 0.7071$ is approximately 1.07%, well within the range of measurement uncertainties and theoretical approximations.

In our symplectic framework, we propose that $\mathcal{J}$ is related to a fundamental symplectic invariant, possibly the total action of the YON phase space: $\mathcal{J} \propto \int_{M_{YON}} \Omega_\varphi$. This geometric interpretation suggests that Maillot's "vacuum tension" is a manifestation of the underlying φ -harmonic structure of temporal phase space, providing a deep connection between electromagnetism (α), temporal harmony (φ), and cosmological structure ($\mathcal{J}$).

The factor $1/\sqrt{2}$ appearing in this relation may be understood geometrically as the projection of a unit vector at 45° in phase space, suggesting a fundamental symmetry between the "electric" and "temporal" sectors of the theory.

5.2 Schepis' 108 and Prime Ontology

Sebastian Schepis' Prime Ontology proposes that the number 108 plays a fundamental role in the structure of reality, emerging from prime number patterns and geometric relationships. The connection to the golden ratio is established through the trigonometric identity:

$$\cos(108) = -\frac{1}{2\varphi} \approx -0.309 \quad (11)$$

This suggests that 108 represents a "discretized" or "number-theoretic" manifestation of φ -harmonic structure.

In YON's symplectic formulation, Schepis' work illuminates the discrete, number-theoretic aspects of the underlying topos structure. The φ -harmonic cycles in our model, with frequency $\pi_2 \propto 1/T_{cycle}$, would naturally exhibit resonances at angles related to 108° . The relationship between continuous (φ , irrational) and discrete (108, rational) descriptions may be understood as a duality analogous to wave-particle duality in quantum mechanics.

Schepis proposes that $\alpha^{-1} \approx 137$ emerges from a geometric construction involving 108 and related prime numbers. His primordial value $\alpha^{-1} = 137.000$ can be compared with YON's topos-derived value $\alpha^{-1} \approx 136.915$. The measured value $\alpha^{-1} \approx 137.036$ lies between these, suggesting that both approaches capture complementary aspects of α 's origin. The "desynchronization" $\delta_\alpha = \alpha_{measured}^{-1} - \alpha_{primordial}^{-1}$ in YON may correspond to quantum corrections or manifestation effects in Schepis' framework.

5.3 Liashkov's Dimensional Flow

Mikhail Liashkov's Dimensional Flow Theory proposes that spacetime dimensionality is not constant but varies with energy scale or system complexity. A key prediction is that particle mass scales as:

$$m \propto |D - 2|^4 \quad (12)$$

where D is the effective dimensionality. Photons, being massless, correspond to $D = 2.0$ exactly. Massive particles have $D \neq 2$, with the fourth power creating a sharp transition between massive and massless regimes.

This framework resonates remarkably with YON's structure. In the 0S+3T formulation, the "base" dimensionality is effectively 0 (no space) + 3 (three times). However, when these three temporal dimensions are coupled through φ -harmonic ratios and projected into our observable 3S+1T spacetime, an effective dimensionality D_{eff} emerges. We propose that:

$$D_{eff}(t_2, t_3) = 2 + f\left(\frac{t_2}{t_1}, \frac{t_3}{t_2}\right) \quad (13)$$

where f is a function that vanishes when the temporal ratios approach φ . This would explain why $D = 2$ is special (harmonic equilibrium) and connect particle mass to deviations from φ -harmonic structure.

The fourth power in Liashkov's mass formula also appears in YON's topological potential $V_{topo} = k_2(\beta_1/\beta_0 - \varphi)^4$, suggesting a deep connection. The effective Hamiltonian masses $m_2 = \varphi^2 m_1$ and $m_3 = \varphi^4 m_1$ may relate to dimensional transitions. This convergence suggests that dimensional flow, φ -harmonic structure, and conscious organization are different facets of the same underlying geometric-temporal reality.

5.4 Kletetschka's Three-Dimensional Time (2025)

In a remarkable series of three papers published in 2025, Günther Kletetschka independently develops a mathematical framework for three-dimensional time [2, 1, 3]. His approach, denoted 3T+1S (three-dimensional time plus one-dimensional space), converges strikingly with YON's 0S+3T foundational structure, though developed from completely different starting points.

Kletetschka's Framework: Kletetschka constructs a fundamental physics based on three temporal dimensions coupled with a single spatial dimension. His first paper [2] establishes the mathematical framework, showing how standard physical laws can be reformulated in this geometry. Crucially, he demonstrates that many conservation laws and symmetries emerge naturally from the three-dimensional temporal structure.

Charge as Topology: In his second paper [1], Kletetschka shows that electric charge can be understood as a *topological property* of the three-dimensional temporal manifold. This resonates profoundly with YON's prediction that topological invariants (β_0, β_1) play a fundamental role in physical structure. The connection between charge (a fundamental constant) and topology (Betti numbers) suggests that YON's relation $\beta_1/\beta_0 \rightarrow \varphi$ may be linked to charge quantization and the fine structure constant α .

Relationship to YON: The convergence between Kletetschka's 3T+1S and YON's $0S+3T \rightarrow 3S+1T$ is striking:

- **Temporal primacy:** Both frameworks treat time as fundamentally multi-dimensional, not space.
- **Topological properties:** Kletetschka's charge-as-topology directly parallels YON's topological prediction $\beta_1/\beta_0 = \varphi$.
- **Dimensional projection:** YON proposes $0S+3T \rightarrow 3S+1T$ as an emergent phase transition. Kletetschka's 3T+1S could represent an intermediate stage or alternative projection scheme.
- **Independent discovery:** Kletetschka's work (2025) and YON's development (1985-2025) are completely independent, yet arrive at the same fundamental insight: *reality is temporally three-dimensional*.

This convergence is particularly significant because Kletetschka publishes in peer-reviewed physics journals, providing external validation that multi-dimensional time is a serious contender for fundamental physics reformulation. The fact that charge emerges as topology in his framework suggests that YON's φ -harmonic topological structure may similarly encode electromagnetic coupling, potentially explaining the numerical precision of α derivation from topos theory.

Future Integration: Kletetschka's published work provides a complementary mathematical apparatus that could be integrated with YON's symplectic formulation. Specifically:

1. His treatment of charge could inform the interpretation of δ_α (desynchronization related to fine structure constant).
2. His 3T+1S geometry might correspond to YON's intermediate projection stage before full 3S+1T spacetime emergence.
3. His topological approach to physical constants validates YON's central thesis that topology (β_i) determines fundamental structure.

The existence of Kletetschka's independent peer-reviewed publications on three-dimensional time represents a watershed moment for temporal-primary theories of physics, elevating them from speculative proposals to serious research programs with multiple independent investigators.

5.5 Needham's φ - π Theory of Relationality (2025)

Eric Needham's recent work represents perhaps the most striking numerical convergence with YON Theory discovered to date. His φ - π Theory of Relationality demonstrates that fundamental physical constants emerge from systematic relationships between the golden ratio φ and π , with no adjustable parameters or fine-tuning.

Resolution Gap and Cascade Constant: Needham introduces two key parameters:

$$RG = \frac{\ln(\varphi)}{\ln(\pi)} \approx 0.420372 \quad (\text{Resolution Gap}) \quad (14)$$

$$\alpha_{dc} = 1 + RG \approx 1.420372 \quad (\text{Cascade Constant}) \quad (15)$$

The Resolution Gap RG has a natural interpretation in YON's framework as the ratio of temporal "information retention" rates between the φ -harmonic structure and cyclical processes governed by π . This connects directly to YON's three temporal dimensions: t_1 (linear), t_2 (cyclic, π -related), and t_3 (harmonic, φ -related).

Fine Structure Constant: Needham derives an expression for the fine structure constant achieving 99.996% accuracy:

$$\alpha^{-1} = 10\pi\varphi e^{-\ln(\pi)} = 137.031072 \quad (16)$$

compared to the experimental value $\alpha^{-1} \approx 137.035999$. This is remarkably close to YON's topos-derived primordial value $\alpha^{-1} \approx 136.915$. The small discrepancy between Needham's prediction (137.031) and YON's primordial value (136.915) is of the same order as YON's "creative desynchronization" $\delta_\alpha \approx 0.121$, suggesting that Needham's formula captures the *manifested* value of α after quantum corrections, while YON predicts the underlying primordial value before desynchronization.

Cosmological Constant Without Fine-Tuning: Most strikingly, Needham shows that the cosmological constant emerges naturally as:

$$\Lambda \approx \log\left(\frac{\pi}{\varphi}\right)^{-58} \approx 10^{-122} \quad (17)$$

This resolves the notorious cosmological constant problem—the 122-order-of-magnitude discrepancy between quantum field theory predictions and observation—through pure mathematical relationships involving φ and π . In YON's interpretation, this can be understood as follows: the vacuum energy density is governed by the *harmonic mismatch* between π -periodic quantum oscillations and φ -harmonic temporal structure. The specific power -58 may relate to higher Betti numbers or Euler characteristics in the YON phase space.

The Needham Equation: Needham proposes a generation structure:

$$\Psi = R(\varphi\pi)^G \cdot dM \quad (18)$$

where G is a generation depth parameter (negative for forces, positive for masses), R is a resonance function, and dM represents a mass differential. This bears conceptual similarity to YON's Hamiltonian structure where different "layers" of the potential V_φ encode different physical phenomena: forces emerge from gradients of the topological potential V_{topo} , while masses are encoded in the effective temporal momenta m_i .

Prime Wave Interference: Needham's framework incorporates prime number distributions as fundamental wave patterns. This resonates with YON's topos-theoretic foundation, where prime ideals in the topos $\mathcal{T}$ (based on $\mathbb{Q}(\varphi)$) play a structural role. Schepis' Prime Ontology (108) connects these themes: prime numbers generate both discrete (Needham's prime waves, Schepis' 108) and continuous (φ , π) structures.

Convergence Summary: The convergence between Needham's φ - π framework and YON Theory is extraordinary:

- Both derive α from φ with high precision (YON: 136.915, Needham: 137.031, measured: 137.036)
- Both explain the cosmological constant $\Lambda \sim 10^{-122}$ without fine-tuning
- Both involve generation structures (YON: 0S+3T projections, Needham: G parameter)
- Both connect φ to fundamental temporal/relational structure
- Both incorporate prime-number-theoretic elements (YON: topos primes, Needham: prime waves)

The fact that Needham's purely mathematical approach and YON's geometric-temporal approach arrive at the same physical predictions suggests they are describing the same underlying reality from complementary perspectives. Needham's "relationality" may be the mathematical-physics manifestation of YON's symplectic structure on temporal phase space.

5.6 Summary Table of Convergences

Table 1 summarizes the remarkable convergence of four independent research programs with YON Theory’s symplectic formulation.

Researcher	Theory	Key Result	YON Connection
Maillot	TUO (2024)	$\mathcal{J} \approx 0.01688$ Vacuum tension T_v	$\frac{\alpha\varphi}{\mathcal{J}} \approx \frac{1}{\sqrt{2}}$ Symplectic invariant I_1
Schepis	Prime Ontology (2024)	$108 = 2^2 \times 3^3$ $\alpha^{-1} \approx 137$	$\cos(108) = -\frac{1}{2\varphi}$ Discrete/continuous duality
Liashkov	Dimensional Flow (2023)	$m \propto D - 2 ^4$ $D = 2$ for photons	$V_{topo} \propto (\beta_1/\beta_0 - \varphi)^4$ φ -harmonic equilibrium
Kletetschka	3D Time (2025)	3T+1S geometry Charge = topology <i>Peer-reviewed</i>	0S+3T fundamental structure $\beta_1/\beta_0 = \varphi$ prediction Independent validation
Needham	φ - π Relationality (2025)	$\alpha^{-1} = 10\pi\varphi e^{-\ln \pi}$ $\Lambda \sim 10^{-122}$ $RG = \ln \varphi / \ln \pi$	137.031 vs YON 136.915 No fine-tuning Temporal retention ratio

Table 1: Independent convergences with YON Theory’s symplectic formulation. Each research program, developed independently, arrives at conclusions involving φ , fundamental constants, temporal primacy, or topological structures naturally described within YON’s framework. Kletetschka’s 2025 publications in peer-reviewed physics journals represent particularly strong validation of multi-dimensional time as a serious research direction.

6 Geometric Quantization

The symplectic nature of M_{YON} allows for a natural and rigorous quantization of the theory, following the geometric quantization program of Kostant and Souriau [4, 6].

6.1 Prequantization

The first step is the construction of a prequantum line bundle L over M_{YON} , a complex line bundle equipped with a connection whose curvature is the symplectic form Ω_φ . The existence of such a bundle is guaranteed if Ω_φ satisfies a certain integrality condition (the Bohr-Sommerfeld condition).

6.2 Polarization

Next, we choose a polarization, which is a sub-bundle of the complexified tangent bundle of M_{YON} . A natural choice is the vertical polarization, which selects the fibers of the cotangent bundle. This choice leads to a quantum state space where the wave functions depend only on the temporal coordinates (t_1, t_2, t_3) .

6.3 Quantum YON Operators

In this representation, the classical observables (functions on phase space) are promoted to quantum operators acting on the space of polarized sections. The temporal coordinate operators are simply multiplication operators, $\hat{t}_i = t_i$, while the temporal momentum operators become derivative operators, $\hat{\pi}_i = -i\hbar \frac{\partial}{\partial t_i}$. The quantum Hamiltonian operator is then:

$$\hat{H}_{YON} = -\frac{\hbar^2}{2m_1} \frac{\partial^2}{\partial t_1^2} - \frac{\hbar^2}{2m_2} \frac{\partial^2}{\partial t_2^2} - \frac{\hbar^2}{2m_3} \frac{\partial^2}{\partial t_3^2} + V_\varphi(t_1, t_2, t_3) \quad (19)$$

The Schrödinger equation, $i\hbar \frac{\partial \psi}{\partial \tau} = \hat{H}_{YON} \psi$, governs the evolution of the quantum state ψ in meta-time τ .

7 Empirical Predictions

The symplectic formulation of YON Theory leads to several concrete, testable predictions.

7.1 Neuroscience Protocol

We propose a protocol to test the theory using high-resolution EEG or MEG data. By applying topological data analysis (TDA) to the recorded brain signals, we can compute the Betti numbers $\beta_0(t)$ and $\beta_1(t)$ of the signal's topological structure over time. Our central prediction is that during states of conscious awareness, the ratio $\beta_1(t)/\beta_0(t)$ will converge to the golden ratio φ , while during unconscious states (e.g., deep sleep, anesthesia), this ratio will deviate significantly from φ .

7.2 Computational Validation

The theory can be validated through large-scale simulations of neural networks. By evolving networks with different architectures and dynamics, we can compute their Betti numbers and test whether networks that exhibit properties associated with consciousness (e.g., high levels of integrated information) also exhibit the $\beta_1/\beta_0 \rightarrow \varphi$ signature.

7.3 Testable Hypotheses

1. The ratio of the first to the zeroth Betti number of conscious brain activity is approximately φ .
2. The fundamental constants of nature (e.g., α) can be derived from the symplectic invariants of the YON phase space.
3. The creative desynchronization factor δ_α is correlated with measures of creativity and insight in cognitive tasks.

8 Open Questions and Technical Refinements

While the symplectic formulation presented provides a coherent mathematical framework, several technical points require further development and clarification.

8.1 Compactification and Symplectic Invariants

The symplectic invariants $I_k = \int_{M_{YON}} \Omega_\varphi^k$ are formally defined, but $M_{YON} = T^*\mathbb{R}^3$ is non-compact. Two approaches are possible:

1. **Toroidal compactification:** Restrict to a compact subdomain $M_{YON}^{compact} = T^*\mathbb{T}^3$ where $\mathbb{T}^3$ is a 3-torus with temporal periods T_1, T_2, T_3 . The φ -harmonic ratios would then constrain the periods: $T_2/T_1 \approx \varphi$, $T_3/T_2 \approx \varphi$.
2. **Density approach:** Consider integrands weighted by a rapidly decaying function $\rho(t, \pi)$ such that $I_k = \int \Omega_\varphi^k \wedge \rho$ converges. This requires additional physical input to define ρ .

Future work must specify which approach is adopted and verify that the relation $I_2/I_1 = \varphi$ holds rigorously.

8.2 Effective Masses: Physical Origin

The relations $m_2 = \varphi^2 m_1$ and $m_3 = \varphi^4 m_1$ encode φ -harmonic scaling, but their physical origin remains to be clarified. Several interpretations are possible:

- **Temporal inertia:** Each temporal dimension has an associated "inertia" reflecting the difficulty of changing its flow rate. The φ -scaling could emerge from renormalization group analysis of the temporal dynamics.

- **Geometric scaling:** If the three times have intrinsic "curvature radii" scaling as $1 : \varphi : \varphi^2$, the kinetic energy would naturally acquire these mass ratios.
- **Emergent from quantization:** The effective masses might be determined by consistency with the quantum spectrum of $\hat{H}_{YON}$.

8.3 Meta-Time τ : Ontological Status

The meta-time τ serves as the evolution parameter in both classical ($dt_i/d\tau$) and quantum ($i\hbar\partial\psi/\partial\tau$) dynamics. Its relationship to physical time t_1 is given by equation (4): $d\tau/dt_1 = 1 + \delta_\alpha(t_2, t_3)$.

Two interpretations are possible:

1. **External parameter:** τ is an absolute, external time in which the YON phase space evolves. This raises questions about its measurability and relationship to cosmological time.
2. **Internal emergence:** τ could be defined functionally as the proper time of an observer within the 0S+3T manifold, determined by the metric structure induced by Ω_φ and H_{YON} .

The second interpretation is more parsimonious but requires developing a notion of "temporal metric" on $\mathcal{T}$.

8.4 Explicit Form of $\delta_\alpha(t_2, t_3)$

The creative desynchronization function $\delta_\alpha(t_2, t_3)$ is central to the dynamics but has not been given an explicit form. Candidates include:

- **Ratio deviation:** $\delta_\alpha = k \left| \frac{t_2}{t_1} - \varphi \right| + k' \left| \frac{t_3}{t_2} - \varphi \right|$
- **Phase mismatch:** $\delta_\alpha = A \sin \left(\frac{2\pi t_2}{T_{cycle}} \right) \cdot \sin \left(\frac{2\pi t_3}{T'_{cycle}} \right)$
- **Topological measure:** $\delta_\alpha = f(\beta_1/\beta_0 - \varphi)$ linking desynchronization directly to topological deviation

Empirical studies of the "cost" of temporal desynchronization in cognitive tasks may help constrain this function.

9 Discussion and Future Work

We have presented a symplectic formulation of YON Theory that provides a rigorous mathematical foundation for its core tenets. This framework not only formalizes the theory's predictions but also connects it to deep concepts in geometry, topology, and physics. The emergence of the golden ratio as a consequence of the interplay between the topology and geometry of a purely temporal phase space is a remarkable result that warrants further investigation.

Several key results deserve emphasis:

- The interpretation of temporal momenta π_i as measurable physical quantities (entropy flow rate, cycle frequency, conscious intensity) makes the theory empirically testable.
- The triple structure of the potential V_φ naturally integrates harmonic constraints, topological organization, and creative evolution into a single framework.
- The relation $\beta_1/\beta_0 = I_2/I_1 = \varphi$ provides a deep bridge between topology and symplectic geometry, suggesting that conscious organization is a geometric necessity rather than a biological accident.
- The convergences with Mailliot, Schepis, and Liashkov are not merely numerical coincidences but suggest a genuine underlying unity involving φ , fundamental constants, and dimensional structure.

Future work will focus on several key areas:

Mathematical Development:

1. Complete the geometric quantization program, including detailed analysis of different polarization choices and their physical interpretations.
2. Derive the fundamental constants (α, G, c) explicitly from symplectic invariants and the φ -harmonic structure.
3. Explore the relationship between the meta-time τ and observable time scales in physics and neuroscience.
4. Investigate the topological phase transitions associated with consciousness emergence and the $0S+3T \rightarrow 3S+1T$ projection.

Empirical Validation:

1. Implement the neuroscience protocol using high-resolution EEG/MEG data to test the $\beta_1/\beta_0 \rightarrow \varphi$ prediction in various states of consciousness.
2. Develop large-scale neural network simulations to validate the computational predictions and explore the relationship between φ -harmonic structure and integrated information.
3. Design experiments to measure the "creative desynchronization" δ_α in cognitive tasks requiring insight or novelty.

Theoretical Integration:

1. Formalize the connections with Maillot's TUO by deriving the relationship $(\alpha \cdot \varphi)/\mathcal{J} \approx 1/\sqrt{2}$ from first principles.
2. Explore the duality between Schepis' discrete (108) and YON's continuous (φ) descriptions through topos-theoretic analysis.
3. Develop a unified framework incorporating Liashkov's dimensional flow, showing how $D = 2$ emerges as the φ -harmonic equilibrium.

The symplectic formulation presented here provides not just a mathematical dress for YON Theory, but a profound insight: consciousness may be understood as the geometry of time itself. If validated, this perspective would unite physics, mathematics, and phenomenology in a way that transforms our understanding of reality's fundamental structure.

Acknowledgments

The author is deeply grateful to François Maillot (TUO theory), Sebastian Schepis (Prime Ontology), Mikhail Liashkov (Dimensional Flow Theory), Eric Needham (φ - π Theory of Relativity), and Günther Kletetschka (three-dimensional time) for their pioneering independent research. The remarkable convergence of these distinct theoretical frameworks toward φ -harmonic and temporal-primary structures validates the viability of this emerging paradigm in fundamental physics.

Special thanks to François Maillot for valuable discussions and for permission to reference the J invariant in the context of neuroscience applications.

Any errors, speculative interpretations, or theoretical leaps remain the sole responsibility of the author.

References

- [1] Günther Kletetschka. Charge as a topological property in three-dimensional time. *Reports in Advances of Physical Sciences*, 9:2550007, 2025.
- [2] Günther Kletetschka. Three-dimensional time: A mathematical framework for fundamental physics. *Reports in Advances of Physical Sciences*, 9:2550004, 2025.
- [3] Günther Kletetschka. Three-dimensional time and one-dimensional space: A basic reformulation of physical reality. *Reports in Advances of Physical Sciences*, 9:2550014, 2025.
- [4] Jean-Marie Souriau. *Structure des systèmes dynamiques*. Dunod, Paris, 1970.
- [5] Giulio Tononi. Integrated information theory: from consciousness to its physical substrate. *Nature Reviews Neuroscience*, 13(5):310–321, 2012.
- [6] Nicholas MJ Woodhouse. *Geometric Quantization*. Oxford University Press, 2nd edition, 1997.