INTERATED INTERPREDICTION OF THE PROPERTY OF T


ELE ESTÁ MARIO DE LA MARIO DEL MARIO DE LA MARIO DEL MARIO DE LA MARIO DEL MARIO DE LA MARIO DE LA MARIO DE LA MARIO DE LA MARIO DEL MARIO DE LA MARIO DEL MARIO DE LA MARIO DEL MARIO DEL



Interatividade



clicks



inputs



drag




Interatividade





formulário





Authentication

Acompanhe a documentação

http://laravel.com/docs/5.1/authentication

```
<?php
FOLDERS
easymoney-simulator
 app app
  Console
                         Application Routes
  Events
  Exceptions
  ☐ Http
    Controllers
                         Here is where you can register all of the routes for an application.
    Middleware
                         It's a breeze. Simply tell Laravel the URIs it should respond to
    Requests
                          and give it the controller to call when that URI is requested.
    routes.php
  Jobs
  Listeners
  Policies
                       Route::get('login',
                                                                    'Auth\AuthController@getLogin');
  Providers
                                                                    'Auth\AuthController@postLogin');
                       Route::post('login',
                       Route::get('logout',
                                                                    'Auth\AuthController@getLogout');
                                                                    'Auth\AuthController@getRegister');
                       Route::get('register',
                       Route::post('register',
                                                                    'Auth\AuthController@postRegister');
                       Route::get('password/email',
                                                                    'Auth\PasswordController@getEmail');
                       Route::post('password/email',
                                                                    'Auth\PasswordController@postEmail');
 bootstrap
                       Route::get('password/reset/{token}',
                                                                    'Auth\PasswordController@getReset');
 config
                       Route::post('password/reset',
                                                                    'Auth\PasswordController@postReset');
   database
   public
 resources
 storage
```

File Edit Selection Find View Goto Tools Project Preferences Help

Easy Money

Establishments

Clients

About

Register


Name	
Email	
Password	
Confirm Password	
	Register


Easy Money

resources/views/auth/register.blade.php



```
@extends('layouts.public')
@section('title', 'Register')
@section('content')
<form method="POST" action="/register">
 {!! csrf_field() !!}
 <div class="row">
   <div class="col-md-2">Name</div>
   <div class="col-md-10"><input type="text" name="name" value="{{ old('name') }}"></div>
 </div>
 <div class="row">
   <div class="col-md-2">Email</div>
   <div class="col-md-10"><input type="email" name="email" value="{{ old('email') }}"></div>
 </div>
 <div class="row">
   <div class="col-md-2">Password</div>
   <div class="col-md-10"><input type="password" name="password"></div>
 </div>
 <div class="row">
   <div class="col-md-2">Confirm Password</div>
   <div class="col-md-10"><input type="password" name="password_confirmation"></div>
 </div>
 <div class="row">
   <div class="col-md-offset-2 col-md-10"><button type="submit">Register</button></div>
 </div>
</form>
@stop
```





Easy Money

Establishments

Clients

About

Login

Email	
Password	
	Remember me
	Login

Easy Money

resources/views/auth/login.blade.php



```
@extends('layouts.public')
@section('title', 'Login')
@section('content')
<form method="POST" action="/login">
 {!! csrf field() !!}
 <div class="row">
   <div class="col-md-2">Email</div>
   <div class="col-md-10"><input type="email" name="email" value="{{ old('email') }}"></div>
 </div>
 <div class="row">
   <div class="col-md-2">Password</div>
   <div class="col-md-10"><input type="password" name="password" id="password"></div>
 </div>
 <div class="row">
   <div class="col-md-offset-2 col-md-10">
     <input type="checkbox" name="remember"> Remember me
   </div>
 </div>
 <div class="row">
   <div class="col-md-offset-2 col-md-10"><button type="submit">Login</button></div>
 </div>
</form>
@stop
```

