

```
(mcp_env) root@ec2lt:/home/groupe4# uvx --with "mcp<2.0.0" mcpo --port 8001 --api-key soc-lab-key -
-config /home/groupe4/mcpo_config.json
Starting MCP OpenAPI Proxy with config file: /home/groupe4/mcpo_config.json
2026-10-03 12:49:55,417 - INFO - Starting MCPO Server...
2026-10-03 12:49:55,417 - INFO - Name: MCP OpenAPI Proxy
2026-10-03 12:49:55,417 - INFO - Version: 1.0
2026-10-03 12:49:55,417 - INFO - Description: Automatically generated API from MCP Tool Schemas
2026-10-03 12:49:55,418 - INFO - Hostname: ec2lt
2026-10-03 12:49:55,418 - INFO - Port: 8001
2026-10-03 12:49:55,418 - INFO - API Key: Provided
2026-10-03 12:49:55,418 - INFO - CORS Allowed Origins: ['*']
2026-10-03 12:49:55,419 - INFO - Path Prefix: /
2026-10-03 12:49:55,419 - INFO - Root Path:
2026-10-03 12:49:55,420 - INFO - Loading MCP server configurations from: /home/groupe4/mcpo_config.
json
2026-10-03 12:49:55,423 - INFO - Configuring MCP Servers:
2026-10-03 12:49:55,425 - INFO - Uvicorn server starting...
INFO: Started server process [3864]
INFO: Waiting for application startup.
2026-10-03 12:49:55,489 - INFO - Initiating connection for server: 'soc-mcp'...
2026-10-03 12:49:55,684 - INFO - HTTP Request: GET http://127.0.0.1:8000/sse "HTTP/1.1 200 OK"
2026-10-03 12:49:55,703 - INFO - HTTP Request: POST http://127.0.0.1:8000/messages/?session_id=30ed
c9f1834547d9b90f2df99574a73b "HTTP/1.1 202 Accepted"
2026-10-03 12:49:55,725 - INFO - HTTP Request: POST http://127.0.0.1:8000/messages/?session_id=30ed
c9f1834547d9b90f2df99574a73b "HTTP/1.1 202 Accepted"
2026-10-03 12:49:55,732 - INFO - HTTP Request: POST http://127.0.0.1:8000/messages/?session_id=30ed
c9f1834547d9b90f2df99574a73b "HTTP/1.1 202 Accepted"
```

```
c9f1834547d9b90f2df99574a73b "HTTP/1.1 202 Accepted"
2026-10-03 12:49:55,725 - INFO - HTTP Request: POST http://127.0.0.1:8000/messages/?session_id=30ed
c9f1834547d9b90f2df99574a73b "HTTP/1.1 202 Accepted"
2026-10-03 12:49:55,732 - INFO - HTTP Request: POST http://127.0.0.1:8000/messages/?session_id=30ed
c9f1834547d9b90f2df99574a73b "HTTP/1.1 202 Accepted"
2026-10-03 12:49:57,548 - INFO - Successfully connected to 'soc-mcp'.
2026-10-03 12:49:57,549 - INFO -
--- Server Startup Summary ---
2026-10-03 12:49:57,549 - INFO - Successfully connected to:
2026-10-03 12:49:57,549 - INFO - - soc-mcp
2026-10-03 12:49:57,549 - INFO - -----
INFO: Application startup complete.
INFO: Uvicorn running on http://0.0.0.0:8001 (Press CTRL+C to quit)
```

```
root@clientaio-vm:/home/client-aio# curl http://192.168.20.10:8001/docs

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link type="text/css" rel="stylesheet" href="https://cdn.jsdelivr.net/npm/s
wagger-ui-dist@5/swagger-ui.css">
<link rel="shortcut icon" href="https://fastapi.tiangolo.com/img/favicon.pn
g">
<title>MCP OpenAPI Proxy - Swagger UI</title>
</head>
<body>
<div id="swagger-ui">
</div>
<script src="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bund
le.js"></script>
<!-- `SwaggerUIBundle` is now available on the page -->
<script>
const ui = SwaggerUIBundle({
  url: '/openapi.json',
  "dom_id": "#swagger-ui",
```

```

"layout": "BaseLayout",
"deepLinking": true,
"showExtensions": true,
"showCommonExtensions": true,
oauth2RedirectUrl: window.location.origin + '/docs/oauth2-redirect',
presets: [
  SwaggerUIBundle.presets.apis,
  SwaggerUIBundle.SwaggerUIStandalonePreset
],
})
</script>
</body>
</html>
root@clientaio-vm:/home/client-aio#

```

Activer Wind

```

C:\Windows\system32\cmd.exe
C:\Users\khalix>curl http://192.168.20.10:8001/docs

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link type="text/css" rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui.css">
<link rel="shortcut icon" href="https://fastapi.tiangolo.com/img/favicon.png">
<title>MCP OpenAPI Proxy - Swagger UI</title>
</head>
<body>
<div id="swagger-ui">
</div>
<script src="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js"></script>
<!-- 'SwaggerUIBundle' is now available on the page -->
<script>
const ui = SwaggerUIBundle({
  url: '/openapi.json',
  "dom_id": "#swagger-ui",
"layout": "BaseLayout",
"deepLinking": true,
"showExtensions": true,
"showCommonExtensions": true,
oauth2RedirectUrl: window.location.origin + '/docs/oauth2-redirect',
presets: [
  SwaggerUIBundle.presets.apis,
  SwaggerUIBundle.SwaggerUIStandalonePreset
],
})
</script>
</body>
</html>
C:\Users\khalix>

```

```

(mcp_env) root@ec2lt:/home/groupe4# curl -k -X GET "https://192.168.20.10:55000/manager/info" -H "Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiJ3YXp1aCIsImF1ZCI6IldhenVoIEFQSSBSRVNUIiwibmJmIjozNzIxMDM0NDMxLCJleHAiOiJlZ30TEwMzUzMzEsInN1YiI6IldhenVoIiwicnVudCI6IjpmYXZzZSwicmJhY19yb2xlcYI6WzF0LCJyYmFjX21vZGU0iJ3aGl0ZSJ9.AK1rqr7j-f--Q0IPH8nLkLEqLPx0Wz7HUcsKBBIHZlSP1JLQwrNEF_vBsVjBzZQ03y_oh7Ws6_Qq0FevjHKNI4luAZyGNAnfXzzzaVEGKB5GD-1s2jYJ0J-sS3P1JwuvZfV17_EIq8Nm5vD8hKygCwI_vU0CGVLx8GEFsG3_GvUr9-vU"

{"data": {"affected_items": [{"path": "/var/ossec", "version": "v4.9.2", "type": "server", "max_agents": "unlimited", "openssl_support": "yes", "tz_offset": "+0000", "tz_name": "UTC"}], "total_affected_items": 1, "total_failed_items": 0, "failed_items": []}, "message": "Basic information was successfully read", "error": 0}(mcp_env) root@ec2lt:/home/groupe4#
(mcp_env) root@ec2lt:/home/groupe4# █

```

```
root@ec2lt:/home/groupe4# ls -la /home/groupe4/server.py*
-rw-r--r-- 1 root root 8498 oct.  3 13:40 /home/groupe4/server.py
-rw-r--r-- 1 root root 8498 oct.  3 13:44 /home/groupe4/server.py.backup
root@ec2lt:/home/groupe4#
```

```
groupe4@ec2lt:~$ source mcp_env/bin/activate
(mcp_env) groupe4@ec2lt:~$ python server.py
=====
Démarrage du Serveur MCP - SOC Augmenté par IA
=====
Outils disponibles : 10
Liste blanche : ['soc-aio', 'pfsense', 'switch-lan1', 'switch-lan2', 'switch-lan3', 'domain-controller']
Wazuh API : https://192.168.20.10:55000
=====





FastMCP 4.0.10  
https://gofastmcp.com



♦ Server: SOC-AI-Assistant, 4.0.10  
♦ Deploy free: https://horizon.prefect.io



[10/03/26 13:53:26] INFO Starting MCP server 'SOC-AI-Assistant' with transport transport.py:368
'sse' on http://127.0.0.1:8000/sse
INFO: Started server process [4546]
INFO: Waiting for application startup.
INFO: Application startup complete.
INFO: Uvicorn running on http://127.0.0.1:8000 (Press CTRL+C to quit)
```

```
root@ec2lt:/home/groupe4# curl http://127.0.0.1:8000/sse
event: endpoint
data: /messages/?session_id=a566a6640a1d4745a2fcacf709f95f2f
```

[illegible]

Active

```
root@ec2lt:/home/groupe4# sudo tail -100 /var/ossec/logs/alerts/alerts.json | grep -E '"level":1[0-6]'
```

```
{
  "timestamp": "2026-10-03T15:28:34.919+0000",
  "rule": {
    "level": 10,
    "description": "PAM: Multiple failed logins in a small period of time.",
    "id": "5551",
    "mitre": {
      "id": "T1110",
      "tactic": "Credential Access",
      "technique": "Brute Force"
    },
    "frequency": 8,
    "firedtimes": 2,
    "mail": false,
    "groups": [
      "pam",
      "syslog"
    ],
    "authentication_failures": [
      "pci_dss": [
        "10.2.4",
        "10.2.5",
        "11.4"
      ],
      "gpg13": [
        "7.8"
      ],
      "gdpr": [
        "IV_35.7.d",
        "IV_32.2"
      ],
      "hipaa": [
        "164.312.b"
      ],
      "nist_800_53": [
        "AU.14",
        "AC.7",
        "SI.4"
      ],
      "tsc": [
        "CC6.1",
        "CC6.8",
        "CC7.2",
        "CC7.3"
      ]
    ],
    "agent": {
      "id": "000",
      "name": "ec2lt",
      "manager": {
        "name": "ec2lt",
        "id": "1791041314.100398",
        "previous_output": "Oct 3 15:28:33 ec2lt sshd[8298]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:28:30 ec2lt sshd[8296]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:28:27 ec2lt sshd[8294]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:28:23 ec2lt sshd[8292]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:28:20 ec2lt sshd[8290]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:28:17 ec2lt sshd[8288]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:28:14 ec2lt sshd[8286]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:28:11 ec2lt sshd[8284]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:28:08 ec2lt sshd[8282]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:28:05 ec2lt sshd[8280]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:28:02 ec2lt sshd[8278]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:59 ec2lt sshd[8276]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:56 ec2lt sshd[8274]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:53 ec2lt sshd[8272]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:50 ec2lt sshd[8270]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:47 ec2lt sshd[8268]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:44 ec2lt sshd[8266]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:41 ec2lt sshd[8264]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:38 ec2lt sshd[8262]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:35 ec2lt sshd[8260]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:32 ec2lt sshd[8258]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:29 ec2lt sshd[8256]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:26 ec2lt sshd[8254]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:23 ec2lt sshd[8252]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:20 ec2lt sshd[8250]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:17 ec2lt sshd[8248]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:14 ec2lt sshd[8246]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:11 ec2lt sshd[8244]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:08 ec2lt sshd[8242]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:05 ec2lt sshd[8240]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:27:02 ec2lt sshd[8238]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:59 ec2lt sshd[8236]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:56 ec2lt sshd[8234]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:53 ec2lt sshd[8232]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:50 ec2lt sshd[8230]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:47 ec2lt sshd[8228]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:44 ec2lt sshd[8226]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:41 ec2lt sshd[8224]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:38 ec2lt sshd[8222]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:35 ec2lt sshd[8220]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:32 ec2lt sshd[8218]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:29 ec2lt sshd[8216]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:26 ec2lt sshd[8214]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:23 ec2lt sshd[8212]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:20 ec2lt sshd[8210]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:17 ec2lt sshd[8208]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:14 ec2lt sshd[8206]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:11 ec2lt sshd[8204]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:08 ec2lt sshd[8202]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:05 ec2lt sshd[8200]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:26:02 ec2lt sshd[8198]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:25:59 ec2lt sshd[8196]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:25:56 ec2lt sshd[8194]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:25:53 ec2lt sshd[8192]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:25:50 ec2lt sshd[8190]: pam_unix(sshd:auth): authentication failure; logname= uid=0 e
```

```

3 15:28:33", "hostname": "ec2lt"}, "decoder": {"name": "pam"}, "data": {"srcip": "192.168.10.10", "uid": "0",
"eid": "0", "tty": "ssh"}, "location": "/var/log/auth.log"}
{"timestamp": "2026-10-03T15:29:07.422+0000", "rule": {"level": 10, "description": "PAM: Multiple failed
logins in a small period of time.", "id": "5551", "mitre": {"id": "T1110", "tactic": ["Credential Access
"], "technique": ["Brute Force"]}, "frequency": 8, "firedtimes": 3, "mail": false, "groups": ["pam", "syslog",
"authentication_failures"], "pci_dss": ["10.2.4", "10.2.5", "11.4"], "gpg13": ["7.8"], "gdpr": ["IV_35.7.d",
"IV_32.2"], "hipaa": ["164.312.b"], "nist_800_53": ["AU.14", "AC.7", "SI.4"], "tsc": ["CC6.1", "CC6.8", "CC7
.2", "CC7.3"]}, "agent": {"id": "000", "name": "ec2lt"}, "manager": {"name": "ec2lt"}, "id": "1791041347.11923
3", "previous_output": "Oct 3 15:29:06 ec2lt sshd[8382]: pam_unix(sshd:auth): authentication failure
; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10 \nOct 03 15:29:03 ec2lt sshd[8372]: pam
_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\n
Oct 3 15:29:03 ec2lt sshd[8372]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=
0 tty=ssh ruser= rhost=192.168.10.10 \nOct 03 15:29:00 ec2lt sshd[8321]: pam_unix(sshd:auth): authe
ntication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:29:00 ec2lt
sshd[8321]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost
=192.168.10.10 \nOct 03 15:28:37 ec2lt sshd[8302]: pam_unix(sshd:auth): authentication failure; log
name= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:28:37 ec2lt sshd[8302]: pam_unix(s
shd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10 ", "full
_log": "Oct 03 15:29:06 ec2lt sshd[8382]: pam_unix(sshd:auth): authentication failure; logname= uid=
0 euid=0 tty=ssh ruser= rhost=192.168.10.10", "predecoder": {"program_name": "sshd", "timestamp": "Oct 0
3 15:29:06", "hostname": "ec2lt"}, "decoder": {"name": "pam"}, "data": {"srcip": "192.168.10.10", "uid": "0",
"eid": "0", "tty": "ssh"}, "location": "journald"}
{"timestamp": "2026-10-03T15:29:48.219+0000", "rule": {"level": 10, "description": "sshd: brute force try
ing to get access to the system. Non existent user.", "id": "5712", "mitre": {"id": "T1110", "tactic": [
"Credential Access"], "technique": ["Brute Force"]}, "frequency": 8, "firedtimes": 6, "mail": false, "groups
": ["syslog", "sshd", "authentication_failures"], "gdpr": ["IV_35.7.d", "IV_32.2"], "hipaa": ["164.312.b"]

```

```

shd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10 ", "full
_log": "Oct 03 15:30:16 ec2lt sshd[8400]: pam_unix(sshd:auth): authentication failure; logname= uid=
0 euid=0 tty=ssh ruser= rhost=192.168.10.10", "predecoder": {"program_name": "sshd", "timestamp": "Oct 0
3 15:30:16", "hostname": "ec2lt"}, "decoder": {"name": "pam"}, "data": {"srcip": "192.168.10.10", "uid": "0",
"eid": "0", "tty": "ssh"}, "location": "journald"}
{"timestamp": "2026-10-03T15:30:32.294+0000", "rule": {"level": 10, "description": "PAM: Multiple failed
logins in a small period of time.", "id": "5551", "mitre": {"id": "T1110", "tactic": ["Credential Access
"], "technique": ["Brute Force"]}, "frequency": 8, "firedtimes": 5, "mail": false, "groups": ["pam", "syslog",
"authentication_failures"], "pci_dss": ["10.2.4", "10.2.5", "11.4"], "gpg13": ["7.8"], "gdpr": ["IV_35.7.d",
"IV_32.2"], "hipaa": ["164.312.b"], "nist_800_53": ["AU.14", "AC.7", "SI.4"], "tsc": ["CC6.1", "CC6.8", "CC7
.2", "CC7.3"]}, "agent": {"id": "000", "name": "ec2lt"}, "manager": {"name": "ec2lt"}, "id": "1791041432.14969
0", "previous_output": "Oct 3 15:30:30 ec2lt sshd[8408]: pam_unix(sshd:auth): authentication failure
; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10 \nOct 03 15:30:26 ec2lt sshd[8406]: pam
_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\n
Oct 3 15:30:26 ec2lt sshd[8406]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=
0 tty=ssh ruser= rhost=192.168.10.10 \nOct 03 15:30:22 ec2lt sshd[8404]: pam_unix(sshd:auth): authe
ntication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:30:22 ec2lt
sshd[8404]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost
=192.168.10.10 \nOct 03 15:30:19 ec2lt sshd[8402]: pam_unix(sshd:auth): authentication failure; log
name= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10\nOct 3 15:30:19 ec2lt sshd[8402]: pam_unix(s
shd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.10.10 ", "full
_log": "Oct 03 15:30:30 ec2lt sshd[8408]: pam_unix(sshd:auth): authentication failure; logname= uid=
0 euid=0 tty=ssh ruser= rhost=192.168.10.10", "predecoder": {"program_name": "sshd", "timestamp": "Oct 0
3 15:30:30", "hostname": "ec2lt"}, "decoder": {"name": "pam"}, "data": {"srcip": "192.168.10.10", "uid": "0",
"eid": "0", "tty": "ssh"}, "location": "journald"}
root@ec2lt:/home/groupe4#

```

Activer Window

```

root@ec2lt:/home/groupe4# curl -X POST http://127.0.0.1:8001/soc-mcp/get_alerts -H "Authorization
: Bearer soc-lab-key" -H "Content-Type: application/json" -d '{"severity": "high", "limit": 5}'
{"status": "success", "severity": "high", "count": 2, "alerts": [{"id": "1791041418.135905", "timestamp": "20
26-10-03T15:30:18.104+0000", "rule": "PAM: Multiple failed logins in a small period of time.", "rule_i
d": "5551", "level": 10, "mitre": {"id": "T1110", "tactic": ["Credential Access"], "technique": ["Brute For
ce"]}, "src_ip": "192.168.10.10", "target": "ec2lt"}, {"id": "1791041432.149690", "timestamp": "2026-10-03T
15:30:32.294+0000", "rule": "PAM: Multiple failed logins in a small period of time.", "rule_id": "5551",
"level": 10, "mitre": {"id": "T1110", "tactic": ["Credential Access"], "technique": ["Brute Force"]}, "sr
c_ip": "192.168.10.10", "target": "ec2lt"}]}root@ec2lt:/home/groupe4#

```

```

root@ec2lt:/home/groupe4# curl -X POST http://127.0.0.1:8001/soc-mcp/search_ioc \
-H "Authorization: Bearer soc-lab-key" \
-H "Content-Type: application/json" \
-d '{"ioc": "192.168.10.10", "ioc_type": "ip"}' | python3 -m json.tool
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total     Spent    Left     Speed
100    718  100    676  100    42    7399    459  --:--:-- --:--:-- --:--:--   8067
{
  "status": "success",
  "ioc": "192.168.10.10",
  "type": "ip",
  "found_in_logs": true,
  "occurrences": 76,
  "details": [
    {
      "timestamp": "2026-10-03T15:28:34.919+0000",
      "rule": "sshd: Attempt to login using a non-existent user",
      "level": 5
    },
    {
      "timestamp": "2026-10-03T15:28:34.919+0000",
      "rule": "PAM: Multiple failed logins in a small period of time.",
      "level": 10
    }
  ],
}

```

A

```

{
  "timestamp": "2026-10-03T15:28:36.921+0000",
  "rule": "sshd: Attempt to login using a non-existent user",
  "level": 5
},
{
  "timestamp": "2026-10-03T15:28:36.921+0000",
  "rule": "sshd: Attempt to login using a non-existent user",
  "level": 5
},
{
  "timestamp": "2026-10-03T15:28:37.173+0000",
  "rule": "sshd: Attempt to login using a non-existent user",
  "level": 5
}
}

```

```

root@ec2lt:/home/groupe4# curl -X POST http://127.0.0.1:8001/soc-mcp/get_timeline \
-H "Authorization: Bearer soc-lab-key" \
-H "Content-Type: application/json" \
-d '{"alert_id": "1791041388.121262"}' | python3 -m json.tool
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total   Spent    Left   Speed
100    349    100    316    100     33   4824    503   --:--:-- --:--:-- --:--:--   5453
{
  "status": "success",
  "alert_id": "1791041388.121262",
  "timeline": [
    {
      "time": "2026-10-03T15:29:48.219+0000",
      "event": "sshd: brute force trying to get access to the system. Non existent user."
    },
    {
      "time": "2026-10-03T15:29:48.219+0000",
      "event": "S\u00e9v\u00e9rit\u00e9: 10"
    },
    {
      "time": "2026-10-03T15:29:48.219+0000",
      "event": "Agent: ec2lt"
    }
  ]
}

```

```

root@ec2lt:/home/groupe4# curl -X POST http://127.0.0.1:8001/soc-mcp/isolate_endpoint \
-H "Authorization: Bearer soc-lab-key" \
-H "Content-Type: application/json" \
-d '{"hostname": "kali-attack", "justification": "Brute force SSH détecté"}' | python3 -m json.to
ol
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total   Spent    Left   Speed
100    250    100    177    100     73   5386   2221   --:--:-- --:--:-- --:--:--   8064
{
  "status": "pending_approval",
  "action": "isolate_endpoint",
  "target": "kali-attack",
  "justification": "Brute force SSH d\u00e9tect\u00e9",
  "message": "Action en attente de validation humaine."
}
root@ec2lt:/home/groupe4#

```

```

root@ec2lt:/home/groupe4# curl -X POST http://127.0.0.1:8001/soc-mcp/isolate_endpoint \
-H "Authorization: Bearer soc-lab-key" \
-H "Content-Type: application/json" \
-d '{"hostname": "soc-aio", "justification": "Test"}' | python3 -m json.tool
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total     Spent    Left  Speed
100    277  100    229  100    48    4918    1031  --:--:-- --:--:-- --:--:--   6295
{
  "status": "error",
  "message": "Actif critique 'soc-aio' prot\u00e9g\u00e9. Isolation refus\u00e9e.",
  "action": "isolate_endpoint",
  "target": "soc-aio",
  "whitelist": [
    "soc-aio",
    "pfsense",
    "switch-lan1",
    "switch-lan2",
    "switch-lan3",
    "domain-controller"
  ]
}
root@ec2lt:/home/groupe4#

```

```

root@ec2lt:/home/groupe4# curl -X POST http://127.0.0.1:8001/soc-mcp/block_ip_firewall \
-H "Authorization: Bearer soc-lab-key" \
-H "Content-Type: application/json" \
-d '{"ip": "192.168.20.10", "justification": "Test"}' | python3 -m json.tool
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total     Spent    Left  Speed
100    180  100    132  100    48    3602    1309  --:--:-- --:--:-- --:--:--   5142
{
  "status": "error",
  "message": "Actif critique 192.168.20.10 prot\u00e9g\u00e9. Blocage refus\u00e9e.",
  "action": "block_ip",
  "target": "192.168.20.10"
}
root@ec2lt:/home/groupe4#

```

```

root@ec2lt:/home/groupe4# curl -X POST http://127.0.0.1:8001/soc-mcp/create_incident \
-H "Authorization: Bearer soc-lab-key" \
-H "Content-Type: application/json" \
-d '{"title": "Brute force SSH", "description": "Attaque depuis 192.168.10.10", "severity": "high"}' | python3 -m json.tool
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total     Spent    Left  Speed
100    234  100    139  100    95    419    286  --:--:-- --:--:-- --:--:--   7800
{
  "status": "created",
  "ticket_id": "INC-20261003160740",
  "title": "Brute force SSH",
  "severity": "high",
  "message": "Incident cr\u00e9\u00e9 avec succ\u00e8s."
}
root@ec2lt:/home/groupe4#

```

```

root@ec2lt:/home/groupe4# curl -X POST http://127.0.0.1:8001/soc-mcp/lookup_ip \
-H "Authorization: Bearer soc-lab-key" \
-H "Content-Type: application/json" \
-d '{"ip": "192.168.10.10"}' | python3 -m json.tool
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total   Spent    Left   Speed
100    153    100    130    100     23    2458    434  --:--:-- --:--:-- --:--:--   2942
{
  "status": "success",
  "ip": "192.168.10.10",
  "abuse_score": 75,
  "country": "Unknown",
  "reports": 12,
  "last_reported": "2026-10-01T10:00:00Z"
}
root@ec2lt:/home/groupe4#

```

```

root@ec2lt:/home/groupe4# curl -X POST http://127.0.0.1:8001/soc-mcp/analyze_hash \
-H "Authorization: Bearer soc-lab-key" \
-H "Content-Type: application/json" \
-d '{"file_hash": "d41d8cd98f00b204e9800998ecf8427e", "hash_type": "md5"}' | python3 -m json.tool
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total   Spent    Left   Speed
100    201    100    132    100     69    3198    1671  --:--:-- --:--:-- --:--:--   4902
{
  "status": "success",
  "hash": "d41d8cd98f00b204e9800998ecf8427e",
  "type": "md5",
  "verdict": "malicious",
  "detections": 45,
  "total_engines": 70
}
root@ec2lt:/home/groupe4#

```

```

root@ec2lt:/home/groupe4# python3 approval_server.py
=====
Serveur d'approbation SOC démarré
=====
Interface web : http://0.0.0.0:5000
=====
* Serving Flask app 'approval_server'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production W
SGI server instead.
* Running on all addresses (0.0.0.0)
* Running on http://127.0.0.1:5000
* Running on http://192.168.20.10:5000
Press CTRL+C to quit

```

```
(mcp_env) root@ec2lt:/home/groupe4# python3 server.py
=====
Démarrage du Serveur MCP - SOC Augmenté par IA
=====
Outils disponibles : 10
Liste blanche : ['soc-ai0', 'pfsense', 'switch-lan1', 'switch-lan2', 'switch-
lan3', 'domain-controller']
Wazuh API : https://192.168.20.10:55000
=====
```

FASTMCP

FastMCP 4.0.10
<https://gofastmcp.com>

Activer Window

```
(mcp_env) root@ec2lt:/home/groupe4# uvx --with "mcp<2.0.0" mcpo --port 8001 --a
pi-key soc-lab-key --config /home/groupe4/mcpo_config.json
Starting MCP OpenAPI Proxy with config file: /home/groupe4/mcpo_config.json
2026-10-03 18:21:38,860 - INFO - Starting MCP0 Server...
2026-10-03 18:21:38,861 - INFO -   Name: MCP OpenAPI Proxy
2026-10-03 18:21:38,861 - INFO -   Version: 1.0
2026-10-03 18:21:38,861 - INFO -   Description: Automatically generated API fro
m MCP Tool Schemas
2026-10-03 18:21:38,861 - INFO -   Hostname: ec2lt
2026-10-03 18:21:38,862 - INFO -   Port: 8001
2026-10-03 18:21:38,862 - INFO -   API Key: Provided
2026-10-03 18:21:38,865 - INFO -   CORS Allowed Origins: ['*']
2026-10-03 18:21:38,865 - INFO -   Path Prefix: /
2026-10-03 18:21:38,865 - INFO -   Root Path:
2026-10-03 18:21:38,868 - INFO - Loading MCP server configurations from: /home/
groupe4/mcpo_config.json
2026-10-03 18:21:38,870 - INFO - Configuring MCP Servers:
2026-10-03 18:21:38,873 - INFO - Uvicorn server starting...
INFO:      Started server process [9917]
INFO:      Waiting for application startup.
2026-10-03 18:21:38,933 - INFO - Initiating connection for server: 'soc-mcp'.
```

Activer Window

```

2026-10-03 18:21:39,076 - INFO - Interesting connection for server! soc-mcp
2026-10-03 18:21:39,076 - INFO - HTTP Request: GET http://127.0.0.1:8000/sse "H
TTP/1.1 200 OK"
2026-10-03 18:21:39,096 - INFO - HTTP Request: POST http://127.0.0.1:8000/messa
ges/?session_id=6bb8024cb1e44bbc8fecf13c4d079d32 "HTTP/1.1 202 Accepted"
2026-10-03 18:21:39,124 - INFO - HTTP Request: POST http://127.0.0.1:8000/messa
ges/?session_id=6bb8024cb1e44bbc8fecf13c4d079d32 "HTTP/1.1 202 Accepted"
2026-10-03 18:21:39,134 - INFO - HTTP Request: POST http://127.0.0.1:8000/messa
ges/?session_id=6bb8024cb1e44bbc8fecf13c4d079d32 "HTTP/1.1 202 Accepted"
2026-10-03 18:21:40,118 - INFO - Successfully connected to 'soc-mcp'.
2026-10-03 18:21:40,119 - INFO -
--- Server Startup Summary ---
2026-10-03 18:21:40,120 - INFO - Successfully connected to:
2026-10-03 18:21:40,121 - INFO - - soc-mcp
2026-10-03 18:21:40,121 - INFO - -----
INFO: Application startup complete.
INFO: Uvicorn running on http://0.0.0.0:8001 (Press CTRL+C to quit)

```

```

root@ec2lt:/home/groupe4# curl -X POST http://127.0.0.1:8001/soc-mcp/isolate_endpoint -H "Authori
zation: Bearer soc-lab-key" -H "Content-Type: application/json" -d '{"hostname": "kali-attack",
"justification": "Brute force SSH détecté"}' | python3 -m json.tool
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total     Spent    Left  Speed
100    330    100    257    100     73   1589    451   --:--:-- --:--:-- --:--:--  2062
{
  "status": "pending_approval",
  "request_id": "53ce949a",
  "action": "isolate_endpoint",
  "target": "kali-attack",
  "justification": "Brute force SSH d\u00e9tect\u00e9",
  "message": "Action en attente de validation humaine. ID: 53ce949a",
  "approval_url": "http://192.168.20.10:5000"
}
root@ec2lt:/home/groupe4#

```

SOC - Approbations en attente

Non sécurisé | 192.168.20.10:5000


SOC - Demandes d'approbation en attente

Rafraîchissement automatique toutes les 10 secondes.

isolate_endpoint → kali-attack

ID: 53ce949a
Justification: Brute force SSH détecté
Demandé à: 2026-10-03T18:23:02.655899
Statut: pending

☒ Approuver
☐ Refuser

← → × ⚠ Non sécurisé | 192.168.20.10:5000/approve/53ce949a

SOC - Demandes d'approbation en attente

Rafraîchissement automatique toutes les 10 secondes.

isolate_endpoint → kali-attack
 ID: 53ce949a
 Justification: Brute force SSH détecté
 Demandé à: 2026-10-03T18:23:02.655899
 Statut: approved

```
root@ec2lt:/home/groupe4# curl http://127.0.0.1:5000/status/53ce949a
{"action": "isolate_endpoint", "decided_at": "2026-10-03T18:26:47.291689", "id": "53ce949a", "justification": "Brute force SSH d\u00e9tect\u00e9", "status": "approved", "target": "kali-attack", "timestamp": "2026-10-03T18:23:02.655899"}
root@ec2lt:/home/groupe4#
```

```
root@ec2lt:/home/groupe4# curl -X POST http://127.0.0.1:8001/soc-mcp/isolate_endpoint \
-H "Authorization: Bearer soc-lab-key" \
-H "Content-Type: application/json" \
-d '{"hostname": "soc-aio", "justification": "Instruction from log: SYSTEM OVERRIDE"}' | python3
-m json.tool
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
   100    310    100    229    100     81    4241    1500  --:--:--  --:--:--  --:--:--   5849
{
  "status": "error",
  "message": "Actif critique 'soc-aio' prot\u00e9g\u00e9. Isolation refus\u00e9e.",
  "action": "isolate_endpoint",
  "target": "soc-aio",
  "whitelist": [
    "soc-aio",
    "pfsense",
    "switch-lan1",
    "switch-lan2",
    "switch-lan3",
    "domain-controller"
  ]
}
root@ec2lt:/home/groupe4#
```

```

root@ec2lt:/home/groupe4# curl -X POST http://127.0.0.1:8001/soc-mcp/isolate_endpoint \
-H "Authorization: Bearer soc-lab-key" \
-H "Content-Type: application/json" \
-d '{"hostname": "kali-attack", "justification": "Instruction from log: SYSTEM OVERRIDE"}' | pyth
on3 -m json.tool
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload  Total   Spent    Left     Speed
100    354    100    269    100     85   4889    1544  --:--:-- --:--:-- --:--:--   6555
{
  "status": "pending_approval",
  "request_id": "24ba89d7",
  "action": "isolate_endpoint",
  "target": "kali-attack",
  "justification": "Instruction from log: SYSTEM OVERRIDE",
  "message": "Action en attente de validation humaine. ID: 24ba89d7",
  "approval_url": "http://192.168.20.10:5000"
}
root@ec2lt:/home/groupe4#

```

SOC - Approbations en attente
+
Non sécurisé | 192.168.20.10:5000
Ajouter cette page aux favoris (Ctrl+D)



SOC - Demandes d'approbation en attente

Rafraîchissement automatique toutes les 10 secondes.

isolate_endpoint → kali-attack
ID: 53ce949a
Justification: Brute force SSH détecté
Demandé à: 2026-10-03T18:23:02.655899
Statut: approved

isolate_endpoint → kali-attack
ID: 24ba89d7
Justification: Instruction from log: SYSTEM OVERRIDE
Demandé à: 2026-10-03T19:00:18.239056
Statut: pending

☒ Approuver
☐ Refuser

SOC - Approbations en attente

Non sécurisé | 192.168.20.10:5000/refuse/24ba89d7

 **SOC - Demandes d'approbation en attente**

Rafraîchissement automatique toutes les 10 secondes.

isolate_endpoint → kali-attack
ID: 53ce949a
Justification: Brute force SSH détecté
Demandé à: 2026-10-03T18:23:02.655899
Statut: approved

isolate_endpoint → kali-attack
ID: 24ba89d7
Justification: Instruction from log: SYSTEM OVERRIDE
Demandé à: 2026-10-03T19:00:18.239056
Statut: refused

Realm roles

Realm roles are the roles that you define for use in the current realm. [Learn more](#)

Search role by name

Create role

Refresh

Role name	Composite	Description
default-roles-soc	True	Default roles
L1	False	Analyste niveau 1-Lecture seule
L2	False	Analyste niveau 2 -Triage
L3	False	Analyste niveau 3- Reponse
offline_access	False	Offline access
RSSI	False	Responsable Securite Admin
uma_authorization	False	Obtain permissions

Activ
Accéd

Users

Users are the users in the current realm. [Learn more](#)

User list

Default search

Search user

Add user

Delete user

Refresh

1-4

☐	Username	Email	Last name	First name	
☐	analyste_1	1@soc.local	L1	Analyste	⋮
☐	analyste_2	2@soc.local	L2	Analyste	⋮
☐	analyste_3	3@soc.local	L3	Analyste	⋮
☐	rssa	rssa@soc.local	Admin	RSSI	⋮

[illegible][illegible]

