



# Evidencias TP EVI

## Healthcheck



## Crear tarea (POST)



## Modificar tarea (PUT)

```
PS C:\Users\gimen> curl -Method PUT -Uri "http://localhost:5000/tasks/1" -Body '{"status":"Doing"}' -ContentType "application/json"

StatusCode      : 200
StatusDescription : OK
Content         : {"description":"Ir al super para la pyme","id":1,"status":"Doing","title":"Comprar harina"}

RawContent      : HTTP/1.1 200 OK
                  Connection: close
                  Content-Length: 92
                  Content-Type: application/json
                  Date: Mon, 01 Dec 2025 18:11:31 GMT
                  Server: Werkzeug/3.1.4 Python/3.12.12

Forms           : {}
Headers         : {[Connection, close], [Content-Length, 92], [Content-Type, application/json], [Date, Mon, 01 Dec 2025 18:11:31 GMT]...}
Images          : {}
InputFields     : {}
Links           : {}
ParsedHtml      : mshtml.HTMLDocumentClass
RawContentLength : 92

PS C:\Users\gimen> |
```

## Eliminar tarea (DELETE)

```
PS C:\Users\gimen> curl -Method DELETE -Uri "http://localhost:5000/tasks/1"

StatusCode      : 200
StatusDescription : OK
Content         : {"message":"tarea eliminada"}

RawContent      : HTTP/1.1 200 OK
                  Connection: close
                  Content-Length: 30
                  Content-Type: application/json
                  Date: Mon, 01 Dec 2025 18:14:53 GMT
                  Server: Werkzeug/3.1.4 Python/3.12.12

                  {"message":"tarea eliminada"}

Forms           : {}
Headers         : {[Connection, close], [Content-Length, 30], [Content-Type, application/json], [Date, Mon, 01 Dec 2025 18:14:53 GMT]...}
Images          : {}
InputFields     : {}
Links           : {}
ParsedHtml      : mshtml.HTMLDocumentClass
RawContentLength : 30
```

# Login en Adminer

← → ↻ localhost:8080

Telegram Web T.U. en Tecnologías... SYSACAD FRSF PayPal: Summary Correo: Gimena Bel... Categories - Maker... HTB Account ATA Tigers >> Todos los favoritos

Idioma: Español

**Adminer** 5.4.1

(PostgreSQL) tareas\_user@db - tareas\_db

### Login

Motor de base de datos: PostgreSQL

Servidor: db

Usuario: tareas\_user

Contraseña: \*\*\*\*\*

Base de datos: tareas\_db

Login ☒ Guardar contraseña

# Estructura tabla task

Idioma: Español

PostgreSQL » db » tareas\_db » public » Tabla: task tareas\_user Cerrar sesión

**Adminer** 5.4.1

BD: tareas\_db

Esquema: public

Comando SQL Importar Exportar Crear tabla

registros **task**

### Tabla: task

Visualizar contenido **Mostrar estructura** Modificar tabla Nuevo Registro

Columna	Tipo	Comentario
id	integer <i>Incremento automático [nextval('task_id_seq')]</i>	
title	character varying(200)	
description	character varying(500) <i>NULL</i>	
status	character varying(20)	

### Índices

**PRIMARY** id

Modificar índices

### Claves externas

Agregar clave externa

### Chequeos

Crear chequeo

### Disparadores

Agregar disparador

## Tabla luego de modificar

The screenshot shows the Adminer 5.4.1 interface in Spanish. The browser address bar shows the URL: `localhost:8080/?pgsql=db&username=tareas_user&db=tareas_db&ns=public&select=task`. The interface is for the PostgreSQL database 'tareas\_db' in the 'public' schema, displaying the 'task' table. The table has columns: `id`, `title`, `description`, and `status`. A single record is visible with `id=1`, `title=Comprar harina`, `description=Ir al super para la pyme`, and `status=Doing`. The SQL query shown is `SELECT * FROM "task" LIMIT 50`. The interface includes buttons for 'Mostrar', 'Condición', 'Ordenar', 'Limite', 'Longitud de texto', and 'Acción'. The 'Acción' button is highlighted, and the 'Mostrar' button is also visible. The 'Mostrar' button is highlighted, and the 'Mostrar' button is also visible.

## Tabla vacía tras eliminar

The screenshot shows the Adminer 5.4.1 interface in Spanish, displaying the 'task' table after deletion. The browser address bar shows the URL: `localhost:8080/?pgsql=db&username=tareas_user&db=tareas_db&ns=public&select=task`. The interface is for the PostgreSQL database 'tareas\_db' in the 'public' schema, displaying the 'task' table. The table is empty, and a message 'No existen registros.' (No records exist.) is displayed. The SQL query shown is `SELECT * FROM "task" LIMIT 50`. The interface includes buttons for 'Mostrar', 'Condición', 'Ordenar', 'Limite', 'Longitud de texto', and 'Acción'. The 'Acción' button is highlighted, and the 'Mostrar' button is also visible.