COMERCIO:

```
MariaDB [comercio2]> CREATE TRIGGER dp_insert_empleado AFTER INSERT ON EMPLEADOS
   -> FOR EACH ROW
   -> UPDATE DEPARTAMENTOS
   -> SET presupuesto = presupuesto + NEW.salario_anual
   -> WHERE cod_dep = NEW.cod_dep;
MariaDB [comercio2]> INSERT INTO EMPLEADOS VALUES
  -> ('23123323P','Paco Sanz', 321.42,'10000'),
-> ('31631620X','Andrea Garte',5512.42,'20000');
MariaDB [comercio2]> select * from DEPARTAMENTOS;
+-----
| cod_dep | nombre_dep | presupuesto |
+-----
| 10000 | Technologia | 321.42 |
| 20000 | Motomami | 5512.42 |
MariaDB [comercio2]> select * from EMPLEADOS;
+-----
| 23123323P | Paco Sanz | 321.42 | 10000 | 31631620X | Andrea Garte | 5512.42 | 20000 |
+-----
2 rows in set (0.000 sec)
```

MASCOTAS

```
MariaDB [veterinario] > DROP TRIGGER IF EXISTS dp_mascota_acutual;
-> CREATE TRIGGER dp_mascota_actual AFTER UPDATE ON mascotas
-> FOR EACH ROW
-> BEGIN
-> DECLARE nueva_carpeta VARCHAR(50);
-> SET nueva_carpeta = CONCAT(LOWER(NEW.propietario),'_',LOWER(NEW.nombre));
-> UPDATE mascotas_ext SET carpeta = nueva_carpeta
-> WHERE nombre = NEW.nombre;
-> END //
Query OK, 0 rows affected, 1 warning (0.001 sec)
```