

How to give read and write permissions using Unix commands. A very simple example is to create a text file with a C program, then use chmod.

```
Microsoft Windows [Version 10.0.26200.9168]
(c) Microsoft Corporation. All rights reserved.

C:\Users\gopal>
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ mkdir filepermissions
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ cd filepermissions
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ nano permission.c
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ gcc permission.c -o permission
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ./permission
File created: sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ls -l sample.txt
-rwxrwxrwx 1 gopal gopal 28 Aug 22 03:43 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ chmod 666 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ls -l sample.txt
-rw-rw-rw- 1 gopal gopal 28 Aug 22 03:43 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ chmod 660 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ls -l sample.txt
-rw-rw---- 1 gopal gopal 28 Aug 22 03:43 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ chmod 644 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ls -l sample.txt
-rw-r--r-- 1 gopal gopal 28 Aug 22 03:43 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ chmod 755 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ls -l sample.txt
-rwxr-xr-x 1 gopal gopal 28 Aug 22 03:43 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ chmod 100 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ls -l sample.txt
---x----- 1 gopal gopal 28 Aug 22 03:43 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ chmod 660 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ls -l sample.txt
-rw-rw---- 1 gopal gopal 28 Aug 22 03:43 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ chmod 644 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ls -l sample.txt
-rw-r--r-- 1 gopal gopal 28 Aug 22 03:43 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ chmod 755 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ls -l sample.txt
-rwxr-xr-x 1 gopal gopal 28 Aug 22 03:43 sample.txt
```

```
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ls -l sample.txt
-rwxrwxrwx 1 gopal gopal 28 Aug 22 03:43 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ chmod 660 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ls -l sample.txt
-rw-rw---- 1 gopal gopal 28 Aug 22 03:43 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ chmod 100 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ ls -l sample.txt
---x----- 1 gopal gopal 28 Aug 22 03:43 sample.txt
gopal@gopal:/mnt/c/Users/gopal/filepermissions$ |
```