

more about emacs

ZHAO, peng

July 9, 2018

Contents

1	TODO concept [0/9]	2
1.1	TODO emacs lisp	2
1.2	TODO package	2
1.3	TODO mode	2
1.4	TODO layer	2
1.5	TODO buffer	2
1.6	TODO zhexue	3
1.7	TODO daemon / server	3
1.8	TODO document	3
1.9	TODO config	3
2	TODO operation [0/6]	3
2.1	TODO file	3
2.2	TODO window	3
2.3	TODO buffer	3
2.4	TODO config	3
2.5	TODO alt-x alt-x	3
2.6	TODO smart key ,	4
3	TODO commands [0/6]	4
3.1	TODO global-centered-cursor-mode	4
3.2	TODO zone	4
3.3	TODO display time	4
3.4	TODO erc	4
3.5	TODO magit	4
3.6	TODO dired	4

1 **TODO concept [0/9]**

1.1 **TODO emacs lisp**

- learn x in y minites
- Emacs Lisp Simple tutorial

1.2 **TODO package**

- a bunch of code
- reveal.js need 'ox-reveal'

1.3 **TODO mode**

- main mode vs minor mode
- a main mode is for a specific format of file
- minor mode can attach to main mode. it offers more common functions, such as line-number-toggling, spell-checking.

1.4 **TODO layer**

- a bunch of package
- org layer supports reveal.js exporting.

1.5 **TODO buffer**

- each file loaded by the editor is called a buffer
- similar to the tabs in browser

1.6 TODO zhexue

1.7 TODO daemon / server

1.8 TODO document

1.9 TODO config

2 TODO operation [0/6]

2.1 TODO file

- open/create
- save
- close

2.2 TODO window

- split
- close

2.3 TODO buffer

- switch buffer
- close buffer

2.4 TODO config

- ~/.emacs
- ~/.spacemacs

2.5 TODO alt-x alt-x

- invoke command by their name

2.6 TODO smart key ,

3 TODO commands [0/6]

3.1 TODO global-centered-cursor-mode

3.2 TODO zone

3.3 TODO display time

3.4 TODO erc

3.5 TODO magit

3.6 TODO dired