ModelIt!

Teacher's Guide

The Brain-Machine Connection

How Scientists Are Learning to Read Your Mind

Quick Reference

Grade Level	Grade NE
NGSS Standard	MS-LS1-8, HS-LS1-2, HS-ETS1-2, HS-ETS1-4
Time	45–60 minutes (core lesson)
Materials	Student Activity Pack, devices with ModelIt! access
Prep	Print activity packs, test ModelIt! on student devices
Grouping	Partners or small groups (2–4)

ModelIt! — Discovery Collective

© 2026 Discovery Collective. All rights reserved. For teacher use only.

Table of Contents

ModelIt!

1 NGSS Standards Unpacking & CAST Alignment 3

2 Scoring Rubric 4

3 Background Content Knowledge 5

4 The LEVER Framework 6

5 Slide-by-Slide Facilitation Guide 7

6 Answer Key & Expected Responses 9

7 Collaborative Learning Protocols 10

8 Differentiation & Extensions 11

9 Common Misconceptions 12

1 NGSS Standards & CAST Alignment

ModelIt!

Performance Expectation: MS-LS1-8, HS-LS1-2, HS-ETS1-2, HS-ETS1-4

Gather and synthesize information that sensory receptors respond to stimuli by sending messages to the brain for immediate behavior or storage as memories. Develop and use a model to describe how the structure of the nervous system allows it to receive, process, and respond to information. Evaluate competing design solutions using a systematic process. Develop a model to generate data for iterative testing and modification of a proposed object, tool, or process.

Three-Dimensional Learning

Science Practice	**Developing and Using Models** — Students develop an 8-component computational model showing how stimulus input, electrode configuration, and noise interact through signal encoding and adaptation to determine motor output precision.
Disciplinary Core Idea	**LS1.A Structure and Function / LS1.D Information Processing** — The nervous system receives stimuli, encodes signals, and transmits information to produce responses — the same pathway that BCI technology must interface with and decode.
Crosscutting Concept	**Cause and Effect / Systems and System Models** — Students trace causal chains through an 8-component system where multiple inputs produce cascading effects, and feedback through adaptation creates a dynamic system that changes over time.

CAST Testing Alignment

MULTIPLE CHOICE:

A BCI patient is learning to control a robotic arm. On Day 1, the arm moves jerkily and often misses the target. By Day 30, the movements are smooth and accurate. Which model component BEST explains this improvement? A) Stimulus Intensity increased B) Noise Level decreased C) Adaptation Level increased D) Electrode Count increased

CONSTRUCTED RESPONSE:

Using your 8-component model, explain why a BCI system with many electrodes in a noisy environment might STILL perform poorly. Then describe how adaptation could partially compensate for the noise problem. Use evidence from at least two simulation scenarios in your answer.

2 Scoring Rubric

ModelIt!

Assessment Reference

This is the same rubric students see in their Activity Pack. Use it during and after the lesson for formative and summative assessment. Circle or highlight the proficiency level for each skill.

Skill	Expert (4)	Proficient (3)	Developing (2)	Beginning (1)
Identifying Components	EXPERT Correctly identifies and sorts ALL components as internal or external with detailed reasoning	PROFICIENT Correctly identifies and sorts MOST components with some reasoning	DEVELOPING Identifies components but has difficulty sorting or explaining	BEGINNING Needs significant help identifying components
Establishing Relationships	EXPERT Accurately describes ALL positive and negative relationships with clear evidence	PROFICIENT Accurately describes MOST relationships with some evidence	DEVELOPING Identifies some relationships but struggles with direction	BEGINNING Needs help understanding how components connect
Running Simulations	EXPERT Makes accurate predictions AND explains surprising results using evidence	PROFICIENT Makes reasonable predictions and records clear observations	DEVELOPING Runs simulations but predictions or observations are incomplete	BEGINNING Needs help running simulations or recording data
Explaining Results	EXPERT Uses multiple pieces of evidence to explain HOW and WHY systems interact	PROFICIENT Uses evidence to explain system interactions	DEVELOPING Gives partial explanations with limited evidence	BEGINNING Needs help connecting evidence to explanations

Scoring Guidance

Expert (4): Student demonstrates deep understanding and can transfer knowledge to new contexts.
Proficient (3): Student meets grade-level expectations and shows solid understanding.
Developing (2): Student is making progress but needs additional scaffolding or practice.
Beginning (1): Student needs significant support; consider using Differentiation strategies (Section 7).

3 Background Content Knowledge

ModelIt!

For Your Confidence

This section provides the science background you need to facilitate this lesson with authority. You don't need to teach all of this — it's here so you can answer student questions accurately.

This lesson builds on the Level 1 Telephone Game by expanding the simple signal-noise-accuracy model into a full brain-computer interface system with eight interacting components. Students now see the complete pathway from sensory stimulus to motor output, including the critical role of adaptation.

From Signals to Commands

In the Level 1 lesson, students learned that signals degrade with distance and noise. A real BCI faces this challenge at an extreme scale. The brain produces electrical signals measured in microvolts — millionths of a volt. An EEG headset on the scalp detects these signals through bone and skin, losing enormous amounts of information. Implanted electrodes get closer to the source but require brain surgery. Either way, the raw signal must be amplified, filtered, and decoded before it can control anything.

The Electrode Revolution

Early BCIs used just a few electrodes and could only detect very simple brain patterns (like 'thinking left' vs. 'thinking right'). Modern systems use arrays of hundreds or thousands of electrodes, each capturing activity from different groups of neurons. More electrodes means more data points, which means the computer has more information to work with when decoding the user's intentions. The Utah Array, for example, has 96 tiny electrodes on a chip smaller than a penny.

Neural Noise: The Biggest Challenge

The brain contains roughly 86 billion neurons, and millions of them are firing at any given moment. When a BCI tries to read the signals controlling arm movement, it must pick out the relevant neural activity from an ocean of unrelated firing. This 'neural noise' is the single biggest obstacle in BCI development. Engineers use sophisticated algorithms, machine learning, and signal processing to filter noise — but it remains an unsolved problem at scale.

The Power of Adaptation

One of the most remarkable discoveries in BCI research is that the brain ADAPTS to the interface. Over days and weeks of practice, patients learn to produce cleaner, more distinct neural patterns that are easier for the computer to decode. Simultaneously, the computer's algorithms improve as they gather more training data. This two-way adaptation — biological and artificial intelligence learning to communicate — is what transforms a crude, jerky BCI into a smooth, responsive system. Some patients have described it as learning a new language that only they and their computer speak.

4 The LEVER Framework

About LEVER

LEVER is how every ModelIt! lesson works. Students move through five phases to build, test, and refine a computational model. Each lesson is self-contained — students complete all five phases in one session.

L **Locate the System**

Students identify Stimulus Intensity, Electrode Count, and Noise Level as external components — conditions that can be set or measured independently. Signal Strength, Encoding Accuracy, Response Time, Motor Output Precision, and Adaptation Level are internal components produced by the system.

E **Establish Relationships**

Students trace relationships: Stimulus Intensity → Signal Strength (positive), Electrode Count → Encoding Accuracy (positive), Noise Level → Encoding Accuracy (negative) → Motor Output Precision (negative). Signal Strength → Response Time (inverse). Adaptation Level → Encoding Accuracy (positive feedback loop over time).

V **Visualize & Model**

Students build the full 8-component model with three external inputs feeding five internal components through a network of positive, negative, and inverse relationships.

E **Evaluate Outcomes**

Students run Best Case, Worst Case, Adaptation Test, and Noise Flood scenarios to explore how different combinations of inputs and adaptation affect motor output precision.

R **Revise & Extend**

Students add Feedback Loop, Algorithm Complexity, or Electrode Invasiveness to explore deeper BCI engineering tradeoffs.

Dropping ModelIt! Into Your Existing Unit

ModelIt! is a **supplement**, not a replacement for your science curriculum. Each lesson stands alone, but it becomes even more powerful when students revisit their model throughout a unit. Here are easy ways to weave it in:

At the start of a unit	Use this lesson to introduce the phenomenon. Students build a “first draft” model based on what they already know. Save it.
After a reading or lab	Have students reopen their model and update it: “Based on what you just learned, would you add a component? Change a relationship?” Takes 10–15 minutes.
As a “what-if” tool	When students ask questions during class, say: “Great question — go test that in your model!” Students run new scenarios and report back.
For peer discussion	Partners compare models: “Why does your model have this arrow and mine doesn’t?” Differences spark scientific debate using evidence.
As a presentation tool	Students project their model and walk the class through it live — showing components, running scenarios, answering audience “what-if” challenges in real time.
At the end of a unit	Compare Day 1 model to final model. The growth IS the assessment — students see how their thinking evolved.

5 Slide-by-Slide Facilitation

ModelIt!

Slide 1: Cover

2 min

Say: *"In Level 1, we learned why signals degrade. Today we build the FULL system — from brain signal to robotic movement. This is the technology that lets paralyzed patients move again."*

Watch For

Show a brief video of a real BCI patient controlling a robotic arm (many research demonstrations are publicly available). Ask: What do you think is happening between the brain and the arm?

Slide 2: Learning Objectives

3 min

Say: *"We are going from 4 components to 8. This is the most complex model in the series — but you already understand the foundation from Level 1."*

Watch For

Preview new vocabulary: electrode, encoding, adaptation. Connect to Level 1 vocabulary: signal, noise, accuracy. Show how Level 2 EXPANDS on Level 1.

Slide 3: Big Question

3 min

Say: *"Your brain produces billions of electrical signals every second. Somewhere in that storm of activity is the command to move your finger. How do scientists find THAT signal among billions of others?"*

Watch For

Quick demonstration: have 30 students all talk at the same time. One student says a secret word. Can anyone identify it? That is what a BCI faces — one signal among billions.

Slide 4: LEVER Framework

2 min

Say: *"This model has something new — ADAPTATION. The system gets better over time. That is a feedback loop, and it changes everything."*

Watch For

Draw the basic cascade on the board, then add the adaptation arrow looping back. Discuss: How is a feedback loop different from a simple chain?

Slide 5: Activity 1: Components

8 min

Say: *"Three things we can control, five things the system produces. Notice we have MORE internal components than external — that is what makes this system complex."*

Watch For

Guide sorting of all 8 components. Key discussion: Why are there 5 internal and only 3 external? (Because the system has many steps between input and output.)

Slide 6: Activity 2: Connections

10 min

Say: *"Stimulus Intensity boosts Signal Strength. Electrode Count boosts Encoding Accuracy. But Noise ATTACKS Encoding Accuracy. And here is the twist — Adaptation fights back against noise over time."*

Watch For

Build the relationship web step by step. Highlight the negative arrow from Noise and the feedback loop from Adaptation. Key moment: the Signal Strength to Response Time inverse relationship — stronger signals are decoded FASTER.

Slide 7: Activity 3: Simulation

12 min

Say: *"Four tests: the perfect setup, the worst setup, the adaptation experiment, and the noise flood. Predict each one before we run it!"*

Watch For

Run scenarios in order. After each, compare predictions to results. The Adaptation Test is the most revealing — students see the system IMPROVE over simulated time. The Noise Flood shows limits even great hardware cannot overcome.

Slide 8: Discoveries

4 min

Say: *"The brain and the computer LEARN to work together. That is the most important discovery — adaptation transforms a crude system into a precise one."*

Watch For

Summarize findings. Draw an adaptation curve showing improvement over trials. Ask: What does this tell us about patience in BCI training?

Slide 9: STEM Challenge

12 min

Say: *"Now build it! A mechanical hand, a coding system, a barrier, and a partner. Can you control a hand using ONLY coded signals? Let us find out."*

Watch For

Distribute materials. Demonstrate the basic hand mechanism. Groups design their coding system, build the hand, and test through the barrier. Add noise halfway through. Measure improvement with practice.

6 Answer Key & Expected Responses

ModelIt!

Component Sorting

- **EXTERNAL:** Stimulus Intensity, Electrode Count, Noise Level
- **INTERNAL:** Signal Strength, Encoding Accuracy, Response Time, Motor Output Precision, Adaptation Level

Relationships

- **Stimulus Intensity to Signal Strength:** POSITIVE (+) — A stronger stimulus (louder sound, firmer touch) activates more neurons, producing a larger electrical response. This gives the electrodes a bigger signal to detect — like the difference between hearing someone shout versus whisper.
- **Electrode Count to Encoding Accuracy:** POSITIVE (+) — More electrodes capture neural activity from more locations in the brain, giving the computer more data points to work with. It is like the difference between reading a book through one tiny window versus a large picture window — more viewpoints means a clearer picture.
- **Noise Level to Encoding Accuracy:** NEGATIVE (-) — Neural noise drowns out the target signal, making it harder for the computer to determine what the brain is trying to communicate. High noise forces the encoding algorithm to guess more and decode less — like trying to read a message written in sand during a windstorm.
- **Signal Strength to Response Time:** INVERSE (-) — Stronger signals are detected and decoded faster because they stand out more clearly from background activity. The computer spends less time amplifying and filtering. Weak signals require more processing, creating lag between thought and action.
- **Encoding Accuracy to Motor Output Precision:** POSITIVE (+) — If the computer accurately decodes the brain's intended command, the robotic limb performs the correct movement precisely. Inaccurate encoding means the wrong command is sent — like typing with your eyes closed and hitting the wrong keys.
- **Adaptation Level to Encoding Accuracy:** POSITIVE (+) — Over time, the brain learns to produce cleaner, more distinct signal patterns, and the computer's algorithms improve at recognizing those patterns. This two-way learning progressively improves how accurately the system translates thought into code.

Key Discoveries

- Stimulus Intensity directly determines Signal Strength — weak inputs produce weak, hard-to-read brain responses
- More electrodes dramatically improve Encoding Accuracy by sampling more neural activity from different brain regions
- Noise is the greatest enemy of BCI systems — it degrades Encoding Accuracy AND Motor Output Precision simultaneously
- Signal Strength and Response Time have an inverse relationship — stronger signals are decoded faster
- Adaptation is remarkably powerful — over time, the brain learns to produce cleaner signals that the computer can read more easily
- Even the best hardware cannot fully overcome extreme noise, but adaptation can partially compensate

7 Collaborative Learning Protocols

ModelIt!

Why This Matters

ModelIt! is a digital tool, but the deepest learning happens between humans. Computational modeling is most powerful when students build understanding *together* — debating relationships, challenging predictions, and constructing explanations as a community. These protocols ensure every student's voice is part of the model. Use at least ONE per lesson.

Model Gallery Walk

When: After students build models (LEVER Phase V)
Setup: Groups post their models on screens/desks. Half the class stays to "defend," half rotates with sticky notes.
Protocol: Visitors leave 2 sticky notes: one "I notice..." and one "I wonder..." After rotation, defenders read feedback aloud. Class discusses patterns.
Why it works: Students see that the SAME phenomenon can be modeled differently — and that's how real science works. (Bandura: learning through observation of peers)

Scientist Fishbowl

When: During simulation discussion (LEVER Phase E)
Setup: 4-5 students sit in center circle. Rest of class observes with clipboards.
Protocol: Inner circle discusses: "What happened in Scenario 3 and WHY?" using only evidence from their models. Outer circle records strongest arguments. Swap groups.
Why it works: Students practice scientific discourse without teacher directing. Observers learn to evaluate arguments. (Freire: dialogue as the foundation of critical consciousness)

Component Jigsaw

When: During component analysis (LEVER Phase L)
Setup: Assign each group ONE component to become "experts" on. They research it, discuss it, draw it.
Protocol: Regroup so each new team has one expert per component. Experts teach their component to the team. Team builds the model together using everyone's expertise.
Why it works: Every student is essential — the model literally cannot be built without each person's knowledge. Interdependence drives engagement. (Lave & Wenger: learning through legitimate peripheral participation)

Prediction Debate

When: Before running simulations (LEVER Phase E)
Setup: Post a scenario. Students physically move to corners: "Fire Spread will INCREASE a lot" / "INCREASE a little" / "STAY the same" / "DECREASE."
Protocol: Each corner group has 2 minutes to build their argument using model logic. One spokesperson presents. Then RUN the simulation. Losing corners explain what they missed.
Why it works: Movement + social risk + immediate feedback. Students CARE about the outcome because they committed publicly. Wrong predictions become the best learning moments.

Pair Programming for Models (Digital Collaboration)

When: Throughout model building
Setup: Two students, one device. **Driver** controls the mouse/keyboard. **Navigator** directs strategy and catches errors. Switch every 5 minutes.
Protocol: Navigator must verbalize every decision: "I think we should add a negative arrow from Rainfall to Dry Vegetation because..." Driver cannot act without Navigator's reasoning.
Why it works: Forces articulation of scientific thinking. The model becomes a shared artifact, not an individual assignment. Students who struggle with writing can demonstrate understanding verbally. Borrowed from computer science — where the best code is written in pairs.

Quick Protocol Selection Guide

Short on time (5 min)	Prediction Debate — gets bodies moving, generates energy fast
Full period available	Component Jigsaw — deep collaboration, every student contributes

After simulation day	Model Gallery Walk — peer feedback, multiple perspectives
Advanced discussion	Scientist Fishbowl — builds academic discourse skills
Every day default	Pair Programming — transforms individual work into dialogue

8 Differentiation & Extensions

ModelIt!

Below Grade Level

- Pre-sort components as a whole class
- Provide sentence frames for relationships
- Use visual vocabulary cards
- Pair with a strong reader

Advanced Learners

- Add 2-3 additional components
- Research real-world data
- Create multi-step causal chains
- Compare to similar systems globally

English Language Learners

- Pre-teach key vocabulary
- Provide bilingual glossary
- Use visual supports with text
- Allow verbal responses

Gifted & Talented

- Create feedback loop diagrams
- Research prevention strategies
- Write a policy brief
- Connect to climate change

9 Common Misconceptions

ModelIt!

Why This Matters

Addressing misconceptions proactively helps students build accurate scientific understanding. Use these as formative assessment checkpoints during the lesson.

STUDENTS MAY THINK	SCIENTIFIC UNDERSTANDING
"BCIs can read your thoughts like a mind-reading machine"	Current BCIs do NOT read thoughts, emotions, or memories. They detect specific patterns of electrical activity associated with intended MOVEMENTS — like the neural pattern for 'move right hand up.' Reading a thought like 'I want pizza' is far beyond current technology. The brain's electrical activity is incredibly complex, and we can only decode a tiny fraction of it.
STUDENTS MAY THINK	**SCIENTIFIC UNDERSTANDING**
"More electrodes always means better performance"	While more electrodes generally help, there are diminishing returns. After a certain point, additional electrodes add more noise than signal because they pick up activity from neurons unrelated to the target movement. There is also a practical limit — more electrodes means more data to process, which can SLOW response time. The optimal number depends on the specific application.
STUDENTS MAY THINK	**SCIENTIFIC UNDERSTANDING**
"BCI technology will work immediately once connected"	The Adaptation Test scenario clearly shows that BCI performance starts mediocre and improves dramatically with practice. Real BCI patients often spend weeks or months training with their systems before achieving useful control. The brain must learn new signal patterns, and the computer must learn to recognize that specific brain's signals. There is no plug-and-play — it is more like learning to play an instrument.