a	INF	ORN	ITAN	O۱
v		O I VI	''''	U I1

Raw Logs

BASE64

CLASS

METHOD ΔV

Search:

android.util.Base64

encode

Arguments: [[91, 68, 69, 70, 65, 85, 76, 84, 93], 0, 9, 11]

Result: 87,48,82,70,82,107,70,86,84,70,82,100

Return Value: 87488270821077086847082100

Called From: android.util.Base64.encode(Base64.java:494)

CLASS	METHOD
android.util.Base64	encodeToString
	Arguments: [[91, 68, 69, 70, 65, 85, 76, 84, 93], 11]
	Result: W0RFRkFVTFRd
	Return Value: WORFRkFVTFRd
	Decoded String: [DEFAULT]
	Called From:
	com.google.android.gms.common.util.Base64Utils.encodeUrlSafeNoPadd ing(com.google.android.gms:play-services-basement@@18.1.0:1)

CLASS	METHOD
android.util.Base64	encode
	Arguments: [[49, 58, 50, 56, 56, 56, 51, 52, 57, 57, 53, 54, 50, 56, 58, 97, 110, 100, 114, 111, 105, 100, 58, 54, 100, 99, 53, 55, 57, 52, 100, 48, 56, 53, 48, 102, 49, 52, 102], 0, 39, 11]
	Result:

77,84,111,121,79,68,103,52,77,122,81,53,79,84,85,50,77,106,103,54,89,87,5 3,107,99,109,57,112,90,68,111,50,90,71,77,49,78,122,107,48,90,68,65,52,78 ,84,66,109,77,84,82,109

Return Value:

77841111217968103527712281537984855077106103548987531079910957 11290681115090717749781221074890686552788466109778482109

Called From: android.util.Base64.encode(Base64.java:494)

CLASS	METHOD
android.util.Base64	encodeToString
	Arguments: [[49, 58, 50, 56, 56, 51, 52, 57, 57, 53, 54, 50, 56, 58, 97, 110, 100, 114, 111, 105, 100, 58, 54, 100, 99, 53, 55, 57, 52, 100, 48, 56, 53, 48, 102, 49, 52, 102], 11]
	Result: MToyODg4MzQ5OTU2Mjg6YW5kcm9pZDo2ZGM1Nzk0ZDA4NTBmMTRm
	Return Value: MToyODg4MzQ5OTU2Mjg6YW5kcm9pZDo2ZGM1Nzk0ZDA4NTBmMTRm
	Decoded String: 1:288834995628:android:6dc5794d0850f14f
	Called From: com.google.android.gms.common.util.Base64Utils.encodeUrlSafeNoPadd ing(com.google.android.gms:play-services-basement@@18.1.0:1)

CLASS	METHOD
android.util.Base64	encode
	Arguments: [[91, 68, 69, 70, 65, 85, 76, 84, 93], 0, 9, 11]
	Result: 87,48,82,70,82,107,70,86,84,70,82,100
	Return Value: 87488270821077086847082100
	Called From: android.util.Base64.encode(Base64.java:494)
android.util.Base64	encodeToString
	Arguments: [[91, 68, 69, 70, 65, 85, 76, 84, 93], 11]
	Result: W0RFRkFVTFRd
	Return Value: W0RFRkFVTFRd
	Decoded String: [DEFAULT]
	Called From: com.google.android.gms.common.util.Base64Utils.encodeUrlSafeNoPadd ing(com.google.android.gms:play-services-basement@@18.1.0:1)

CLASS	METHOD
android.util.Base64	encode
	Arguments: [[49, 58, 50, 56, 56, 56, 51, 52, 57, 57, 53, 54, 50, 56, 58, 97, 110, 100, 114, 111, 105, 100, 58, 54, 100, 99, 53, 55, 57, 52, 100, 48, 56, 53, 48, 102, 49, 52, 102], 0, 39, 11]
Showing 1 to 10 of 56 entries	Result: 77,84,111,121,79,68,103,52,77,122,81,53,79,84,85,50,77,106,103,54,89,87,5 3,107,99,109,57,112,90,68,111,50,00,31,32,40,00,65,50,77,106,103,54,89,87,5 ,84,66,109,77,84,82,109 Previous 1 2 3 4 5 6 Next
# CRYPTO - HASH	Search:
CLASS	↑ METHOD ↑

CLASS	METHOD
java.security.MessageDigest	update
	Arguments: [[48, 48, 48, 48, 48, 48, 48, 48, 48, 48,
	48, 48, 48, 48, 48, 48, 48, 48, 48, 48,
	49, 58, 50, 56, 56, 56, 51, 52, 57, 57, 53, 54, 50, 56, 58, 97, 110,
	100, 114, 111, 105, 100, 58, 54, 100, 99, 53, 55, 57, 52, 100, 48, 56,
	53, 48, 102, 49, 52, 102, 50, 46, 53, 46, 48, 51, 50, 50]]
	Called From:
	com.google.firebase.crashlytics.internal.common.CommonUtil
	s.hash(CommonUtils.java:272)
java.security.MessageDigest	digest
java.security.MessageDigest	digest Arguments: []
java.security.MessageDigest	Arguments: []
java.security.MessageDigest	Arguments: [] Result: 58,80,108,-108,53,-65,-82,66,2,-20,-38,-113,86,69,116,-
java.security.MessageDigest	Arguments: [] Result: 58,80,108,-108,53,-65,-82,66,2,-20,-38,-113,86,69,116,-54,98,31,-74,122
java.security.MessageDigest	Arguments: [] Result: 58,80,108,-108,53,-65,-82,66,2,-20,-38,-113,86,69,116,-54,98,31,-74,122 Return Value:
java.security.MessageDigest	Arguments: [] Result: 58,80,108,-108,53,-65,-82,66,2,-20,-38,-113,86,69,116,-54,98,31,-74,122
java.security.MessageDigest	Arguments: [] Result: 58,80,108,-108,53,-65,-82,66,2,-20,-38,-113,86,69,116,-54,98,31,-74,122 Return Value:
java.security.MessageDigest	Arguments: [] Result: 58,80,108,-108,53,-65,-82,66,2,-20,-38,-113,86,69,116,-54,98,31,-74,122 Return Value: 5880108-10853-65-82662-20-38-1138669116-549831-74122
java.security.MessageDigest	Arguments: [] Result: 58,80,108,-108,53,-65,-82,66,2,-20,-38,-113,86,69,116,-54,98,31,-74,122 Return Value: 5880108-10853-65-82662-20-38-1138669116-549831-74122 Called From:

CLASS	METHOD
java.security.MessageDigest	update
	Arguments: [[54, 55, 102, 52, 98, 99, 56, 101, 55, 53, 49, 98, 52, 53, 99, 51, 98, 100, 101, 53, 99, 51, 102, 102, 55, 49, 98, 48, 100, 53, 57, 50]]
	Called From: com.google.firebase.crashlytics.internal.common.CommonUtil s.hash(CommonUtils.java:272)
java.security.MessageDigest	digest
	Arguments: []
	Result: 99,-20,-103,-80,-123,-31,-42,105,-64,22,-7,-103,30,-47,46,35,-99,-18,-3,-80
	Return Value: 99-20-103-80-123-31-42105-6422-7-10330-474635-99-18-3-80
	Called From: com.google.firebase.crashlytics.internal.common.CommonUtil s.hash(CommonUtils.java:274)

java.security.MessageDigest

METHOD

update

Arguments: [[48, -126, 2, 97, 48, -126, 1, -54, -96, 3, 2, 1, 2, 2, 4, 75, 58, -95, -60, 48, 13, 6, 9, 42, -122, 72, -122, -9, 13, 1, 1, 5, 5, 0, 48, 117, 49, 11, 48, 9, 6, 3, 85, 4, 6, 19, 2, 72, 75, 49, 18, 48, 16, 6, 3, 85, 4, 8, 19, 9, 72, 111, 110, 103, 32, 75, 111, 110, 103, 49, 16, 48, 14, 6, 3, 85, 4, 7, 19, 7, 75, 111, 119, 108, 111, 111, 110, 49, 18, 48, 16, 6, 3, 85, 4, 10, 19, 9, 70, 111, 114, 107, 32, 76, 116, 100, 46, 49, 20, 48, 18, 6, 3, 85, 4, 11, 19, 11, 77, 111, 98, 105, 108, 101, 32, 76, 97, 98, 115, 49, 22, 48, 20, 6, 3, 85, 4, 3, 19, 13, 67, 97, 114, 108, 111, 115, 32, 89, 97, 99, 111, 110, 105, 48, 30, 23, 13, 48, 57, 49, 50, 51, 48, 48, 48, 52, 49, 52, 48, 90, 23, 13, 51, 57, 49, 50, 50, 51, 48, 48, 52, 49, 52, 48, 90, 48, 117, 49, 11, 48, 9, 6, 3, 85, 4, 6, 19, 2, 72, 75, 49, 18, 48, 16, 6, 3, 85, 4, 8, 19, 9, 72, 111, 110, 103, 32, 75, 111, 110, 103, 49, 16, 48, 14, 6, 3, 85, 4, 7, 19, 7, 75, 111, 119, 108, 111, 111, 110, 49, 18, 48, 16, 6, 3, 85, 4, 10, 19, 9, 70, 111, 114, 107, 32, 76, 116, 100, 46, 49, 20, 48, 18, 6, 3, 85, 4, 11, 19, 11, 77, 111, 98, 105, 108, 101, 32, 76, 97, 98, 115, 49, 22, 48, 20, 6, 3, 85, 4, 3, 19, 13, 67, 97, 114, 108, 111, 115, 32, 89, 97, 99, 111, 110, 105, 48, -127, -97, 48, 13, 6, 9, 42, -122, 72, -122, -9, 13, 1, 1, 1, 5, 0, 3, -127, -115, 0, 48, -127, -119, 2, -127, -127, 0, -118, 30, 29, -5, 43, 108, 113, 53, 50, -36, -46, 17, 113, 85, 85, 61, -10, 1, -125, 63, -24, 26, -62, 99, 42, -97, 73, -61, 24, 2, 75, 63, 53, -102, 23, -86, 13, 98, -98, 30, -22, -101, 11, -75, 50, -7, -44, -101, 5, -76, 36, -32, 82, 101, -43, 86, 100, -89, 118, -50, 126, -25, 105, 17, 45, -72, -93, -112, -23, -74, -64, -20, -27, -113, -2, -31, 71, 50, -63, 80,

METHOD

95, 81, -33, -77, 67, 111, -53, 87, 37, 1, -24, -68, -73, 25, -93, 43, -90, 113, -111, -117, -104, 3, -3, 97, 111, 91, 5, 13, -1, 59, -55, 125, -114, -30, -82, 23, -116, 1, 75, 68, 62, -7, -3, 126, 2, 85, 21, 107, 2, 3, 1, 0, 1, 48, 13, 6, 9, 42, -122, 72, -122, -9, 13, 1, 1, 5, 5, 0, 3, -127, -127, 0, 5, -44, -83, -74, 45, -2, -116, -26, -92, 18, 126, 62, -59, 108, -82, 65, -5, 52, 96, 80, 103, 10, 54, 10, -79, -23, -12, 28, -106, -11, -5, 127, 54, -72, -7, -13, 101, -70, 62, 53, -91, 49, -124, -34, 6, -23, -91, 99, 121, -39, -112, -50, -93, -82, 77, 71, -90, 60, 44, 99, -74, 91, 35, -85, -37, 40, 6, 31, 48, 48, 28, -37, 36, 125, -116, -91, -71, -65, -96, 84, 21, -45, -30, 35, -59, -59, -4, 106, -27, -128, -39, -9, -18, 82, 42, -19, 99, -3, -43, 75, 78, 33, -45, 123, 22, -30, 81, -14, -32, -27, -122, -97, -117, 36, 55, 83, 16, -85, -52, -107, -87, 110, 48, -58, 109, 29, -87, -33]]

Called From:

java.security.MessageDigest.digest(MessageDigest.java:447)

CLASS	METHOD
java.security.MessageDigest	digest
	Arguments: []
	Result: 66,-82,-106,60,-38,-113,-2,127,-62,-55,8,-21,-8,-11,-76,-113,3,76,110,-56
	Return Value: 66-82-10660-38-113-2127-62-558-21-8-11-76-113376110-56
	Called From: java.security.MessageDigest.digest(MessageDigest.java:448)

java.security.MessageDigest

METHOD

digest

Arguments: [[48, -126, 2, 97, 48, -126, 1, -54, -96, 3, 2, 1, 2, 2, 4, 75, 58, -95, -60, 48, 13, 6, 9, 42, -122, 72, -122, -9, 13, 1, 1, 5, 5, 0, 48, 117, 49, 11, 48, 9, 6, 3, 85, 4, 6, 19, 2, 72, 75, 49, 18, 48, 16, 6, 3, 85, 4, 8, 19, 9, 72, 111, 110, 103, 32, 75, 111, 110, 103, 49, 16, 48, 14, 6, 3, 85, 4, 7, 19, 7, 75, 111, 119, 108, 111, 111, 110, 49, 18, 48, 16, 6, 3, 85, 4, 10, 19, 9, 70, 111, 114, 107, 32, 76, 116, 100, 46, 49, 20, 48, 18, 6, 3, 85, 4, 11, 19, 11, 77, 111, 98, 105, 108, 101, 32, 76, 97, 98, 115, 49, 22, 48, 20, 6, 3, 85, 4, 3, 19, 13, 67, 97, 114, 108, 111, 115, 32, 89, 97, 99, 111, 110, 105, 48, 30, 23, 13, 48, 57, 49, 50, 51, 48, 48, 48, 52, 49, 52, 48, 90, 23, 13, 51, 57, 49, 50, 50, 51, 48, 48, 52, 49, 52, 48, 90, 48, 117, 49, 11, 48, 9, 6, 3, 85, 4, 6, 19, 2, 72, 75, 49, 18, 48, 16, 6, 3, 85, 4, 8, 19, 9, 72, 111, 110, 103, 32, 75, 111, 110, 103, 49, 16, 48, 14, 6, 3, 85, 4, 7, 19, 7, 75, 111, 119, 108, 111, 111, 110, 49, 18, 48, 16, 6, 3, 85, 4, 10, 19, 9, 70, 111, 114, 107, 32, 76, 116, 100, 46, 49, 20, 48, 18, 6, 3, 85, 4, 11, 19, 11, 77, 111, 98, 105, 108, 101, 32, 76, 97, 98, 115, 49, 22, 48, 20, 6, 3, 85, 4, 3, 19, 13, 67, 97, 114, 108, 111, 115, 32, 89, 97, 99, 111, 110, 105, 48, -127, -97, 48, 13, 6, 9, 42, -122, 72, -122, -9, 13, 1, 1, 1, 5, 0, 3, -127, -115, 0, 48, -127, -119, 2, -127, -127, 0, -118, 30, 29, -5, 43, 108, 113, 53, 50, -36, -46, 17, 113, 85, 85, 61, -10, 1, -125, 63, -24, 26, -62, 99, 42, -97, 73, -61, 24, 2, 75, 63, 53, -102, 23, -86, 13, 98, -98, 30, -22, -101, 11, -75, 50, -7, -44, -101, 5, -76, 36, -32, 82, 101, -43, 86, 100, -89, 118, -50, 126, -25, 105, 17, 45, -72, -93, -112, -23, -74, -64, -20, -27, -113, -2, -31, 71, 50, -63, 80,

METHOD

95, 81, -33, -77, 67, 111, -53, 87, 37, 1, -24, -68, -73, 25, -93, 43, -90, 113, -111, -117, -104, 3, -3, 97, 111, 91, 5, 13, -1, 59, -55, 125, -114, -30, -82, 23, -116, 1, 75, 68, 62, -7, -3, 126, 2, 85, 21, 107, 2, 3, 1, 0, 1, 48, 13, 6, 9, 42, -122, 72, -122, -9, 13, 1, 1, 5, 5, 0, 3, -127, -127, 0, 5, -44, -83, -74, 45, -2, -116, -26, -92, 18, 126, 62, -59, 108, -82, 65, -5, 52, 96, 80, 103, 10, 54, 10, -79, -23, -12, 28, -106, -11, -5, 127, 54, -72, -7, -13, 101, -70, 62, 53, -91, 49, -124, -34, 6, -23, -91, 99, 121, -39, -112, -50, -93, -82, 77, 71, -90, 60, 44, 99, -74, 91, 35, -85, -37, 40, 6, 31, 48, 48, 28, -37, 36, 125, -116, -91, -71, -65, -96, 84, 21, -45, -30, 35, -59, -59, -4, 106, -27, -128, -39, -9, -18, 82, 42, -19, 99, -3, -43, 75, 78, 33, -45, 123, 22, -30, 81, -14, -32, -27, -122, -97, -117, 36, 55, 83, 16, -85, -52, -107, -87, 110, 48, -58, 109, 29, -87, -33]]

Result: 66,-82,-106,60,-38,-113,-2,127,-62,-55,8,-21,-8,-11,-76,-113,3,76,110,-56

Return Value:

66-82-10660-38-113-2127-62-558-21-8-11-76-113376110-56

Called From:

com.google.android.gms.common.util.AndroidUtilsLight.getPa ckageCertificateHashBytes(com.google.android.gms:play-services-basement@@18.1.0:4)

java.security.MessageDigest

METHOD

update

Arguments: [[48, -126, 2, 97, 48, -126, 1, -54, -96, 3, 2, 1, 2, 2, 4, 75, 58, -95, -60, 48, 13, 6, 9, 42, -122, 72, -122, -9, 13, 1, 1, 5, 5, 0, 48, 117, 49, 11, 48, 9, 6, 3, 85, 4, 6, 19, 2, 72, 75, 49, 18, 48, 16, 6, 3, 85, 4, 8, 19, 9, 72, 111, 110, 103, 32, 75, 111, 110, 103, 49, 16, 48, 14, 6, 3, 85, 4, 7, 19, 7, 75, 111, 119, 108, 111, 111, 110, 49, 18, 48, 16, 6, 3, 85, 4, 10, 19, 9, 70, 111, 114, 107, 32, 76, 116, 100, 46, 49, 20, 48, 18, 6, 3, 85, 4, 11, 19, 11, 77, 111, 98, 105, 108, 101, 32, 76, 97, 98, 115, 49, 22, 48, 20, 6, 3, 85, 4, 3, 19, 13, 67, 97, 114, 108, 111, 115, 32, 89, 97, 99, 111, 110, 105, 48, 30, 23, 13, 48, 57, 49, 50, 51, 48, 48, 48, 52, 49, 52, 48, 90, 23, 13, 51, 57, 49, 50, 50, 51, 48, 48, 52, 49, 52, 48, 90, 48, 117, 49, 11, 48, 9, 6, 3, 85, 4, 6, 19, 2, 72, 75, 49, 18, 48, 16, 6, 3, 85, 4, 8, 19, 9, 72, 111, 110, 103, 32, 75, 111, 110, 103, 49, 16, 48, 14, 6, 3, 85, 4, 7, 19, 7, 75, 111, 119, 108, 111, 111, 110, 49, 18, 48, 16, 6, 3, 85, 4, 10, 19, 9, 70, 111, 114, 107, 32, 76, 116, 100, 46, 49, 20, 48, 18, 6, 3, 85, 4, 11, 19, 11, 77, 111, 98, 105, 108, 101, 32, 76, 97, 98, 115, 49, 22, 48, 20, 6, 3, 85, 4, 3, 19, 13, 67, 97, 114, 108, 111, 115, 32, 89, 97, 99, 111, 110, 105, 48, -127, -97, 48, 13, 6, 9, 42, -122, 72, -122, -9, 13, 1, 1, 1, 5, 0, 3, -127, -115, 0, 48, -127, -119, 2, -127, -127, 0, -118, 30, 29, -5, 43, 108, 113, 53, 50, -36, -46, 17, 113, 85, 85, 61, -10, 1, -125, 63, -24, 26, -62, 99, 42, -97, 73, -61, 24, 2, 75, 63, 53, -102, 23, -86, 13, 98, -98, 30, -22, -101, 11, -75, 50, -7, -44, -101, 5, -76, 36, -32, 82, 101, -43, 86, 100, -89, 118, -50, 126, -25, 105, 17, 45, -72, -93, -112, -23, -74, -64, -20, -27, -113, -2, -31, 71, 50, -63, 80,

CLASS	METHOD				
	95, 81, -33, -77, 67, 111, -53,	87, 37, 1, -24, -	8, -73, 2	5, -93	, 43,
	-90, 113, -111, -117, -104, 3, -	3, 97, 111, 91,	, 13, -1,	59, -5	5, 125,
	-114, -30, -82, 23, -116, 1, 75,	68, 62, -7, -3, 1	26, 2, 85	, 21, 1	.07, 2,
	3, 1, 0, 1, 48, 13, 6, 9, 42, -122	2, 72, -122, -9, 1	3, 1, 1, 5	, 5, 0,	3, -127,
	-127, 0, 5, -44, -83, -74, 45, -2	, -116, -26, -92	18, 126,	62, -5	9, 108,
	-82, 65, -5, 52, 96, 80, 103, 10	, 54, 10, -79, -2	3, -12, 2	3, -106	5, -11,
	-5, 127, 54, -72, -7, -13, 101, -	70, 62, 53, -91,	49, -124	, -34, 6	6, -23,
	-91, 99, 121, -39, -112, -50, -9	3, -82, 77, 71, -	0, 60, 4	4, 99,	-74, 91,
	35, -85, -37, 40, 6, 31, 48, 48,	28, -37, 36, 125	, -116, -	91, -71	L, -65,
	-96, 84, 21, -45, -30, 35, -59, -	59, -4, 106, -27	-128, -3	9, -9, -	-18, 82,
	42, -19, 99, -3, -43, 75, 78, 33	, -45, 123, 22, -	0, 81, -1	4, -32	., -27,
	-122, -97, -117, 36, 55, 83, 16	, -85, -52, -107,	-87, 110	, 48, -5	58,
	109, 29, -87, -33]]				
	Called From:				
	java.security.MessageDigest	.digest(Massac	Diaget	iava.1	1/7\
Showing 1 to 10 of 15 entries		<u>Previ</u>	<u>us</u> <u>1</u>	2	Next
FILE IO					
		Search:			
CLASS	↑ ↓ METHOD				1

CLASS	METHOD
libcore.io.IoBridge	open
	Arguments: ['/data/user/0/com.prey/files/generatefid.lock', 66]
	Result: java.io.FileDescriptor@699c588
	Called From: java.io.RandomAccessFile. <init>(RandomAccessFile.java:288)</init>
libcore.io.IoBridge	open
	Arguments: ['/data/user/0/com.prey/files/generatefid.lock', 66]
	Result: java.io.FileDescriptor@7e156a3
	Called From: java.io.RandomAccessFile. <init>(RandomAccessFile.java:288)</init>
libcore.io.IoBridge	open
	Arguments: ['/data/user/0/com.prey/files/generatefid.lock', 66]
	Result: java.io.FileDescriptor@68cad59
	Called From: java.io.RandomAccessFile. <init>(RandomAccessFile.java:288)</init>

CLASS	METHOD
libcore.io.IoBridge	open
	Arguments: ['/data/user/0/com.prey/files/generatefid.lock', 66]
	Result: java.io.FileDescriptor@46c124
	Called From: java.io.RandomAccessFile. <init>(RandomAccessFile.java:288)</init>
libcore.io.IoBridge	open
	Arguments: ['/data/user/0/com.prey/files/generatefid.lock', 66]
	Result: java.io.FileDescriptor@921d4af
	Called From: java.io.RandomAccessFile. <init>(RandomAccessFile.java:288)</init>
libcore.io.IoBridge	open
	Arguments: ['/data/user/0/com.prey/files/generatefid.lock', 66]
	Result: java.io.FileDescriptor@16b9845
	Called From: java.io.RandomAccessFile. <init>(RandomAccessFile.java:288)</init>

CLASS	METHOD
libcore.io.IoBridge	open
	Arguments: ['/data/user/0/com.prey/files/generatefid.lock', 66]
	Result: java.io.FileDescriptor@b158f4a
	Called From: java.io.RandomAccessFile. <init>(RandomAccessFile.java:288)</init>
libcore.io.IoBridge	open
	Arguments: ['/data/user/0/com.prey/files/generatefid.lock', 66]
	Result: java.io.FileDescriptor@bf11168
	Called From: java.io.RandomAccessFile. <init>(RandomAccessFile.java:288)</init>
libcore.io.IoBridge	open
Showing 1 to 10 of 13 entries	Arguments: ['/data/user/0/com.prey/files/gener Previous 1 2 Next
→ DEVICE DATA	
DEVICE DATA	
	Search:

CLASS	↑ ↓	METHOD ↑↓
android.content.ContentResolver		query
		Arguments: [' <instance: \$classname:="" android.net.uri\$hierarchicaluri="" android.net.uri,="">', None, None, None]</instance:>
		Result: [object Object]
		Called From: android.content.ContentResolver.query(ContentResolver .java:752)
android.content.ContentResolver		query
android.content.ContentResolver		<pre>query Arguments: ['<instance: \$classname:="" android.net.uri\$hierarchicaluri="" android.net.uri,="">', None, None, None, None]</instance:></pre>
android.content.ContentResolver		Arguments: [' <instance: \$classname:="" android.net.uri\$hierarchicaluri="" android.net.uri,="">', None, None, None,</instance:>

CLASS	METHOD
android.content.ContentResolver	query
	Arguments: [' <instance: \$classname:<="" android.net.uri,="" td=""></instance:>
	android.net.Uri\$HierarchicalUri>', None, None, None]
	Result: [object Object]
	Called From:
	and roid. content. Content Resolver. query (Content Resolver)
	.java:752)
android.content.ContentResolver	query
	Arguments: [' <instance: \$classname:<="" android.net.uri,="" td=""></instance:>
	android.net.Uri\$HierarchicalUri>', None, None, None,
	None]
	Result: [object Object]
	Called From:
	com.google.android.gms.dynamite.DynamiteModule.zzb
	com.google.android.gms:play-services-
	basement@@18.1.0:10)

CLASS	METHOD
android.content.ContentResolver	registerContentObserver
	Arguments: [' <instance: \$classname:="" android.net.uri\$hierarchicaluri="" android.net.uri,="">', False, '<instance: \$classname:="" android.database.contentobserver,="" m.ps="">', 0] Called From: android.content.ContentResolver.registerContentObserver(ContentResolver.java:1961)</instance:></instance:>
android.content.ContentResolver	registerContentObserver
	Arguments: [' <instance: \$classname:="" android.net.uri\$stringuri="" android.net.uri,="">', False, '<instance: \$classname:="" android.database.contentobserver,="" m.ps="">']</instance:></instance:>
	Called From: m.pt. <init> (:com.google.android.gms.dynamite_measurementdyna mite@234113032@23.41.13 (100800-0):36)</init>

CLASS	METHOD
android.content.ContentResolver	query
	Arguments: [' <instance: \$classname:="" android.net.uri\$stringuri="" android.net.uri,="">', ['key', 'value'], None, None]</instance:>
	Result: [object Object]
	Called From: android.content.ContentResolver.query(ContentResolver.java:752)
android.content.ContentResolver	query
	Arguments: [' <instance: \$classname:="" android.net.uri\$stringuri="" android.net.uri,="">', ['key', 'value'], None, None, None]</instance:>
	android.net.Uri\$StringUri>', ['key', 'value'], None, None,

 ${\it Called From:} \ {\it and roid.app.} Activity. start Activity (Activity. java: 4883)$

CLASS	METHOD					
android.content.ContentResolver	query					
	Arguments: [' <instance< th=""><th>: android.net</th><th>t.Uri,</th><th>\$clas</th><th>sNam</th><th>e:</th></instance<>	: android.net	t.Uri,	\$clas	sNam	e:
Showing 1 to 10 of 21 entries	android.net.Uri\$Hierard			2	3	Next
BINDER						
BINDER		Search:				
& BINDER CLASS	↑ ↓ METHOD	Search:				^↓
	↑ METHOD startActivity	Search:				^↓

and roid. content. Context Wrapper. register Receiver (Context Wrapper)

CLASS	METHOD
android.app.Activity	startActivity
	Arguments: [' <instance: android.content.intent="">']</instance:>
	Called From:
	com.prey.activities.LoginActivity.showLogin(LoginActivity.java:114
)
android.app.ContextImpl	registerReceiver
	Arguments: [' <instance: android.content.broadcastreceiver,<="" td=""></instance:>
	\$className: m.dy>', ' <instance: android.content.intentfilter="">',</instance:>
	'com.google.android.gms.chimera.permission.CONFIG_CHANGE',
	None]

Called From:

r.java:636)

CLASS	METHOD
android.app.ContextImpl	registerReceiver
	Arguments: [' <instance: android.content.broadcastreceiver,<="" td=""></instance:>
	<pre>\$className: m.aq>', '<instance: android.content.intentfilter="">',</instance:></pre>
	None, None]
	Called From:
	android.app.ContextImpl.registerReceiver(ContextImpl.java:1437)
android.app.ContextImpl	registerReceiver
	Arguments: [' <instance: \$classname:="" android.content.broadcastreceiver,="" m.aq="">', '<instance: android.content.intentfilter="">']</instance:></instance:>
	Called From: android.content.ContextWrapper.registerReceiver(ContextWrapper.java:623)

CLASS	METHOD
android.app.ContextImpl	registerReceiver
	Arguments: [' <instance: \$classname:="" android.content.broadcastreceiver,="" com.prey.events.receivers.eventreceiver="">', '<instance: android.content.intentfilter="">', None, None]</instance:></instance:>
	Called From: android.app.ContextImpl.registerReceiver(ContextImpl.java:1437)
android.app.ContextImpl	registerReceiver
	Arguments: [' <instance: \$classname:="" android.content.broadcastreceiver,="" com.prey.events.receivers.eventreceiver="">', '<instance: android.content.intentfilter="">']</instance:></instance:>
	Called From: android.content.ContextWrapper.registerReceiver(ContextWrappe r.java:623)
Showing 1 to 10 of 32 entries	Previous 1 2 3 4 Next
'Ά') IPC	
	Search:

CLASS	↑ ↓	METHOD	₩
android.content.ContextWrapper		registerReceiver	
		Arguments: [' <instance:< td=""><td></td></instance:<>	
		android.content.BroadcastReceiver, \$className: m	n.dy>',
		' <instance: android.content.intentfilter="">',</instance:>	
		'com.google.android.gms.chimera.permission.CON HANGE', None]	FIG_C
		Called From: m.ea. <init></init>	
		(:com.google.android.gms.dynamite_dynamiteload	der@2
		34113032@23.41.13 (100800-0):77)	
android.content.ContextWrapper		registerReceiver	
		Arguments: [' <instance:< td=""><td></td></instance:<>	
		android.content.BroadcastReceiver, \$className: m	n.aq>',
		' <instance: android.content.intentfilter="">']</instance:>	
		Called From:	
		m.aq.a(:com.google.android.gms.dynamite_dynam	niteloa
		der@234113032@23.41.13 (100800-0):42)	

CLASS	METHOD
android.content.ContextWrapper	registerReceiver
	Arguments: [' <instance: \$classname:="" android.content.broadcastreceiver,="" com.prey.events.receivers.eventreceiver="">', '<instance: android.content.intentfilter="">']</instance:></instance:>
	Called From: com.prey.PreyApp.runReceiver(PreyApp.java:154)
android.content.ContextWrapper	registerReceiver
	Arguments: [' <instance: \$classname:="" android.content.broadcastreceiver,="" com.prey.events.receivers.eventreceiver="">', '<instance: android.content.intentfilter="">']</instance:></instance:>
	Called From: com.prey.PreyApp.runReceiver(PreyApp.java:156)

CLASS	METHOD
android.content.ContextWrapper	registerReceiver
	Arguments: [' <instance:< td=""></instance:<>
	android.content.BroadcastReceiver, \$className:
	com.prey.events.receivers.EventReceiver>', ' <instance: android.content.intentfilter="">']</instance:>
	Called From:
	com.prey.PreyApp.runReceiver(PreyApp.java:158)
android.content.ContextWrapper	registerReceiver
	Arguments: [' <instance:< td=""></instance:<>
	android.content.BroadcastReceiver, \$className:
	com.prey.events.receivers.EventReceiver>', ' <instance:< td=""></instance:<>
	android.content.IntentFilter>']
	Called From:
	com.prey.PreyApp.runReceiver(PreyApp.java:160)

CLASS	METHOD
android.content.ContextWrapper	registerReceiver
	Arguments: [' <instance:< td=""></instance:<>
	android.content.BroadcastReceiver, \$className:
	com.prey.events.receivers.EventReceiver>', ' <instance:< td=""></instance:<>
	android.content.IntentFilter>']
	Called From:
	com.prey.PreyApp.runReceiver(PreyApp.java:162)
android.content.ContextWrapper	registerReceiver
	Arguments: [' <instance:< td=""></instance:<>
	android.content.BroadcastReceiver, \$className:
	com.prey.events.receivers.EventReceiver>', ' <instance:< td=""></instance:<>
	android.content.IntentFilter>']
	Result: Intent {
	act=android.net.wifi.WIFI_STATE_CHANGED
	flg=0x4000010 (has extras) }
	Called From:
	com.prey.PreyApp.runReceiver(PreyApp.java:164)

? NETWORK

		Search:	
CLASS ↑	Ի ↓	METHOD	↑↓
java.net.URL		openConnection	
		Arguments: []	
		Result: com.android.okhttp.internal.huc.HttpURLConnectionIn	mpl:https://firebase-
		settings.crashlytics.com/spi/v2/platforms/android/gmp/1%3A288834995628%3Aandroid%3A6dc5794d0850f14f	
	/settings?build_version=322&display_version=2.5.0		
		Called From:	
		com.google.firebase.sessions.settings.RemoteSettingsFetcherseSuspend(RemoteSettingsFetcher.kt:50)	\$doConfigFetch\$2.invok

CLASS	METHOD
java.net.URL	openConnection
	Arguments: []
	Result:
	com.android.okhttp.internal.huc.HttpURLConnectionImpl:https://firebaseinstallations
	.googleapis.com/v1/projects/api-6221998778630643160-114593/installations
	Called From:
	com. google. fire base. in stall at ions. remote. Fire base In stall at ion Service Client. open Http United Service Client. The stall at ion Service Client. The s
	RLConnection(FirebaseInstallationServiceClient.java:469)
java.net.URL	openConnection
	Arguments: []
Showing 1 to 3 of 3 entries	Result: com.android.okhttp.internal.huc.HttpURLConnectionIn Previous 1 Next
■ DATABASE	
	Search:
CLASS	↑ METHOD ↑

CLASS	METHOD
android.database.sqlite.SQLiteDatabase	getPath
	Arguments: []
	Result: /data/user/0/com.prey/databases /com.google.android.datatransport.events
	Return Value: /data/user/0/com.prey/databases /com.google.android.datatransport.events
	Called From: android.database.sqlite.SQLiteDatabase.toString(S QLiteDatabase.java:2283)

android.database.sqlite.SQLiteDatabase.openData

base(SQLiteDatabase.java:729)

CLASS METHOD android.database.sqlite.SQLiteDatabase openDatabase Arguments: ['/data/user/0/com.prey/databases /com.google.android.datatransport.events', '<instance: android.database.sqlite.SQLiteDatabase\$OpenPara ms>'] Result: SQLiteDatabase: /data/user/0/com.prey /databases /com.google.android.datatransport.events Called From:

CLASS	METHOD
android.database.sqlite.SQLiteDatabase	rawQueryWithFactory
	<pre>Arguments: [None, 'PRAGMA busy_timeout=0;', [], None, None]</pre>
	Result: [object Object]
	Called From: android.database.sqlite.SQLiteDatabase.rawQuery(SQLiteDatabase.java:1347)
android.database.sqlite.SQLiteDatabase	rawQuery
android.database.sqlite.SQLiteDatabase	rawQuery Arguments: ['PRAGMA busy_timeout=0;', []]
android.database.sqlite.SQLiteDatabase	

CLASS	METHOD
android.database.sqlite.SQLiteDatabase	compileStatement
	Arguments: ['PRAGMA user_version;']
	Result: SQLiteProgram: PRAGMA user_version;
	Called From: android.database.DatabaseUtils.longForQuery(DatabaseUtils.java:828)
android.database.sqlite.SQLiteDatabase	execSQL
	Arguments: ['CREATE TABLE events (_id INTEGER PRIMARY KEY, context_id INTEGER NOT NULL, transport_name TEXT NOT NULL, timestamp_ms INTEGER NOT NULL, uptime_ms INTEGER NOT NULL, payload BLOB NOT NULL, code INTEGER, num_attempts INTEGER NOT NULL,FOREIGN KEY (context_id) REFERENCES transport_contexts(_id) ON DELETE CASCADE)']
	Called From: com.google.android.datatransport.runtime.schedul ing.persistence.SchemaManager.lambda\$static\$0(S

chemaManager.java:108)

CLASS METHOD android.database.sqlite.SQLiteDatabase execSQL Arguments: ['CREATE TABLE event_metadata (_id INTEGER PRIMARY KEY, event_id INTEGER NOT NULL, name TEXT NOT NULL, value TEXT NOT **Previous** <u>1</u> <u>21</u> <u>Next</u> Showing 1 to 10 of 203 entries **★** DEX CLASS LOADER Search: **CLASS METHOD** $\uparrow \downarrow \downarrow$ dalvik.system.BaseDexClassLoader findResource Arguments: ['META-INF/version-control-info.textproto'] Called From: java.lang.ClassLoader.getResource(ClassLoader.java:79 3)

CLASS	METHOD
dalvik.system.BaseDexClassLoader	findLibrary
	Arguments: ['monochrome']
	Result: /data/app/com.android.chrome-yoDmFclrNiHVmsi1c4_2bw==/lib/x86_64 /libmonochrome.so
	Return Value: /data/app/com.android.chrome-yoDmFclrNiHVmsi1c4_2bw==/lib/x86_64 /libmonochrome.so
	Called From: java.lang.Runtime.loadLibrary0(Runtime.java:1005)

Showing 1 to 3 of 3 entries

Previous 1 Next

■ WEBVIEW		
	Search:	
CLASS	↑ ↓ METHOD	₩
android.webkit.WebView	addJavascriptInterface	
	Arguments: [' <instance: \$classname:="" com.prey.activities.js.webappinterface="" java.lang.object,="">', 'Android']</instance:>	
	Called From: com.prey.activities.CheckPasswordHtmlActivity.loadUrl(ChecswordHtmlActivity.java:190)	ckPas
android.webkit.WebView	loadUrl	
	Arguments: ['file:///android_asset/html/index.html#/en/start	t']
	Called From: com.prey.activities.CheckPasswordHtmlActivity.loadUrl(ChecswordHtmlActivity.java:191)	ckPas

CLASS	METHOD			
android.webkit.WebView	loadUrl			
Showing 1 to 3 of 3 entries	Arguments: ['javascript:window.location.re.	Previous	1	<u>Next</u>

△ TLS/SSL Security Tester

Search:

TESTS ↑	RESULT ↑↓
Cleartext Traffic Test	Not Tested
TLS Misconfiguration Test	Not Tested
TLS Pinning/Certificate Transparency Bypass Test	Not Tested
TLS Pinning/Certificate Transparency Test	Not Tested

Showing 1 to 4 of 4 entries

Previous 1 Next

● EXPORTED ACTIVITY TESTER

	Search:	
SCREENSHOT ↑↓	ACTIVITY	^↓
No data available in ta	ble	
Showing 0 to 0 of 0 entries		Previous Next
ME ACTIVITY TESTER		
	Search:	
SCREENSHOT ↑	ACTIVITY	↑ ↓
No data available in ta	ble	
Showing 0 to 0 of 0 entries		<u>Previous</u> <u>Next</u>

SCREENSHOTS

ॐ RUNTIME DEPENDENCIES

SERVER LOCATIONS



This app may communicate with the following OFAC sanctioned list of countries.

earch:		
--------	--	--

DOMAIN	↑ ↓	COUNTRY/REGION		₩
		No data available in table	Duaniana	Naut
Showing 0 to 0 of 0 entries			<u>Previous</u>	<u>Next</u>

DOMAIN ↑ ↓	STATUS ↑↓	GEOLOCATION ↑↓
connectivitycheck.gstatic.com	good	IP: 142.250.200.131 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
firebase-settings.crashlytics.com	good	IP: 142.250.201.67 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION				
firebaseinstallations.googleapis.com	good	IP: 216.58.215.170 Country: United States of Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map	rica			
play.googleapis.com	good	IP: 142.250.178.170 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map				
www.google.com	good	IP: 142.250.184.164 Country: United States of Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514				
Showing 1 to 5 of 5 entries		View: <u>Google Map</u>	<u>Previous</u>	<u>1</u>	<u>Next</u>	

CLIPBOARD DUMP

URLS

https://firebaseinstallations.googleapis.com/v1/projects/api-6221998778630643160-114593/installations

www.google.com

http://connectivitycheck.gstatic.com/generate_204

javascript:window.location.reload(true)

https://firebase-settings.crashlytics.com/spi/v2/platforms/android/gmp/1%3a288834995628%3aandroid%3a6dc5794d0850f14f

/settings?build_version=322&display_version=2.5.0

https://play.googleapis.com/play/log?format=raw&proto_v2=true

file:///android_asset/html/index.html#/en/start

https://firebase-settings.crashlytics.com/spi/v2/platforms/android/gmp/1:288834995628:android:6dc5794d0850f14f

/settings?instance=3a506c9435bfae4202ecda8f564574ca621fb67a&build_version=322&display_version=2.5.0&source=1

https://play.googleapis.com/play/log/timestamp

https://www.google.com/generate_204

EMAILS

234113032@23.41

TRACKERS

			Search:	
TRACKER NAME	Λ√	CATEGORIES 1	URL	^
Google CrashLytics		Crash reporting	https://reports.exodus-privacy.eu.org/trackers/	27
Showing 1 to 1 of 1 entries				Previous 1 Next
BASE64 STRINGS DECO	DED			
			Search:	
CALLED				↑ ↓
com.google.android.datat	ranspo	rt.runtime.scheduling.jobschedu	ıling.JobInfoScheduler.schedule(JobInfoSchedule	r.java:132)
com.google.android.datat	ranspo	rt.runtime.scheduling.persistend	e.SQLiteEventStore.ensureTransportContext(SQLi	teEventStore.java:184)

CALLED com.google.android.datatransport.runtime.scheduling.persistence.SQLiteEventStore.getTransportContextId(SQLiteEventStore.java:201) com.google.android.gms.common.util.Base64Utils.encodeUrlSafeNoPadding(com.google.android.gms:play-servicesbasement@@18.1.0:1) com.google.android.gms.common.util.Base64Utils.encodeUrlSafeNoPadding(com.google.android.gms:play-servicesbasement@@18.1.0:1) com.google.android.gms.common.util.Base64Utils.encodeUrlSafeNoPadding(com.google.android.gms:play-servicesbasement@@18.1.0:1) com.google.android.gms.common.util.Base64Utils.encodeUrlSafeNoPadding(com.google.android.gms:play-servicesbasement@@18.1.0:1) com.google.android.gms.common.util.Base64Utils.encodeUrlSafeNoPadding(com.google.android.gms:play-servicesbasement@@18.1.0:1) com.google.android.gms.common.util.Base64Utils.encodeUrlSafeNoPadding(com.google.android.gms:play-servicesbasement@@18.1.0:1)

SIGALINGD to 10 of 27 entries	<u>P</u>	<u>Previous</u>	<u>1</u>	2	<u>3</u>	<u>Next</u>
SQLITE DATABASE						
	Sea	earch:				
FILES						↑ ↓
No data available in table						
Showing 0 to 0 of 0 entries			P	Previo	ous	Next
办 XML FILES						
	Se	earch:				
FILES						↑ ↓
No data available in table						
Showing 0 to 0 of 0 entries			<u>P</u>	Previo	ous	<u>Next</u>

B OTHER FILES

	Search:
FILES	↑ ↓
No data availa	able in table
Showing 0 to 0 of 0 entries	Previous Next

© 2023 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.

Version v3.7.9 Beta