




# Analysis of optimal threshold selection for spectrum sensing in a cognitive radio network: an energy detection approach

Alok Kumar<sup>1</sup> · Prabhat Thakur<sup>1</sup> · Shweta Pandit<sup>1</sup> · G. Singh<sup>2</sup> 

© Springer Science+Business Media, LLC, part of Springer Nature 2019

## Abstract

The spectrum sensing is a key process of the cognitive radio technology in which the cognitive users identify the unutilized/underutilized primary users (PUs)/licensed users spectrum for its efficient utilization. The sensing performance of cognitive radio (CR) is generally measured in terms of false-alarm probability ( $P_f$ ) and detection probability ( $P_d$ ). IEEE 802.22 wireless regional area network is one of the typical cognitive radio standards to access unused licensed frequencies of TV band and according to this standard, the false-alarm probability of CR should be  $\leq 0.1$  and the detection probability must be  $\geq 0.9$ . Further, the detection and false-alarm probabilities are greatly affected by the selected threshold value in the spectrum sensing approach and selection of threshold is a crucial step to yield the status (presence/absence) of PU. In most of the available literatures, the threshold is decided by fixing one parameter ( $P_f$  or  $P_d$ ) and optimizing the other parameter ( $P_d$  or  $P_f$ ). Moreover, at low SNR, while achieving one of the targeted sensing parameter, there is significant degradation in the other sensing parameter. Therefore, in this paper, we are motivated to decide the optimal threshold at low SNR (signal-to-noise ratio) in such a way where we can jointly achieve both sensing matrices ( $P_f \leq 0.1$  and  $P_d \geq 0.9$ ) and provided better sensing performance in comparison to that of the traditional constant false-alarm rate and constant detection rate (CDR) threshold selection approaches. Further, we have illustrated that at low SNR, the proposed optimal threshold selection approach has provided better throughput as compare to that of the threshold selected by traditional CDR approach. The proposed approach has improved throughput approximately 24.63% when compared with CDR at chosen SNR.

**Keywords** Cognitive radio · CFAR · CDR · MEP · Optimal threshold · Throughput

## 1 Introduction

The key concern of next generation communication systems (NGCS) is to fulfill the demand of spectrum for various services such as high-speed internet, internet-of-things (IoT) [1], and user-centric mobile applications [2]. The radio frequency spectrum is a scarce resource which is already allocated to different services for example, the

voice-telephony, military services, satellite and radar services etc. [3]. Therefore, this spectrum scarcity restricts the introduction of new services/devices which require the spectrum. However, a report of the Federal Communication Commission (FCC) reveals the fact that most of the allocated spectrum remains underutilized/unutilized at specific time and space [4]. This finding has motivated the concept of spectrum reuse by allowing the unlicensed/cognitive users (CUs) to utilize the licensed/allocated spectrum of the primary users (PUs) when the spectrum is temporally unexploited/underutilized. In this context, the dynamic spectrum allocation (DSA) [5, 6] allows the CUs to utilize the spectrum in such a way that the licensed user/PUs communication remains impervious [7–9]. The cognitive radio (CR) is a framework which supports the DSA mechanism by exploiting the cognitive cycle that comprises four elements [10] namely, (1) spectrum sensing, (2)

---

✉ G. Singh  
ghanshyams@uj.ac.za

<sup>1</sup> Department of Electronics and Communication Engineering, Jaypee University of Information Technology, Wanknaghat 173215, India

<sup>2</sup> Department of Electrical and Electronics Engineering Sciences, University of Johannesburg, Auckland Park Kingsway Campus, Johannesburg 2006, South Africa

spectrum analysis and decision, (3) spectrum sharing/accessing, and (4) spectrum mobility. Initially, the CU senses its radio environment to perceive the state of channel being either active or idle by employing the spectrum sensing techniques [11]. Further, the idle sensed channels are analyzed, and the suitable idle channel is selected for essential application. Moreover, the selected channel is accessed for communication via the preferred spectrum accessing technique i.e. interweave, underlay, overlay and hybrid [12, 13]. The emergence of PU during the CU communication is a prospective event and at this instant, the CU need to stop or switch the communication on another idle channel. The process of switching the communication on another idle channel is known as spectrum mobility or handoff [14].

The spectrum sensing (SS) is a prime step of cognitive cycle which exploits the following major techniques to detect the channel states, namely, (1) energy detection spectrum sensing (EDSS) [15–18], (2) matched filter (MF) detection [19, 20], (3) cyclostationary feature detection (CFD) [21], (4) covariance absolute value detection (CAV) [22], and (5) eigen-values based detection (EVD) [23, 24]. Further, these techniques are classified as blind (EDSS, CAV, EVD) and non-blind (CFD, MF) spectrum sensing. The non-blind spectrum sensing techniques entail the information about the PUs signal (such as the modulation type, carrier frequency, frame structure, pulse shaping etc.) at the CU terminal which is in general, difficult to yield however, in the blind spectrum sensing, there is no such prerequisite. Moreover, the comparison of different sensing approaches has been presented in [25, 26] and it is observed that the EDSS has significantly less computation and implementation complexity, therefore it is widely used spectrum sensing technique. In EDSS, the energy/test statistics ( $T$ ) of the received signal is compared with the predefined threshold value ( $\lambda$ ) and when the energy of received signal is greater than or equal/less than the threshold value, the sensing result is in favor of channel being active/idle, respectively. The sensing decision in the EDSS relies on the threshold value, therefore, the computation and selection of threshold is a very prominent aspect. In addition, the key sensing performance metrics are the false-alarm probability and detection probability. The false-alarm probability ( $P_f$ ) is the probability of CR user decision in favor of channel being busy while in actual it is idle however, the detection probability ( $P_d$ ) is the probability of CR user decision in favor of channel being busy when the PU signal is actually there. The low numerical value of  $P_f$  (approx.  $\leq 0.1$ ) is required for maximum utilization of channel, while the high numerical value of  $P_d$  (approx.  $\geq 0.9$ ) is required to provide protection to PU. For example, in IEEE 802.22 (WRAN) standard, for TV

signal detection, it is required to achieve 90% probability of detection and 10% probability of false-alarm at SNR level as low as  $-20$  dB with maximum sensing time of 25 ms required in order to achieve the sensing requirement [27]. It has been reported in earlier literature that the selection of threshold greatly affects the false-alarm and detection probability [28, 29].

The threshold is mainly selected with constant false-alarm rate (CFAR) or constant detection rate (CDR) in EDSS. The details of CFAR and CDR approaches are provided in Sect. 2. In [30], the authors have exploited CFAR and CDR approaches individually for the selection of threshold. Further, individual consideration of CFAR/CDR agrees to meet the target value of false-alarm/detection probability, however at the same time restricts to meet the detection/false-alarm probability. Also, it has been observed that CFAR approach has enhanced the throughput in comparison to the CDR approach [31], however CFAR is unable to provide sufficient protection to the PU as compared to that of the CDR approach. In this context, to improve the overall throughput at low SNR, Verma and Sahu [32] have exploited the combination of CFAR and CDR approaches to select the threshold. In [32] the authors have although enhanced the throughput, however both the desired values of  $P_f$  and  $P_d$  have not been achieved simultaneously at low SNR, which is one of the challenging issues. Moreover, the authors also have not considered the concept of optimality conditions for threshold value at low SNR which is essential to achieve desired  $P_f$  and  $P_d$ . Therefore, in this paper, considering all the above aspects, we have selected the optimal threshold in EDSS which jointly achieve the targeted  $P_f$  and  $P_d$  at low and high SNR. Further, the throughput is computed subjected to the optimality limits for the considered CU network. The potential contributions of this paper are summarized as follows.

- Distinct thresholds are computed for CFAR, CDR and MEP approaches for a chosen number of samples ( $N$ ) and received primary SNR at CU ( $SNR_p$  or  $\gamma_p$ ).
- Since most of the authors have worked on the selection of threshold either by fixing the value of  $P_f$  or  $P_d$  individually but not simultaneously which degraded the sensing results at low  $SNR_p$ . Therefore, to improve sensing performance, we have selected the threshold by utilizing both  $P_f$  and  $P_d$  simultaneously.
- Thereafter, the condition for a single optimal threshold is analyzed to achieve the desired values of  $P_f$  and  $P_d$  simultaneously at all  $SNR_p$ . However at low SNR region, we have observed that the threshold with CFAR approach is greater than the CDR approach ( $\lambda_f > \lambda_m$ ), therefore the optimality condition for the selection of threshold has not been satisfied as discussed in detail in Sect. 4.1. Further, we found the optimal number of

samples such that the same optimality condition is satisfied even at low SNR.

- The closed-form expressions of different spectrum sensing performance metrics such as the probability of detection, the probability of false-alarm, and the probability of error have been computed for the proposed approach and compared with the state-of-art work. Thereafter, throughput for the proposed approach has been computed and compared with reported literature.

This paper is structured as follows. The related work is presented in Sect. 2. A system model of the proposed framework is described in Sect. 3. Section 4 comprises a performance analysis of the proposed system model. The MATLAB simulation results with their analysis are presented in Sect. 5. Finally, Sect. 6 concludes the work with future recommendations.

## 2 Related work

The function of CU in spectrum sensing is to detect the spectrum opportunities. One of the techniques for detecting the unused licensed bands is the energy detection spectrum sensing (EDSS) for which, the selection of threshold defines sensing detector performance. In general, the fixed threshold (FT) and the dynamic threshold (DT) methods are employed for the selection of threshold in EDSS technique. In the fixed threshold, the threshold remains constant even with the change in SNR, however in order to incorporate channel variations, the dynamic threshold method has been proposed which varies its threshold with the channel conditions in order to minimize the probability of error in sensing results. It has been illustrated by various researchers [29, 33, 47] that the threshold selection with DT method provides better spectrum sensing result as compare to that of the FT method.

In fixed threshold method, the threshold is mainly selected with constant false-alarm rate (CFAR) approach however, in dynamic threshold, it is selected by using either constant detection rate (CDR) approach or by minimizing error probability (MEP) approach. Moreover, in CFAR approach, the targeted value of false-alarm probability ( $P_{f\_fixed}$ ) is fixed and the value of threshold ( $\lambda_{CFAR}$ ) is computed to maximize the probability of detection ( $P_d$ ), while in CDR approach the targeted value of detection probability ( $P_{d\_fixed}$ ) is fixed and the threshold value ( $\lambda_{CDR}$ ) is computed to minimize the probability of false-alarm ( $P_f$ ) [30]. However, in MEP approach, the threshold is computed by differentiating the sensing error probability with respect to threshold [28]. Various researchers have used these different approaches to select the threshold in

spectrum sensing technique for cognitive radio communication system which are detailed further in this section and in Table 1.

### 2.1 CFAR and CDR approach

As discussed above, the CFAR approach computes the value of threshold to maximize the detection probability. In this context, Gandhi and Kassam [34] have presented that the CFAR approach is used to identify the status of target frequency band when it shows the unknown/dynamic distributions and it has been observed that its performance is highly degraded in the presence of abrupt variation in noise and interfered signal. Thereafter, Kortun et al. [35] have also illustrated that the threshold selection using CFAR approach does not perform well in the presence of noise uncertainty, hence the eigen-values based detector is employed to decide the threshold in order to enhance the sensing performance. Moreover, the throughput has been maximized by keeping fixed sensing time in the presence of noise uncertainty. Further, Lehtomaki et al. [36] have achieved a significant improvement in the sensing performance by employing forward-detection methods with CFAR when multiple PUs are presented in the chosen environment. In addition, Mahdi et al. [37] have decided the threshold using CFAR and empirical mode decomposition (EMD) techniques to maximize the detection probability and have identified multiple channels in the given spectrum band. Recently, the authors in [38] employed CFAR and improved the throughput as compared to conventional ED by employing simultaneous sensing and transmission using a single antenna at CR terminal.

Moreover, in [39], the authors have employed CDR approach to yield the detection threshold and computed the value of throughput. Further, Koley et al. in [31] have presented that CDR approach is suitable to provide sufficient protection to PU from CU however with reduced throughput in comparison to the CFAR approach. In this context, in order to provide sufficient protection to PU and high throughput to CU, Gaurav and Sahu [32] have employed the combination of CFAR and CDR approaches to decide the threshold. Recently, Zhang et al. [40] have designed a framework for the power control and sensing time optimization in a cognitive small-cell network and employed CDR approach to select the threshold. Moreover, CFAR and CDR approaches have been explored widely by several authors in various literature [30, 32, 34–38, 46].

### 2.2 MEP and other approaches

In order to minimize the overall sensing error, MEP approach has been employed in various literatures. In [28, 41], the dynamic value of threshold has been achieved

**Table 1** Summary and comparison of literature employing different threshold selection methods

Ref. no.	Threshold selection	Major contribution	Pros and cons
[34, 36]	CFAR	Maximized the detection probability	Multiple primary user environments have been considered Threshold selection through the proposed approaches is not appropriate when there is abrupt variation in noise
[43, 44]	MEP, gradient descent	Dynamic threshold approach has been employed to minimize the sensing error as compare to fixed threshold scheme	Sensing performance has improved, and threshold value has been adapted according to the noise power of the channel Employed for wideband spectrum sensing Tradeoff between the sensing time and power consumption
[46]	Adaptive CFAR varying with noise power	Adaptive methods (by varying threshold and sensing time) have improved the sensing of weak primary user signal by employing multi-tap window frequency domain power detector	Employed for wide-band spectrum sensing (WBSS) and spectrum leakage in the unutilized frequency band Complex as compare to conventional energy detector
[28]	MEP	Closed form expression for miss-detection probability has been derived for Rayleigh and Nakagami-m fading channels	Sensing performance is measured at low SNR The desired value of sensing parameters has not been achieved at low SNR
[47]	Variable threshold according to the SINR	Improved the transmission rate of CU by employing the dynamic threshold with respect to fixed threshold	Transmission rate of CU is maximized This approach is applied only for slotted spectrum sensing
[57]	Threshold is randomly selected to minimize the sensing error	Interference effect of other cognitive users on the sensing node of respective CU has been computed and sensing results show significant degradation due to interference effect Further, the sensing errors have been improved by proper selection of threshold	Multiple CU environments have been considered However, the cooperative spectrum sensing has not been employed to improve the sensing performance
[35]	CDR, eigen-value based spectrum sensing	Eigen-value based spectrum sensing has provided the improved spectrum sensing performance in comparison to ED for noise uncertainty environment Further, the throughput of CU has been maximized at low SNR in the presence of noise uncertainty	Energy with minimum eigen-value (EME) based detector has provided higher throughput as compare to energy detector and maximum eigen-value based detector under noise uncertainty scenario However, this proposed approach requires multiple antennas
[31]	Gradient based detection	Improved the detection probability at low SNR	This approach is useful in WBSS and variable noise floor environment to improve the detection of PU at low SNR The simulated probability of detection curves deviates with the theoretical ones for higher signal bandwidths
[37]	Cell averaging CFAR and empirical mode decomposition	Use empirical mode decomposition (EMD) technique to improve the detection probability Identified multiple idle channels using multiple detectors in CU for the given frequency band	Threshold selection is not affected with variation in noise and/interference, therefore this approach could be blindly used for sensing the channel without prior knowledge of PU signal Sampling rate has been adapted to achieve the sensing performance which increases the implementation cost Miss detection has increased for lower valued of the false alarm even after increasing the sampling rate
[53]	CFAR, Weighted Covariance based spectrum sensing	Achieved better sensing performance by employing the data aided weight to covariance matrix and employing multiple antennas at cognitive user	It is a blind spectrum sensing Detection performance is improved even when there is low correlation between PU signals

**Table 1** (continued)

Ref. no.	Threshold selection	Major contribution	Pros and cons
[30, 32]	CFAR, CDR, CFAR and CDR	In order to improve the throughput, the combination of both CFAR and CDR is employed to choose the threshold	Achieved higher throughput at low SNR However, the desired value of both sensing parameters ( $P_f < 0.1$ and $P_d > 0.9$ ) at low SNR has not been achieved simultaneously Noise uncertainty and cooperative spectrum sensing is also not considered
[51]	MEP, Covariance based spectrum sensing	Threshold selection is performed to provide protection to PU from CU signal	Improved the sensing performance under noise uncertainty scenario At low SNR, the proposed approach is performing better than the ED however could not achieve the targeted detection probability
[58]	Threshold is selected for efficient spectrum utilization	Improved the sensing performance by jointly optimizing the detection threshold and sensing time	Improved the spectrum utilization at low SNR Spectrum utilization is increased in single PU and CU scenario. However, single PU and CU is not a practical scenario
[48]	Threshold is selected on the basis of prior channel state information	Detection probability has been improved by employing the channel statistical information	This approach is more effective when large number of samples is employed for sensing
[52]	Variance of received signal energy over group of samples are defined and used for PU detection	Detection of PU is fast with higher detection probability as compare to conventional energy detection approach	Sensing is fast and is generally employed when there is noise uncertainty in the channel Approach work effectively only when signal energy over a group of samples remains constant
[54]	Employ Ljung-Box test for detection of PU, Covariance based SS	Improved the sensing performance when there are low-correlated antennas present at the CU	It is a blind detection method The proposed method attains a significant detection performance improvement compared with the existing covariance-based methods in fading channel
[50]	Threshold selection to maximize the throughput	Developed an approach to maximize the throughput by jointly optimizing the threshold value for sensing, sensing time, and selection of sensing and data transmission	Improved the throughput and energy efficiency of cognitive radio under cooperative spectrum scenario
[38]	CFAR	Applied the concept of simultaneous spectrum sensing and data transmission with single antenna to improve the throughput Successive interference cancellation (SIC) is employed to sense the channel state and decoding error effects on the sensing reliability is observed	Detection performance is better as compare to conventional energy detector Employ single antenna at CR terminal Cooperation among CU transmitter and CU receiver is required to employ this approach
[55]	Random spectrum sensing strategy	By employing PU traffic pattern, an adaptive spectrum sensing strategy is proposed to determine the channel to be sensed which has high possibility of being idle	Hardware requirement problem of multiband spectrum sensing is overcome by employing adaptive spectrum sensing
[56]	Embedded Markov chain with full-duplex	Analyzed the effect of sensing frequency on energy efficiency, throughput and probability of collision	By considering proper sensing frequency, energy efficiency in full-duplex cognitive radio is improved without loss in throughput as compare to contiguous sensing For this approach, primary user's arrival rate and departure rate on a channel should be known to the CU
Proposed approach	CFAR, CDR, MEP	Optimal threshold is computed at low SNR which has jointly satisfied the sensing matrices i.e. detection probability $\geq 0.9$ and false alarm probability $\leq 0.1$ . Further, the throughput is computed for the CR user	Even at low SNR, the desired value of both the sensing parameters has been achieved by employing the adaptive threshold and optimal number of samples (ONS) Throughput improvement is achieved in the proposed threshold selection approach in comparison to CDR however, less than CFAR approach




by minimizing the error probability with respect to the threshold for Gaussian channel. Further, Choi et al. [42] have decided the transmit power of CU and then accordingly changed its sensing threshold dynamically so that the PU and CU can communicate on the same channel without interfering to each other. However, Joshi et al. [43, 44] have used the gradient descent algorithm to minimize the error function without employing the transmitted power of CU and have found the dynamic value of threshold. Moreover, in [45], the authors have discussed the maximum allowable power that can be transmitted by the CU and have decided the threshold value according to the relative position of CU towards the base station. In addition to this, Yu et al. [46] have observed that there is spectral leakage in vacant frequency band when the PU has used high transmit power and to resolve this problem, the authors considered variable sensing duration, dynamic selection of threshold and utilized multitap-windowed FFT processing technique for the targeted value of false-alarm and detection probability. Further, it is presented that dynamic threshold is a more suitable method instead of increasing the sensing duration to yield the desired value of detection. Moreover, Ling et al. [47] have selected the dynamic threshold according to a linear function of signal-to-interference plus noise ratio (SINR) and maximized the CU throughput. Further, in [48], the sensing performance has been improved with the use of prior available PU spectrum utilization information. Moreover, the authors have assumed that the previous status of the spectrum is known and selected the threshold according to the previous state information. However, Ding et al. [49] have discussed the spectrum prediction techniques based on the models of spectrum usage, sources of spectrum data and the predictability of spectrum evolution for better utilization of spectrum and to make CR more intelligent. However, Kerdabadi et al. [50] have maximized the throughput by jointly optimizing the threshold value, sensing time and user selection for sensing and data transmission. Moreover in [51], adaptive threshold is selected using covariance-based channel selection with intelligent way to minimize the probability of error with required protection to PU.

Further, in order to improve the detection probability and sensing time, Benedetto and Giunta [52] have employed constant energy (CE) technique considering the signals whose energy per data-block remains fixed and the variance of the received signal energy over  $M$  block is used to decide the status of channel. Moreover, the weighted-covariance-based detection (WCD) [53] is used to enhance the performance of CAV. However, the demerit with WCD befalls when a large number of low correlated receiving antennas are there and hence results in less primary user detection. Furthermore, to overcome the aforementioned problem of WCD, Chen et al. [54] have used Ljung-

Box (LB) test to detect the presence of PU signal in the above-mentioned scenario and provided significantly better performance under noise uncertainty. Recently, Xiong et al. [55] have presented adaptive spectrum sensing strategy (ASSS) which utilized the PU traffic pattern to find the channel to be sensed having more possibility of being idle. Further to improve the energy efficiency in full-duplex cognitive radio (FDCR), Bayat and Aïssa [56] used the concept of contiguous sensing by inserting sleep period between sensing without any significant degradation in throughput parameter.

### 3 System model

The integration of CUs with lesser priority which should transmit their messages in a way that PU of the licensed channel would not be adversely affected is the key concern of CRN. The spectrum sensing is a critical aspect of CR systems that intent to identify the working state of PU before allowing the CU temporarily accesses the channel without causing harmful interference to the PU. In the proposed system model, we are considering single band spectrum sensing with a pair of PU and CU transceiver and assumed that the PU receiver is in the range of CU transmitter as shown in Fig. 1(a). In an anticipated band of interest, the probability of



**Fig. 1** The proposed **a** system model and **b** frame structure of cognitive user [62]

PU activity (idle or busy) is considered and denoted as  $P(H_0)$  or  $P(H_1)$ , respectively. The PU operates between idle and busy states alternately, while the CU executes spectrum sensing to the licensed channel and opportunistically transmits data in a frame-wise manner. Further, we have assumed that the PU stays at the same state (idle or busy) with a high probability and its activity remains constant during the whole sensing frame [15, 59, 60]. Moreover, we have computed the throughput for proposed approach under two cases of PU activity. In case-1, the PU is absent on the channel and no false-alarm is generated by the CU. While in case-2, the PU is present on the channel and it is not detected by the CU. Both these cases of throughput under different PU activities have been presented in Sect. 4.5. However, the periodical spectrum sensing scheme is considered in which the frame comprising sensing and transmission time and repeats itself after  $T$  units of time. As shown in Fig. 1(b), we have considered  $P$  frames, where each frame comprises two phases i.e. sensing phase ( $T_s$ ) and transmission phase ( $T - T_s$ ). The transmitted signals and noise of PU are assumed to be independent and identically distributed (IID) Gaussian random variables. The noise samples are considered as circularly symmetric complex Gaussian (CSCG) and the signal is complex-valued phase shift keying (PSK) signal. The received signal  $X(n)$  at CU is represented by (1).

$$X(n) = \begin{cases} W(n) & : H_0 \\ h.S(n) + W(n) & : H_1 \end{cases} \quad (1)$$

where  $W(n)$ ,  $S(n)$ , and  $h$  are the additive white Gaussian noise (AWGN), transmitted signal, and channel gain coefficient, respectively. The binary hypothesis  $H_0$  and  $H_1$  are considered to identify the status of channel i.e. idle and active, respectively. The test statistics  $T(x)$  for EDSS is given as [13]:

$$T(x) = \frac{1}{N} \sum_{n=0}^{N-1} |X(n)|^2 \quad (2)$$

where  $N$  is the number of samples of the received signal used for computing the signal energy. The probability density function (PDF) of test statistics  $T(x)$  under hypothesis  $H_0$  and  $H_1$  follows a Chi square distribution with  $2N$  degree of freedom for complex valued noise while has  $N$  degree of freedom for real valued noise. For a sufficient high number of samples ( $N > 256$ ), the PDF of  $T(x)$  under hypothesis  $H_0$  and  $H_1$  followed the Gaussian distribution [61].  $H_0$  and  $H_1$  under the Gaussian approximation is represented as [62]:

$$H_0 : N(N\sigma_n^2, N\sigma_n^4) \& H_1 : N(N\sigma_n^2(1 + \gamma_p), N\sigma_n^4(1 + \gamma_p)^2),$$

where  $\sigma_n^2$  is the noise variance and  $\gamma_p$  is the received primary users SNR. Further, the false-alarm and detection probability is given as [28]:

$$P_f = \frac{1}{2} \text{Erfc} \left( \frac{\lambda - N\sigma_n^2}{\sqrt{2N\sigma_n^4}} \right) \quad (3)$$

$$P_d = \frac{1}{2} \text{Erfc} \left( \frac{\lambda - N\sigma_n^2(1 + \gamma_p)}{\sqrt{2N\sigma_n^4(1 + \gamma_p)^2}} \right) \quad (4)$$

$$P_m = 1 - P_d \quad (5)$$

$$P_e = P_f + P_m \quad (6)$$

where  $\lambda$ ,  $N$ , and  $\text{Erfc}(\cdot)$  are threshold value, number of samples and error function, respectively.

## 4 Performance analysis

The performance metrics of spectrum sensing are the probability of false-alarm, probability of detection, and probability of error which have been defined by (3), (4) and (6), respectively. The desired values of these metrics affect the selection of threshold in EDSS which is the function of number of samples as detailed in Sect. 4.3. In addition to this, it is difficult to achieve the desired value of both the metrics i.e.  $P_f$  and  $P_d$  because there exists a trade-off between these two metrics. Therefore, there is a demand to select the optimum value of the threshold to fulfill the desired values of  $P_f$  and  $P_d$ , simultaneously. Further, we have verified the optimality condition for the threshold at high SNR for fixed  $N$ . Moreover, the optimal selection of threshold at low SNR is also evaluated by selecting the optimal number of samples ( $N^*$ ). Furthermore, the throughput of the network for that optimal value is computed. The condition for optimal threshold, the computation of different thresholds with CFAR, CDR and MEP approaches, and optimal threshold selection at low and high SNR also have been illustrated. Further, the critical SNR and throughput analysis for the proposed system is also presented.

### 4.1 Optimal threshold condition

From Fig. 2, it is perceived that the false-alarm probability ( $P_f$ ) and miss-detection probability ( $P_m$ ) shows a direct and an inverse relation with the threshold ( $\lambda$ ). In the CFAR and CDR approach, we have fixed the maximum permissible value of false-alarm and miss-detection probability and computed the corresponding value of the threshold  $\lambda_f$  and  $\lambda_m$ , respectively. In Fig. 2, it is clear that to minimize the false-alarm, the threshold  $\lambda_f$  (threshold for CFAR




Fig. 2 Threshold selection in hypothesis model

approach) needs to be as high as possible while to minimize the miss-detection, the threshold  $\lambda_m$  (threshold for CDR approach) needs to be as low as possible. Therefore, it has been observed from the above discussion that the above two conditions will be satisfied only when  $\lambda_f \leq \lambda_m$  (optimal threshold condition) which satisfy both the false-alarm and miss-detection probabilities, simultaneously [63].

## 4.2 Computation of different threshold

In CFAR approach, the false-alarm probability is fixed ( $P_{f\_fixed}$ ) and we have computed the threshold with the help of (3) as follows:

$$\lambda_f = \left\{ \sqrt{\frac{2}{N}} \text{Erfc}^{-1}(2P_{f\_fixed}) + 1 \right\} N\sigma_n^2 \quad (7)$$

In CDR approach, the miss-detection probability is fixed ( $P_{m\_fixed}$ ) and the corresponding value of threshold with the help of (4) and (5) has been computed as follows:

$$\lambda_m = \left\{ \sqrt{\frac{2}{N}}(1 + \gamma_p) \text{Erfc}^{-1}(2(1 - P_{m\_fixed})) + (1 + \gamma_p) \right\} N\sigma_n^2 \quad (8)$$

Further, in MEP approach, the error probability is minimized with respect to the threshold and threshold value has been achieved as [63]:

$$\lambda_e = \frac{N\sigma_n^2}{2} \left\{ 1 + \sqrt{1 + \frac{2(2 + \gamma_p) \ln(1 + \gamma_p)}{N\gamma_p}} \right\} \left( \frac{1 + \gamma_p}{1 + \frac{\gamma_p}{2}} \right) \quad (9)$$

## 4.3 Optimal threshold selection

The optimal threshold value is selected when the optimality condition for the threshold as mentioned in Sect. 4.1 is satisfied. Initially, we have computed different threshold values ( $\lambda_f$  and  $\lambda_m$ ) as already described in Sect. 4.2. There are three possible combinations of  $\lambda_f$  and  $\lambda_m$  as shown in




Fig. 3 The optimal threshold selection a  $\lambda_f < \lambda_m$ , b  $\lambda_f = \lambda_m$  and c  $\lambda_f > \lambda_m$

Fig. 3(a)–(c). It is clear from Fig. 3(a), the threshold value  $\lambda_f < \lambda_m$  and therefore the optimal threshold condition is satisfied. Hence, any threshold value which is in between  $\lambda_f$  and  $\lambda_m$  can be selected as optimal threshold.

Moreover, in Fig. 3(b),  $\lambda_f = \lambda_m$  and here again, the optimal threshold condition is satisfied, and either  $\lambda_f$  or  $\lambda_m$  is selected as an optimal threshold. Moreover, in Fig. 3(c),  $\lambda_f > \lambda_m$ , therefore the optimal threshold is not possible in this scenario. However, in order to satisfy the optimality condition in this scenario, we have computed the optimal number of samples ( $N^*$ ) according to (10) and an optimal threshold is selected as is performed in previous two scenarios of Fig. 3(a), (b). Further, the flow chart to select optimal threshold is depicted in Fig. 4.

### Algorithm-1: Optimal threshold selection

```

1 Input:  $N, \sigma_n^2, SNR_p, P_{f\_fixed}, P_{d\_fixed}$ 
2 Output:  $\lambda_{opt}$ 
3 Compute  $\lambda_f, \lambda_m$ , and  $\lambda_e$  using eqn.(7), (8), and (9), respectively.
4 if  $\lambda_f \leq \lambda_m$ 
5   if  $\lambda_f \leq \lambda_e \leq \lambda_m$ 
6      $\lambda_{opt} \leftarrow \lambda_e$ 
7   else if  $\lambda_e < \lambda_f$ 
8      $\lambda_{opt} \leftarrow \lambda_f$ 
9   else
10     $\lambda_{opt} \leftarrow \lambda_m$ 
11  end
12 else  $\lambda_f > \lambda_m$ 
13    $\lambda_{opt}$  is not possible
14    $N^* \leftarrow N$ 
15   compute  $\lambda_f^*, \lambda_m^*$ , and  $\lambda_e^*$ 
16    $\lambda_f^* = \lambda_m^* = \lambda_e^*$ 
17    $\lambda_{opt} \leftarrow \lambda_f^* = \lambda_m^* = \lambda_e^*$ 
18 end

```

In Algorithm-1,  $N^*$  is the optimal number of samples required to achieve the desired  $P_f$  and  $P_d$ ,  $\lambda_f^*$ ,  $\lambda_m^*$  and  $\lambda_e^*$  are the threshold values with CFAR, CDR and MEP approaches when  $N$  is replace by  $N^*$  in Eqs. (7), (8), and (9), respectively.

$$N^* = \frac{1}{\gamma_p^2} \left\{ Q^{-1}(P_{f\_fixed}) - Q^{-1}(P_{d\_fixed}) \sqrt{2\gamma_p + 1} \right\}^2 \quad (10)$$






Fig. 4 Flow chart for optimal threshold selection

where  $Q^{-1}(\cdot)$  is the inverse complementary distribution function of the standard Gaussian distribution.

#### 4.4 The condition for critical SNR ( $\gamma_c$ )

Critical SNR is defined as the SNR below which  $\lambda_f > \lambda_m$  and optimality threshold condition will not be satisfied. For the fixed value of  $N$ , we have computed the minimum  $SNR_p$  ( $\gamma_p$ ) at which the optimality condition is satisfying and is computed by equating Eqs. (7) and (8) as follows:

$$\gamma_c = \frac{\sqrt{\frac{2}{N}} \{ \text{Erfc}^{-1}(2P_{f\_fixed}) - \text{Erfc}^{-1}(2P_{d\_fixed}) \}}{1 + \sqrt{\frac{2}{N}} \text{Erfc}^{-1}(2P_{d\_fixed})} \quad (11)$$

#### 4.5 Throughput computation

The throughput has been categorized into two cases as follows. In case-1, the PU is absent in the channel and no false-alarm is generated while in case-2, the PU is present in the channel and it is not detected by the CU. The

throughput of first and second cases are denoted by  $R_0(T_s)$  and  $R_1(T_s)$ , correspondingly. In a chosen frequency band, we have considered that  $P(H_1)$  and  $P(H_0)$  are the probability of channel being active and idle, respectively and average throughput,  $R(T_s)$  for CU has been computed as follows [62].

$$R_0(T_s) = \left( \frac{T - T_s}{T} \right) (1 - P_f) \log_2(1 + \gamma_s) \quad (12)$$

$$R_1(T_s) = \left( \frac{T - T_s}{T} \right) (1 - P_d) \log_2 \left( 1 + \frac{\gamma_s}{1 + \gamma_p} \right) \quad (13)$$

where  $\gamma_s$  is the SNR for secondary link. The total average throughput for CU is as:

$$R(T_s) = P(H_1)R_1(T_s) + P(H_0)R_0(T_s) \quad (14)$$

## 5 Results and discussion


In this section, we have presented the numerically simulated results for sensing performance parameters i.e. the probability of detection, the probability of false-alarm and probability of error. Further, the numerically simulated results for the threshold values and throughput for CFAR, CDR, MEP approach have been presented and compared with the proposed optimal threshold selection approach.

The simulation environment is yielded using the MATLAB 2010 [64]. Moreover, the values of simulation parameters are selected based on IEEE 802.22 wireless regional area network (WRAN) standard and are presented in Table 2. The minimum number of samples assumed is more than 256, therefore maximum value of  $SNR_p$  considered is  $-8$  dB [61]. The sensing time ( $T_s$ ) and each frame duration ( $T$ ) is considered as 2.5 ms and 100 ms, respectively.


The variations in threshold value for the CFAR ( $\lambda_f$ ), CDR ( $\lambda_d$ ), and MEP ( $\lambda_e$ ) approaches with received primary SNR ( $SNR_p$  or  $\gamma_p$ ) are presented in Fig. 5. The threshold is constant with  $SNR_p$  in CFAR approach however its value increases with increase in  $SNR_p$  in CDR and MEP approaches. We have defined the critical SNR ( $SNR_c$ ) as that  $SNR_p$  value below which  $\lambda_f > \lambda_m$ . Further, it is depicted from the Fig. 5 that at higher value of SNR

Table 2 The simulation parameters for the proposed CRN

Parameter	Value	Parameter	Value
$N$	15,000	$P(H_0)$	0.8
$\gamma_s$	20 dB	$P(H_1)$	0.2
$T_s$	2.5 ms	$P_{f\_fixed}$	0.1
$T$	100 ms	$P_{d\_fixed}$	0.9




**Fig. 5** The variation of threshold value with  $SNR_p$  for CFAR, CDR and MEP approaches at  $N = 15,000$



**Fig. 6** Sensing performance parameters ( $P_f$ ,  $P_d$ ,  $P_e$ ) variation with  $SNR_p$  for CFAR, CDR and MEP approaches at  $N = 15,000$

( $SNR_p \geq SNR_c$ ), the optimal threshold condition ( $\lambda_f < \lambda_m$ ) is verified, moreover the threshold value with MEP approach is in between  $\lambda_f$  and  $\lambda_m$ . However, at low SNR ( $SNR_p < SNR_c$ ), the optimal threshold condition is not satisfied as is illustrated in Fig. 5 since in this region ( $\lambda_f > \lambda_m$ ). Further, the variations in sensing performance parameters ( $P_f$ ,  $P_d$ ,  $P_e$ ) with  $SNR_p$  for CFAR, CDR and MEP approaches are presented in Fig. 6.


In CFAR approach, the  $P_f$  value is constant (0.1) at every value of  $SNR_p$ , while the value of  $P_d$  is less ( $< 0.9$ ) for  $SNR_p \leq SNR_c$  and increases until  $SNR_p$  becomes equal to  $SNR_c$ . In CDR approach, the  $P_d$  value is constant (0.9) for all values of  $SNR_p$ , while the value of  $P_f$  is high ( $> 0.1$ ) for  $SNR_p \leq SNR_c$ . Also, it is clear from Fig. 6 that the probability of error ( $P_e$ ) is approximately same in CFAR



**Fig. 7** Throughput variation of CU with  $SNR_p$  for CFAR, CDR and MEP approaches at  $N = 15,000$

and CDR approaches. Moreover, with MEP approach there has been an improvement in terms of probability of error ( $P_e$ ) with respect to CFAR and CDR approach for all  $SNR_p$ . However, in MEP approach, we have not achieved the desired value of  $P_f$  and  $P_d$  simultaneously for  $SNR_p \leq SNR_c$ . It is illustrated from the Fig. 6 that the error probability ( $P_e$ ) decreases with  $SNR_p$  for all approaches and threshold selection with MEP approach provides least sensing error ( $P_e$ ).

Therefore, any approach among CFAR, CDR and MEP does not satisfy the sensing requirements of CR ( $P_f < 0.1$  and  $P_d > 0.9$ ), simultaneously at  $SNR_p \leq SNR_c$ . Further the variation in the achievable throughputs of CU with  $SNR_p$ , for CFAR, CDR and MEP approaches with fixed number of samples ( $N = 15,000$ ) are presented in Fig. 7. It is clear from Fig. 7 that in CFAR approach, the throughput value decreases with  $SNR_p$  from 5.812 to 4.674 bps/Hz and afterwards become constant. While in CDR and MEP approach, the throughput increases from 0.7684 bps/Hz and 3.414 bps/Hz to 5.319 bps/Hz and 5.194 bps/Hz, respectively and thereafter remains constant. It is observed that when the  $SNR_p \leq SNR_c$ , throughput is more for CFAR approach, however its value is high with CDR approach for  $SNR_p > SNR_c$ . Further, to achieve the optimal threshold condition at  $SNR_p < SNR_c$ , we have proposed an approach in Sect. 4 to outcome the optimal number of samples ( $N^*$ ) to get desired value of  $P_f$  and  $P_d$ , simultaneously. In this context, the performance of sensing parameters ( $P_f$ ,  $P_m$ ) with  $SNR_p$  for the proposed approach is compared with [32] and presented in Fig. 8. In the proposed approach, we have achieved both targeted values of  $P_f = 0.1$  and  $P_d = 0.9$ , simultaneously when  $SNR_p \leq SNR_c$ . While in [32], authors have fixed one of the sensing parameter (either  $P_f$  or  $P_d$ )




**Fig. 8** Sensing performance parameters ( $P_f$ ,  $P_d$ ) variation with  $SNR_p$


and have tried to improve the other ( $P_d$  or  $P_f$ ), as is illustrated in Fig. 8.

However, the required sensing performance improvement was not achieved in [32] when  $SNR_p \leq SNR_c$ . Moreover, the comparison of throughput variation with  $SNR_p$  for a fixed number of samples (FNS) and an optimal number of samples (ONS) using CFAR, CDR and MEP approaches are presented in Fig. 9.

There are four possible cases as: (a) *Case-1*  $SNR_p < SNR_c$  and fixed numbers of samples (FNS) are considered, the throughput in this case is high with CFAR approach. (b) *Case-2*  $SNR_p < SNR_c$  and optimal number of samples (ONS) are considered, the throughput is nearly same for CFAR, CDR, and MEP approaches however less than the achieved throughput of Case 1. (c) *Case-3*  $SNR_p \geq SNR_c$  and fixed number of samples (FNS) are



**Fig. 9** Variation of throughput with  $SNR_p$  for the fixed and optimal number of samples (ONS) for CFAR, CDR and MEP approach



**Fig. 10** Throughput variation with  $SNR_p$  for the proposed approach

considered, the throughput is highest and remains almost constant with CDR approach. (d) *Case-4*  $SNR_p \geq SNR_c$  and optimal number of samples (ONS) are considered, the throughput is highest with MEP approach in comparison to CFAR and CDR, however lesser than the throughput achieved as in Case 3. The advantage of Case-2 (i.e. the use of ONS for  $SNR_p < SNR_c$ ) is that we have achieved the target value of false and detection probability at the cost of reduced throughput, while the merit of Case-3 (use of FNS for  $SNR_p \geq SNR_c$ ) is that we have achieved higher throughput. Therefore, in our proposed approach, we have combined the benefits of ONS for  $SNR_p < SNR_c$  and FNS for  $SNR_p \geq SNR_c$  and have improved the throughput performance as shown in Fig. 10. The throughput in proposed approach nearly remains constant with decreasing  $SNR_p$  in the region of  $SNR_p \leq SNR_c$  as shown in Fig. 10. Moreover, the throughput for the proposed approach where we have adapted the number of samples according to  $SNR_p$  (ONS for  $SNR_p < SNR_c$  and FNS for  $SNR_p \geq SNR_c$ ), is presented in Fig. 10 and compared with [32].

It is illustrated in Fig. 10 that the proposed approach has provided significantly improved performance in comparison to that of the CDR at  $SNR_p < SNR_c$ . The proposed approach has shown approximately 24.63% improved throughput when compared with CDR at  $SNR_p$  equals to  $-18$  dB (near to  $SNR_c$ ). Since the throughput is decreasing with decrease in  $SNR_p$  in the CDR approach as is illustrated in Fig. 10, therefore the percentage enhancement in the throughput for the proposed approach is significantly more with respect to CDR approach with reduction in  $SNR_p$ . However, CFAR throughput has outperformed with the proposed method at the cost of lower protection to PU due to lower detection probability which is earlier shown in Fig. 8. Further, all the above simulation

**Table 3** The comparison table of the simulation results

SNR (dB)	CFAR			CDR			MEP			Proposed		
	$P_f$	$P_d$	Throughput (bits/s/Hz)	$P_f$	$P_d$	Throughput (bits/s/Hz)	$P_f$	$P_d$	Throughput (bits/s/Hz)	$P_f$	$P_d$	Throughput (bits/s/Hz)
– 17	0.1	0.872	4.776	0.127	0.9	4.659	0.109	0.516	4.776	0.1	0.9	4.947
– 21	0.1	0.379	5.478	0.628	0.9	2.077	0.307	0.569	4.013	0.1	0.9	4.935
– 25	0.1	0.186	5.730	0.815	0.9	1.088	0.415	0.679	3.592	0.1	0.9	4.925
– 30	0.1	0.123	5.812	0.877	0.9	0.768	0.468	0.883	3.390	0.1	0.9	4.874

results for different threshold selection approaches are compared in Table 3.

## 6 Conclusion and future scope

In this paper, we have exploited the threshold computation using CFAR, CDR and MEP approaches. We have analyzed the optimality condition for threshold and selected the appropriate threshold which has been achieved with the anticipated values of  $P_f$  and  $P_d$ , simultaneously. Further, the computation of  $SNR_p$  as a critical SNR ( $SNR_c$ ) below which the optimality condition is not satisfied, has been performed. Moreover, we have proposed an approach in order to satisfy the optimality condition even though at low SNR ( $SNR_p < SNR_c$ ) and have computed the throughput for the proposed approach. It has been perceived that at low SNR, the throughput for proposed approach is higher than CDR and MEP approaches however, less than that of CFAR approach. Moreover, the throughputs achieved using CDR, CFAR and MEP approaches are not satisfying the desired  $P_f$  and  $P_d$  values when compared with the proposed approach.

Hence, in this proposed approach, we have achieved the maximum throughput while achieving the desired  $P_f$  and  $P_d$  simultaneously at all  $SNR_p$ . The proposed approach has shown approximately 24.63% improved throughput when compared with CDR at  $SNR_p$  equals to – 18 dB (near to  $SNR_c$ ). However, in this paper, we have not considered the noise uncertainty of the channel while checking the optimality condition for threshold that is a challenging task which will be reported in the future communication. Moreover, the multiband spectrum sensing in the proposed approach can also be considered when PU changes its state during the sensing period.

**Acknowledgements** The authors are sincerely thankful to the Associate Editor and anonymous reviewers for critical comments and suggestions to improve the quality of the manuscript.

## References

1. Khan, A. A., Rehmani, M. H., & Rachedi, A. (2017). Cognitive-radio-based internet of things: Applications, architectures, spectrum related functionalities, and future research directions. *IEEE Wireless Communication*, 24(3), 17–25.
2. Ding, J., Jiang, L., & He, C. (2018). User-centric energy-efficient resource management for time switching wireless powered communications. *IEEE Communications Letters*, 22(1), 165–168.
3. Gandotra, P., Jha, R. K., & Jain, S. (2017). Green communication in next generation cellular networks: A survey. *IEEE Access*, 5, 11727–11758.
4. FCC. (2002). Spectrum policy task force report. In *Proceedings of the federal communications commission (FCC'02)*, Washington, DC, USA.
5. Zhao, Q., & Sadler, B. M. (2007). A survey of dynamic spectrum access: Signal processing, networking, and regulatory policy. *IEEE Signal Processing Magazine*, 24(3), 79–89.
6. Lin, Y.-E., Liu, K.-H., & Hsieh, H.-Y. (2013). On using interference-aware spectrum sensing for dynamic spectrum access in cognitive radio networks. *IEEE Transactions on Mobile Computing*, 12(3), 461–474.
7. Mitola, J., & Maguire, G. Q. (1999). Cognitive radio: Making software radio more personal. *IEEE Personal Communication*, 6(4), 13–18.
8. Agarwal, S., & De, S. (2016). eDSA: Energy-efficient dynamic spectrum access protocols for cognitive radio networks. *IEEE Transactions on Mobile Communication*, 15(12), 3057–3071.
9. Lu, L., Zhou, X., Onunkwo, U., & Li, G. Y. (2012). Ten years of research in spectrum sensing and sharing in cognitive radio. *EURASIP Journal of Wireless Communications and Networking*, 28, 1–16.
10. Alkyldiz, I. F., Lee, W.-Y., Vuran, M. C., & Mohanty, S. (2006). Next generation/dynamic spectrum access/cognitive radio wireless networks: A survey. *Computer Networks*, 50(13), 2127–2159.
11. Akyildiz, I. F., Lee, W.-Y., Vuran, M. C., & Mohanty, S. (2008). A survey on spectrum management in cognitive radio networks. *IEEE Communication Magazine*, 46(4), 40–48.
12. Thakur, P., Singh, G., & Satashia, S. N. (2016). Spectrum sharing in cognitive radio communication system using power constraints: A technical review. *Perspectives in Science*, 8, 651–653.
13. Pandit, S., & Singh, G. (2017). *Spectrum sharing in cognitive radio networks: Medium access control protocol based approach*. Cham: Springer.
14. Christian, I., Moh, S., Chung, I., & Lee, J. (2012). Spectrum mobility in cognitive radio networks. *IEEE Communications Magazine*, 50(6), 114–121.
15. Urkowitz, H. (1967). Energy detection of unknown deterministic signals. *Proceedings of the IEEE*, 55(4), 523–531.
16. Nafkha, A., & Aziz, B. (2014). Closed-form approximation for the performance of finite sample-based energy detection using



- correlated receiving antennas. *IEEE Wireless Communications Letters*, 3(6), 577–580.
17. Atapattu, S., Tellambura, C., & Jiang, H. (2010). Analysis of area under the ROC curve of energy detection. *IEEE Transactions on Communications*, 9(3), 1216–1225.
  18. Sobron, I., Diniz, P., Martins, W., & Velez, M. (2015). Energy detection technique for adaptive spectrum sensing. *IEEE Transactions on Communications*, 63(3), 617–627.
  19. Kapoor, S., Rao, S., & Singh, G. (2011). Opportunistic spectrum sensing by employing matched filter in cognitive radio network. In *Proceedings of IEEE international conference on communication systems and network technologies (CSNT 2011)*, India (pp. 580–583).
  20. Salahdine, F., Ghazi, H. E., Kaabouch, N., & Fihri, W. F. (2015). Matched filter detection with dynamic threshold for cognitive radio network. In *Proceedings of international conference on wireless networks and mobile communications*, Morocco (pp. 1–6).
  21. Du, K.-L., & Mow, W. H. (2010). Affordable cyclostationarity-based spectrum sensing for cognitive radio with smart antenna. *IEEE Transactions on Vehicular Technology*, 59(4), 1877–1886.
  22. Zeng, Y., & Liang, Y. (2009). Spectrum-sensing algorithms for cognitive radio based on statistical co-variances. *IEEE Transaction on Vehicular Technology*, 58(4), 1804–1815.
  23. Zeng, Y., & Liang, Y. C. (2009). Eigen value-based spectrum sensing algorithms for cognitive radio. *IEEE Transactions on Communication*, 57(6), 1784–1793.
  24. Yousif, E. H. G., Ratnarajah, T., & Sellathurai, M. (2016). A frequency domain approach to eigenvalue-based detection with diversity reception and spectrum estimation. *IEEE Transactions on Signal Processing*, 64(1), 35–47.
  25. Scott Parsons. (2014). “Literature review of cognitive radio spectrum sensing” EE 359 project. Stanford: Stanford University.
  26. Ali, A., & Hamouda, W. (2017). Advances on spectrum sensing for cognitive radio networks: Theory and applications. *IEEE Communication Surveys Tutorial*, 19(2), 1277–1304.
  27. IEEE 802.22 Standard. (2005). <http://www.ieee802.org/22/>. Accessed July 2018.
  28. Atapattu, S., Tellambura, C., & Jiang, H. (2011). Spectrum sensing via energy detector in low SNR. In *Proceedings of IEEE international conference on communications (ICC)* (pp. 1–5).
  29. Kumar, A., Thakur, P., Pandit, S., & Singh, G. (2017). Fixed and dynamic threshold selection criteria in energy detection for cognitive radio communication systems. In *Proceedings of 10th IEEE international conference on contemporary computing (IC3)*, India (pp. 1–6).
  30. Verma, G., & Sahu, O. P. (2016). Intelligent selection of threshold in cognitive radio system. *Telecommunication System*, 63(4), 547–556.
  31. Koley, S., Mirza, V., Islam, S., & Mitra, D. (2015). Gradient-based real-time spectrum sensing at low SNR. *IEEE Communications Letters*, 19(3), 391–394.
  32. Verma, G., & Sahu, O. P. (2016). Opportunistic selection of threshold in cognitive radio networks. *Wireless Personal Communication*, 92(2), 711–726.
  33. Kumar, A., Thakur, P., Pandit, S., & Singh, G. (2017). Performance analysis of different threshold selection schemes in energy detection for cognitive radio communication systems. In *Proceedings of 4th IEEE international conference on image information processing (ICIIP)*, India (pp. 153–158).
  34. Gandhi, P. P., & Kassam, S. A. (1988). Analysis of CFAR processors in non-homogeneous background. *IEEE Transactions on Aerospace and Electronic Systems*, 24(4), 427–445.
  35. Kortun, A., Ratnarajah, T., Sellathurai, M., Liang, Y. C., & Zeng, Y. (2014). On the eigenvalue-based spectrum sensing and secondary user throughput. *IEEE Transactions on Vehicular Technology*, 63(3), 1480–1486.
  36. Lehtomäki, J. J., Vartiainen, J., Juntti, M., & Saarnisaari, H. (2007). CFAR outlier detection with forward methods. *IEEE Transactions on Signal Processing*, 55(9), 4702–4706.
  37. Mahdi, H., Badrawi, A., & Kirsch, N. J. (2015). An EMD based double threshold detector for spectrum sensing in cognitive radio networks. In *Proceedings of 82nd IEEE international conference on vehicular technology (VTC Fall)*, Boston, USA (pp. 1–5).
  38. Politis, C., Maleki, S., Tsinos, C. G., Liolis, K. P., Chatzinotas, S., & Ottersten, B. (2017). Simultaneous sensing and transmission for cognitive radios with imperfect signal cancellation. *IEEE Transactions on Wireless Communications*, 16(9), 5599–5615.
  39. Sarker, M. (2015). Energy detector-based spectrum sensing by adaptive threshold for low SNR in CR networks. In *Proceedings of 24th wireless and optical communication conference (WOCC)*, Taipei, Taiwan (pp. 118–122).
  40. Zhang, H., Nie, Y., Cheng, J., Leung, V. C. M., & Nallanathan, A. (2017). Sensing time optimization and power control for energy efficient cognitive small cell with imperfect hybrid spectrum sensing. *IEEE Transactions on Wireless Communications*, 16(2), 730–743.
  41. Xuping, Z., Haigen, H., & Guoxin, Z. (2010). Optimal threshold and weighted cooperative data combining rule in cognitive radio network. In *Proceedings of 12th IEEE international conference on communication technology (ICCT)*, Nanjing, China (pp. 1464–1467).
  42. Choi, H.-H., Jang, K., & Cheong, Y. (2008). Adaptive sensing threshold control based on transmission power in cognitive radio systems. In *Proceedings of 3<sup>rd</sup> international conference on cognitive radio oriented wireless networks and communication (CROWNCOM)*, Singapore (pp. 1–6).
  43. Joshi, D. R., Popescu, D. C., & Dobre, O. A. (2010). Dynamic threshold adaptation for spectrum sensing in cognitive radio systems. In *Proceedings of radio and wireless symposium (RWS)*, New Orleans (pp. 468–471).
  44. Joshi, D. R., Popescu, D. C., & Dobre, O. A. (2011). Gradient-based threshold adaptation for energy detector in cognitive radio systems. *IEEE Communications Letters*, 15(1), 19–21.
  45. Nasreddine, J., Riihijarvi, J., & Mahonen, P. (2010). Location-based adaptive detection threshold for dynamic spectrum access. In *Proceedings of IEEE international symposium on new frontiers in dynamic spectrum access network*, Singapore (pp. 1–10).
  46. Yu, T. H., Sekkat, O., Parera, S. R., Markovic, D., & Cabric, D. (2011). A wideband spectrum-sensing processor with adaptive detection threshold and sensing time. *IEEE Transaction Circuits and Systems I: Regular Papers*, 58(11), 2765–2775.
  47. Ling, X., Wu, B., Wen, H., Ho, P. H., Bao, Z., & Pan, L. (2012). Adaptive threshold control for energy detection-based spectrum sensing in cognitive radios. *IEEE Wireless Communications Letters*, 1(5), 448–451.
  48. Umebayashi, K., Hayashi, K., & Lehtomäki, J. J. (2017). Threshold-setting for spectrum sensing based on statistical information. *IEEE Communications Letters*, 21(7), 1585–1588.
  49. Ding, G., Jiao, Y., Wang, J., Zou, Y., Wu, Q., Yao, Y. D., et al. (2018). Spectrum inference in cognitive radio networks: Algorithms and applications. *IEEE Communications Surveys & Tutorials*, 20(1), 150–182.
  50. Kerdabadi, M. S., Ghazizadeh, R., Farrokhi, H., & Najimi, M. (2018). Energy consumption minimization and throughput improvement in cognitive radio networks by joint optimization of detection threshold, sensing time and user selection. *Wireless Network*. <https://doi.org/10.1007/s11276-018-1797-x>.
  51. Charan, C., & Pandey, R. (2018). Intelligent selection of threshold in covariance-based spectrum sensing for cognitive radio networks. *Wireless Network*, 24(8), 3267–3279.



52. Benedetto, F., & Giunta, G. (2018). A novel PU sensing algorithm for constant energy signals. *IEEE Transactions on Vehicular Technology*, 67(1), 827–831.
53. Jin, M., Guo, Q., Xi, J., Li, Y., Yu, Y., & Huang, D. D. (2015). Spectrum sensing using weighted covariance matrix in Rayleigh fading channels. *IEEE Transactions on Vehicular Technology*, 64(11), 5137–5148.
54. Chen, A. Z., Shi, Z. P., & He, Z. Q. (2018). A robust blind detection algorithm for cognitive radio networks with correlated multiple antennas. *IEEE Communications Letters*, 22(3), 570–573.
55. Xiong, T., Yao, Y. D., Ren, Y., & Li, Z. (2018). Multiband spectrum sensing in cognitive radio networks with secondary user hardware limitation: random and adaptive spectrum sensing strategies. *IEEE Transactions on Wireless Communications*, 17(5), 3018–3029.
56. Bayat, A., & Aïssa, S. (2018). Full-duplex cognitive radio with asynchronous energy-efficient sensing. *IEEE Transactions on Wireless Communications*, 17(2), 1066–1080.
57. Makarfi, A., & Hamdi, K. (2013). Interference analysis of energy detection for spectrum sensing. *IEEE Transactions on Vehicular Technology*, 62(6), 2570–2578.
58. Verma, P., & Singh, B. (2018). Joint optimization of sensing duration and detection threshold for maximizing the spectrum utilization. *Digital Signal Processing*, 74, 94–101.
59. MacDonald, S. L., & Popescu, D. C. (2013). Impact of primary user activity on the performance of energy-based spectrum sensing in cognitive radio systems. In *Proceedings of IEEE global communications conference (GlobeCom)* (pp. 3224–3228).
60. Fu, C., Li, Y., He, Y., Jin, M., Wang, G., & Lei, P. (2017). An inter-frame dynamic double-threshold energy detection for spectrum sensing in cognitive radios. *EURASIP Journal on Wireless Communication and Networking*, 1, 2017.
61. Cabric, D., Tkachenko, A., & Brodersen, R.W. (2006). Experimental study of spectrum sensing based on energy detection and network cooperation. In *Proceedings of ACM international workshop on technology and policy for accessing spectrum (TAPAS)*, Boston (pp. 1–8).
62. Liang, Y. C., Zeng, Y., Peh, E., & Hoang, A. T. (2008). Sensing-throughput tradeoff for cognitive radio networks. *IEEE Transaction on Wireless Communication*, 7(4), 1326–1337.
63. Atapattu, S., Tellambura, C., Jiang, H., & Rajatheva, N. (2015). Unified analysis of low-SNR energy detection and threshold selection. *IEEE Transactions on Vehicular Technology*, 64(11), 5006–5019.
64. MATLAB and Statistics Toolbox Release. (2010). The Math Works, Inc., Natick, MA.



**Alok Kumar** has received B.Tech. degree from U.P. Technical University, Lucknow, India in 2007. He received M.Tech. degree in Communication system from the Department of Electronics and Communication Engineering, IIT BHU Varanasi, India in 2011. He is pursuing Ph.D. degree from Jaypee University of Information Technology, Wanknaghat, Solan, India. He is working as Assistant Professor in the Department of Electronics

and Communication Engineering, Jaypee University of Information Technology, Wanknaghat, Solan, India, since November 2nd 2015. He

worked as Assistant Professor in the Department of Electronics and Communication Engineering, in G.L.A. University Mathura, India from July 2011 to October 2015. He worked as a Telecom Engineer in ZTE Telecom Pvt Ltd, from 2007 to 2008. His area of research interests is next generation communication system, cognitive radio, energy efficiency in wireless network.



**Prabhat Thakur** has received M.Tech. and Ph.D. degree in Electronics and Communication Engineering from the Department of Electronics and Communication Engineering, Jaypee University of Information Technology, Wanknaghat, Solan, India in 2015 and 2018, respectively. He worked as Assistant Professor in the Department of Electronics and Communication Engineering, in Gulzar Group of Institutions, Ludhiana, India from July

2015 to November 2015. Further, he joined as Junior Research Fellow in the Department of Electronics and Communication Engineering, Jaypee University of Information Technology, Wanknaghat, Solan, India in November, 2015 and have successfully completed project in March 2018. Currently, he is working as Assistant Professor in the Department of Electronics and Communication Engineering, Chandigarh University. His current research interests are spectrum sharing and throughput enhancement in Cognitive radio communication system.



**Shweta Pandit** has received B.Tech. (Honours) degree from Himachal Pradesh University, Shimla, India in 2010. She also received M.Tech. and Ph.D. degree in Electronics and Communication Engineering from the Department of Electronics and Communication Engineering, Jaypee University of Information Technology, Wanknaghat, Solan, India in 2012 and 2015, respectively. Currently, she is working as Assistant Professor in the

Department of Electronics and Communication Engineering, Jaypee University of Information Technology, Wanknaghat, Solan, India. Her area of research interests is next generation communication system, cognitive radio, wireless network, and capacity enhancement and interference reduction in wireless channel.



**G. Singh** received Ph.D. degree in Electronics Engineering from the Indian Institute of Technology, Banaras Hindu University, Varanasi, India, in 2000. He was associated with Central Electronics Engineering Research Institute, Pilani, and Institute for Plasma Research, Gandhinagar, India, respectively, where he was Research Scientist. He had also worked as an Assistant Professor at Electronics and Communication Engineering Department, Nirma University of Science and Technology, Ahmedabad, India. He was a Visiting Researcher at the Seoul National University, Seoul, South Korea. He has worked as a Professor with the Department of Electronics and Communication Engineering, Jaypee University of Information

Technology, Wakanaghat, Solan, India. Currently, is working as a Professor with the Department of Electrical and Electronics Engineering Sciences, Auckland Park Kingsway Campus, University of Johannesburg, South Africa. He is an author/co-author of more than 250 scientific papers of the refereed Journal and International Conferences. His research and teaching interests include RF/Microwave Engineering, Millimeter/THz Wave Antennas and its Applications in Communication and Imaging, Next Generation Communication Systems (OFDM and Cognitive Radio), and Nanophotonics. He has more than 18 years of teaching and research experience in the area of Electromagnetic/Microwave Engineering, Wireless Communication and Nanophotonics. He has supervised various Ph.D. and M.Tech. theses. He has worked as a reviewer for several reputed Journals and Conferences. *He is author of four books* “Terahertz Planar Antennas for Next Generation Communication”, “MOSFET Technologies for Double-Pole Four-Throw Radio-Frequency Switch”, “Spectrum Sharing in Cognitive Radio Networks”, “Medical Image Watermarking: Techniques and Applications” published by Springer.