



UNIVERSITAT POLITÈCNICA
DE CATALUNYA
BARCELONATECH



ESCOLA TÈCNICA SUPERIOR
D'ENGINYERIA DE TELECOMUNICACIÓ DE
BARCELONA

Data-driven CM to H&E transformation

by

Sergio García Campderrich

In partial fulfilment of the requirements for the degree in Telecommunications
Technologies and Services Engineering

supervised by

Verónica Vilaplana

September 18, 2019

Abstract

CM... DL...

Acknowledgments

Thanks to...

Revision history and approval record

Revision	Date	Purpose
0	August 26, 2019	Document creation

Name	E-mail
Sergio García Campderrich	<code>sergio.garcia.campderrich@estudiant.upc.edu</code>
Verónica Vilaplana Besler	<code>veronica.vilaplana@upc.edu</code>

Date	Written by	Date	Reviewed and approved by
	August 26, 2019		??
Name	Sergio García Campderrich	Name	Verónica Vilaplana Besler
Position	Project author	Position	Project supervisor

Contents

1	Introduction	1
1.1	Project Background	1
1.1.1	Confocal microscopy	1
1.2	Problem statement	2
1.2.1	Affine transformation	2
1.2.2	Data-driven approach	3
1.3	Methods and procedures	3
1.4	Document Structure	4
2	State of the art	5
2.1	Artificial Neural Networks	5
2.1.1	Perceptron	5
2.1.2	Multi-layer perceptron (MLP)	6
2.1.3	Convolutional Neural Networks (CNN)	6
2.1.4	Generative Adversarial Networks (GANs)	6
3	Methodology	8
3.1	Despeckling network	8
3.1.1	Speckle noise	8
3.2	Stain Network	9
3.2.1	Proposed architecture	9
4	Experiments and results	10
4.1	Result validation	10
4.1.1	Experiments	10
4.1.2	Histology Professionals Validation	10
5	Conclusions and future development	11

List of Figures

1	Example of a CM micrograph of a skin tissue. Reflectance mode on the left and fluorescence mode on the right	2
2	Comparison between digital stain and H&E stain	3

List of Tables

Acronyms

ANNs Artificial Neural Networks.

CM Confocal Microscopy.

DL Deep Learning.

FCM Fluorescence Confocal Microscopy.

GANs Generative Adversarial Networks.

H&E Hematoxylin and Eosin stain.

ML Machine Learning.

NN Neural Network.

RCM Reflectance Confocal Microscopy.

1 Introduction

1.1 Project Background

In recent years, Deep Learning (DL) has significantly improved the performance of a wide range of computer vision tasks like image classification, object detection or segmentation tasks. Generative Adversarial Networks (GANs) in particular have revolutionized generative tasks like image synthesis and image-to-image translation. Image-to-image translation is the problem where we have a source image and we want to generate an image based on the source but with different characteristics.

In this work, the idea of image-to-image translation is applied to the transformation of Confocal Microscopy (CM) histological images into Hematoxylin and Eosin stain (H&E) appearance.

1.1.1 Confocal microscopy

CM is an optical imaging technique for increasing optical resolution and contrast of a micrograph by means of using a spatial pinhole to block out-of-focus light in image formation. With it, technicians are able to slice thin sections out of thick fluorescent specimens, view specimens in planes tilted to the line of sight, penetrate deep into light-scattering tissues, obtain 3D views at very high resolution... (Inoué 2006)

Ex vivo¹ confocal scanning laser microscopy can potentially accelerate Mohs surgery² by rapidly detecting carcinomas without conventional frozen histopathology. (Chung et al. 2005)

Two different CM modes exist, Reflectance Confocal Microscopy (RCM) displays the backscattering signal of naturally occurring skin components, whereas Fluorescence Confocal Microscopy (FCM) provides contrast by using an applied fluorescent dye (Skvara et al. 2012).

¹Ex vivo means that which takes place outside an organism. In science, ex vivo refers to experimentation or measurements done in or on tissue from an organism in an external environment with minimal alteration of natural conditions.

²Mohs micrographic surgery is considered the most effective technique for treating many basal cell carcinomas (BCCs) and squamous cell carcinomas (SCCs), the two most common types of skin cancer. The procedure is done in stages, including lab work, while the patient waits. This allows the removal of all cancerous cells for the highest cure rate while sparing healthy tissue and leaving the smallest possible scar.




Figure 1: Example of a CM micrograph of a skin tissue. Reflectance mode on the left and fluorescence mode on the right

1.2 Problem statement

CM has enabled rapid evaluation of tissue samples directly in the surgery room significantly reducing the time of complex surgical operations in skin cancer (Cinotti et al. 2018), but the output largely differs from the standard H&E slides that pathologists typically use to analyze tissue samples.

To bridge this gap, a method for combining the aforementioned modes of CM into a H&E-like image is presented in this work. A correctly done CM to H&E mapping would bring the efficiency of CM to untrained pathologists and surgeons.

Similar to a false color (also known as pseudo color) transformation, a parametric mapping function can be defined:

$$\mathbf{DSCM} = f_{\theta}(\mathbf{R}, \mathbf{F}) \quad (1)$$

where $\mathbf{DSCM} \in \mathbb{R}^{3 \times H \times W}$ (stands for digitally-stained CM) represents the resulting H&E-like RGB image, $\mathbf{R} \in \mathbb{R}^{H \times W}$ and $\mathbf{F} \in \mathbb{R}^{H \times W}$ represent the reflectance and fluorescence modes (respectively) of the CM input image with height H and width W .

1.2.1 Affine transformation

An affine transformation is proposed in Gareau 2009 for the function f where each channel (c) is computed as:

$$\mathbf{DSCM}_{c,:} = \mathbf{1} - \mathbf{F}(1 - H_c) - \mathbf{R}(1 - E_c) \quad (2)$$

where:

$$\mathbf{H} = \begin{bmatrix} 0.30 & 0.20 & 1 \end{bmatrix}$$

$$\mathbf{E} = \begin{bmatrix} 1 & 0.55 & 0.88 \end{bmatrix}$$

These vectors represent coordinates in the RGB space (■ and ■). This way, the CM modes highlight different structures in distinct colours similar to a H&E slide; but as it can be seen in figure 2, the color scheme differs from an actual H&E sample.





Figure 2: Comparison between digital stain and H&E stain

1.2.2 Data-driven approach

In contrast to Gareau 2009 work where the parameters (**H** and **E**) are found experimentally, a data-driven approach of the problem will be taken where the parameters of the mapping function 1 are found based on data. More specifically, the transformation will be defined by a Neural Network (NN) and the parameters will be searched through an adversarial setting.



1.3 Methods and procedures

This project was carried out at the Image and Video Processing Group (GPI) research group from the Signal Theory and Communications Department (TSC) at the Universitat

Politecnica de Catalunya (UPC) in collaboration with the Dermatology Department from the Hospital Clínic de Barcelona.

The work presented in this thesis is the natural continuation of the work presented in Combalia et al. 2019...

1.4 Document Structure

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

2 State of the art

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

2.1 Artificial Neural Networks

Artificial Neural Networks (ANNs) were originally developed as a mathematical model of the biological brain (McCulloch and Pitts 1943; Rosenblatt 1958; Rumelhart and McClelland 1987). Although ANNs have little resemblance to real biological neurons, they are a powerful Machine Learning (ML) tool and one of the most popular research topics in the last years. Nowadays, most researchers have shifted from the perspective of the biological neuron model to a more general *function approximator* point of view, as it was proved that ANNs with enough capacity are capable of approximating any measurable function to any desired degree of accuracy (Cybenko 1989; Hornik 1991).

2.1.1 Perceptron

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

2.1.2 Multi-layer perceptron (MLP)

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

2.1.3 Convolutional Neural Networks (CNN)

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Fully-convolutional Networks

2.1.4 Generative Adversarial Networks (GANs)

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetur at, consectetur sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

GANs Proof of Concept Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

GANs for image-to-image translation

- Pix2Pix
- CycleGANs

3 Methodology

3.1 Despeckling network

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

3.1.1 Speckle noise

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Proposed network architectures Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

3.2 Stain Network

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

3.2.1 Proposed architecture

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

4 Experiments and results

4.1 Result validation

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

4.1.1 Experiments

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

4.1.2 Histology Professionals Validation

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

5 Conclusions and future development

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus,

vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetur at, consectetur sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

References

- Chung, Vinh et al. (Jan. 2005). “Use of Ex Vivo Confocal Scanning Laser Microscopy during Mohs Surgery for Nonmelanoma Skin Cancers”. In: *Dermatologic surgery : official publication for American Society for Dermatologic Surgery [et al.]* 30, pp. 1470–8. DOI: 10.1111/j.1524-4725.2004.30505.x.
- Cinotti, Elisa et al. (Apr. 2018). “Ex vivo confocal microscopy: an emerging technique in dermatology”. In: *Dermatology Practical & Conceptual* 8, pp. 109–119. DOI: 10.5826/dpc.0802a08.
- Combaila, Marc et al. (2019). “Digitally Stained Confocal Microscopy through Deep Learning”. In: *Proceedings of Machine Learning Research*, pp. 1–9.
- Cybenko, G. (1989). “Approximation by superpositions of a sigmoidal function”. In: *Mathematics of Control, Signals and Systems* 2.4, pp. 303–314. ISSN: 1435-568X. DOI: 10.1007/BF02551274. URL: <https://doi.org/10.1007/BF02551274>.
- Gareau, Daniel S. (2009). “Feasibility of digitally stained multimodal confocal mosaics to simulate histopathology”. eng. In: *Journal of biomedical optics* 14.3, p. 34050. ISSN: 1083-3668. DOI: 10.1117/1.3149853. URL: <https://www.ncbi.nlm.nih.gov/pubmed/19566342> <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2929174/>.
- Hornik, Kurt (1991). “Approximation capabilities of multilayer feedforward networks”. In: *Neural Networks* 4.2, pp. 251–257. ISSN: 0893-6080. DOI: [https://doi.org/10.1016/0893-6080\(91\)90009-T](https://doi.org/10.1016/0893-6080(91)90009-T). URL: <http://www.sciencedirect.com/science/article/pii/089360809190009T>.
- Inoué, Shinya (2006). “Foundations of Confocal Scanned Imaging in Light Microscopy”. In: *Handbook Of Biological Confocal Microscopy*. Ed. by James B. Pawley. Boston, MA: Springer US, pp. 1–19. ISBN: 978-0-387-45524-2. DOI: 10.1007/978-0-387-45524-2_1. URL: https://doi.org/10.1007/978-0-387-45524-2_1.
- McCulloch, Warren S. and Walter Pitts (1943). “A logical calculus of the ideas immanent in nervous activity”. In: *The bulletin of mathematical biophysics* 5.4, pp. 115–133. ISSN: 1522-9602. DOI: 10.1007/BF02478259. URL: <https://doi.org/10.1007/BF02478259>.
- Rosenblatt, F. (1958). “The Perceptron: A Probabilistic Model for Information Storage and Organization in The Brain”. In: *Psychological Review*, pp. 65–386.
- Rumelhart, D. E. and J. L. McClelland (1987). “Learning Internal Representations by Error Propagation”. In: *Parallel Distributed Processing: Explorations in the Microstructure of Cognition: Foundations*. MITP. URL: <https://ieeexplore.ieee.org/document/6302929>.
- Skvara, Hans et al. (2012). “Combining in vivo reflectance with fluorescence confocal microscopy provides”. In: *Dermatology Practical & Conceptual*, pp. 3–12. DOI: 10.5826/dpc.0201a02.