

**STANDARD OPERATING PROCEDURE****PROCEDURE FOR CURING OPERATIONS v2**

Page 1 of 5

SOP No:	3-CUL-007	Effective Date:	2019-06-15
Revision No:	2	Supersedes:	1
Revise By:	2022-06-15		

LIST OF ABBREVIATIONS

GAP	Good Agriculture Practice.
GSP	Good Storage Practice.
AR	Authorised Representative.
SOP	Standard Operating Procedure.

1. OBJECTIVE:

To develop and implement a facility with trained personnel to ensure all curing operations will meet requirements and standards, and that no operation will be performed without adherence to guidelines as set out by Good Agricultural Practices.

2. SCOPE:

This SOP explains the operations of curing procedures

3. RESPONSIBILITY:

AR	Authorised Representative
FM	Facility Manager
HG	Head Grower

4. POLICY:

ILCO Farming will apply Good agricultural practices for the curing of medicinal cannabis, as determined by the Department of Agriculture, Forestry and Fisheries (DAFF) for plants intended for human consumption, and Medicines and Related Substances Act 101 of 1965 to ensure all processes involved with the plant process is adhered to. Curing is the process of slowly removing moisture content from approximately 15% down to 10-12% in order to remove the remaining chlorophyll and sugars from the medicinal cannabis flower and prepare them for packaging or processing into extraction form.

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR CURING OPERATIONS v2

Page 2 of 5

SOP No:	3-CUL-007	Effective Date:	2019-06-15
Revision No:	2	Supersedes:	1
Revise By:	2022-06-15		

5. PROCEDURE:

- 5.1** Move the dried medicinal cannabis from drying room to the curing room.
- 5.2** Deposit the medicinal cannabis onto a 5-litre food-grade hermetic glass jar.
- 5.3** Every m² of medicinal cannabis will be moved as per the above step.
- 5.4** During the curing process the following temperature and humidity controls will apply:
- Temperature: 20°C - 25°C.
 - Humidity: 45% - 50%.
- 5.5** Ensure that all the jars are shaken a couple of times every day to avoid humidity concentration.
- 5.6** Open the jars up daily for 5 minutes.
- 5.7** This action will be repeated every day for 2 weeks (14 days).
- 5.8** Once the 2 weeks (14 days) are over.
- 5.9** The medicinal cannabis plant should reach a moisture content of approximately 10-12%.
- 5.10** A calibrated moisture analyser is used to measure the plant materials moisture level.
- 5.11** When the moisture content of the medicinal cannabis plant is acceptable, the product will be moved to the packing area for further processing.

7. Attachments

Attachment 7.1 Sop Amendment History

Attachment 7.2 Distribution List of SOPs

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



Authorised
Copy

ORIGINAL
DOCUMENT
T

PROCEDURE FOR CURING OPERATIONS v2

Page 3 of 5

SOP No:	3-CUL-007	Effective Date:	2019-06-15
Revision No:	2	Supersedes:	1
Revise By:	2022-06-15		

Attachment 7.1

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



Authorised
Copy

ORIGINAL
DOCUMENT
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR CURING OPERATIONS v2

Page 4 of 5

SOP No:	3-CUL-007	Effective Date:	2019-06-15
Revision No:	2	Supersedes:	1
Revise By:	2022-06-15		

Attachment 7.2

DISTRIBUTION LIST OF STANDARD OPERATING PROCEDURES

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR CURING OPERATIONS v2

Page 5 of 5

SOP No:	3-CUL-007	Effective Date:	2019-06-15
Revision No:	2	Supersedes:	1
Revise By:	2022-06-15		

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE			
PROCEDURE FOR MOTHER PLANT OPERATIONS v2			Page 1 of 4
SOP No:	3-CUL-008	Effective Date:	2020-06-15
Revision No:	2	Supersedes:	1
Revise By:	2022-06-15		

LIST OF ABBREVIATIONS

GAP	Good Agriculture Practice
GSP	Good Storage Practice
AR	Authorised Representative
SOP	Standard Operating Procedure

1. OBJECTIVE:

To develop and implement a facility with trained personnel to ensure all medicinal Mother plant operations will meet requirements and standards, and that no operation will be performed without adherence to guidelines as set out by Good Agricultural Practices.

2. SCOPE:

This SOP explains the operations of a medicinal cannabis Mother plant and the procedures.

3. RESPONSIBILITY:

AR	Authorised Representative
FM	Facility Manager
HG	Head Grower

4. POLICY:

ILCO Farming will apply Good agricultural practices for the Mother plants of Medicinal Cannabis, as determined by the Department of Agriculture, Forestry and Fisheries (DAFF) for plants intended for human consumption, and Act 101 of 1965 to ensure all processes involved with the plant process is adhered to. A medicinal cannabis Mother plant is a plant that is grown specifically for cloning purposes. They are kept in a constant vegetative state and never transitioned over into the flowering stage. Medicinal Cannabis plants are especially appealing to use as mothers because they are easy to clone and are resilient to the minor stress that accompanies plant cuttings.

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter

**STANDARD OPERATING PROCEDURE****PROCEDURE FOR MOTHER PLANT OPERATIONS v2**

Page 2 of 4

SOP No:	3-CUL-008	Effective Date:	2020-06-15
Revision No:	2	Supersedes:	1
Revise By:	2022-06-15		

5. PROCEDURE:

5.1 ILCO Farming (PTY) Ltd, will select a clone to use as a medicinal Cannabis Mother plant.

5.2 The Clones rooting first will be the first chosen to become Mother plants.

5.3 The initial Mother vegetation will follow the SOP-3-CUL-001 (Procedure for Cultivation Operations).

5.4 Mother plants grow in a continual vegetative state as clones are repeatedly clipped from her.

5.5 Taking clones guarantees that all the plants in your Facility will grow at generally the same rate and produce a similar quality product and grow with the same vigour as the mother they came from. Refer to SOP-3-CUL-005 (Procedure for Cloning Operations).

5.6 A quality medicinal cannabis Mother plant will provide you with quality clones over multiple seasons.

7. Attachments

Attachment 7.1 Sop Amendment History

Attachment 7.2 Distribution List of SOPs

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



Authorised
Copy

ORIGINAL
DOCUMENT
T

STANDARD OPERATING PROCEDURE

Page 3 of 4

PROCEDURE FOR MOTHER PLANT OPERATIONS v2

PROCEDURE FOR MOTHER PLANT OPERATIONS V2		Effective Date:	2020-06-15
SOP No:	3-CUL-008	Supersedes:	1
Revision No:	2		
Revise By:	2022-06-15		

Attachment 7.1

SOP AMENDMENT HISTORY

[illegible]

Attachment 7.2

COPY NO:	Authorised by:	Approved by:
Compiler:	Coenraad Venter	Ilse Venter
CCB – Nico Kriek		



Authorised
Copy

ORIGINAL
DOCUMENT
T

PROCEDURE FOR MOTHER PLANT OPERATIONS v2

Page 4 of 4

SOP No:	3-CUL-008	Effective Date:	2020-06-15
Revision No:	2	Supersedes:	1
Revise By:	2022-06-15		

DISTRIBUTION LIST OF STANDARD OPERATING PROCEDURES

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR TRANSPLANTING OPERATIONS v2

Page 1 of 6

SOP No:	3-CUL-009	Effective Date:	2020-06-15
Revision No:	2	Supersedes:	1
Revise By:	2022-06-15		

LIST OF ABBREVIATIONS

GAP	Good Agriculture Practice
GSP	Good Storage Practice
AR	Authorised Representative
SOP	Standard Operating Procedure

1. OBJECTIVE:

To develop and implement a facility with trained personnel to ensure all transplanting Operations will meet requirements and standards and that no operation will be performed without adherence to guidelines as set out by Good Agricultural Practices.

2. SCOPE:

This SOP explains the operations for transplanting of clones from a medicinal cannabis plant.

3. RESPONSIBILITY:

AR	Authorised Representative
FM	Facility Manager
HG	Head Grower

4. POLICY:

ILCO Farming will apply good agricultural practices for the transplanting of medicinal cannabis, as determined by the Department of Agriculture, Forestry and Fisheries (DAFF) for plants intended for human consumption, and Medicines Related Substances Act 101 of 1965 to ensure all processes involved with the plant process is adhered to. Transplanting your medicinal cannabis plants is when they have an established, sturdy root system in place. This is the case when the roots grow out of the bottom of the pot. The plant is ready to focus its energy on vegetative growth now, so it needs to be moved to a larger pot.

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter

**STANDARD OPERATING PROCEDURE****PROCEDURE FOR TRANSPLANTING OPERATIONS v2**

Page 2 of 6

SOP No:	3-CUL-009	Effective Date:	2020-06-15
Revision No:	2	Supersedes:	1
Revise By:	2022-06-15		

5. PROCEDURE:

5.1 Once the root zone has matured, a plant is ready to be transplanted into the 1 litre, 5 litre 10 litre or 25 litre plant bags.

5.2 Make sure the fertilizer or feed is mixed well and is pumped out of the irrigation system.

5.3 The Authorised Representative or head grower will transplant into their desired sized bag.

5.4 The working area will be cleaned and sanitised before proceeding to transplant.

5.5 Determine the number of clones to be transplanted.

5.6 Fill clean pots halfway with soil mixture consisting of cocopeat and perlite or as required by CCB.

5.7 Fill the bag 5cm from the top of the bag.






5.8 Create an opening 10cm deep into the mixture.

5.9 Gently place the clone into the hole and cover the root zone and the bottom of the stem with additional soil. Do not pack the soil; soil should be light and fluffy for the fastest root growth.

5.10 Fill with water until air bubbles are out.

5.11 Ensure each plant is labelled and logged, and the data recorded.

5.12 The plants will grow until they reach the required size for harvesting.

**5.1.10L Plant bags and roots ready for transplant****5.6. Cocopeat & Perlite Mixture**

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR TRANSPLANTING OPERATIONS v2

Page 3 of 6


SOP No:	3-CUL-009	Effective Date:	2020-06-15
Revision No:	2	Supersedes:	1
Revise By:	2022-06-15		

**5.7. Fill bag to 5cm
from the top**



5.9 Cover up clone

**5.8 Create an opening
10cm deep into
mixture**



**5.10 Fill with water
until all air bubbles
are out**

**5.9 Place clone in
opening**



5.12 Stages of growth

7. Attachments

Attachment 7.1 Sop Amendment History

Attachment 7.2 Distribution List of SOPs

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter