



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

Page 1 of 5

PROCEDURE FOR SAMPLING

SOP No:	4-FPH-017	Effective Date:	2020-06-05
Revision No:	2	Supersedes:	1
Revise By:	2022-06-05		

LIST OF ABBREVIATIONS:

AR	Authorised Representative
SOP	Standard Operating Procedures
CoA	Certificate of Analysis
ID Test	Identification Test

1. OBJECTIVE:

To ensure that medicinal cannabis products produced at the facility are sampled in a procedurally correct manner and sent for quality control testing. Retention samples are taken according to this procedure.

2. SCOPE:

This SOP provides the details on how to take samples from each batch of medicinal cannabis product produced at the facility.

3. RESPONSIBILITY:

AR	Authorised Representative
QAM	Quality Assurance Manager

4. POLICY:

Products produced are required to have representative samples taken from each batch in order to ensure that the quality control test results fairly represent the batch and that there is sufficient retention sample for future investigations when required.

5. PROCEDURE:

- 5.1 Each packed batch of medicinal cannabis product will be placed in the secondary quarantine area.
- 5.2 The QAM will take samples from each batch in their sampling area.
- 5.3 The quantity of sample taken will be recorded in the batch processing documentation.
- 5.4 The quantity will be specified by the contract test laboratory.

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE

Page 2 of 5

PROCEDURE FOR SAMPLING

SOP No:	4-FPH-017	Effective Date:	2020-06-05
Revision No:	2	Supersedes:	1
Revise By:	2022-06-05		

- 5.5 The sample will be labeled with the batch number, name of product, expiry date of product and company details.
- 5.6 The sample will be suitably packaged and transferred to the dispatch area prior to being collected or sent via courier to the contract laboratory for testing.
- 5.7 The retention sample will be labeled with the batch number, name of product and expiry date and placed in the retention store area.
- 5.8 The quantity of retention sample taken will be recorded in the batch processing record.
- 5.9 The quantity of retention samples taken will be equivalent to double the quantity required for quality control testing.
- 5.10 Samples taken will be according to a random sampling method.
- 5.11 Retention samples will be retained for a minimum of their shelf life plus one year after their expiry date

6. ATTACHMENTS:

Attachment 6.1 SOP Amendment History

Attachment 6.2 Distribution List of SOPs

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



Authorised
Copy

ORIGINAL
DOCUMENT
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR SAMPLING

Page 3 of 5

SOP No:	4-FPH-017
---------	-----------

Effective Date:	2020-06-05
-----------------	------------

Revision No:	2
--------------	---

Supersedes:	1
--------------------	----------

Revise By:	2022-06-05
------------	------------

Attachment 6.1

SOP AMENDMENT HISTORY

[illegible]

COPY NO:

Compiler:

Authorised by:

Approved by:

CCB – Nico Kriek

Coenraad Venter

Ilse Venter



Authorised
Copy

ORIGINAL
DOCUMENT
T

STANDARD OPERATING PROCEDURE

Page 4 of 5

PROCEDURE FOR SAMPLING

Effective Date:	2020-06-05
-----------------	------------

SOP No:	4-FPH-017
---------	-----------

Supersedes:	1
-------------	---

Revision No:	2
--------------	---

2

Revise By:	2022-06-05
------------	------------

2022-06-05

Attachment 6.2

DISTRIBUTION LIST OF STANDARD OPERATING PROCEDURES

[illegible]

COPY NO:

Compiler:

CCB – Nico Kriek

Authorised by:

Coenraad Venter

Approved by:

Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR SAMPLING

Page 5 of 5

SOP No:	4-FPH-017	Effective Date:	2020-06-05
Revision No:	2	Supersedes:	1
Revise By:	2022-06-05		

COPY NO:

Compiler:

CCB – Nico Kriek

Authorised by:

Coenraad Venter

Approved by:

Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR STABILITY STUDIES

Page 1 of 5

SOP No:	4-FPH-018	Effective Date:	2020-07-06
Revision No:	2	Supersedes:	1
Revise By:	2022-07-06		

ABBREVIATION:

AR	Authorised Representative
SOP	Standard Operating Procedure
QC	Quality Control
m	Months

1. OBJECTIVE:

To determine that the products produced by ILCO Farming remain within specifications under the labelled storage conditions over their shelf life.

2. RESPONSIBILITY:

AR	Authorised Representative
QAM	Quality Assurance Manager

3. SCOPE:

This SOP explains the procedure for stability studies to be performed by ILCO Farming or the contracted QC Laboratory.

4. POLICY:

This procedure shall be followed to determine the stability of products produced by ILCO Farming. The stability of each product will be monitored according to a continuous appropriate program that will detect any stability issue associated with the product in the specified packaging.

5. PROCEDURE:

5.1 The stability of a product will be determined by performing stability studies according to ICH guidelines and latest SAHPRA Stability Guidelines.

5.2 Stability studies shall be performed at accelerated and long-term conditions:

5.2.1 Accelerated: 40 ± 2 °C/ 75 $\pm$ 5% RH or 30 ± 2 °C/ 65 $\pm$ 5% RH

5.2.2 Long-term: 25 ± 2 °C/ 60 $\pm$ 5% RH.

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ile Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT
T**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR STABILITY STUDIES

Page 2 of 5

SOP No:	4-FPH-018	Effective Date:	2020-07-06
Revision No:	2	Supersedes:	1
Revise By:	2022-07-06		

5.3 Accelerated studies shall be performed for at least 6 months at $40 \pm 2^\circ\text{C}$ / $75 \pm 5\%$ RH or 12 months at $30 \pm 2^\circ\text{C}$ / $65 \pm 5\%$ RH.

5.4 Long term studies shall be performed until end of shelf-life at $25 \pm 2^\circ\text{C}$ / $60 \pm 5\%$.

5.5 At least two batches shall be tested and reported on in the primary stability studies.

5.6 A stability report will be compiled to support the shelf-life claimed.

5.7 On-going stability studies:

5.7.1 The shelf-life will be confirmed by placing at least one production batch per year, on on-going stability at long term conditions.

5.8 Comprehensive details for each batch selected to be put up on stability trials, include:

5.8.1 Product name and pack size

5.8.2 Batch number and expiry date

5.8.3 Quantity of units produced

5.8.4 Full description of the Packaging

5.8.5 Type of stability trial required: Initial/on-going; temperature and humidity requirements with length of trial required.

5.8.6 Record of the test intervals required for each stability trial - Initial/3m /6m/ 9m/ 12m /18m /24m.

5.8.7 Name of laboratory testing the sample. There will be a technical quality agreement in place with each contract laboratory.

5.9 The results from each test period will be received by the QAM.

5.10 The QAM will review each set of stability results received to ensure the results remain compliant with all specifications.

5.11 If an OOS result is reported, the QAM will:

5.11.1 Immediately quarantine the batch and notify customers.

5.11.2 Initiate an investigation and follow the SOP: 2-LEG-004 Procedure for Product Recall.

5.12 If an OOT result is reported, the QAM will:

5.12.1 Investigate a root cause following the SOP: 4-FPH-014 Procedure for Trend Analysis.

5.13 The results from each stability trial will be compiled into a report that will be approved by the AR.

6. ATTACHMENTS:

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ile Venter



Authorised
Copy

ORIGINAL
DOCUMENT
T

STANDARD OPERATING PROCEDURE

Page 3 of 5

PROCEDURE FOR STABILITY STUDIES

SOP No:	4-FPH-018
---------	-----------

Effective Date:	2020-07-06
-----------------	------------

Revision No:	2
--------------	---

Supersedes:	1
--------------------	----------

Revise By:	2022-07-06
------------	------------

Attachment 6.1 SOP Amendment History

Attachment 6.2 Distribution List of SOPs

Attachment 6.1

SOP AMENDMENT HISTORY

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ile Venter



Authorised
Copy

ORIGINAL
DOCUMENT
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR STABILITY STUDIES

Page 4 of 5

SOP No:	4-FPH-018	Effective Date:	2020-07-06
Revision No:	2	Supersedes:	1
Revise By:	2022-07-06		

Attachment 6.2

DISTRIBUTION LIST OF STANDARD OPERATING PROCEDURES

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ile Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR STABILITY STUDIES

Page 5 of 5

SOP No:	4-FPH-018	Effective Date:	2020-07-06
Revision No:	2	Supersedes:	1
Revise By:	2022-07-06		

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ile Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COLD CHAIN MANAGEMENT

Page 1 of 11

SOP No:	4-FPH-020	Effective Date:	2020-07-10
Revision No:	2	Supersedes:	1
Revise By:	2022-07-10		

LIST OF ABBREVIATIONS

AR	Authorised Representative
SOP	Standard Operating
OO Procedure	
T	Out of Trend

1. OBJECTIVE:

This SOP describes the processes to be followed for handling cold chain products at ILCO Farming.

2. SCOPE:

This SOP describes the process to be followed for cold chain management at ILCO Farming.

3. RESPONSIBILITY:

AR	Authorised Representative
FM	Facility Manager
QAM	Quality Assurance Manager

4. POLICY:

- 4.1 Cold chain goods requiring refrigeration storage must be stored at a temperature of between 2 – 8°C including transporting the goods. Goods that need to be frozen must be stored at -18°C or as specified on the product's label.
- 4.2 The refrigerator or freezer must be fitted with a temperature monitoring device (TMD) to record the actual temperature. When the temperature reaches alert levels, the alarm will be triggered.
- 4.3 The QAM is responsible for reviewing the data for compliance.
- 4.4 The refrigerator or freezer should be cleaned according to the correct guidelines stated under this procedure.
- 4.5 All cold chain parcels must be packed with a temperature strip included in the parcel.

5. PROCEDURE:

5.1. Temperature monitoring:

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT
T**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COLD CHAIN MANAGEMENT

Page 2 of 11

SOP No:	4-FPH-020	Effective Date:	2020-07-10
Revision No:	2	Supersedes:	1
Revise By:	2022-07-10		

- 5.1.1. The temperature of the refrigerator or freezer will be monitored using a calibrated electronic probe placed in the middle of the equipment.
- 5.1.2. This temperature will be recorded daily or monitored continuously. Any readings outside the temperature limits must immediately be reported to the AR, who must investigate and rectify the problem. Refer to SOP: 4-FPH-005 Procedure for Temperature and Humidity Deviations.
- 5.1.3. An electronic device sounds an audible alarm when the temperature moves outside of this range. An SMS is sent to the AR's phone in the event of an out of specification temperature reading.
- 5.1.4. Where to place temperature monitoring devices: All temperature recording devices will be placed as close to the product as possible for best recording and indications of temperature deviations.
- 5.1.5. All thermolabile products picked and packed into a cooler box in individual packaging will be surrounded with sufficient frozen ice packs in order to transport the goods to the Laboratory for testing if necessary.
- 5.1.6. All goods requiring a storage temperature between 2 – 8°C will be stored in the refrigerator, according to an organised system.
- 5.1.7. When receiving stock, the thermolabile stock will be checked and captured first and immediately placed in the fridge.

5.2. Shipping Thermolabile products:

- 5.2.1** Ice packs will be packed in such a manner that they do not come into direct contact with the goods in the icebox. Packaging material will be used to maintain the separation, e.g. shredded paper.
- 5.2.2** All ice boxes will contain a temperature strip.
Parcels will be placed in a cold box and clearly labelled as cold chain products.

5.3. Maintaining Cold Chain Management during transportation:

- 5.3.1 Cold chain management during the transportation process should not compromise the quality and integrity of the cannabis products and it should be done in accordance with applicable storage and transport conditions.
- 5.3.2 It is the responsibility of the Authorised Representative to ensure that temperature conditions are maintained within acceptable limits during transportation therefore ensuring that the medicinal cannabis products have not been exposed to conditions that may compromise their quality and integrity.

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COLD CHAIN MANAGEMENT

Page 3 of 11

SOP No:	4-FPH-020	Effective Date:	2020-07-10
Revision No:	2	Supersedes:	1
Revise By:	2022-07-10		

- 5.3.3 Any sign of the temperature appearing to go outside of the limits, the situation must be rectified by addition of new ice packs to maintain the temperature within the limits, or alternately the goods must be temporarily re-located to another ice box. At all times, the temperature will be monitored on-going.
- 5.3.4 If a deviation occurred during transportation, this should be reported to the AR and recipient of the affected medicinal products.
- 5.3.5 An incident report will be raised by the Authorised Representative of the deviation and corrective as well as preventative measures must be implemented. Refer to SOP: 4-FPH-005 Procedure for Temperature and Humidity Deviation.
- 5.3.6 The ice box will be opened only when absolutely necessary to maintain maximum cold within.
- 5.3.7 All records will be kept for the specified documentation retention period at the facility.
- 5.3.8 A temperature logger will be located in the delivery vehicle to ensure that the optimum temperature of 2 – 8°C inside the vehicle storage area is maintained during the delivery. A report is generated to establish whether the logger has gone out of specification during transportation. The AR will report any deviation and investigate accordingly.

5.4 Procedure in the event of a power failure:

- 5.4.1 In the event of a power failure, an electronic device sounds an audible alarm when the temperature moves outside of this range. The electronic device is coupled to a monitoring system and a message will be sent to the Authorised Representative and his/her deputy to notify them of the problem. The refrigerator will not be opened unless absolutely necessary, in order to maintain the correct temperature within.
- 5.4.2 If the fault cannot be rectified within a short space of time (a few hours), and the refrigerator temperature appears to be commencing to go out of the limits, the goods in the refrigerator will be placed in the backup refrigerator and if this equipment is also not working due to a power failure, place the goods in a cold box with ice packs, and the temperature monitored on-going.
- 5.4.3 Any sign of the temperature appearing to go outside of the limits, the situation will be rectified by addition of new ice packs to maintain the temperature within the limits, or alternately the goods will be temporarily re-located to another refrigerator. At all times, the temperature will be monitored on-going.
- 5.4.4 In the event of the refrigerator failing (not due to a power failure), a similar procedure to the above must be followed in principle.

NOTE: At this time, the refrigerator must be opened only when absolutely necessary to maintain maximum cold within, until the temperature commences to appear to be going

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COLD CHAIN MANAGEMENT

Page 4 of 11

SOP No:	4-FPH-020	Effective Date:	2020-07-10
Revision No:	2	Supersedes:	1
Revise By:	2022-07-10		

out of the limits, at which point goods will be transferred into a cold box and ice packs added or alternately be transferred to a new refrigerator.

- 5.4.5 The cold chain must be maintained when the refrigerator is cleaned. This can be done by means of the use of cooler boxes.

5.5 Procedure for backup fridge:

- 5.5.1 The fridge on ILCO Farming premises will be emptied out and washed with an antiseptic solution and wiped dry.
- 5.5.2 The fridge will be moved to the ILCO Farming facility to where the regular fridge is located.
- 5.5.3 The fridge will be connected to the socket and switched on.
- 5.5.4 The temperature monitors must be placed inside the back-up fridge in order to see when the temperature is at the right temperature (2°C – 8°C), before placing the products inside the back-up fridge.
- 5.5.5 Once the back-up fridge is at the correct temperature proceed to place the stock inside the back-up fridge. This should be done promptly in order for the temperature not to increase in such a manner that the temperature will rise inside the back-up fridge and damage the stock.
- 5.5.6 Maintenance on the routine fridge used in the ILCO Farming facility will be done immediately to rectify the problem.

5.6 Temperature monitoring procedure:

5.6.1 Weekly tasks:

- Electronic continuous monitoring: Print out or save electronically the weekly charts for all connected cold chain equipment in the facility. Where any excursions occurred, retrieve their Deviation Reports, and save these with the data. Ensure that the deviation has been concluded.

5.6.2 Monthly tasks:

- Hold a meeting to review the past month's temperature records.
- Identify any systematic temperature trends which may indicate cold chain equipment problems.
- Compile an OOT Report as per SOP: 4-LEG-014 Procedure for Trend Analysis.
- Discuss and agree any corrective action needed with the AR.

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COLD CHAIN MANAGEMENT

Page 5 of 11

SOP No:	4-FPH-020	Effective Date:	2020-07-10
Revision No:	2	Supersedes:	1
Revise By:	2022-07-10		

- Record results of the meeting on the monthly temperature review form and file the form in the monthly temperature record file.

5.6.3 End of year tasks:

- Start new files for the daily and weekly temperature records and for the monthly temperature review reports.
- Store all the previous year's temperature records and files as described in the monthly task.
- Prepare an annual storage temperature report based on the previous year's records.

5.7 Cleaning procedure:

5.7.1 The refrigerator will be cleaned once a month and recorded on a schedule.

5.7.2 The following procedure will be followed when the refrigerator is cleaned:

- The inside of the refrigerator will be cleaned with an appropriate antiseptic solution and wiped dry.
The door gasket will be cleaned, especially along the bottom edge on upright units.
- It will be determined whether the freezing compartment needs defrosting (more than 10 mm of ice on the evaporator) and be defrosted if necessary.
- The condenser coil on the back of the refrigerator will be cleaned and dust will be removed from the compressor.
- All cleaning performed will be reordered in the equipment cleaning log.

6. ATTACHMENTS:

Attachment 6.1 SOP Amendment History

Attachment 6.2 Distribution List of SOPs

Attachment 6.3 Refrigerator Temperature Log

Attachment 6.4 Refrigerator Cleaning Log

Attachment 6.5 Freezer Temperature Log

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COLD CHAIN MANAGEMENT

Page 6 of 11

SOP No:	4-FPH-020	Effective Date:	2020-07-10
Revision No:	2	Supersedes:	1
Revise By:	2022-07-10		

Attachment 6.1

SOP AMENDMENT HISTORY

VERSION NO:	SUPERSEDES:	EFFECTIVE DATE:	REASON FOR CHANGE:
1	N/A	2019-02-01	First Version
2	1	2020-07-10	Updated for Clarification

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



Authorised
Copy

ORIGINAL
DOCUMENT
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COLD CHAIN MANAGEMENT

Page 7 of 11

SOP No:	4-FPH-020	Effective Date:	2020-07-10
Revision No:	2	Supersedes:	1
Revise By:	2022-07-10		

Attachment 6.2

DISTRIBUTION LIST OF STANDARD OPERATING PROCEDURES

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COLD CHAIN MANAGEMENT

Page 8 of 11

SOP No:	4-FPH-020	Effective Date:	2020-07-10
Revision No:	2	Supersedes:	1
Revise By:	2022-07-10		

[illegible]

ATTACHMENT 6.3

REFRIGERATOR TEMPERATURE LOG

No:

MONTH / YEAR			THERMOMETER NO.:		CALIBRATION DATE:	
DATE	TEMPERATURE °C				CHECKED BY	
	SPECIFICATION:					
	MINIMUM		MAXIMUM			

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COLD CHAIN MANAGEMENT

Page 9 of 11

SOP No:	4-FPH-020	Effective Date:	2020-07-10
Revision No:	2	Supersedes:	1
Revise By:	2022-07-10		

ATTACHMENT 6.4

REFRIGERATOR CLEANING LOG

No:

Date/Time	Identity of Refrigerator Cleaned	Signature of Cleaner	Authorised Representative

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COLD CHAIN MANAGEMENT

Page 10 of 11

SOP No:	4-FPH-020	Effective Date:	2020-07-10
Revision No:	2	Supersedes:	1
Revise By:	2022-07-10		

ATTACHMENT 6.5

FREEZER TEMPERATURE LOG

No:

MONTH / YEAR		THERMOMETER NO.:		CALIBRATION DATE:	
DATE	TEMPERATURE °C			CHECKED BY	
	SPECIFICATION:				
	MINIMUM	MAXIMUM			

COPY NO:

Compiler:

CCB – Nico Kriek

Authorised by:

Coenraad Venter

Approved by:

Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COLD CHAIN MANAGEMENT

Page 11 of 11

SOP No:	4-FPH-020	Effective Date:	2020-07-10
Revision No:	2	Supersedes:	1
Revise By:	2022-07-10		

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR HANDLING DAMAGED OR REJECTED GOODS

Page 1 of 8

SOP No:	4-FPH-021	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

LIST OF ABBREVIATIONS

AR	Authorised Representative
SOP	Standard Operating Procedure
RTS	Return to Supplier
DRGR	Damaged and Rejected Goods Register

1. OBJECTIVE:

This SOP describes the process for dealing with damaged or rejected goods at ILCO Farming (Pty) Ltd.

2. SCOPE:

This SOP shall be implemented by all employees and contractors who handle products, including medicinal cannabis, at ILCO Farming (Pty) Ltd. This includes: receiving starting materials and components; receiving returned goods; processing and storage of medicinal cannabis products.

3. RESPONSIBILITY:

AR	Authorised Representative
FM	Facility Manager
QM	Quality Manager

4. POLICY:

Damaged goods received from suppliers must be labelled with a RTS sticker and placed in the Return to Supplier storage area. If damage has occurred during delivery, ILCO Farming (Pty) Ltd. will notify the supplier within 24 hours of delivery and request upliftment by the supplier.

When stock damages occur in the facility, they must be reported to the Authorised Representative who will decide whether damage can be rectified, or stock is to be labelled with a Reject sticker and placed in the Rejected Goods for Destruction area. Damaged and rejected goods must be stored in such a way that they do not cause potentially harmful effects or contamination.

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB-Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT
T**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR HANDLING DAMAGED OR REJECTED GOODS

Page 2 of 8

SOP No:	4-FPH-021	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

5. PROCEDURE:

- 5.1 All goods received must be checked for correctness of product ordered, quality, integrity of container and absence of contamination.
- 5.2 The AR will be informed and inspect the goods that do not conform and take a decision on their fate. If the delivery vehicle is from the supplier, the AR may communicate with the supplier and agree to immediately return the goods. Otherwise the goods will be labelled with a RTS sticker and will be placed in the RTS storage area.
- 5.3 Non-conforming stock must be received and captured onto the system and a credit must be passed for the goods.
- 5.4 The AR will notify the supplier within 24 hours of receipt of the damaged or non-conforming goods and request the supplier to uplift the goods.
- 5.5 Once authorisation is given by the supplier regarding the non-conforming product, the goods can be uplifted from ILCO Farming (Pty) Ltd.
- 5.6 Where ILCO Farming (Pty) Ltd. products are returned to the facility due to a non-conformance, these will be inspected by the AR and placed in the Receiving Quarantine area, appropriately labelled with a Quarantine sticker. The AR may initiate a root cause analysis investigation to determine the cause of the non-conformance. The AR may take a decision to reprocess the product or may decide to reject the product.
- 5.7 Where stock that has been delivered by ILCO Farming (Pty) Ltd. and damage has occurred during delivery and notification is given by the receiving party within 24 hours of delivery, the AR at ILCO Farming (Pty) Ltd. will initiate a root cause analysis investigation to determine the fate of the damaged product. The decision may be to request the receiving party to destroy the product and to provide proof of this destruction.
- 5.8 Where ILCO Farming (Pty) Ltd. decides to uplift the damaged stock, this stock will be inspected by the AR and placed in the Receiving Quarantine area, appropriately labelled with a Quarantine sticker. The AR may initiate a root cause analysis investigation to determine the extent of the damage. The AR may take a decision to reprocess the product or may decide to reject the product.
- 5.9 Stock damaged during in-house process activities must be reported to the AR who will decide whether damage can be rectified through a documented reprocessing procedure or may decide to reject the stock.
- 5.10 All goods found to be non-conforming during routine stock checks (damaged, expired, signs of contamination) will be labelled with a reject sticker and will be removed to the reject area for destruction.
- 5.11 The Rejected Goods area will be kept locked at all times with access only permitted by the AR.

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB-Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR HANDLING DAMAGED OR REJECTED GOODS

Page 3 of 8

SOP No:	4-FPH-021	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

- 5.12 Damaged and rejected goods must be stored in such a way that they are protected from contaminating the area.
- 5.13 The containers for damaged and non-conforming goods must be clearly marked as such, identifying the contents by indicating "For Destruction" or "Return to Supplier".
- 5.14 All damaged and rejected goods will be recorded in the Damaged and Rejected Goods Register (DRGR). The following information must be recorded:
- Date placed into the RTS area or Reject area
 - Product name, strength, pack size, batch number, expiry date where applicable
 - Reason for return to supplier or reason for the rejection
 - Invoice number or delivery note number where applicable
 - Medicinal product scheduling status where applicable
 - Quantity – include units
 - Date removed from RTS or Reject area and reason such as 'Uplifted by Supplier' or 'Uplifted by Destruction Company'
 - Date destroyed
 - Destruction certificate number
 - Entered into S6 Register where applicable: Yes / No / NA
 - AR signature and date
- 5.15 All necessary stock adjustments must be made for accounting purposes.
- 5.16 Personnel will collect the waste medicinal cannabis, generated during processing and handling of the medicinal cannabis products, in pre-weighed plastic bins, throughout the working day. This will be done in each room or area where medicinal cannabis is being processed.
- 5.17 The waste bins will be closed with a lid and labelled with the following details: Waste from Batch number; quantity; source of waste (the area waste was taken from) and removed to the Reject storage area, for destruction.
- 5.18 Rejected packaging components, including damaged packaging, such as labels and cartons, that have been pre-printed with the batch coding of a product, will be collected in plastic bags, throughout the work day. Each component will be defaced using a black permanent marker. A list of the contents of the bag will be compiled to include the type and quantity of each packaging component in each bag.
- 5.19 These will be sealed and removed from the processing area and stored in the Reject storage area, for destruction.
- 5.20 Where the printed packaging components, including package inserts or patient information leaflets, have not been batch coded, these will be defaced using a black permanent marker and collected in plastic bags and removed to the Reject storage area, for destruction by shredding and may be re-cycled.

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB-Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR HANDLING DAMAGED OR REJECTED GOODS

Page 4 of 8

SOP No:	4-FPH-021	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

5.21 Unprinted packaging components such as glass or plastic containers, may be placed in plastic bags, in a safe manner to prevent accidents, and may be sent for recycling.

5.22 ILCO Farming (Pty) Ltd. will arrange for destruction of identified product as per
SOP: 4-FPH-039 Procedure for Rejected Goods for Destruction.

6. ATTACHMENTS:

Attachment 6.1 SOP Amendment History

Attachment 6.2 Distribution List of SOPs

Attachment 6.3 Damaged and Rejected Goods Register

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB-Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR HANDLING DAMAGED OR REJECTED GOODS

Page 5 of 8

SOP No:	4-FPH-021	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

Attachment 6.1

SOP AMENDMENT HISTORY

VERSION NO:	SUPERSEDES:	EFFECTIVE DATE:	REASON FOR CHANGE:
1	N/A	2019-02-01	First Version
2	1	2020-05-15	Clarified processes and updated register

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB-Nico Kriek	Coenraad Venter	Ilse Venter



Authorised
Copy

ORIGINAL
DOCUMENT
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR HANDLING DAMAGED OR REJECTED GOODS

Page 6 of 8

SOP No:	4-FPH-021	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

VERSION NO:	SUPERSEDES:	EFFECTIVE DATE:	REASON FOR CHANGE:

Attachment 6.2

DISTRIBUTION LIST OF STANDARD OPERATING PROCEDURES

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB-Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR HANDLING DAMAGED OR REJECTED GOODS

Page 7 of 8

SOP No:	4-FPH-021	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

ATTACHMENT 6.3

DAMAGED OR REJECTED GOODS REGISTER

DATE PLACED IN RTS OR REJECT AREA:			
PRODUCT NAME, PACK SIZE, STRENGTH, BATCH NUMBER, EXPIRY DATE:			
REASON FOR RETURN OR REJECTION:			
INVOICE NO. OR DELIVERY NOTE NO.:			
SCHEDULING STATUS:			
QUANTITY (UNITS):			
DATE REMOVED FROM AREA AND REASON:			
DESTRUCTION DATE:			
DESTRUCTION CERTIFICATE NUMBER:			
ENTERED IN S6 REGISTER:	YES	NO	NOT APPLICABLE

COPY NO:

Compiler:

CCB-Nico Kriek

Authorised by:

Coenraad Venter

Approved by:

Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR HANDLING DAMAGED OR REJECTED GOODS

Page 8 of 8

SOP No:	4-FPH-021	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

AR SIGNATURE AND DATE:	
------------------------	--

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB-Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR CONTROLLING OF EXPIRY DATES IN RELEASED GOODS AREA v2

Page 1 of 5

SOP No:	4-FPH-024	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

LIST OF ABBREVIATIONS

AR Authorised Representative
SOP Standard Operating Procedure

1. OBJECTIVE:

To ensure that all stock is procedurally correctly handled with regards to the expiry dates.

2. SCOPE:

The scope of this SOP covers all finished medicinal cannabis products, each with an expiry date applied to their packaging.

3. RESPONSIBILITY:

AR Authorised Representative
FM Facility Manager
QAM Quality Assurance Manager

4. POLICY:

No expired stock must be stored in the Finished Product access-controlled room. All stock with short expiry dates (within two months) must be removed from the shelves and placed in the Rejected Goods area. It is the responsibility of the AR to determine the fate of the expired units. This may be destruction or reprocessing, as documented following the applicable SOPs.

5. PROCEDURE:

5.1 The FM will check through all the stock on the shelves in the Finished Product storage room on a monthly basis.

5.2 Any short-dated stock (within two months of expiry date) as well as expired stock will be removed from the shelves and transferred into the Rejected Goods area.

5.3 The SOP: 4-FPH-021 Procedure for Handling Damaged or Rejected Goods will be followed.

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB-Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR CONTROLLING OF EXPIRY DATES IN RELEASED GOODS AREA v2

Page 2 of 5

SOP No:	4-FPH-024	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

5.4 The AR may consider proposing a reprocessing, following the SOP: 4-FPH-040 Procedure for Reprocessing.

5.5 The inventory records will be updated to reflect the final status of each unit.

6. **ATTACHMENT:**

Attachment 6.1 SOP Amendment History

Attachment 6.2 Distribution List of SOPs

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB-Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR CONTROLLING OF EXPIRY DATES IN RELEASED GOODS AREA v2

Page 3 of 5

SOP No:	4-FPH-024	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

Attachment 6.1

SOP AMENDMENT HISTORY

VERSION NO:	SUPERSEDES:	EFFECTIVE DATE:	REASON FOR CHANGE:
1	N/A	2019-02-01	First Version
2	1	2020-06-17	Updated for process clarification

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB-Nico Kriek	Coenraad Venter	Ilse Venter



Authorised
Copy

ORIGINAL
DOCUMENT
T

PROCEDURE FOR CONTROLLING OF EXPIRY DATES IN RELEASED GOODS AREA v2

Page 4 of 5

SOP No:	4-FPH-024	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

VERSION NO:	SUPERSEDES:	EFFECTIVE DATE:	REASON FOR CHANGE:

DISTRIBUTION LIST OF STANDARD OPERATING PROCEDURES

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB-Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR CONTROLLING OF EXPIRY DATES IN RELEASED GOODS AREA v2

Page 5 of 5

SOP No:	4-FPH-024	Effective Date:	2021-04-01
Revision No:	2	Supersedes:	1
Revise By:	2023-04-01		

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB-Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE

Page 1 of 6

PROCEDURE FOR CONTROL OF STATUS LABELS v2

SOP No:	4-FPH-025	Effective Date:	2020-06-22
Revision No:	2	Supersedes:	1
Revise By:	2022-06-22		

LIST OF ABBREVIATIONS

FM	Facility Manager
AR	Authorised Representative
S6	Schedule 6
SOP	Standard Operating Procedure
RTS	Return to Supplier

1. OBJECTIVE:

To ensure that the status labels are correctly applied to all stock and areas within the facility.

2. SCOPE:

This SOP sets out the process to follow when labelling goods that are received by the facility, goods that are produced and stored by the facility as well as visual status labelling of areas within the facility.

3. RESPONSIBILITY:

AR	Authorised Representative
FM	Facility Manager

4. POLICY

The status labels will be issued by the AR or designated person. No unauthorised persons are allowed to issue these labels. The issue of the status labels is controlled to assure that the correct status label is attached to the relevant product or area.

ILCO Farming will follow a colour-coding system for product status labels:

- Quarantine (Yellow)
- Approved/released (Green).
- Rejected (red)
- S6 (white)
- Sampled (blue)

COPY NO:	Authorised by:	Approved by:
Compiler:	Coenraad Venter	Ilse Venter
CCB – Nico Kriek		



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR CONTROL OF STATUS LABELS v2

Page 2 of 6

SOP No:	4-FPH-025	Effective Date:	2020-06-22
Revision No:	2	Supersedes:	1
Revise By:	2022-06-22		

Status labelling of processing areas will be performed using a signage system to indicate clearly what process is being performed at all times.

5. PROCEDURE:

- 5.1** Starting materials such as medicinal cannabis seeds, chemicals, nutrients and equipment required for the cultivation area and processing and packaging equipment required by the processing area, will be labelled with a quarantine sticker on arrival in Goods Receiving.
- 5.2** The stock will be placed in the quarantine store.
- 5.3** The label will include the following details:
- Name of product
 - Batch number/goods receiving number
 - Expiry date - where applicable
- 5.4** The seeds will be stored in the access-controlled storage area for medicinal cannabis seeds.
- 5.5** Following the review and approval for use of each item, the QAM or designee, will place an Approved label on each item and move the stock to the approved area for use. The QAM will draw a line across the quarantine sticker and will leave it on the item.
- 5.6** Rejected items will have a reject label attached and will be moved to the RTS area or to the reject area for destruction. The QAM will draw a line across the quarantine label and will leave it on the item.
- 5.7** Each room in the processing facility will have a status label affixed to the door or the wall.
- 5.8** The areas included in this requirement are the following:
- Drying room/s
 - Trimming and processing room/s
 - Curing room/s
 - Weighing in packaging room
- 5.9** The status label will reflect the following details:
- Date
 - Current activity being performed, such as -
 - cleaning in process
 - to be cleaned
 - activity in process- Drying/trimming and processing/curing/weighing or packing
 - Name of product
 - Batch number of product-
 - previous name and badge number of product to be specified between products

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR CONTROL OF STATUS LABELS v2

Page 3 of 6

SOP No:	4-FPH-025	Effective Date:	2020-06-22
Revision No:	2	Supersedes:	1
Revise By:	2022-06-22		

when the room is in the cleaning status.

5.10 The QAM and FM will check the accuracy of the status labels for each room at the start of each day and periodically throughout each day as well as at the end of each day.

5.11 The QAM will remove obsolete status labels from the facility and deface them before shredding them.

6. ATTACHMENTS:

Attachment 6.1 SOP Amendment History

Attachment 6.2 Distribution List of SOPs

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR CONTROL OF STATUS LABELS v2

Page 4 of 6

SOP No:	4-FPH-025	Effective Date:	2020-06-22
Revision No:	2	Supersedes:	1
Revise By:	2022-06-22		

Attachment 6.1

SOP AMENDMENT HISTORY

VERSION NO:	SUPERSEDES:	EFFECTIVE DATE:	REASON FOR CHANGE:
1	N/A	2019-02-01	First Version
2	1	2020-06-22	Updated process clarification

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ORIGINAL
DOCUMENT
T

PROCEDURE FOR CONTROL OF STATUS LABELS v2

Page 5 of 6

SOP No:	4-FPH-025	Effective Date:	2020-06-22
Revision No:	2	Supersedes:	1
Revise By:	2022-06-22		

DISTRIBUTION LIST OF STANDARD OPERATING PROCEDURES

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR CONTROL OF STATUS LABELS v2

Page 6 of 6

SOP No:	4-FPH-025	Effective Date:	2020-06-22
Revision No:	2	Supersedes:	1
Revise By:	2022-06-22		

COPY NO:

Compiler:

CCB – Nico Kriek

Authorised by:

Coenraad Venter

Approved by:

Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR GOODS IN QUARANTINE v2

Page 1 of 7

SOP No:	4-FPH-027	Effective Date:	2020-06-17
Revision No:	2	Supersedes:	1
Revise By:	2022-06-17		

LIST OF ABBREVIATIONS

AR	Authorised Representative
SOP	Standard Operating Procedure
COA	Certificate of Analysis
QAM	Quality Assurance Manager

1. OBJECTIVE:

This SOP describes the process for the control of goods in the quarantine areas at ILCO Farming.

2. SCOPE:

This SOP describes the activities required when placing items in quarantine at ILCO Farming (Pty) Ltd in the primary and the secondary quarantine areas.

3. RESPONSIBILITY:

AR	Authorised Representative
FM	Facility Manager
QAM	Quality Assurance Manager

4. POLICY:

The Quarantine areas must be clearly labelled, separate storage areas within the facility. Received stock will be moved from the receiving area to the quarantine area and labelled. All stock in the quarantine area must be recorded and must be signed off by the AR or designated person responsible for the area. The packed finished medicinal cannabis products will be moved from the weighing and packing room, to the secondary quarantine access-controlled room, where they are stored while quality control testing is performed. The AR will authorise the movement of approved batches to the secure finished product storage area upon receipt of a valid COA.

COPY NO:		
Compiler:	Authorised by:	Approved by:
CCB – Nico Kriek	Coenraad Venter	Ilse Venter