



ILCO
FARMING

Authorised
Copy

STANDARD OPERATING PROCEDURE

Page 13 of 15

PROCEDURE FOR CREATION OF QUALITY MANUAL

SOP No: 2-LEG-016

Effective Date: 2020-09-02

Revision No: 2

Supersedes: 1

Revise By: 2022-09-02

10G	25	Qualification File (shipping containers/ Refrigerated Road Vehicles)
10H	26	Transport Validation
11A	27	Change Control File
12A	28	Self-Inspection Audit File
13A	29	Computer Validation File
14A	30	Cyclical Stock Count File
15A	31	Adverse Drug Event File
16A	32	Returned Goods File
17A	33	Site Master File and Master Plans
18A	34	Seed Register
19A	35	Lab Test Results
20A	36	Specified S6 File
21A	37	AR/RP Staff File
21A	38	Deputy AR/RP Staff File
21A	39	Processing Manager
21A	40	Processing Staff (Picker, Packer, Receiving and Dispatch
21A	41	Cleaner
21A	42	Driver
21A	43	Cultivation Manager
21A	44	Propagation and Bloom Assistant
22A	45	Vegetation and Flowering Assistant
22A	46	Trimming and Drying
22A	47	Curing and Packaging

Attachment 5.3

SOP AMENDMENT HISTORY

VERSION NO:	SUPERSEDES:	EFFECTIVE DATE:	REASON FOR CHANGE:
-------------	-------------	-----------------	--------------------

COPY NO:	Authorised by:	Approved by:
Compiler:	Coenraad Venter	Ilse Venter
Nico Kriek		



Authorised
Copy

STANDARD OPERATING PROCEDURE

PROCEDURE FOR CREATION OF QUALITY MANUAL

Page 15 of 15

SOP No:	2-LEG-016	Effective Date:	2020-09-02
Revision No:	2	Supersedes:	1
Revise By:	2022-09-02		

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR VALIDATION MASTER PLAN

Page 1 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

TABLE OF CONTENTS

1.	Overview and Introduction	3
2.	Validation Philosophy and Company Approach	4
3.	Scope – Including Risk Management	6
4.	Validation Team and Responsibilities	6
4.1	Team composition	
4.2	Validation Team Responsibilities	
5.	Facility Description – Includes	7
5.1	Physical Description of Rooms	
5.2	Process Description	
5.3	Product Description	
6.	Equipment to be Qualified	9
6.1	List of Equipment	
6.2	Processes to be Validated	
7.	Documentation format	9
8.	Validation Schedule	11
9.	Support Programs and Risk Management for Handling of Reasonable Unwanted Incidents	12
9.1	Computer and Backup Services	

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR VALIDATION MASTER PLAN

Page 2 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

- 9.2 Power and Loss of Electricity
- 9.3 Pest Control
- 9.4 Fire and Fire Protection
- 9.5 Flooding
- 9.6 Security

10. Attachments	12
10.1 SOP Amendment History	13
10.2 Distribution list of SOPs	14

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR VALIDATION MASTER PLAN

Page 3 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

Overview

(To be taken from SME)

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR VALIDATION MASTER PLAN

Page 4 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

1. Introduction

The facility houses the following functions:

- 1.1 Quality Assurance
- 1.2 Production / Operations
- 1.3 Quality Control
- 1.4 Storage and Distribution
- 1.5 Technical and Engineering support
- 1.6 Human Resources
- 1.7 Regulatory

Testing processes are performed by contract sites according to the Supply Agreement and/or Technical Quality Agreement between ILCO Farming, as the Contract Giver, and the Contract Acceptor.

2. Validation Philosophy and Company Approach

- 2.1 The Validation Master Plan (VMP) provides a comprehensive document describing the applicable validation requirements for both ILCO Farming personnel and for the Contract Acceptor Sites to ILCO Farming. The documents include responsibilities regarding the processes whereby they ensure that these sites meet all requirements.

The advantages of the VMP include:

- Providing products that consistently meet their predetermined quality attributes
- Minimising of non-compliant processes
- Reduction in rejection
- Avoidance of recalls

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR VALIDATION MASTER PLAN

Page 5 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

- Meeting of current GACP, GMP and Regulatory requirements

2.2 The site will consider using 2 types of Process Validation:
Prospective Validation – for new processes and equipment
Concurrent Validation – for existing processes and equipment
This will ensure that ILCO Farming, South Africa releases medical cannabis products that are safe, effective and of compliant quality.
All new or existing equipment will be prioritised for qualification or validations. The level of the revalidation and requalification will be determined. In-house SOPs are in place and all personnel will be trained on the necessary SOPs in the respective departments.

2.3 All identified equipment at ILCO Farming (Pty) Ltd that is identified to be validated or needs qualification will be evaluated on the following:

- Criteria 1: GSP regulatory standards and recommendations.
- Criteria 2: Impact of Failure on public health and the usage of equipment and criticality thereof.
- Criteria 3: Safety and Impact of the breakdown of equipment in the process.

2.3.1 The final decision of validation/qualification if required or not shall be based on above evaluation.

2.3.2 The qualification/validation form on the equipment or process to be qualified/validated will then be completed. The form shall be approved by the concerned department head and QA head.

2.3.3. Once the equipment/instrument is decided to be qualified then its qualification priority level shall be determined as follows:

- Level 1: Equipment/instrument used for critical process e.g. provision of environmental conditions or to provide clean air, water or controlled environment for cultivation and processing; equipment required for testing of critical quality parameters of products.
- Level 2: Equipment used for the simple and less complex processes such as packaging and used as equipment with level 1 equipment or instruments, which are used for physical parameters and for which calibration is enough to ensure its performance.

2.3.4 All newly purchased level 1 equipment/instruments shall be qualified/validated before use and level 2 equipment/instruments shall be calibrated before use.

2.4 The designated person from QA shall prepare qualification/validation plans for every year for the site.

2.5 Qualification/validation plans shall be maintained with a VMP (Validation Master Plan).

2.6 Requalification of existing equipment/instrument:

2.6.1 If there is any major change in the existing system/ equipment or change in its operational

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter

**STANDARD OPERATING PROCEDURE****PROCEDURE FOR VALIDATION MASTER PLAN**

Page 6 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

range, the respective equipment shall be qualified as per the scope of change and approved Standard Operating Procedure.

2.6.2 Analytical instruments irrespective shall be qualified in case of major changes. However, calibration shall be performed as per pre-defined frequency and SOP.

2.6.3 A requalification schedule shall be maintained.

2.7 Periodic performance checks (Revalidation):

2.7.1 Some of the equipment/systems shall be periodically checked for their performance. Based on these performance checks, a plan shall be prepared by QA and the AR.

2.7.2 All the documents related to validation and qualification shall be retained by QA.

2.8 In terms of consideration for revalidation, the results from equipment and processes will be assessed for trends, according to **SOP 4-FPH-014: Procedure for Trend Analysis**.

2.9 Where an out-of-trend conclusion is agreed, this equipment or process may be considered for revalidation and added to the Validation Schedule accordingly.

2.10 The following incidents will initiate a revalidation:

Major repairs to equipment

Movement of equipment to a different location

Change in formulation or process

Change in equipment processing type using new equipment.

2.11 Each piece of equipment that measures and records parameters, stand-alone or as part of a piece of equipment, will be calibrated at least annually, by an external service provider

2.12 Prior to any batch being released for sale, the Quality Lead and AR will review all batch processing documentation, batch packing documentation and quality control test results documentation. They will follow **SOP 4-FPH-015: Procedure for final product release**.

3. Scope

3.1 This VMP is applicable for the ILCO Farming, South Africa facility who will refer to it to ensure compliance at their site.

3.2 The scope covers Validation aspects required at this site, including:

Utilities – HVAC; water systems; compressed air; boiler; chiller; electrical power; generator

Environmental systems- airconditioners; pest control

Equipment – DQ / IQ / OQ / PQ; revalidation; requalification

Instruments – used for quality control

Process – required on three consecutive batches initially

Cleaning – criteria include solubility, potency, equipment grouping and cleaning procedure

Analytical Methods - at contract site

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR VALIDATION MASTER PLAN

Page 7 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

Computer / Software systems – including security monitoring systems and batch tracking systems

3.3 Risk Management

3.3.1 The objective of the risk management is to identify different risks involved in specific areas exposed to validation and to evaluate the impact of the risk on quality of the product as well as the corrective action and preventative action for the management of the risk.

3.3.2 ILCO Farming (Pty) Ltd. will introduce a Quality Risk Management process before conducting qualification and validation processes.

3.3.3 The site will follow **SOP 4-FPH-004: Procedure for Quality Risk Management**.

4. Validation Team and Responsibilities

4.1 The team will include members as follows:

- 4.1.1 Authorised Representative
- 4.1.2 Quality Representative
- 4.1.3 Engineering and Maintenance Representatives
- 4.1.4 Cultivation Representative

4.2 Validation Team Responsibilities:

- 4.2.1 Validation is a team effort that requires the involvement of all personnel involved at the site.
- 4.2.2 The ILCO Farming Quality Assurance Department will ensure that Process Validation Protocols (PVP) are compiled by the QA representative and by Contract Acceptors when required and will ensure review and receipt of the final Process Validation Reports (PVR). Quality Assurance will review and document all records.
- 4.2.3 Validation aspects that are required to be performed by Contract Acceptor sites will be reviewed by ILCO Farming using the following procedures:
 - 4.2.3.1 ILCO Farming Quality Assurance will review equipment validation results to ensure compliance.
 - 4.2.3.2 ILCO Farming Quality Assurance will review and provide final approval for all Change Controls needed.
 - 4.2.3.3 ILCO Farming Quality Assurance will review and provide a final conclusion comment on all product validation results in order to confirm that the manufacturing processes of each product maintain a state of control.
- 4.2.4 Validation of analytical methods:
 - 4.2.4.1 Analytical test methods will be validated, and this information will be supplied by the Contract site

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE			
PROCEDURE FOR VALIDATION MASTER PLAN			Page 8 of 16
SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

4.2.4.2 ILCO Farming Quality Assurance will ensure that this data is available at each Contract Laboratory.

4.2.4.3 The laboratory will test the batches according to these test methods. All test parameters must be met before ILCO Farming Quality Assurance accept the results provided by this Contract Laboratory.

5. Facility Description

5.1 Physical Description – The cultivation and processing areas consist of a cultivation area and an indoor processing area with the following rooms:

- Materials of Construction [Site specific information required here]
- List of rooms [Site specific information required here]

5.2 Process description:

Validation is conducted at the critical stages of the production process that might significantly affect the finished product. This will ensure the consistency of the product manufacturing process. Critical stages of

the process are defined as follows:

- Germination stage
- Seedling / cloning stage
- Vegetative stage
- Flowering stage
- Harvesting
- Drying and curing
- Packaging

5.3 Product description:

- ILCO Farming (Pty) Ltd will be producing both THC and CBD dominant strains. The types of seeds available, all with a high level of THC content, include but are not limited to Black Widow, Afghan Kush, Kilimanjaro, Durban Poison and other such varieties. [Site specific information required here]

6. Equipment to be qualified

6.1 The following equipment will be used at the premises of ILCO Farming (Pty) Ltd:

- Airconditioners
- Purified reverse-osmosis water system
- Scale (Balance)
- Temperature and humidity data loggers
- Computer systems
- Biometric controls

6.2 Processes to be validated:

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter

**STANDARD OPERATING PROCEDURE****PROCEDURE FOR VALIDATION MASTER PLAN**

Page 9 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

- Germination stage
- Seedling / cloning stage
- Vegetative stage
- Flowering stage
- Harvesting
- Drying and curing
- Packaging

7. Documentation Format

7.1 ILCO Farming has implemented a document system aligned to good documentation practice and this includes:

- Separate compiler, reviewer and approver personnel responsibilities for master documentation
- Identification by unique numbering systems on master documentation
- Version control
- Obsolete and superseding processes documents

7.2 Records will be controlled to ensure identification, storage, protection, retention, and disposal. Records will be retained as follows:

- Production and QC records – 10 years
- Financial records – 5 years
- All other records – minimum 1 year

7.3 Documents and records will be stored in hard and soft copy formats. Hard copies will be protected in lever arch files and stored in an access-controlled room. Soft copies will be stored on a password-protected computer on a virtual server. Documents and records may be communicated to interested parties upon request with approval by the AR. These interested parties may include but are not limited to the SAHPRA and DAFF.

7.4 All production-related documents, including Quality Assurance (QA), Quality Control (QC), and other process-related operations that require an SOP with a Master Batch Record (MBR) are securely stored. Their circulation is controlled by the Human Resources (HR) department and originals are stored until the next revision is issued. The site follows a well-defined system of document control. There is an approved procedure which explains the system of document preparation, including document revision, distribution, storage, and destruction of the obsolete versions. The procedure details the format of the document and how documents should be prepared to maintain uniformity and ease of use.

7.5 Each document will have a unique title and document number, with the revision level and the date of next review identified on all documents. Master copies of all documents are maintained by the site's Quality Assurance (QA) department.

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter

**STANDARD OPERATING PROCEDURE****PROCEDURE FOR VALIDATION MASTER PLAN**

Page 10 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

- 7.6 Procedures are reviewed at specified periods and when a document is revised, the master copy is retained as an obsolete copy and the other working copies are collected from other departments and destroyed by the QA Head. The QA manager is responsible for the distribution of controlled documents whereby newly released documents are signed for by the receiving department head and an overview of active records is maintained.
- 7.7 Specifications for raw materials, packing materials, intermediates and finished products are prepared by the Quality Control (QC) manager, checked by the head of QA, and finally, authorized by the Operations Manager in conjunction with the AR's written approval.
- 7.8 Production process documentation starts with raw material and ends with the finished product. All information will be recorded in the Manufacturing Batch Record (MBR) document.
- 7.9 At a minimum, the MBR contains:
- 7.9.1 Material Requisition
 - Raw material
 - Packaging
 - Weight of raw material issued
 - 7.9.2 Processing MBR
 - Bulk production order
 - Processing procedure
 - Processing instruction
 - 7.9.3 Packaging MBR
 - Packaging material
 - Packaging material order
 - Packaging procedure
 - Packaging instruction
 - 7.9.4 Packaging Material Reconciliation
 - 7.9.5 Finished Product Reconciliation.
 - 7.9.6 Data yielded on production process implementation, such as processing data, inspection data, the inspection process, and environment conditions (including room temperature, relative humidity, and air control), are recorded in the MBR.
- 7.10 The following documents will also be utilized by the facility and will be updated and maintained on site:
- Material Safety Data Sheets
 - Standard Operating Procedures
 - Manuals
 - Training Materials
 - Production Logs
 - Financial Logs
 - Personnel records

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR VALIDATION MASTER PLAN

Page 11 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

7.11 All Quality Control Procedures, Quality Assurance and Good Document Practice standards will be managed by ILCO Farming Quality Management System that includes but is not limited to:

- Product quality documentation
- Specifications for disposables and for cleaning materials
- Standard Operating Procedures
- Equipment specifications
- Quality Control procedures
- Training procedures
- Computer program specifications
- Documentation control of process deviations
- Calibration and test documents
- Validation documents
- Reconciliation of batches of raw materials and major packaging components (product contact and printed materials)

8. Validation Schedule

8.1 The site will compile a Validation Schedule of activities required to be performed each year.

9. Support Programs (CCB to customize with client)

9.1 Computers:

- 9.1.1 Backup of data is performed on a routine basis with monthly full backup and daily backup. Backup tapes are stored off-site or a cloud-based storage procedure is followed.
- 9.1.2 Server Data Protection: ILCO Farming (Pty) Ltd. servers are all equipped with systems designed to protect against and to ensure business continuity in the event of a disk drive failure. Such systems are in line with internationally accepted standards.

9.2 Power:

- 9.2.1 Our essential systems are fed power via a generator. This means that mains power is filtered through this unit which regulates the voltages and current passing through. In the event of a mains failure the generator can continue to supply power to the essential equipment for 72 hours.
- 9.2.2 Our generator is equipped with an AMF (Automatic Mains Failure) panel. Once a mains failure

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE			
PROCEDURE FOR VALIDATION MASTER PLAN			Page 12 of 16
SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

has been detected the generator automatically starts and then supplies power to the system. This means that the batteries are recharged from the generator. Once mains power is restored the generator will automatically shut off.

The generator typically has a start time of less than 20 seconds and is operational and is generating power within 60 seconds of a failure. Under normal load the generator has sufficient diesel to operate for approximately 72 hours continuously.

- 9.2.3. The generator is tested bi-monthly. Mains power failures (where the generator is used or where a failure or warning regarding the generator is detected) will automatically generate warning emails to the responsible management personnel.

9.3 Pest Control:

- 9.3.1 ILCO Farming (Pty) Ltd. contacts with a service provider to ensure that rodent and pest protection to the facility and contents is provided. The service provider performs 12 visits per annum, to assess the effectiveness of their services. A monthly report is provided which details and findings, and this is reviewed by personnel from Cannabis Compliance Bureau (Pty) Ltd.

9.4 Fire Extinguishers:

- 9.4.1 These are provided in specific areas and are serviced annually by a contract service provider. Each area is also equipped with a fire hose.
- 9.4.2 ILCO Farming (Pty) Ltd. Quality Assurance review the reports for compliance with this service.
- 9.4.3 Fire protection:
All areas of the building are equipped with smoke detectors linked to a 24/7 monitored alarm system. This alarm system has its own battery backup and is connected via the system to ensure maximum length of operation in the event of an incident.

9.5 Flooding:

- 9.5.1 Flooding has been avoided based on compliant design and layout of the facility. Where flooding / water intrusion has been detected, ILCO Farming (Pty) Ltd., have contingency arrangements for the removal of any excess water and the use of de-humidifiers to ensure that any documents stored in affected areas are protected and preserved.

9.6 Security:

- 9.6.1 ILCO Farming (Pty) Ltd. has a comprehensive Security Master Plan in place,

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**

STANDARD OPERATING PROCEDURE

PROCEDURE FOR VALIDATION MASTER PLAN

Page 13 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

supported by a set of Security SOPs.

9.6.2 Members of the Quality Assurance Department have access to the Security logs or electronic

registers, for review purposes to ensure compliant activities on site, in terms of personnel access to specific areas.

9.6.3 Members of the Quality Assurance Department have access to the alarmed Finished product

safe for product reviews and reconciliation activities. Any discrepancies or non-conformances will be escalated to the AR immediately.

10. Attachments

10.1 SOP Amendment History

10.2 Distribution List of SOPs

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ORIGINAL
DOCUMENT
T

Page 14 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

Attachment 10.1

SOP AMENDMENT HISTORY

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



Authorised
Copy

ORIGINAL
DOCUMENT
T

PROCEDURE FOR VALIDATION MASTER PLAN

Page 15 of 16

tachment 10.2

DISTRIBUTION LIST OF STANDARD OPERATING PROCEDURES

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR VALIDATION MASTER PLAN

Page 16 of 16

SOP No:	2-LEG-017	Effective Date:	2020-06-08
Revision No:	2	Supersedes:	1
Revise By:	2022-06-08		

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COVID-19 RISK ADJUSTED STRATEGY

Page 1 of 6

SOP No:	2-LEG-018	Effective Date:	2020-06-04
Revision No:	1	Supersedes:	N/A
Revise By:	2022-06-04		

LIST OF ABBREVIATIONS

GAP	Good Agricultural Practice
GSP	Good Storage Practice
AR	Authorised Representative
SOP	Standard Operating Procedure
COVID-19	Coronavirus
NDOH	National Department of Health

1. OBJECTIVE:

To ensure that all health and safety protocols are in place and preventative measures are taken when dealing with COVID-19 in the workplace.

2. SCOPE:

This SOP explains the process to be followed regarding documentation, social distancing, sanitation, hygiene and use of PPE in the workplace.

3. RESPONSIBILITY:

AR	Authorised Representative
AS	All Staff

4. POLICY:

To provide details on how to comply with the requirements stipulated by the NDOH.

5. PROCEDURE:

- 5.1 Ensure your mask is always on before entering the perimeter of the facility.
- 5.2 On arrival at main security gate, security contractor will screen your temperature with an infrared temperature probe.
- 5.3 If temperature exceeds 37.2 °C, employee will immediately be refused entry.
- 5.4 The application of hand sanitizer, at a minimum concentration of 70% alcohol, must be applied.
- 5.5 After temperature screening visitors/employees will be required to sanitize, employees/visitors will be required to give all relevant information, pertaining to them in the COVID-19 attendance register.

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COVID-19 RISK ADJUSTED STRATEGY

Page 2 of 6

SOP No:	2-LEG-018	Effective Date:	2020-06-04
Revision No:	1	Supersedes:	N/A
Revise By:	2022-06-04		

- Name
- ID Number
- Cell number
- Date
- Address
- Time in
- Temperature
- Time out

- 5.6 After relevant register has been completed, employees/visitors can continue to facility. Ensure your PPE is worn correctly to fully cover your mouth and nose. Each person will be issued with a disposable mask for the day.
- 5.7 The AR will ensure that demarcations have been marked for a minimum social distance control of 2 meters apart, to keep employees/visitors suitably separated.
- 5.8 Avoid touching your eyes, mouth, or nose.
- 5.9 Ensure you sneeze and or cough into the bend of your elbow. Avoid touching anything or coughing and sneezing on surfaces. If this situation arises, immediately clean the surface with 70% alcohol-based sanitiser and inform the AR.
- 5.10 Each person will be given their own tag by security for that specific day to avoid contamination.
- 5.11 If Facility has biometrics, ensure that the use of the fingerprint scanner is disabled and moved over to a tag system to avoid multiple objects being touched.
- 5.12 Ensure that all staff/visitors wash their hands on a frequent basis with soap provided by the facility and water.
- 5.13 Every end of day, the tags will be sanitised in a 70% alcohol sanitiser concentrate.
- 5.14 In the event that someone has tested positive and is or has been within the facility, close the facility. Notify the COVID-19 hotline on 0800 029 999 to report the contamination.
- 5.15 Ensure that a record is made available of who has been in contact with the infected person to ensure traceability and accountability.
- 5.16 The facility will be deep cleaned and closed for the 14-day quarantine period.
- 5.17 The Facility should be sanitised and cleaned at the start and end of each day.

6. ATTACHMENTS:

Attachment 6.1 SOP Amendment History

Attachment 6.2 Distribution list of SOPs'

Attachment 6.3 COVID-19 Attendance register

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COVID-19 RISK ADJUSTED STRATEGY

Page 3 of 6

SOP No:	2-LEG-018	Effective Date:	2020-06-04
Revision No:	1	Supersedes:	N/A
Revise By:	2022-06-04		

Attachment 6.1.

SOP AMENDMENT HISTORY

VERSION NO:	SUPERSEDES:	EFFECTIVE DATE:	REASON FOR CHANGE:
1	N/A	2019-02-01	First Version

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COVID-19 RISK ADJUSTED STRATEGY

Page 4 of 6

SOP No:	2-LEG-018	Effective Date:	2020-06-04
Revision No:	1	Supersedes:	N/A
Revise By:	2022-06-04		

--	--	--	--

Attachment 6.2.

DISTRIBUTION LIST OF STANDARD OPERATING PROCEDURES

[illegible]

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter



ILCO
FARMING

Authorised
Copy

**ORIGINAL
DOCUMENT**
T

STANDARD OPERATING PROCEDURE

PROCEDURE FOR COVID-19 RISK ADJUSTED STRATEGY

Page 5 of 6

SOP No:	2-LEG-018	Effective Date:	2020-06-04
Revision No:	1	Supersedes:	N/A
Revise By:	2022-06-04		

Attachment 6.3

COVID-19 Attendance Register

<u>Name</u>	<u>I.D Number</u>	<u>Cell number</u>	<u>Date</u>	<u>Time in</u>	<u>Temperature</u>	<u>Time Out</u>

COPY NO:		
Compiler:	Authorised by:	Approved by:
Nico Kriek	Coenraad Venter	Ilse Venter