



Department of
Environmental
Conservation

**State Pollutant Discharge Elimination System (SPDES)
Application Form: Private, Commercial & Institutional (P/C/I)
Discharge of Treated Sanitary Sewage**

☐ New Application

☐ Renewal Application

☐ Modification Application

SPDES Number **NY0260851**

NY#####

DEC Authorization **4102000039**

#-####-#####

Applicant/Owner Information

Type of Ownership: ☐ Corporate ☒ Individual
☐ Partnership ☐ Public

Name **Michael Potvin** Taxpayer ID **81-3689266**

Mailing Address **14 five roses rd east**

City **Ancram** State **NY** Zip **12502**

Phone **617-470-5597** Email **michael@nitemind.us**

Contact/Agent Information

Name **Michael Potvin**

Title **Owner**

Mailing Address **14 five roses rd east**

City **Ancram** State **NY** Zip **12502**

Phone **617-470-5597** Email **michael@nitemind.us**

Facility Information

Facility Name **Ancram Post Office** Nature of Business or Facility **Ancram Post Office** Population Served **1440**

Street Address **1295 COUNTY ROUTE 7** City **Ancram** State **NY** Zip **12502**

Municipality ☒ Town ☐ Village ☐ City Municipality Name **Ancram** County **Columbia**

Additional Facility Location Information (if needed)

Tax Map Information Section **205.3-1-43** Block Lot

Certification: I hereby affirm under penalty of perjury that the information provided on this form and any attached supplemental forms is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to section 210.45 of the Penal Law.

Signature of Applicant/Owner

Michael Potvin

Printed Name

Aug 31 2025

Title

Date

Applicable discharge data on the following pages must be completed. Discharges from this facility are not authorized until this application form is attached to the permit signed and authorized by the New York State Department of Environmental Conservation or its designated agency.

Please Indicate Whether Your Facility 'Discharges To Groundwater', 'Discharges To Surface Water', or both.

☒ Discharges To Groundwater

☒ Discharges To Surface Water

SPDES Application for P/C/I Discharge of Treated Sanitary Sewage

Discharges To Groundwater - 1 of 1

Facility Name **Ancram Post Office**

SPDES Number **NY0260851**

DEC Authorization **4102000039**

To Add or Remove outfalls, click on the Green + or the Red X respectively.



Complete this page of the application if your facility has any discharges to groundwater. Use additional copies of this page to list additional groundwater outfalls. Sampling information is only required if the disposal system is designed to discharge, or discharges 30,000 GPD or more.

Outfall Information:

Outfall No.

001

Outfall Status

☐ Proposed ☐ Replacement ☒ Existing ☐ Expansion

Design Flow

500 Gal/Day

Outfall Location (if subsurface system, indicate center of disposal system area)

Latitude ° ' " **42°03'00.99" N**

Longitude ° ' " **73°38'16.24" W**

Treatment:

Standard On Site Treatment: Septic Tanks with:

☐ Absorption Trenches ☐ Cut and Fill Systems

☐ Shallow Absorption Trenches ☐ Raised Systems

☐ Absorption Beds ☐ Seepage Pits

Alternative On Site Treatment: Septic Tanks with:

☐ Absorption Trenches Using An Alternative Aggregate ☐ Single-Pass Sand Filters & Pressurized Shallow Narrow Drainfields

☐ Shallow Absorption Trenches Using An Alternate Aggregate ☐ Mound Systems

☐ Absorption Beds Using An Alternate Aggregate ☐ Drip Dispersal or Other Low Profile Dispersal System

☒ Other (describe)

multi-flo single-tank aerobic wastewater treatment unit

Frequency of Discharge

Months/Year

12

Days/Week

6

Name of Nearest Surface Waters

Distance

Soil Type

Depth To Water Table

Unnamed tributary to Roeliff Jansen Kill.

8

Ft.

Blasdell channery loam

Ft.

SPDES Application for P/C/I Discharge of Treated Sanitary Sewage

Discharges To Surfacewater - 1 of 1

Facility Name

Ancram Post Office

SPDES Number

NY0260851

DEC Authorization

4102000039

To Add or Remove outfalls, click on the Green + or the Red X respectively.



Complete this page of the application if your facility has any discharges to surface water.
Complete this form for each surface water outfall.

Discharge Data

Outfall No.

001

Outfall Status

☐ Proposed

☐ Replacement

☒ Existing

☐ Expansion

Design Flow

500

Gal/Day

Outfall Location (end of pipe
or conveyance)

Latitude 42°03'01.1"N

Longitude 73°38'16.2"W

Type of Treatment

multi-flo

Frequency of Discharge

Months/Year

12

Days/Week

7

Name of Receiving Water

Unnamed tributary to Roeliff Jansen Kill

Classification

C(T)

Water Index Number

Unknown

SPDES Application for P/C/I Discharge of Treated Sanitary Sewage

Discharges to Surface Water

Facility Name Ancram Post Office

SPDES Number NY0260851 DEC Authorization 4102000039

Outfall No. 001

Sampling Information

Include the following sampling information. Please indicate whether the values listed are from sampling results (include the date), estimated from the treatment system design as installed, or estimated from the proposed treatment system design.

Plant Design Pollutant Information	Influent		Effluent		Number of Samples or Source of Estimate
	mg/l	lbs/day	mg/l	lbs/day	
BOD5			ND (<4)		Sample 3/23/2026
Suspended solids			ND (<1.1)		Sample 3/23/2026
Percent removal, BOD/TSS					
pH, Range			6.9		Sample 3/23/2026
Settleable solids, ml/l			ND (<0.1)		Sample 3/23/2026
Solids, total dissolved					
Dissolved oxygen					
Ammonia, as N					
Nitrogen, Total, as N					
Phosphorus, Total, as P					
Fecal Coliform, MPN					
Total Residual Chlorine (if used)					
Temperature, Degrees F, Summer					
Temperature, Degrees F, Winter					