

-----Developpement-Projet-----

-----DigiAlert.Api-----

appsettings.Development.json :

```
{
  "Logging": {
    "LogLevel": {
      "Default": "Information",
      "Microsoft.AspNetCore": "Warning"
    }
  }
}
```

appsettings.json :

```
{
  "Logging": {
    "LogLevel": {
      "Default": "Information",
      "Microsoft.AspNetCore": "Warning"
    }
  },
  "AllowedHosts": "*",
  "ConnectionStrings": {
    "DefaultConnection":
"Host=localhost;Port=5433;Database=digialert_db;Username=postgres;Password=123456"
  },
  "Jwt": {
    "Key": "GigaTechTeam_Super_Secret_Key_2026_DigiAlert_Secure!",
    "Issuer": "DigiAlertApi",
    "Audience": "DigiAlertWeb"
  }
}
```

Controllers

AuthController.cs :

```
using Microsoft.AspNetCore.Mvc;
using Microsoft.EntityFrameworkCore;
using DigiAlert.Api.Data;
using DigiAlert.Api.DTOs;
using Microsoft.IdentityModel.Tokens;
```

```
using System.IdentityModel.Tokens.Jwt;
using System.Security.Claims;
using System.Text;

namespace DigiAlert.Api.Controllers
{
    [Route("api/[controller]")]
    [ApiController]
    public class AuthController : ControllerBase
    {
        private readonly AppDbContext _context;
        private readonly IConfiguration _configuration;

        public AuthController(AppDbContext context, IConfiguration configuration)
        {
            _context = context;
            _configuration = configuration;
        }

        [HttpPost("login")]
        public async Task<IActionResult> Login(LoginDto dto)
        {
            // 1. Chercher l'utilisateur par son email
            var user = await _context.Users.FirstOrDefaultAsync(u => u.Email == dto.Email);

            // 2. Vérifier si l'utilisateur existe ET si le mot de passe correspond au hash
            if (user == null || !BCrypt.Net.BCrypt.Verify(dto.Password, user.PasswordHash))
            {
                return Unauthorized("Email ou mot de passe incorrect.");
            }

            // 3. Générer le Token JWT
            var claims = new[]
            {
                new Claim(JwtRegisteredClaimNames.Sub, user.IdUser.ToString()),
                new Claim(JwtRegisteredClaimNames.Email, user.Email)
            };

            var key = new
SymmetricSecurityKey(Encoding.UTF8.GetBytes(_configuration["Jwt:Key"]!));
            var creds = new SigningCredentials(key, SecurityAlgorithms.HmacSha256);

            var token = new JwtSecurityToken(
                issuer: _configuration["Jwt:Issuer"],
                audience: _configuration["Jwt:Audience"],
                claims: claims,
                expires: DateTime.UtcNow.AddDays(7), // Le token est valide 7 jours
                signingCredentials: creds
            );

            return Ok(new
```

```

        {
            Token = new JwtSecurityTokenHandler().WriteToken(token),
            UserId = user.IdUser,
            CompanyName = user.CompanyName
        });
    }
}
}

```

ContactsController.cs :

```

using Microsoft.AspNetCore.Mvc;
using Microsoft.EntityFrameworkCore;
using DigiAlert.Api.Data;
using DigiAlert.Api.Models;
using Microsoft.AspNetCore.Authorization;
using System.Security.Claims;
using System.IdentityModel.Tokens.Jwt;

namespace DigiAlert.Api.Controllers
{
    [Authorize]
    [Route("api/[controller]")]
    [ApiController]

    public class ContactsController : ControllerBase
    {
        private readonly AppDbContext _context;

        public ContactsController(AppDbContext context)
        {
            _context = context;
        }
        // ✖ Fonction utilitaire privée pour extraire l'ID du Token JWT
        private int GetUserIdFromToken()
        {
            // .NET renomme souvent "sub" en "NameIdentifier". On vérifie donc les deux !
            var userIdString = User.FindFirstValue(ClaimTypes.NameIdentifier)
                ?? User.FindFirstValue(JwtRegisteredClaimNames.Sub);

            if (string.IsNullOrEmpty(userIdString))
            {
                throw new Exception("Impossible de lire le Token de sécurité.");
            }

            return int.Parse(userIdString);
        }

        // GET: api/Contacts/User/5

```

```
[HttpGet]
public async Task<ActionResult<IEnumerable<Contact>>> GetContacts()
{
    int userId = GetUserIdFromToken(); //Sécurité absolue
    // On cherche uniquement les contacts qui appartiennent à l'utilisateur connecté
    var contacts = await _context.Contacts
        .Where(c => c.IdUser == userId)
        .ToListAsync();

    return Ok(contacts);
}

// POST: api/Contacts (Créer un nouveau client)
[HttpPost]
public async Task<ActionResult<Contact>> CreateContact(Contact contact)
{
    contact.IdUser = GetUserIdFromToken();
    _context.Contacts.Add(contact);
    await _context.SaveChangesAsync();

    // Retourne un code 201 Created
    // return CreatedAtAction(nameof(GetContactsByUser), new { id = contact.IdUser },
contact);
    return CreatedAtAction(nameof(GetContacts), new { id = contact.IdContact },
contact);
}

// PUT: api/Contacts/5 (Modifier un contact existant)
[HttpPut("{id}")]
public async Task<IActionResult> UpdateContact(int id, Contact contact)
{
    int userId = GetUserIdFromToken();
    if (id != contact.IdContact)
    {
        return BadRequest("L'ID du contact ne correspond pas.");
    }

    var existing = await _context.Contacts.AsNoTracking().FirstOrDefaultAsync(c =>
c.IdContact == id);
    if (existing == null) return NotFound();
    if (existing.IdUser != userId) return Forbid();
    contact.IdUser = userId;

    _context.Entry(contact).State = EntityState.Modified;

    try
    {
        await _context.SaveChangesAsync();
    }
    catch (DbUpdateConcurrencyException)
    {

```

```
using Microsoft.AspNetCore.Mvc;
using Microsoft.EntityFrameworkCore;
using DigiAlert.Api.Data;
using DigiAlert.Api.Models;
```

```
namespace DigiAlert.Api.Controllers
{
    [Route("api/[controller]")]
    [ApiController]
    [Authorize]
    public class DashboardController : ControllerBase
    {
        private readonly AppDbContext _context;

        public DashboardController(AppDbContext context)
        {
            _context = context;
        }
    }
}
```

```
// GET: api/Dashboard/summary/{userId}
[HttpGet]
public async Task<ActionResult<DashboardSummaryDto>> GetSummary()
{
    int userId = GetUserIdFromToken();
    // 1. Définir la date d'aujourd'hui pour nos filtres
    var today = DateTime.UtcNow.Date; // ou DateTime.Today selon ta gestion des fuseaux

    // 2. Calculer le nombre de RDV du jour
    // Adapte "StartDateTime" ou "IdUser" selon les vrais noms dans ton modèle Event
    var rdvDuJour = await _context.Events
        .Where(e => e.IdUser == userId && e.StartDateTime.Date == today)
        .CountAsync();

    // 3. Récupérer les stats des SMS (Reminders)
    // On suppose que tes rappels sont liés à un Event qui appartient à l'User
    var userReminders = await _context.Reminders
        .Include(r => r.Event)
        .Where(r => r.Event.IdUser == userId)
        .ToListAsync();

    // Calculs de base
    var totalSms = userReminders.Count;
    var smsEnvoyes = userReminders.Count(r => r.Status == "SENT");

    // Calcul du taux (attention à la division par zéro)
    double tauxDelivrabilite = 0;
    if (totalSms > 0)
    {
        tauxDelivrabilite = Math.Round(((double)smsEnvoyes / totalSms) * 100, 1);
    }

    // 4. Récupérer les 5 prochains SMS programmés
    var prochainsSms = await _context.Reminders
        .Include(r => r.Contact) // Pour avoir le nom du client
        .Include(r => r.Event)   // Pour avoir la date/heure
        .Where(r => r.Event.IdUser == userId && r.Status == "PENDING" &&
r.Event.StartDateTime >= today)
        .OrderBy(r => r.Event.StartDateTime)
        .Take(5) // On n'en prend que 5 pour ne pas surcharger l'interface
        .Select(r => new UpcomingSmsDto
        {
            Id = r.IdReminder,
            ClientName = r.Contact != null ? $"{r.Contact.FirstName}
{r.Contact.LastName}" : "Inconnu",
            Date = r.Event.StartDateTime.ToString("dd/MM/yyyy"),
            Time = r.Event.StartDateTime.ToString("HH:mm"),
            Status = r.Status
        })
        .ToListAsync();
}
```

```

        // 5. Assembler le tout dans notre DTO et le renvoyer
        var summary = new DashboardSummaryDto
        {
            RdvDuJour = rdvDuJour,
            SmsEnvoyes = smsEnvoyes,
            TauxDelivrabilite = tauxDelivrabilite,
            ProchainsSms = prochainsSms
        };

        return Ok(summary);
    }
}
}

```

EventsController.cs :

```

using Microsoft.AspNetCore.Mvc;
using Microsoft.EntityFrameworkCore;
using DigiAlert.Api.Data;
using DigiAlert.Api.Models;
using Microsoft.AspNetCore.Authorization;
using System.Security.Claims;
using System.IdentityModel.Tokens.Jwt;

namespace DigiAlert.Api.Controllers
{
    [Authorize]
    [Route("api/[controller]")]
    [ApiController]
    public class EventsController : ControllerBase
    {
        private readonly AppDbContext _context;

        public EventsController(AppDbContext context)
        {
            _context = context;
        }

        private int GetUserIdFromToken()
        {
            var userIdString = User.FindFirstValue(ClaimTypes.NameIdentifier)
                ?? User.FindFirstValue(JwtRegisteredClaimNames.Sub);
            if (string.IsNullOrEmpty(userIdString))
                throw new Exception("Impossible de lire le Token de sécurité.");
            return int.Parse(userIdString);
        }

        // GET: api/Events/User/1
        [HttpGet("User/{userId}")]
        public async Task<ActionResult<IEnumerable<object>>> GetEvents()

```

```
{
    // On inclut les participants pour que le frontend sache qui est invité au RDV
    var events = await _context.Events
        .Where(e => e.IdUser == userId)
        .Select(e => new {
            e.IdEvent,
            e.Title,
            e.StartDateTime,
            e.EndDateTime,
            e.Status,
            Participants = _context.EventParticipants
                .Where(ep => ep.IdEvent == e.IdEvent)
                .Select(ep => ep.IdContact)
                .ToList()
        })
        .ToListAsync();

    return Ok(events);
}

// POST: api/Events
// Pour ce test, on crée une structure simple (DTO) pour recevoir la requête
public class EventCreateDto
{
    public int IdUser { get; set; }
    public string Title { get; set; } = string.Empty;
    public DateTime StartDateTime { get; set; }
    public DateTime EndDateTime { get; set; }
    public List<int> ContactIds { get; set; } = new List<int>(); // Liste des IDs des
clients invités
}

[HttpPost]
public async Task<ActionResult> CreateEvent(EventCreateDto dto)
{
    int userId = GetUserIdFromToken();
    // 1. Créer l'événement principal
    var newEvent = new Event
    {
        IdUser = userId,
        Title = dto.Title,
        StartDateTime = dto.StartDateTime,
        EndDateTime = dto.EndDateTime,
        Status = "PLANNED"
    };

    _context.Events.Add(newEvent);
    await _context.SaveChangesAsync(); // Sauvegarde pour générer l'IdEvent

    // 2. Ajouter les participants (Relation Many-to-Many)
    if (dto.ContactIds != null && dto.ContactIds.Any())
```

```

        {
            foreach (var contactId in dto.ContactIds ?? new List<int>())
                _context.EventParticipants.Add(new EventParticipant { IdEvent =
newEvent.IdEvent, IdContact = contactId });
            await _context.SaveChangesAsync();
        }

        return Ok(new { Message = "Événement créé avec succès !", EventId =
newEvent.IdEvent });
    }
}
}

```

RemindersController.cs :

```

using Microsoft.AspNetCore.Mvc;
using Microsoft.EntityFrameworkCore;
using DigiAlert.Api.Data;
using DigiAlert.Api.Models;
using Microsoft.AspNetCore.Authorization;
using System.Security.Claims;
using System.IdentityModel.Tokens.Jwt;

namespace DigiAlert.Api.Controllers
{
    [Authorize]
    [Route("api/[controller]")]
    [ApiController]
    public class RemindersController : ControllerBase
    {
        private readonly AppDbContext _context;

        public RemindersController(AppDbContext context)
        {
            _context = context;
        }

        // GET: api/Reminders/User/1 (Pour le tableau de bord : afficher les prochains SMS)
        [HttpGet]
        public async Task<ActionResult<IEnumerable<object>>> GetPendingRemindersByUser(int
userId)
        {
            int userId = GetUserIdFromToken();
            var reminders = await _context.Reminders
                .Include(r => r.Event)
                .Include(r => r.Contact)
                .Where(r => r.Event.IdUser == userId && r.Status == "PENDING")
                .OrderBy(r => r.ScheduledTime)
                .Select(r => new {
                    r.IdReminder,
                    ClientName = r.Contact.FirstName + " " + r.Contact.LastName,

```

```

        PhoneNumber = r.Contact.PhoneNumber,
        EventTitle = r.Event.Title,
        r.ScheduledTime,
        r.MessageText,
        r.Status
    })
    .ToListAsync();

    return Ok(reminders);
}

// DTO pour la création
public class ReminderCreatedDto
{
    public int IdEvent { get; set; }
    public int IdContact { get; set; }
    public DateTime ScheduledTime { get; set; }
    public string MessageText { get; set; } = string.Empty;
}

// POST: api/Reminders (Programmer un nouveau SMS)
[HttpPost]
public async Task<ActionResult> CreateReminder(ReminderCreatedDto dto)
{
    int userId = GetUserIdFromToken();
    var reminder = new Reminder
    {
        IdEvent = userId,
        IdContact = dto.IdContact,
        ScheduledTime = dto.ScheduledTime,
        MessageText = dto.MessageText,
        Channel = "SMS",
        Status = "PENDING"
    };

    _context.Reminders.Add(reminder);
    await _context.SaveChangesAsync();

    return Ok(new { Message = "Rappel programmé avec succès !", ReminderId =
reminder.IdReminder });
}
}
}

```

SmsTemplatesController.cs :

```

using Microsoft.AspNetCore.Mvc;
using Microsoft.EntityFrameworkCore;
using DigiAlert.Api.Data;
using DigiAlert.Api.Models;
using Microsoft.AspNetCore.Authorization;

```

```
using System.Security.Claims;
using System.IdentityModel.Tokens.Jwt;

namespace DigiAlert.Api.Controllers
{
    [Authorize]
    [Route("api/[controller]")]
    [ApiController]
    public class SmsTemplatesController : ControllerBase
    {
        private readonly AppDbContext _context;

        public SmsTemplatesController(AppDbContext context)
        {
            _context = context;
        }

        // GET: api/SmsTemplates/User/1 (Récupérer les modèles d'un gérant pour afficher dans
        // son menu Paramètres)
        [HttpGet]
        public async Task<ActionResult<IEnumerable<SmsTemplate>>> GetTemplates()
        {
            int userId = GetUserIdFromToken();
            var templates = await _context.SmsTemplates
                .Where(t => t.IdUser == userId)
                .ToListAsync();

            return Ok(templates);
        }

        // POST: api/SmsTemplates (Enregistrer un nouveau modèle depuis le pop-up)
        [HttpPost]
        public async Task<ActionResult<SmsTemplate>> CreateTemplate(SmsTemplate template)
        {
            template.IdUser = GetUserIdFromToken();
            _context.SmsTemplates.Add(template);
            await _context.SaveChangesAsync();

            return CreatedAtAction(nameof(GetTemplates), new { userId = template.IdUser },
template);
        }

        // PUT: api/SmsTemplates/5 (Modifier un modèle existant)
        [HttpPut("{id}")]
        public async Task<IActionResult> UpdateTemplate(int id, SmsTemplate template)
        {
            if (id != template.IdTemplate)
            {
                return BadRequest("L'ID du modèle ne correspond pas.");
            }

            _context.Entry(template).State = EntityState.Modified;
        }
    }
}
```

UserController.cs :

```
using Microsoft.AspNetCore.Mvc;
using Microsoft.EntityFrameworkCore;
using DigiAlert.Api.Data;
using DigiAlert.Api.Models;
using Microsoft.AspNetCore.Authorization;
using System.Security.Claims;
using System.IdentityModel.Tokens.Jwt;

namespace DigiAlert.Api.Controllers
{
    [Authorize]
```

```
[Route("api/[controller]")]
[ApiController]
public class UsersController : ControllerBase
{
    private readonly AppDbContext _context;

    // Le constructeur qui récupère la connexion à la BDD
    public UsersController(AppDbContext context)
    {
        _context = context;
    }

    // GET: api/users (Pour lister tous les utilisateurs)
    [HttpGet]
    public async Task<ActionResult<IEnumerable<User>>> GetUsers()
    {
        return await _context.Users.ToListAsync();
    }

    // POST: api/users (Pour créer un nouvel utilisateur sécurisé)
    [HttpPost]
    public async Task<ActionResult<User>> CreateUser(User user)
    {
        // Hachage du mot de passe avant la sauvegarde
        user.PasswordHash = BCrypt.Net.BCrypt.HashPassword(user.PasswordHash);
        user.CreatedAt = DateTime.UtcNow;

        _context.Users.Add(user);
        await _context.SaveChangesAsync();

        return CreatedAtAction(nameof(GetUsers), new { id = user.IdUser }, user);
    }
    // DTO pour recevoir les clés API depuis l'interface Paramètres
    public class ApiCredentialsDto
    {
        public string ApiKey { get; set; } = string.Empty;
        public string SenderId { get; set; } = string.Empty;
    }

    // PUT: api/Users/5/ApiCredentials (Sauvegarder les paramètres DigiSMS)
    [HttpPut("{id}/ApiCredentials")]
    public async Task<IActionResult> UpdateApiCredentials(int id, ApiCredentialsDto dto)
    {
        int userId = GetUserIdFromToken();
        var user = await _context.Users.FindAsync(id);
        if (user == null)
        {
            return NotFound("Utilisateur introuvable.");
        }
        var existing = await _context.Contacts.AsNoTracking().FirstOrDefaultAsync(c =>
            c.IdContact == id);
```

```

        if (existing == null) return NotFound();
        if (existing.IdUser != userId) return Forbid();

        user.ApiKey = dto.ApiKey;
        user.SenderId = dto.SenderId;

        await _context.SaveChangesAsync();

        return Ok(new { Message = "Identifiants API mis à jour avec succès !" });
    }
}
}

```

Data

AppDbContext.cs :

```

using Microsoft.EntityFrameworkCore;
using DigiAlert.Api.Models;

namespace DigiAlert.Api.Data
{
    public class AppDbContext : DbContext
    {
        public AppDbContext(DbContextOptions<AppDbContext> options) : base(options)
        {
        }

        public DbSet<User> Users { get; set; }
        public DbSet<Contact> Contacts { get; set; }
        public DbSet<Event> Events { get; set; }
        public DbSet<EventParticipant> EventParticipants { get; set; }
        public DbSet<Reminder> Reminders { get; set; }
        public DbSet<SmsTemplate> SmsTemplates { get; set; }

        protected override void OnModelCreating(ModelBuilder modelBuilder)
        {
            base.OnModelCreating(modelBuilder);

            // On configure ici la clé primaire composite pour la table intermédiaire
            modelBuilder.Entity<EventParticipant>()
                .HasKey(ep => new { ep.IdEvent, ep.IdContact });
        }
    }
}

```

DigiAlert.Api.csproj :

```
<Project Sdk="Microsoft.NET.Sdk.Web">
```

```

<PropertyGroup>
  <TargetFramework>net10.0</TargetFramework>
  <Nullable>enable</Nullable>
  <ImplicitUsings>enable</ImplicitUsings>
  <UserSecretsId>f0182119-b226-4713-8e48-c8e5133890bb</UserSecretsId>
</PropertyGroup>

<ItemGroup>
  <PackageReference Include="BCrypt.Net-Next" Version="4.2.0" />
  <PackageReference Include="Microsoft.AspNetCore.Authentication.JwtBearer"
Version="10.0.10" />
  <PackageReference Include="Microsoft.AspNetCore.OpenApi" Version="10.0.9" />
  <PackageReference Include="Microsoft.EntityFrameworkCore.Design" Version="10.0.9">
    <IncludeAssets>runtime; build; native; contentfiles; analyzers; buildtransitive</
IncludeAssets>
    <PrivateAssets>all</PrivateAssets>
  </PackageReference>
  <PackageReference Include="Microsoft.EntityFrameworkCore.Tools" Version="10.0.9">
    <IncludeAssets>runtime; build; native; contentfiles; analyzers; buildtransitive</
IncludeAssets>
    <PrivateAssets>all</PrivateAssets>
  </PackageReference>
  <PackageReference Include="Npgsql.EntityFrameworkCore.PostgreSQL" Version="10.0.3" />
  <PackageReference Include="Swashbuckle.AspNetCore" Version="10.2.3" />
</ItemGroup>

</Project>

```

DigiAlert.Api.http :

@DigiAlert.Api_HostAddress = http://localhost:5294

GET {{DigiAlert.Api_HostAddress}}/weatherforecast/
Accept: application/json

###

DTOs

DashboardSummaryDto.cs :

namespace DigiAlert.Api.DTOs // ou .DTOs selon ton organisation

```

{
  // L'objet principal renvoyé à React
  public class DashboardSummaryDto
  {
    public int RdvDuJour { get; set; }
    public int SmsEnvoyes { get; set; }
    public double TauxDelivrabilite { get; set; }
    public List<UpcomingSmsDto> ProchainsSms { get; set; } = new();
  }
}

```

```
// Le sous-objet pour la liste des prochains SMS
public class UpcomingSmsDto
{
    public int Id { get; set; }
    public string ClientName { get; set; } = string.Empty;
    public string Date { get; set; } = string.Empty;
    public string Time { get; set; } = string.Empty;
    public string Status { get; set; } = string.Empty;
}
}
```

LoginDto.cs :

```
namespace DigiAlert.Api.DTOS
{
    public class LoginDto
    {
        public string Email { get; set; } = string.Empty;
        public string Password { get; set; } = string.Empty;
    }
}
```

Migrations

20260713080734_InitialCreate.cs :

```
using System;
using Microsoft.EntityFrameworkCore.Migrations;
using Npgsql.EntityFrameworkCore.PostgreSQL.Metadata;
```

#nullable disable

```
namespace DigiAlert.Api.Migrations
{
    /// <inheritdoc />
    public partial class InitialCreate : Migration
    {
        /// <inheritdoc />
        protected override void Up(MigrationBuilder migrationBuilder)
        {
            migrationBuilder.CreateTable(
                name: "users",
                columns: table => new
                {
                    id_user = table.Column<int>(type: "integer", nullable: false)
                        .Annotation("Npgsql:ValueGenerationStrategy",
NpgsqlValueGenerationStrategy.IdentityByDefaultColumn),
                    company_name = table.Column<string>(type: "text", nullable: false),
                    email = table.Column<string>(type: "text", nullable: false),
                    password_hash = table.Column<string>(type: "text", nullable: false),
                }
            );
        }
    }
}
```

```
        api_key = table.Column<string>(type: "text", nullable: true),
        sender_id = table.Column<string>(type: "character varying(11)", maxLength:
11, nullable: true),
        created_at = table.Column<DateTime>(type: "timestamp with time zone",
nullable: false)
    },
    constraints: table =>
    {
        table.PrimaryKey("PK_users", x => x.id_user);
    });

migrationBuilder.CreateTable(
    name: "contacts",
    columns: table => new
    {
        id_contact = table.Column<int>(type: "integer", nullable: false)
            .Annotation("Npgsql:ValueGenerationStrategy",
NpgsqlValueGenerationStrategy.IdentityByDefaultColumn),
        id_user = table.Column<int>(type: "integer", nullable: false),
        first_name = table.Column<string>(type: "text", nullable: false),
        last_name = table.Column<string>(type: "text", nullable: true),
        phone_number = table.Column<string>(type: "text", nullable: false),
        email = table.Column<string>(type: "varchar(150)", nullable: true)
    },
    constraints: table =>
    {
        table.PrimaryKey("PK_contacts", x => x.id_contact);
        table.ForeignKey(
            name: "FK_contacts_users_id_user",
            column: x => x.id_user,
            principalTable: "users",
            principalColumn: "id_user",
            onDelete: ReferentialAction.Cascade);
    });

migrationBuilder.CreateTable(
    name: "events",
    columns: table => new
    {
        id_event = table.Column<int>(type: "integer", nullable: false)
            .Annotation("Npgsql:ValueGenerationStrategy",
NpgsqlValueGenerationStrategy.IdentityByDefaultColumn),
        id_user = table.Column<int>(type: "integer", nullable: false),
        title = table.Column<string>(type: "text", nullable: false),
        start_datetime = table.Column<DateTime>(type: "timestamp with time zone",
nullable: false),
        end_datetime = table.Column<DateTime>(type: "timestamp with time zone",
nullable: false),
        status = table.Column<string>(type: "text", nullable: false)
    },
    constraints: table =>
```

```
{
    table.PrimaryKey("PK_events", x => x.id_event);
    table.ForeignKey(
        name: "FK_events_users_id_user",
        column: x => x.id_user,
        principalTable: "users",
        principalColumn: "id_user",
        onDelete: ReferentialAction.Cascade);
});

migrationBuilder.CreateTable(
    name: "sms_templates",
    columns: table => new
    {
        id_template = table.Column<int>(type: "integer", nullable: false)
            .Annotation("Npgsql:ValueGenerationStrategy",
NpgsqlValueGenerationStrategy.IdentityByDefaultColumn),
        id_user = table.Column<int>(type: "integer", nullable: false),
        template_name = table.Column<string>(type: "text", nullable: false),
        message_content = table.Column<string>(type: "text", nullable: false)
    },
    constraints: table =>
    {
        table.PrimaryKey("PK_sms_templates", x => x.id_template);
        table.ForeignKey(
            name: "FK_sms_templates_users_id_user",
            column: x => x.id_user,
            principalTable: "users",
            principalColumn: "id_user",
            onDelete: ReferentialAction.Cascade);
    });

migrationBuilder.CreateTable(
    name: "event_participants",
    columns: table => new
    {
        id_event = table.Column<int>(type: "integer", nullable: false),
        id_contact = table.Column<int>(type: "integer", nullable: false)
    },
    constraints: table =>
    {
        table.PrimaryKey("PK_event_participants", x => new { x.id_event,
x.id_contact });
        table.ForeignKey(
            name: "FK_event_participants_contacts_id_contact",
            column: x => x.id_contact,
            principalTable: "contacts",
            principalColumn: "id_contact",
            onDelete: ReferentialAction.Cascade);
        table.ForeignKey(
            name: "FK_event_participants_events_id_event",
```

```
        column: x => x.id_event,
        principalTable: "events",
        principalColumn: "id_event",
        onDelete: ReferentialAction.Cascade);
    });

migrationBuilder.CreateTable(
    name: "reminders",
    columns: table => new
    {
        id_reminder = table.Column<int>(type: "integer", nullable: false)
            .Annotation("Npgsql:ValueGenerationStrategy",
NpgsqlValueGenerationStrategy.IdentityByDefaultColumn),
        id_event = table.Column<int>(type: "integer", nullable: false),
        id_contact = table.Column<int>(type: "integer", nullable: false),
        scheduled_time = table.Column<DateTime>(type: "timestamp with time zone",
nullable: false),
        message_text = table.Column<string>(type: "text", nullable: false),
        channel = table.Column<string>(type: "text", nullable: false),
        status = table.Column<string>(type: "text", nullable: false),
        api_response = table.Column<string>(type: "text", nullable: true)
    },
    constraints: table =>
    {
        table.PrimaryKey("PK_reminders", x => x.id_reminder);
        table.ForeignKey(
            name: "FK_reminders_contacts_id_contact",
            column: x => x.id_contact,
            principalTable: "contacts",
            principalColumn: "id_contact",
            onDelete: ReferentialAction.Cascade);
        table.ForeignKey(
            name: "FK_reminders_events_id_event",
            column: x => x.id_event,
            principalTable: "events",
            principalColumn: "id_event",
            onDelete: ReferentialAction.Cascade);
    });

migrationBuilder.CreateIndex(
    name: "IX_contacts_id_user",
    table: "contacts",
    column: "id_user");

migrationBuilder.CreateIndex(
    name: "IX_event_participants_id_contact",
    table: "event_participants",
    column: "id_contact");

migrationBuilder.CreateIndex(
    name: "IX_events_id_user",
```

```
        table: "events",
        column: "id_user");

migrationBuilder.CreateIndex(
    name: "IX_reminders_id_contact",
    table: "reminders",
    column: "id_contact");

migrationBuilder.CreateIndex(
    name: "IX_reminders_id_event",
    table: "reminders",
    column: "id_event");

migrationBuilder.CreateIndex(
    name: "IX_sms_templates_id_user",
    table: "sms_templates",
    column: "id_user");
}

/// <inheritdoc />
protected override void Down(MigrationBuilder migrationBuilder)
{
    migrationBuilder.DropTable(
        name: "event_participants");

    migrationBuilder.DropTable(
        name: "reminders");

    migrationBuilder.DropTable(
        name: "sms_templates");

    migrationBuilder.DropTable(
        name: "contacts");

    migrationBuilder.DropTable(
        name: "events");

    migrationBuilder.DropTable(
        name: "users");
}
}
```

20260713080734_InitialCreate.Designer.cs :

```
// <auto-generated />
using System;
using DigiAlert.Api.Data;
using Microsoft.EntityFrameworkCore;
using Microsoft.EntityFrameworkCore.Infrastructure;
using Microsoft.EntityFrameworkCore.Migrations;
```

```
using Microsoft.EntityFrameworkCore.Storage.ValueConversion;
using Npgsql.EntityFrameworkCore.PostgreSQL.Metadata;

#nullable disable

namespace DigiAlert.Api.Migrations
{
    [DbContext(typeof(AppDbContext))]
    [Migration("20260713080734_InitialCreate")]
    partial class InitialCreate
    {
        /// <inheritdoc />
        protected override void BuildTargetModel(ModelBuilder modelBuilder)
        {
#pragma warning disable 612, 618
            modelBuilder
                .HasAnnotation("ProductVersion", "10.0.9")
                .HasAnnotation("Relational:MaxIdentifierLength", 63);

            NpgsqlModelBuilderExtensions.UseIdentityByDefaultColumns(modelBuilder);

            modelBuilder.Entity("DigiAlert.Api.Models.Contact", b =>
            {
                b.Property<int>("IdContact")
                    .ValueGeneratedOnAdd()
                    .HasColumnType("integer")
                    .HasColumnName("id_contact");

                NpgsqlPropertyBuilderExtensions.UseIdentityByDefaultColumn(b.Property<int>("IdContact"));

                b.Property<string>("Email")
                    .HasColumnType("varchar(150)")
                    .HasColumnName("email");

                b.Property<string>("FirstName")
                    .IsRequired()
                    .HasColumnType("text")
                    .HasColumnName("first_name");

                b.Property<int>("IdUser")
                    .HasColumnType("integer")
                    .HasColumnName("id_user");

                b.Property<string>("LastName")
                    .HasColumnType("text")
                    .HasColumnName("last_name");

                b.Property<string>("PhoneNumber")
                    .IsRequired()
                    .HasColumnType("text")
            }
        }
    }
}
```

```
        .HasColumnName("phone_number");

    b.HasKey("IdContact");

    b.HasIndex("IdUser");

    b.ToTable("contacts");
});

modelBuilder.Entity("DigiAlert.Api.Models.Event", b =>
{
    b.Property<int>("IdEvent")
        .ValueGeneratedOnAdd()
        .HasColumnType("integer")
        .HasColumnName("id_event");

    NpgsqlPropertyBuilderExtensions.UseIdentityByDefaultColumn(b.Property<int>("IdEvent"));

    b.Property<DateTime>("EndDateTime")
        .HasColumnType("timestamp with time zone")
        .HasColumnName("end_datetime");

    b.Property<int>("IdUser")
        .HasColumnType("integer")
        .HasColumnName("id_user");

    b.Property<DateTime>("StartDateTime")
        .HasColumnType("timestamp with time zone")
        .HasColumnName("start_datetime");

    b.Property<string>("Status")
        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("status");

    b.Property<string>("Title")
        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("title");

    b.HasKey("IdEvent");

    b.HasIndex("IdUser");

    b.ToTable("events");
});

modelBuilder.Entity("DigiAlert.Api.Models.EventParticipant", b =>
{
    b.Property<int>("IdEvent")
```

```
        .HasColumnType("integer")
        .HasColumnName("id_event");

    b.Property<int>("IdContact")
        .HasColumnType("integer")
        .HasColumnName("id_contact");

    b.HasKey("IdEvent", "IdContact");

    b.HasIndex("IdContact");

    b.ToTable("event_participants");
});

modelBuilder.Entity("DigiAlert.Api.Models.Reminder", b =>
{
    b.Property<int>("IdReminder")
        .ValueGeneratedOnAdd()
        .HasColumnType("integer")
        .HasColumnName("id_reminder");

    NpgsqlPropertyBuilderExtensions.UseIdentityByDefaultColumn(b.Property<int>("IdReminder"));

    b.Property<string>("ApiResponse")
        .HasColumnType("text")
        .HasColumnName("api_response");

    b.Property<string>("Channel")
        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("channel");

    b.Property<int>("IdContact")
        .HasColumnType("integer")
        .HasColumnName("id_contact");

    b.Property<int>("IdEvent")
        .HasColumnType("integer")
        .HasColumnName("id_event");

    b.Property<string>("MessageText")
        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("message_text");

    b.Property<DateTime>("ScheduledTime")
        .HasColumnType("timestamp with time zone")
        .HasColumnName("scheduled_time");

    b.Property<string>("Status")
```

```
        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("status");

    b.HasKey("IdReminder");

    b.HasIndex("IdContact");

    b.HasIndex("IdEvent");

    b.ToTable("reminders");
});

modelBuilder.Entity("DigiAlert.Api.Models.SmsTemplate", b =>
{
    b.Property<int>("IdTemplate")
        .ValueGeneratedOnAdd()
        .HasColumnType("integer")
        .HasColumnName("id_template");

    NpgsqlPropertyBuilderExtensions.UseIdentityByDefaultColumn(b.Property<int>("IdTemplate"));

    b.Property<int>("IdUser")
        .HasColumnType("integer")
        .HasColumnName("id_user");

    b.Property<string>("MessageContent")
        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("message_content");

    b.Property<string>("TemplateName")
        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("template_name");

    b.HasKey("IdTemplate");

    b.HasIndex("IdUser");

    b.ToTable("sms_templates");
});

modelBuilder.Entity("DigiAlert.Api.Models.User", b =>
{
    b.Property<int>("IdUser")
        .ValueGeneratedOnAdd()
        .HasColumnType("integer")
        .HasColumnName("id_user");
```

```
NpgsqlPropertyBuilderExtensions.UseIdentityByDefaultColumn(b.Property<int>("IdUser"));

    b.Property<string>("ApiKey")
      .HasColumnType("text")
      .HasColumnName("api_key");

    b.Property<string>("CompanyName")
      .IsRequired()
      .HasColumnType("text")
      .HasColumnName("company_name");

    b.Property<DateTime>("CreatedAt")
      .HasColumnType("timestamp with time zone")
      .HasColumnName("created_at");

    b.Property<string>("Email")
      .IsRequired()
      .HasColumnType("text")
      .HasColumnName("email");

    b.Property<string>("PasswordHash")
      .IsRequired()
      .HasColumnType("text")
      .HasColumnName("password_hash");

    b.Property<string>("SenderId")
      .HasMaxLength(11)
      .HasColumnType("character varying(11)")
      .HasColumnName("sender_id");

    b.HasKey("IdUser");

    b.ToTable("users");
  });

modelBuilder.Entity("DigiAlert.Api.Models.Contact", b =>
{
    b.HasOne("DigiAlert.Api.Models.User", "User")
      .WithMany("Contacts")
      .HasForeignKey("IdUser")
      .OnDelete(DeleteBehavior.Cascade)
      .IsRequired();

    b.Navigation("User");
  });

modelBuilder.Entity("DigiAlert.Api.Models.Event", b =>
{
    b.HasOne("DigiAlert.Api.Models.User", "User")
      .WithMany("Events")
```

```
        .HasForeignKey("IdUser")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.Navigation("User");
});

modelBuilder.Entity("DigiAlert.Api.Models.EventParticipant", b =>
{
    b.HasOne("DigiAlert.Api.Models.Contact", "Contact")
        .WithMany("EventParticipants")
        .HasForeignKey("IdContact")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.HasOne("DigiAlert.Api.Models.Event", "Event")
        .WithMany("EventParticipants")
        .HasForeignKey("IdEvent")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.Navigation("Contact");

    b.Navigation("Event");
});

modelBuilder.Entity("DigiAlert.Api.Models.Reminder", b =>
{
    b.HasOne("DigiAlert.Api.Models.Contact", "Contact")
        .WithMany()
        .HasForeignKey("IdContact")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.HasOne("DigiAlert.Api.Models.Event", "Event")
        .WithMany("Reminders")
        .HasForeignKey("IdEvent")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.Navigation("Contact");

    b.Navigation("Event");
});

modelBuilder.Entity("DigiAlert.Api.Models.SmsTemplate", b =>
{
    b.HasOne("DigiAlert.Api.Models.User", "User")
        .WithMany("SmsTemplates")
        .HasForeignKey("IdUser")
        .OnDelete(DeleteBehavior.Cascade)
```

```

        .IsRequired();

        b.Navigation("User");
    });

    modelBuilder.Entity("DigiAlert.Api.Models.Contact", b =>
    {
        b.Navigation("EventParticipants");
    });

    modelBuilder.Entity("DigiAlert.Api.Models.Event", b =>
    {
        b.Navigation("EventParticipants");

        b.Navigation("Reminders");
    });

    modelBuilder.Entity("DigiAlert.Api.Models.User", b =>
    {
        b.Navigation("Contacts");

        b.Navigation("Events");

        b.Navigation("SmsTemplates");
    });
#pragma warning restore 612, 618
    }
}

```

AppDbContextModelSnapshot.cs :

```

// <auto-generated />
using System;
using DigiAlert.Api.Data;
using Microsoft.EntityFrameworkCore;
using Microsoft.EntityFrameworkCore.Infrastructure;
using Microsoft.EntityFrameworkCore.Storage.ValueConversion;
using Npgsql.EntityFrameworkCore.PostgreSQL.Metadata;

#nullable disable

namespace DigiAlert.Api.Migrations
{
    [DbContext(typeof(AppDbContext))]
    partial class AppDbContextModelSnapshot : ModelSnapshot
    {
        protected override void BuildModel(ModelBuilder modelBuilder)
        {
#pragma warning disable 612, 618
            modelBuilder

```

```
.HasAnnotation("ProductVersion", "10.0.9")
.HasAnnotation("Relational:MaxIdentifierLength", 63);
```

```
NpgsqlModelBuilderExtensions.UseIdentityByDefaultColumns(modelBuilder);
```

```
modelBuilder.Entity("DigiAlert.Api.Models.Contact", b =>
{
```

```
    b.Property<int>("IdContact")
        .ValueGeneratedOnAdd()
        .HasColumnType("integer")
        .HasColumnName("id_contact");
```

```
NpgsqlPropertyBuilderExtensions.UseIdentityByDefaultColumn(b.Property<int>("IdContact"));
```

```
    b.Property<string>("Email")
        .HasColumnType("varchar(150)")
        .HasColumnName("email");
```

```
    b.Property<string>("FirstName")
        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("first_name");
```

```
    b.Property<int>("IdUser")
        .HasColumnType("integer")
        .HasColumnName("id_user");
```

```
    b.Property<string>("LastName")
        .HasColumnType("text")
        .HasColumnName("last_name");
```

```
    b.Property<string>("PhoneNumber")
        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("phone_number");
```

```
    b.HasKey("IdContact");
```

```
    b.HasIndex("IdUser");
```

```
    b.ToTable("contacts");
});
```

```
modelBuilder.Entity("DigiAlert.Api.Models.Event", b =>
{
```

```
    b.Property<int>("IdEvent")
        .ValueGeneratedOnAdd()
        .HasColumnType("integer")
        .HasColumnName("id_event");
```

```
NpgsqlPropertyBuilderExtensions.UseIdentityByDefaultColumn(b.Property<int>("IdEvent")));

    b.Property<DateTime>("EndDateTime")
        .HasColumnType("timestamp with time zone")
        .HasColumnName("end_datetime");

    b.Property<int>("IdUser")
        .HasColumnType("integer")
        .HasColumnName("id_user");

    b.Property<DateTime>("StartDateTime")
        .HasColumnType("timestamp with time zone")
        .HasColumnName("start_datetime");

    b.Property<string>("Status")
        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("status");

    b.Property<string>("Title")
        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("title");

    b.HasKey("IdEvent");

    b.HasIndex("IdUser");

    b.ToTable("events");
});

modelBuilder.Entity("DigiAlert.Api.Models.EventParticipant", b =>
{
    b.Property<int>("IdEvent")
        .HasColumnType("integer")
        .HasColumnName("id_event");

    b.Property<int>("IdContact")
        .HasColumnType("integer")
        .HasColumnName("id_contact");

    b.HasKey("IdEvent", "IdContact");

    b.HasIndex("IdContact");

    b.ToTable("event_participants");
});

modelBuilder.Entity("DigiAlert.Api.Models.Reminder", b =>
{
```

```
        b.Property<int>("IdReminder")
            .ValueGeneratedOnAdd()
            .HasColumnType("integer")
            .HasColumnName("id_reminder");

NpgsqlPropertyBuilderExtensions.UseIdentityByDefaultColumn(b.Property<int>("IdReminder"));

        b.Property<string>("ApiResponse")
            .HasColumnType("text")
            .HasColumnName("api_response");

        b.Property<string>("Channel")
            .IsRequired()
            .HasColumnType("text")
            .HasColumnName("channel");

        b.Property<int>("IdContact")
            .HasColumnType("integer")
            .HasColumnName("id_contact");

        b.Property<int>("IdEvent")
            .HasColumnType("integer")
            .HasColumnName("id_event");

        b.Property<string>("MessageText")
            .IsRequired()
            .HasColumnType("text")
            .HasColumnName("message_text");

        b.Property<DateTime>("ScheduledTime")
            .HasColumnType("timestamp with time zone")
            .HasColumnName("scheduled_time");

        b.Property<string>("Status")
            .IsRequired()
            .HasColumnType("text")
            .HasColumnName("status");

        b.HasKey("IdReminder");

        b.HasIndex("IdContact");

        b.HasIndex("IdEvent");

        b.ToTable("reminders");
    });

modelBuilder.Entity("DigiAlert.Api.Models.SmsTemplate", b =>
{
    b.Property<int>("IdTemplate")
```

```
.ValueGeneratedOnAdd()  
.HasColumnType("integer")  
.HasColumnName("id_template");
```

```
NpgsqlPropertyBuilderExtensions.UseIdentityByDefaultColumn(b.Property<int>("IdTemplate"));
```

```
b.Property<int>("IdUser")  
.HasColumnType("integer")  
.HasColumnName("id_user");  
  
b.Property<string>("MessageContent")  
.IsRequired()  
.HasColumnType("text")  
.HasColumnName("message_content");
```

```
b.Property<string>("TemplateName")  
.IsRequired()  
.HasColumnType("text")  
.HasColumnName("template_name");
```

```
b.HasKey("IdTemplate");
```

```
b.HasIndex("IdUser");
```

```
b.ToTable("sms_templates");  
});
```

```
modelBuilder.Entity("DigiAlert.Api.Models.User", b =>  
{  
    b.Property<int>("IdUser")  
        .ValueGeneratedOnAdd()  
        .HasColumnType("integer")  
        .HasColumnName("id_user");
```

```
NpgsqlPropertyBuilderExtensions.UseIdentityByDefaultColumn(b.Property<int>("IdUser"));
```

```
b.Property<string>("ApiKey")  
.HasColumnType("text")  
.HasColumnName("api_key");
```

```
b.Property<string>("CompanyName")  
.IsRequired()  
.HasColumnType("text")  
.HasColumnName("company_name");
```

```
b.Property<DateTime>("CreatedAt")  
.HasColumnType("timestamp with time zone")  
.HasColumnName("created_at");
```

```
        b.Property<string>("Email")
            .IsRequired()
            .HasColumnType("text")
            .HasColumnName("email");

        b.Property<string>("PasswordHash")
            .IsRequired()
            .HasColumnType("text")
            .HasColumnName("password_hash");

        b.Property<string>("SenderId")
            .HasMaxLength(11)
            .HasColumnType("character_varying(11)")
            .HasColumnName("sender_id");

        b.HasKey("IdUser");

        b.ToTable("users");
    });

modelBuilder.Entity("DigiAlert.Api.Models.Contact", b =>
{
    b.HasOne("DigiAlert.Api.Models.User", "User")
        .WithMany("Contacts")
        .HasForeignKey("IdUser")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.Navigation("User");
});

modelBuilder.Entity("DigiAlert.Api.Models.Event", b =>
{
    b.HasOne("DigiAlert.Api.Models.User", "User")
        .WithMany("Events")
        .HasForeignKey("IdUser")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.Navigation("User");
});

modelBuilder.Entity("DigiAlert.Api.Models.EventParticipant", b =>
{
    b.HasOne("DigiAlert.Api.Models.Contact", "Contact")
        .WithMany("EventParticipants")
        .HasForeignKey("IdContact")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.HasOne("DigiAlert.Api.Models.Event", "Event")
```

```
        .WithMany("EventParticipants")
        .HasForeignKey("IdEvent")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.Navigation("Contact");

    b.Navigation("Event");
});

modelBuilder.Entity("DigiAlert.Api.Models.Reminder", b =>
{
    b.HasOne("DigiAlert.Api.Models.Contact", "Contact")
        .WithMany()
        .HasForeignKey("IdContact")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.HasOne("DigiAlert.Api.Models.Event", "Event")
        .WithMany("Reminders")
        .HasForeignKey("IdEvent")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.Navigation("Contact");

    b.Navigation("Event");
});

modelBuilder.Entity("DigiAlert.Api.Models.SmsTemplate", b =>
{
    b.HasOne("DigiAlert.Api.Models.User", "User")
        .WithMany("SmsTemplates")
        .HasForeignKey("IdUser")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.Navigation("User");
});

modelBuilder.Entity("DigiAlert.Api.Models.Contact", b =>
{
    b.Navigation("EventParticipants");
});

modelBuilder.Entity("DigiAlert.Api.Models.Event", b =>
{
    b.Navigation("EventParticipants");

    b.Navigation("Reminders");
});
```

```

        modelBuilder.Entity("DigiAlert.Api.Models.User", b =>
        {
            b.Navigation("Contacts");

            b.Navigation("Events");

            b.Navigation("SmsTemplates");
        });
#pragma warning restore 612, 618
    }
}
}

```

Models

Contact.cs :

```

using System.ComponentModel.DataAnnotations;
using System.ComponentModel.DataAnnotations.Schema;
// Ajout de la bibliothèque pour la gestion du JSON
using System.Text.Json.Serialization;

namespace DigiAlert.Api.Models
{
    [Table("contacts")]
    public class Contact
    {
        [Key]
        [Column("id_contact")]
        public int IdContact { get; set; }

        [Required]
        [Column("id_user")]
        public int IdUser { get; set; }

        [Required]
        [Column("first_name")]
        public string FirstName { get; set; } = string.Empty;

        [Column("last_name")]
        public string? LastName { get; set; }

        [Required]
        [Column("phone_number")]
        public string PhoneNumber { get; set; } = string.Empty;

        [Column("email", TypeName = "varchar(150)")]
        public string? Email { get; set; }

        // --- RELATIONS (Masquées en JSON pour casser les boucles) ---
    }
}

```

```

        [ForeignKey("IdUser")]
        [JsonIgnore] // Empêche de charger l'objet User complet à chaque fois qu'on liste un
contact
        public User? User { get; set; }

        [JsonIgnore] // Empêche de charger l'historique des participations aux événements ici
        public ICollection<EventParticipant>? EventParticipants { get; set; }
    }
}

```

Event.cs :

```

using System.ComponentModel.DataAnnotations;
using System.ComponentModel.DataAnnotations.Schema;

namespace DigiAlert.Api.Models
{
    [Table("events")]
    public class Event
    {
        [Key]
        [Column("id_event")]
        public int IdEvent { get; set; }

        [Required]
        [Column("id_user")]
        public int IdUser { get; set; }

        [Required]
        [Column("title")]
        public string Title { get; set; } = string.Empty;

        [Required]
        [Column("start_datetime")]
        public DateTime StartDateTime { get; set; }

        [Required]
        [Column("end_datetime")]
        public DateTime EndDateTime { get; set; }

        [Column("status")]
        public string Status { get; set; } = "PLANNED";

        // Relations
        [ForeignKey("IdUser")]
        public User? User { get; set; }
        public ICollection<EventParticipant>? EventParticipants { get; set; }
        public ICollection<Reminder>? Reminders { get; set; }
    }
}

```

EventParticipant.cs :

```
using System.ComponentModel.DataAnnotations.Schema;
using System.Text.Json.Serialization;

namespace DigiAlert.Api.Models
{
    [Table("event_participants")]
    public class EventParticipant
    {
        [Column("id_event")]
        public int IdEvent { get; set; }

        [Column("id_contact")]
        public int IdContact { get; set; }

        // Relations
        [ForeignKey("IdEvent")]
        [JsonIgnore]
        public Event? Event { get; set; }

        [ForeignKey("IdContact")]
        [JsonIgnore]
        public Contact? Contact { get; set; }
    }
}
```

Reminder.cs :

```
using System.ComponentModel.DataAnnotations;
using System.ComponentModel.DataAnnotations.Schema;

namespace DigiAlert.Api.Models
{
    [Table("reminders")]
    public class Reminder
    {
        [Key]
        [Column("id_reminder")]
        public int IdReminder { get; set; }

        [Required]
        [Column("id_event")]
        public int IdEvent { get; set; }

        [Required]
        [Column("id_contact")]
        public int IdContact { get; set; }

        [Required]
    }
}
```

```

[Column("scheduled_time")]
public DateTime ScheduledTime { get; set; }

[Required]
[Column("message_text")]
public string MessageText { get; set; } = string.Empty;

[Column("channel")]
public string Channel { get; set; } = "SMS"; // ou "EMAIL"

[Column("status")]
public string Status { get; set; } = "PENDING"; // SENT, FAILED

[Column("api_response")]
public string? ApiResponse { get; set; }

// Relations
[ForeignKey("IdEvent")]
public Event? Event { get; set; }

[ForeignKey("IdContact")]
public Contact? Contact { get; set; }
}
}

```

SmsTemplate.cs :

```

using System.ComponentModel.DataAnnotations;
using System.ComponentModel.DataAnnotations.Schema;

namespace DigiAlert.Api.Models
{
    [Table("sms_templates")]
    public class SmsTemplate
    {
        [Key]
        [Column("id_template")]
        public int IdTemplate { get; set; }

        [Required]
        [Column("id_user")]
        public int IdUser { get; set; }

        [Required]
        [Column("template_name")]
        public string TemplateName { get; set; } = string.Empty;

        [Required]
        [Column("message_content")]
        public string MessageContent { get; set; } = string.Empty;
    }
}

```

```

        // Relations
        [ForeignKey("IdUser")]
        public User? User { get; set; }
    }
}

```

User.cs :

```

using System.ComponentModel.DataAnnotations;
using System.ComponentModel.DataAnnotations.Schema;
using System.Text.Json.Serialization;

namespace DigiAlert.Api.Models
{
    [Table("users")]
    public class User
    {
        [Key]
        [Column("id_user")]
        // Libéré pour que tu puisses voir l'ID généré (1, 2, 3...) dans les réponses de l'API
        public int IdUser { get; set; }

        [Required]
        [Column("company_name")]
        public string CompanyName { get; set; } = string.Empty;

        [Required, EmailAddress]
        [Column("email")]
        public string Email { get; set; } = string.Empty;

        [Required]
        [Column("password_hash")]
        [JsonIgnore]
        public string PasswordHash { get; set; } = string.Empty;

        [Column("api_key")]
        [JsonIgnore]
        public string? ApiKey { get; set; }

        [Column("sender_id")]
        [MaxLength(11)]
        public string? SenderId { get; set; }

        [Column("created_at")]
        // Libéré pour que tu puisses voir la date exacte de création de l'entreprise
        public DateTime CreatedAt { get; set; } = DateTime.UtcNow;

        // --- RELATIONS (Le bouclier anti-boucle infinie) ---

        [JsonIgnore]
        public ICollection<Contact>? Contacts { get; set; }
    }
}

```

```

    [JsonIgnore]
    public ICollection<Event>? Events { get; set; }

    [JsonIgnore]
    public ICollection<SmsTemplate>? SmsTemplates { get; set; }
}
}

```

Program.cs :

```

using DigiAlert.Api.Data;
using Microsoft.EntityFrameworkCore;
using DigiAlert.Api.Services;
using System.Text;
using Microsoft.AspNetCore.Authentication.JwtBearer;
using Microsoft.IdentityModel.Tokens;

var builder = WebApplication.CreateBuilder(args);

// --- 1. CONFIGURATION DES SERVICES (La partie qui manquait) ---

// On connecte ton API à PostgreSQL grâce à la chaîne de connexion de appsettings.json
builder.Services.AddDbContext<AppDbContext>(options =>
    options.UseNpgsql(builder.Configuration.GetConnectionString("DefaultConnection")));

// On indique à l'API qu'on va utiliser des Contrôleurs pour structurer le code
builder.Services.AddControllers();

// On configure Swagger (L'interface visuelle pour tester ton API plus tard)
builder.Services.AddEndpointsApiExplorer();
builder.Services.AddSwaggerGen();

// Démarrer le Moteur Cron en arrière-plan
builder.Services.AddHostedService<CronEngineService>();

builder.Services.AddAuthentication(JwtBearerDefaults.AuthenticationScheme)
    .AddJwtBearer(options =>
    {
        options.TokenValidationParameters = new TokenValidationParameters
        {
            ValidateIssuer = true,
            ValidateAudience = true,
            ValidateLifetime = true,
            ValidateIssuerSigningKey = true,
            ValidIssuer = builder.Configuration["Jwt:Issuer"],
            ValidAudience = builder.Configuration["Jwt:Audience"],
            IssuerSigningKey = new
SymmetricSecurityKey(Encoding.UTF8.GetBytes(builder.Configuration["Jwt:Key"]!))
        };
    });

```

```
});

// Autoriser le Frontend React à communiquer avec l'API
builder.Services.AddCors(options =>
{
    options.AddPolicy("AllowFrontend",
        policy =>
        {
            policy.WithOrigins("http://localhost:5173") // L'adresse exacte de ton React
                .AllowAnyHeader()
                .AllowAnyMethod();
        });
});

var app = builder.Build();

// --- 3. CONFIGURATION DU PIPELINE HTTP ---

if (app.Environment.IsDevelopment())
{
    app.UseSwagger();
    app.UseSwaggerUI();
}

// 1. LE CORS EN PREMIER : On ouvre la porte à React
app.UseCors("AllowFrontend");

// 2. LE COUPABLE : Commente cette ligne en local pour éviter les bugs de redirection HTTP vers HTTPS !
app.UseHttpsRedirection();

// 3. LA SÉCURITÉ
app.UseAuthentication();
app.UseAuthorization();

app.MapControllers();

app.Run();
-----
Properties
-----
launchSettings.json :

{
    "$schema": "https://json.schemastore.org/launchsettings.json",
    "profiles": {
        "http": {
            "commandName": "Project",
            "dotnetRunMessages": true,
            "launchBrowser": false,
```

```

        "applicationUrl": "http://localhost:5294",
        "environmentVariables": {
            "ASPNETCORE_ENVIRONMENT": "Development"
        }
    },
    "https": {
        "commandName": "Project",
        "dotnetRunMessages": true,
        "launchBrowser": false,
        "applicationUrl": "https://localhost:7110;http://localhost:5294",
        "environmentVariables": {
            "ASPNETCORE_ENVIRONMENT": "Development"
        }
    }
}
}
}
}

```

Services

CronEngineService.cs :

```

using Microsoft.EntityFrameworkCore;
using DigiAlert.Api.Data;
using DigiAlert.Api.Models;

namespace DigiAlert.Api.Services
{
    public class CronEngineService : BackgroundService
    {
        private readonly ILogger<CronEngineService> _logger;
        private readonly IServiceScopeFactory _scopeFactory;

        // Le constructeur
        public CronEngineService(ILogger<CronEngineService> logger, IServiceScopeFactory
scopeFactory)
        {
            _logger = logger;
            _scopeFactory = scopeFactory;
        }

        // C'est la boucle infinie qui tourne en tâche de fond
        protected override async Task ExecuteAsync(CancellationToken stoppingToken)
        {
            _logger.LogInformation("🌀 Moteur Cron DigiAlert démarré en arrière-plan...");

            while (!stoppingToken.IsCancellationRequested)
            {
                await ProcessPendingReminders();

                // Le Cron se met en pause 30 secondes avant de revérifier la BDD
                // (En production, on mettra plutôt 1 minute)
            }
        }
    }
}

```

```

        await Task.Delay(TimeSpan.FromSeconds(30), stoppingToken);
    }
}

private async Task ProcessPendingReminders()
{
    using (var scope = _scopeFactory.CreateScope())
    {
        var context = scope.ServiceProvider.GetRequiredService<AppDbContext>();

        // On inclut les infos du Contact, de l'Event et du User pour avoir accès à la
        Clé API !

        var pendingReminders = await context.Reminders
            .Include(r => r.Contact)
            .Include(r => r.Event)
            .ThenInclude(e => e.User)
            .Where(r => r.Status == "PENDING" && r.ScheduledTime <= DateTime.UtcNow)
            .ToListAsync();

        if (pendingReminders.Any())
        {
            _logger.LogInformation($"🔔 {pendingReminders.Count} rappel(s) trouvé(s) à
            expédier !");

            foreach (var reminder in pendingReminders)
            {
                try
                {
                    // 1. REMPLACEMENT DES TAGS (Correction de la syntaxe à une seule
                    accolade)

                    string finalMessage = reminder.MessageText
                        .Replace("{Prenom}", reminder.Contact.FirstName)
                        .Replace("{Nom}", reminder.Contact.LastName ?? "")
                        .Replace("{Date}", reminder.Event.StartDateTime.ToString("dd/
                        MM/yyyy"))
                        .Replace("{Heure}",
                        reminder.Event.StartDateTime.ToString("HH:mm"));

                    // 2. RÉCUPÉRATION DES PARAMÈTRES API DU GÉRANT
                    string apiKey = reminder.Event.User.ApiKey ?? "CLE_API_MANQUANTE";
                    string senderId = reminder.Event.User.SenderId ?? "DIGIALERT";

                    // 3. SIMULATION DE L'ENVOI API DIGISMS

                    _logger.LogInformation("-----");
                    _logger.LogInformation($"📧 API DIGISMS [Sender: {senderId}] [Key:
                    {apiKey}]");

                    _logger.LogInformation($"📧 Destinataire :
                    {reminder.Contact.PhoneNumber}");
                    _logger.LogInformation($"📧 Message Final : {finalMessage}");
                }
            }
        }
    }
}

```

```

_logger.LogInformation("-----");

        await Task.Delay(500); // Simulation temps réseau

        // 4. MISE À JOUR BDD
        reminder.Status = "SENT";
        reminder.MessageText = finalMessage; // On sauvegarde le vrai texte
final
        reminder.ApiResponse = "200 OK - Simulation Réussie";
    }
    catch (Exception ex)
    {
        reminder.Status = "FAILED";
        reminder.ApiResponse = ex.Message;
        _logger.LogError($"✕ Échec de l'envoi du rappel
{reminder.IdReminder}: {ex.Message}");
    }
    }

    await context.SaveChangesAsync();
    }
    }
    }
}

```

-----DigiAlert.Web-----

eslint.config.js :

```

import js from '@eslint/js'
import globals from 'globals'
import reactHooks from 'eslint-plugin-react-hooks'
import reactRefresh from 'eslint-plugin-react-refresh'
import { defineConfig, globalIgnores } from 'eslint/config'

export default defineConfig([
  globalIgnores(['dist']),
  {
    files: ['**/*.{js,jsx}'],
    extends: [
      js.configs.recommended,
      reactHooks.configs.flat.recommended,
      reactRefresh.configs.vite,
    ],
    languageOptions: {
      globals: globals.browser,
      parserOptions: { ecmaFeatures: { jsx: true } },
    },
  },
])

```

index.html :

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <link rel="icon" type="image/svg+xml" href="/favicon.svg" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>digialert-web</title>
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.jsx"></script>
  </body>
</html>
```

package.json :

```
{
  "name": "digialert-web",
  "private": true,
  "version": "0.0.0",
  "type": "module",
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "lint": "eslint .",
    "preview": "vite preview"
  },
  "dependencies": {
    "lucide-react": "^1.24.0",
    "react": "^19.2.7",
    "react-dom": "^19.2.7",
    "react-router-dom": "^7.18.1",
    "recharts": "^3.9.2"
  },
  "devDependencies": {
    "@eslint/js": "^10.0.1",
    "@types/react": "^19.2.17",
    "@types/react-dom": "^19.2.3",
    "@vitejs/plugin-react": "^6.0.3",
    "autoprefixer": "^10.5.2",
    "eslint": "^10.6.0",
    "eslint-plugin-react-hooks": "^7.1.1",
    "eslint-plugin-react-refresh": "^0.5.3",
    "globals": "^17.7.0",
    "postcss": "^8.5.19",
    "tailwindcss": "^3.4.19",
    "vite": "^8.1.1"
  }
}
```

```
}
```

```
-----
package-lock.json :
```

```
{
  "name": "digialert-web",
  "version": "0.0.0",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "name": "digialert-web",
      "version": "0.0.0",
      "dependencies": {
        "lucide-react": "^1.24.0",
        "react": "^19.2.7",
        "react-dom": "^19.2.7",
        "react-router-dom": "^7.18.1",
        "recharts": "^3.9.2"
      },
      "devDependencies": {
        "@eslint/js": "^10.0.1",
        "@types/react": "^19.2.17",
        "@types/react-dom": "^19.2.3",
        "@vitejs/plugin-react": "^6.0.3",
        "autoprefixer": "^10.5.2",
        "eslint": "^10.6.0",
        "eslint-plugin-react-hooks": "^7.1.1",
        "eslint-plugin-react-refresh": "^0.5.3",
        "globals": "^17.7.0",
        "postcss": "^8.5.19",
        "tailwindcss": "^3.4.19",
        "vite": "^8.1.1"
      }
    },
    "node_modules/@alloc/quick-lru": {
      "version": "5.2.0",
      "resolved": "https://registry.npmjs.org/@alloc/quick-lru/-/quick-lru-5.2.0.tgz",
      "integrity": "sha512-UrcABB+4bUrFABwbluTIBErXwvbsU/V7TZWfmbgJfbkwiBuziS9gxd0DUyuiecfDGQ85jglMW6juS3+z5TsKLw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=10"
      }
    },
    "node_modules/@babel/code-frame": {
      "version": "7.29.7",

```

```
"resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.7.tgz",
"integrity": "sha512-Aup7aU0fpbAUg2R00JN6Iw5f9DMBlzu0mIkm/mallQFN/
YQg048wCj0Kxa3sEHJvPVFg7siR+qRIInwXd2qhQKw==",
"dev": true,
"license": "MIT",
"dependencies": {
  "@babel/helper-validator-identifier": "^7.29.7",
  "js-tokens": "^4.0.0",
  "picocolors": "^1.1.1"
},
"engines": {
  "node": ">=6.9.0"
}
},
"node_modules/@babel/compat-data": {
  "version": "7.29.7",
  "resolved": "https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.29.7.tgz",
  "integrity": "sha512-locTkQyKvwIEgBzVrn8693ebc97F2U8ZHjbXwDXJ5Fn2TCpNwTlKcaKLkdHop5c/
ic0FE7qt7Q9JC5hnKNa6Gg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/core": {
  "version": "7.29.7",
  "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.29.7.tgz",
  "integrity": "sha512-RgHBCvtjb0K2gXSNBNIkNoEc9qoVEtau3hj8gEqKQuL3HZAibKarWFEI3Lfm6EYKkLal0h8eSsrj9b+ch9H/VBA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/code-frame": "^7.29.7",
    "@babel/generator": "^7.29.7",
    "@babel/helper-compilation-targets": "^7.29.7",
    "@babel/helper-module-transforms": "^7.29.7",
    "@babel/helpers": "^7.29.7",
    "@babel/parser": "^7.29.7",
    "@babel/template": "^7.29.7",
    "@babel/traverse": "^7.29.7",
    "@babel/types": "^7.29.7",
    "@jridgewell/remapping": "^2.3.5",
    "convert-source-map": "^2.0.0",
    "debug": "^4.1.0",
    "gensync": "^1.0.0-beta.2",
    "json5": "^2.2.3",
    "semver": "^6.3.1"
  },
  "engines": {
    "node": ">=6.9.0"
  }
}
```

```

    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/babel"
    }
  },
  "node_modules/@babel/generator": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/generator/-/generator-7.29.7.tgz",
    "integrity": "sha512-DkXD50JQaAQIdZ1bt3UZdEnHAn9Imd3IVBdX03UFe+ony90jw5pzm9YVKGDY1jt+Gcn/FnGkNf8r+Vj5NOJWtQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/parser": "^7.29.7",
      "@babel/types": "^7.29.7",
      "@jridgewell/gen-mapping": "^0.3.12",
      "@jridgewell/trace-mapping": "^0.3.28",
      "jsesc": "^3.0.2"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-compilation-targets": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-compilation-targets-7.29.7.tgz",
    "integrity": "sha512-wem6WabJ4NaVYVdNhLPPVacES6ZJ+KBBfSkTMD3YZxbP3rm3Di85tJU5ljaUNha0ynt+Ajl0xruhYuzQBt8n71g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/compat-data": "^7.29.7",
      "@babel/helper-validator-option": "^7.29.7",
      "browserslist": "^4.24.0",
      "lru-cache": "^5.1.1",
      "semver": "^6.3.1"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-globals": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.29.7.tgz",
    "integrity": "sha512-3nQVUAAtvkKH9zahfWgw96Jc/uF0mjACE1kQz82E2lqWmHBgjzbnlsC22nuQTfahmWeQtTq5nQ/4Nnd2A1wj4zA==",
    "dev": true,
    "license": "MIT",

```

```
"engines": {
  "node": ">=6.9.0"
},
},
"node_modules/@babel/helper-module-imports": {
  "version": "7.29.7",
  "resolved": "https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.29.7.tgz",
  "integrity": "sha512-ejHwrQQYcm9xnTivShn2ID0lIzInN34AXskvq9QicvCtEzq1Vzclu/tKF8Jq1Cg8JG2GL6/EmjgsCT7lXepE3g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/traverse": "^7.29.7",
    "@babel/types": "^7.29.7"
  },
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/helper-module-transforms": {
  "version": "7.29.7",
  "resolved": "https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-module-transforms-7.29.7.tgz",
  "integrity": "sha512-UPUVSyXb0h627KiCIGQSgwWzGeBKLkaJ9PJEdrngIwMSzxLR4jS4+f1f1jb7VzBbg8nFLaYotvVPFCTqdrmTAg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/helper-module-imports": "^7.29.7",
    "@babel/helper-validator-identifier": "^7.29.7",
    "@babel/traverse": "^7.29.7"
  },
  "engines": {
    "node": ">=6.9.0"
  },
  "peerDependencies": {
    "@babel/core": "^7.0.0"
  }
},
"node_modules/@babel/helper-string-parser": {
  "version": "7.29.7",
  "resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.29.7.tgz",
  "integrity": "sha512-Pb5ijPrZ89GDH8223L4UP8i6QApWxs04RbPQJTeWDV0/keR2E36MeKnyr6LYmUUvqRRI+Iv87SuF1W6ErINzYw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6.9.0"
  }
}
```

```

    },
    "node_modules/@babel/helper-validator-identifier": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.29.7.tgz",
      "integrity": "sha512-QehxGKrJ55h/ff8EMaJ+cYhyaKlHIxqYDn682wQD7RNp9Uuj0QsHog2uS0r2vzr4pW+sXf90NeeayjcNaX3fFg==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helper-validator-option": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/helper-validator-option/-/helper-validator-option-7.29.7.tgz",
      "integrity": "sha512-N9ZErrD+yW5geCDtBqnOoxmR8+tNKiGuxKlDpuJxfsqpa2dFcexaziGAE/qoHLiDDreVNMupxGmSoNlyvsA3gw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helpers": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/helpers/-/helpers-7.29.7.tgz",
      "integrity": "sha512-1k2lAGRMfHTcwuNYcCNUmaUffmQv8KWMfh2iJUeRlwlwH4FdNG7mfPI10NPfLHJFThE4Tyr4mv7kTNZ0iPuBg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/template": "^7.29.7",
        "@babel/types": "^7.29.7"
      },
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/parser": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.29.7.tgz",
      "integrity": "sha512-hn0RnjP/1P/zFEndoeX+n+t1RwWRJiJpM/j07FW32Kn9r5+sJB2JW0dYo4L6k78j15eCwY3Gm/7364B1EMwtNg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/types": "^7.29.7"
      }
    },

```

```

    "bin": {
      "parser": "bin/babel-parser.js"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/@babel/template": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/template/-/template-7.29.7.tgz",
    "integrity": "sha512-puq+Gf35oI24FeN11LkoUQFqv9uwNeWpxXZi/
Ji3rRIoKAZKnxRaZ+Gkj0vKS9ZCiTESfng1N9Ly0yXvo+m+Gg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.29.7",
      "@babel/parser": "^7.29.7",
      "@babel/types": "^7.29.7"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/traverse": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/traverse/-/traverse-7.29.7.tgz",
    "integrity": "sha512-EhlfNQZ+K22w5BM61ciuiq1m58ed33Wr1Xan//
ZRTy6hgjnwyCffRYwzsGXdASJSUJ1guZILsErh1eQcl+zw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.29.7",
      "@babel/generator": "^7.29.7",
      "@babel/helper-globals": "^7.29.7",
      "@babel/parser": "^7.29.7",
      "@babel/template": "^7.29.7",
      "@babel/types": "^7.29.7",
      "debug": "^4.3.1"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/types": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/types/-/types-7.29.7.tgz",
    "integrity": "sha512-4zBIxpPzowiZpusoFkyGVwakdRJUyuH5PxQ/
PrqghfdFWWasvnCdPfQXHrenDai+gyLARulZjZowCOj6fjT4pA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {

```

```

    "@babel/helper-string-parser": "^7.29.7",
    "@babel/helper-validator-identifier": "^7.29.7"
  },
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@emnapi/core": {
  "version": "1.11.1",
  "resolved": "https://registry.npmjs.org/@emnapi/core/-/core-1.11.1.tgz",
  "integrity": "sha512-RSvbQmHzdKzNsLYa/wHrbc3KN4sYLKAdPZxqiM2HATqv/SBk2/
ENSHpvXGaLOMcsAyz0poEGqkmmKYG30WiJEQ==",
  "dev": true,
  "license": "MIT",
  "optional": true,
  "dependencies": {
    "@emnapi/wasi-threads": "1.2.2",
    "tslib": "^2.4.0"
  }
},
"node_modules/@emnapi/runtime": {
  "version": "1.11.1",
  "resolved": "https://registry.npmjs.org/@emnapi/runtime/-/runtime-1.11.1.tgz",
  "integrity": "sha512-vgj7R3y3Wgx24IQaGPA/
R6YFXLHVMOZ0uVEyIQPaWs+rd1AzfEMX1AC22FYw01XkKR6NPsq7mUandH8oIRdZFW==",
  "dev": true,
  "license": "MIT",
  "optional": true,
  "dependencies": {
    "tslib": "^2.4.0"
  }
},
"node_modules/@emnapi/wasi-threads": {
  "version": "1.2.2",
  "resolved": "https://registry.npmjs.org/@emnapi/wasi-threads/-/wasi-threads-1.2.2.tgz",
  "integrity": "sha512-
c95q0XkHdydNKHscBTebqEC1CVAZpyq0fVfBzQ1qqzyl3gfeldUjIggDbIZgDKsHLgnsM+igH7TJ/eAasaVuMA==",
  "dev": true,
  "license": "MIT",
  "optional": true,
  "dependencies": {
    "tslib": "^2.4.0"
  }
},
"node_modules/@eslint-community/eslint-utils": {
  "version": "4.9.1",
  "resolved": "https://registry.npmjs.org/@eslint-community/eslint-utils/-/eslint-
utils-4.9.1.tgz",
  "integrity": "sha512-phrYmNiYppR7znFEdqgfWHXR6NCkZEK7hwWDHZUjit/2/
U0r6XvkDl0SYnoM51Hq7FhCGdLDT6zxCC0Y1hexsQ==",
  "dev": true,

```

```

    "license": "MIT",
    "dependencies": {
      "eslint-visitor-keys": "^3.4.3"
    },
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    },
    "peerDependencies": {
      "eslint": "^6.0.0 || ^7.0.0 || >=8.0.0"
    }
  },
  "node_modules/@eslint-community/eslint-utils/node_modules/eslint-visitor-keys": {
    "version": "3.4.3",
    "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-3.4.3.tgz",
    "integrity": "sha512-wpcUzWUDJcX9wVIVCtAJES8jwM8tM/3s3f4xxXBIHzBz4V7Uqq3bRtM5GnNwUNto92KzALh81H5Nl8/W52Y=",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    }
  },
  "node_modules/@eslint-community/regexpp": {
    "version": "4.12.2",
    "resolved": "https://registry.npmjs.org/@eslint-community/regexpp/-/regexpp-4.12.2.tgz",
    "integrity": "sha512-EiSTltt50C9/7SXkRSCAhfSxxoSUGBm330H+IkwbdpgoqsSsUg7y3uh+IICI/Qg4BBWr3U2i39RpmcxbMq4ew==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "^12.0.0 || ^14.0.0 || >=16.0.0"
    }
  },
  "node_modules/@eslint/config-array": {
    "version": "0.23.5",
    "resolved": "https://registry.npmjs.org/@eslint/config-array/-/config-array-0.23.5.tgz",
    "integrity": "sha512-Y3kKLvC1dvT0T+oGlqNQ1XLqK6D1HU2YXPc52NmAlJZbMMWDzGYXMiPRJ8TYD39muD/OTjlZmNJ4ib7dvSrMBA==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@eslint/object-schema": "^3.0.5",
      "debug": "^4.3.1",
      "minimatch": "^10.2.4"
    }
  }

```

```

    },
    "engines": {
      "node": "^20.19.0 || ^22.13.0 || >=24"
    }
  },
  "node_modules/@eslint/config-helpers": {
    "version": "0.6.0",
    "resolved": "https://registry.npmjs.org/@eslint/config-helpers/-/config-helpers-0.6.0.tgz",
    "integrity": "sha512-ii6Bw9jJ2zi2cWA2Z+9/QZ/+3DX6kwaV5Q986D/CdP3Lap3w/pgQZ373FV7byY/i7L4IRH/G43I5dz1ClsCbpA==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@eslint/core": "^1.2.1"
    },
    "engines": {
      "node": "^20.19.0 || ^22.13.0 || >=24"
    }
  },
  "node_modules/@eslint/core": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@eslint/core/-/core-1.2.1.tgz",
    "integrity": "sha512-MwcE1P+AZ4C6DWlpin/OmOA54mmIZ/+xZuJiQd4SyB29oAJjN30UW9wkKNptW2ctp4cEsvhlLY/CsQ1uoHDloQ==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@types/json-schema": "^7.0.15"
    },
    "engines": {
      "node": "^20.19.0 || ^22.13.0 || >=24"
    }
  },
  "node_modules/@eslint/js": {
    "version": "10.0.1",
    "resolved": "https://registry.npmjs.org/@eslint/js/-/js-10.0.1.tgz",
    "integrity": "sha512-zeR9k5pd4gxjZ0abRoIaxdc7I3nDktoXZk2q0v9gCNWx3mVwEn32VRhyLaRsDiJjTs0xq/T8mfPtyuXu7GWBcA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "^20.19.0 || ^22.13.0 || >=24"
    },
    "funding": {
      "url": "https://eslint.org/donate"
    },
    "peerDependencies": {
      "eslint": "^10.0.0"
    },
    "peerDependenciesMeta": {

```

```

    "eslint": {
      "optional": true
    }
  },
  "node_modules/@eslint/object-schema": {
    "version": "3.0.5",
    "resolved": "https://registry.npmjs.org/@eslint/object-schema/-/object-schema-3.0.5.tgz",
    "integrity": "sha512-1ZJ6KwFThKZ0z0xzXy48da+No7HZaMw==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": "^20.19.0 || ^22.13.0 || >=24"
    }
  },
  "node_modules/@eslint/plugin-kit": {
    "version": "0.7.2",
    "resolved": "https://registry.npmjs.org/@eslint/plugin-kit/-/plugin-kit-0.7.2.tgz",
    "integrity": "sha512-+CNAzxlkrpNf/kKywqQfk74QjtceuOE7Qm+AF8miRvPF/
wmmK5+OJOgVh3AVTT3RP2mH3+F0axlE5v72owk0A==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@eslint/core": "^1.2.1",
      "levn": "^0.4.1"
    },
    "engines": {
      "node": "^20.19.0 || ^22.13.0 || >=24"
    }
  },
  "node_modules/@humanfs/core": {
    "version": "0.19.2",
    "resolved": "https://registry.npmjs.org/@humanfs/core/-/core-0.19.2.tgz",
    "integrity": "sha512-UhXNm+CFMWcbChXywFwkmhqjs3PRCmcSa/
hfBgLIb7oQ5HNB1wS0icWsGtSAUNgefHeI+eBrA8I1fxmbHsGdvA==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@humanfs/types": "^0.15.0"
    },
    "engines": {
      "node": ">=18.18.0"
    }
  },
  "node_modules/@humanfs/node": {
    "version": "0.16.8",
    "resolved": "https://registry.npmjs.org/@humanfs/node/-/node-0.16.8.tgz",
    "integrity": "sha512-gE1eQNz3R++kTzFUdpGlpmy8kDZD/
MLyHqDwqjkVQI0JMdI1D51sy1H958PNXYkM2rAac7e5/CnIKZrHtPh3BQ==",
    "dev": true,

```

```
"license": "Apache-2.0",
"dependencies": {
  "@humanfs/core": "^0.19.2",
  "@humanfs/types": "^0.15.0",
  "@humanwhocodes/retry": "^0.4.0"
},
"engines": {
  "node": ">=18.18.0"
}
},
"node_modules/@humanfs/types": {
  "version": "0.15.0",
  "resolved": "https://registry.npmjs.org/@humanfs/types/-/types-0.15.0.tgz",
  "integrity": "sha512-ZZ1w0aoQkwuUuC7Yf+7sdeaNfqQiiLcSRbfI08oAxqLtpXQr9AIVX7Ay7HLDuiLYAaFPu8oBYNq/QIi9URHJ3Q==",
  "dev": true,
  "license": "Apache-2.0",
  "engines": {
    "node": ">=18.18.0"
  }
},
"node_modules/@humanwhocodes/module-importer": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/@humanwhocodes/module-importer/-/module-importer-1.0.1.tgz",
  "integrity": "sha512-bxveV4V8v5Yb4ncFTT3rPSgZB0pCkjfK0y4oVVVJwIuDVBMDXrPyXRL988i5ap9m9bnyEEjWfm5WkBmtffLfA==",
  "dev": true,
  "license": "Apache-2.0",
  "engines": {
    "node": ">=12.22"
  },
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/nzakas"
  }
},
"node_modules/@humanwhocodes/retry": {
  "version": "0.4.3",
  "resolved": "https://registry.npmjs.org/@humanwhocodes/retry/-/retry-0.4.3.tgz",
  "integrity": "sha512-bV0Tgo9K4hfPCek+aMAN81RppFKv2ySDQeMoSZuvTASywnTnVJCArCZE2FWqpvIatKu7VMRLWlR1EazvVhDyhQ==",
  "dev": true,
  "license": "Apache-2.0",
  "engines": {
    "node": ">=18.18"
  },
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/nzakas"
  }
}
```

```
  },
  "node_modules/@jridgewell/gen-mapping": {
    "version": "0.3.13",
    "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
    "integrity": "sha512-2kkt77n7nYI6j9g21y8eI6HF2/+JGcrvGFCrKYG6CzUWv7uQiygOxW3sUCrV13zrI7n7X7Nf1C81wZ95rQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/sourcemap-codec": "^1.5.0",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/remapping": {
    "version": "2.3.5",
    "resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
    "integrity": "sha512-0KYOAz+t1Lp4rC610p0B/n0wRh7n27brfhBHGJKHsvZTdxwM5GjH2541M2npZfo05p0Yp2Cv11QWmrmLHw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/gen-mapping": "^0.3.5",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/resolve-uri": {
    "version": "3.1.2",
    "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
    "integrity": "sha512-bIpA4w9mP+4KSgt1zXMvH0hM+0p2Z0vPnWBLghRr1eYU0OAHJWzUGxVdJGg5aR8QzVX06/42WzZ7V0Rw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/@jridgewell/sourcemap-codec": {
    "version": "1.5.5",
    "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz",
    "integrity": "sha512-1j8V0Y2L3r46OgU9Sul1QLi7m6J0t6uBrmkhJDGdU7k7jg9psFzRoQYvLv5qFnjAhwV0S/P47bW498Pcg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@jridgewell/trace-mapping": {
    "version": "0.3.31",
    "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
    "integrity": "sha512-VK8X91uG9oU3tK5tGOWqlO+yhLQeWwH9J0eRl1e5Y7uXlS8QXp04ZDUat5IWOy0LdIt0SKzYkQAqUw=="
```

```

zzNR+SdQSDJzc8joaeP8QoCQr8NuYx2dIIyt1l1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TWCmtmfV8Nu1twOLAw==" ,
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/resolve-uri": "^3.1.0",
    "@jridgewell/sourcemap-codec": "^1.4.14"
  }
},
"node_modules/@napi-rs/wasm-runtime": {
  "version": "1.1.6",
  "resolved": "https://registry.npmjs.org/@napi-rs/wasm-runtime/-/wasm-runtime-1.1.6.tgz",
  "integrity": "sha512-ZLv/JdUfkv0y9eCnnBaGfi0+XimbJebAe0+MRQqD/
B+FR1tnRN0tpKSJHRbE8sFfS6aqsXZ67TQjfwfsxULVbg==" ,
  "dev": true,
  "license": "MIT",
  "optional": true,
  "dependencies": {
    "@tybys/wasm-util": "^0.10.3"
  },
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/Brooooooklyn"
  },
  "peerDependencies": {
    "@emnapi/core": "^1.7.1",
    "@emnapi/runtime": "^1.7.1"
  }
},
"node_modules/@nodelib/fs.scandir": {
  "version": "2.1.5",
  "resolved": "https://registry.npmjs.org/@nodelib/fs.scandir/-/fs.scandir-2.1.5.tgz",
  "integrity": "sha512-vq24Bq3ym5HEQm2NKCrc3yXDwjc7vTsEThRDnkp2DK9p1uqLR+DHurm/
NOTo0KG7HYHU7eppKZj3MyqYuMBf62g==" ,
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@nodelib/fs.stat": "2.0.5",
    "run-parallel": "^1.1.9"
  },
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/@nodelib/fs.stat": {
  "version": "2.0.5",
  "resolved": "https://registry.npmjs.org/@nodelib/fs.stat/-/fs.stat-2.0.5.tgz",
  "integrity": "sha512-RkhPPp2zrqDAQA/
2jNhnztcpAlv64XdhIp7a7454A5ovI7Bukxgt7MX7udwAu3zg1DcpPU0rz3VV1SeaqvY4+A==" ,
  "dev": true,
  "license": "MIT",
  "engines": {

```

```

    "node": ">= 8"
  },
  "node_modules/@nodelib/fs.walk": {
    "version": "1.2.8",
    "resolved": "https://registry.npmjs.org/@nodelib/fs.walk/-/fs.walk-1.2.8.tgz",
    "integrity": "sha512-oGB+UxlgWcgQkgwo8GcEGwemoTft3FI09ababBmaGwXIobKZ+GTy0pP185beGg7Llih/
NSHSV2XAs1lnznocSg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@nodelib/fs.scandir": "2.1.5",
      "fastq": "^1.6.0"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/@oxc-project/types": {
    "version": "0.139.0",
    "resolved": "https://registry.npmjs.org/@oxc-project/types/-/types-0.139.0.tgz",
    "integrity": "sha512-r9gHphtCs+1M7J0pw6Sn/hh/Wpa/iQr00krNA1VLF/gHq+/
CJmHIWKKUUhWjcD6CIa8idarspCsASiXCXvFUw==",
    "dev": true,
    "license": "MIT",
    "funding": {
      "url": "https://github.com/sponsors/Boshen"
    }
  },
  "node_modules/@reduxjs/toolkit": {
    "version": "2.12.0",
    "resolved": "https://registry.npmjs.org/@reduxjs/toolkit/-/toolkit-2.12.0.tgz",
    "integrity": "sha512-
KiT+RzZbp6mQET+Mg+h2c97+9j1sNflUxQkIHI7Yuzf6Peu+OYpmkn6nbHWmLLWj+1ZODUJFwGZ7gx3L9R9E0w==",
    "license": "MIT",
    "dependencies": {
      "@standard-schema/spec": "^1.0.0",
      "@standard-schema/utils": "^0.3.0",
      "immer": "^11.0.0",
      "redux": "^5.0.1",
      "redux-thunk": "^3.1.0",
      "reselect": "^5.1.0"
    },
    "peerDependencies": {
      "react": "^16.9.0 || ^17.0.0 || ^18 || ^19",
      "react-redux": "^7.2.1 || ^8.1.3 || ^9.0.0"
    },
    "peerDependenciesMeta": {
      "react": {
        "optional": true
      }
    }
  },

```

```
    "react-redux": {
      "optional": true
    }
  },
  "node_modules/@rolldown/binding-android-arm64": {
    "version": "1.1.5",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-android-arm64/-/binding-android-arm64-1.1.5.tgz",
    "integrity": "sha512-1Zg8fqIv2v7FF237bwMgzGZEJvGL79/s5knJ/i6FmsGF4XXlzcCZ4jb+TrFIxtSSxFtIpdsgRPZeMk1I9AFcyQ==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-darwin-arm64": {
    "version": "1.1.5",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-arm64/-/binding-darwin-arm64-1.1.5.tgz",
    "integrity": "sha512-sha512-51Bnx9pNiMRKSUNtBfySkNJ9vMU9Hh3I1ozDd6gyPPYzaXCfnptUcEZxXGYFn+ul2dtcMUiqGR1Yai2K10uoTw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-darwin-x64": {
    "version": "1.1.5",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-x64/-/binding-darwin-x64-1.1.5.tgz",
    "integrity": "sha512-Tm+gbfC0aHu1tBA/JvKQh32S0K6YgCHkiAF4/W6xX0K0RmNuc94VeK419dJoE65R5aRxmo+noZQSWrAMF6yb6g==",
    "cpu": [
```

```
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-freebsd-x64": {
  "version": "1.1.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-freebsd-x64/-/binding-freebsd-x64-1.1.5.tgz",
  "integrity": "sha512-JMzDKCCXq93YccG5gz3hv0s1oXRKAf0XYpf0S88e+wZrC8Iugj6j68867vrYZkvpDDpKn/KoKORTmchMpF6TA==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "freebsd"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-linux-arm-gnueabi": {
  "version": "1.1.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm-gnueabi/-/binding-linux-arm-gnueabi-1.1.5.tgz",
  "integrity": "sha512-nimTj9B4L63zHpjXL14y0L3mcm2htEQIb06oCG/szerNw==",
  "cpu": [
    "arm"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-linux-arm64-gnu": {
```

```
    "version": "1.1.5",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm64-gnu/-/binding-
linux-arm64-gnu-1.1.5.tgz",
    "integrity": "sha512-navSiuTMogvnQoZoM/v+l3ZW050/NTwSHSszeABx/
RCnmUPaKwq9qSo4Br20YRs21+Fz8uFqITZM3H4op0B0/Q==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-linux-arm64-musl": {
    "version": "1.1.5",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm64-musl/-/binding-
linux-arm64-musl-1.1.5.tgz",
    "integrity": "sha512-lAryqH7IteztmCXQXk0etKj4wBQ7Gx5S6LjKhsgp9zb8I5bsuvU/
21lH1hDQcjsFeqIsoVMVN339/8pUDDbXxA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-linux-ppc64-gnu": {
    "version": "1.1.5",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-ppc64-gnu/-/binding-
linux-ppc64-gnu-1.1.5.tgz",
    "integrity": "sha512-fsK/
sNBnxzB1L401JNrZakVQxPspqpED5dLtNsZS9o0KmtSpdNIzxH2kko15HYTWJN47sE20ztMJPxfZ89qG0g==",
    "cpu": [
      "ppc64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  }
}
```

```
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-linux-s390x-gnu": {
  "version": "1.1.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-s390x-gnu/-/binding-linux-s390x-gnu-1.1.5.tgz",
  "integrity": "sha512-gLYb4BIadlfT0YT5g0503n8zQjXf1gzpD0FcyKh0Mzx3rqCZKnHoJWV9xe1KXUJ51x2JfcSHr/mhzS0PC/McAA==",
  "cpu": [
    "s390x"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-linux-x64-gnu": {
  "version": "1.1.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-x64-gnu/-/binding-linux-x64-gnu-1.1.5.tgz",
  "integrity": "sha512-FjcpEKUyJygHgs1o50VYNvkt5+7Le/VEdYt0AkRpkL33MnyQfwr8l5mXwMmfMTbyMPv5vJLC+8/Gd9gXnwU1QQ==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-linux-x64-musl": {
  "version": "1.1.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-x64-musl/-/binding-linux-x64-musl-1.1.5.tgz",
  "integrity": "sha512-Me+PfPI2TMe0Qk0gYwF1LQZtTktrmzbr8cDboqX83XKc7UrgAi55gF+2dUkWdx19n55Essp2yeca+09N5rBxHg==",
  "cpu": [
    "x64"
  ]
}
```

```

    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-openharmony-arm64": {
    "version": "1.1.5",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-openharmony-arm64/-/binding-
openharmony-arm64-1.1.5.tgz",
    "integrity": "sha512-yc5WrLzXks6zCQfn90xr8p0RKyl/pF+QjHmW/
Qx3qu0oyrrNC+y2JLTU1E2rcWYAmzlnqngWXHQjy51VzW70Vw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "openharmony"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-wasm32-wasi": {
    "version": "1.1.5",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-wasm32-wasi/-/binding-wasm32-
wasi-1.1.5.tgz",
    "integrity": "sha512-
VbQGPX2b4r48TAMIM2cjgluIM1HYutm4pcTEJsle7iEP7sB1dFqtPLBVbdLAZCxy1txCcPx4QFf4v8uvltPqA==",
    "cpu": [
      "wasm32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "@emnapi/core": "1.11.1",
      "@emnapi/runtime": "1.11.1",
      "@napi-rs/wasm-runtime": "^1.1.6"
    },
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },

```

```
"node_modules/@rolldown/binding-win32-arm64-msvc": {
  "version": "1.1.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-win32-arm64-msvc/-/binding-win32-arm64-msvc-1.1.5.tgz",
  "integrity": "sha512-gHv82k63z4qpV5+Q1y/12KrK0ltWBukVDI8nZcbT7Tt/Zl0IVwppazneq0F93oDxTo3IgAMEDIoQh3E2n6mVsw==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-win32-x64-msvc": {
  "version": "1.1.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-win32-x64-msvc/-/binding-win32-x64-msvc-1.1.5.tgz",
  "integrity": "sha512-tTZuDBPw85tEN5PQi1pnEBzDy0Z49HtScLAbD5t6hyeU92A95pRWaSMw1GZZi/RwgSgUil0xrSlXIT/9QzvYSA==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/pluginutils": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.1.tgz",
  "integrity": "sha512-2j9bGt5Jh8hj+vPtgzPt172j0yRxHAYumoo6TNfAjsLB04UtpSvPbPcDcBMxz7n+9CYB0c1GxQFyYRg2jimqGw==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@standard-schema/spec": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/@standard-schema/spec/-/spec-1.1.0.tgz",
  "integrity": "sha512-l2aFy5jALhniG5HgqrD6jXLi/rUWrKvqN/qJx6yoJsgKhblVd+iqqU4RCXavm/
```

```
jPityDo5TCvKMnpjKn0riy0w==",
  "license": "MIT"
},
"node_modules/@standard-schema/utils": {
  "version": "0.3.0",
  "resolved": "https://registry.npmjs.org/@standard-schema/utils/-/utils-0.3.0.tgz",
  "integrity": "sha512-e7Mew686owMaPJVNnLS55PUvgz371nKgWSC4vxE49zs0DpJEnxgxRo2y/
OKrqueavXgZNMDVj3DdHFlaSAeU8g==",
  "license": "MIT"
},
"node_modules/@tybys/wasm-util": {
  "version": "0.10.3",
  "resolved": "https://registry.npmjs.org/@tybys/wasm-util/-/wasm-util-0.10.3.tgz",
  "integrity": "sha512-F3fo1MYrRJYL3zER00U0mktjr1Vp23m70sSgp7nq4SP60qX6C/
56XFIPAl5bt3zaBRjmW7SGz3u/6LwFpYcOg==",
  "dev": true,
  "license": "MIT",
  "optional": true,
  "dependencies": {
    "tslib": "^2.4.0"
  }
},
"node_modules/@types/d3-array": {
  "version": "3.2.2",
  "resolved": "https://registry.npmjs.org/@types/d3-array/-/d3-array-3.2.2.tgz",
  "integrity": "sha512-
hOLWVbm7uRza0BYXpIIW5pxfrKe0W+D5lrFiAEYR+pb6w3N2SwSMaJbXdUfSEv+dT4MfHBLtn5js0LAWa06otw==",
  "license": "MIT"
},
"node_modules/@types/d3-color": {
  "version": "3.1.3",
  "resolved": "https://registry.npmjs.org/@types/d3-color/-/d3-color-3.1.3.tgz",
  "integrity": "sha512-
i090scTh9WAbmgv7ogoq5709YpKmFBbmoEoCHDB2xMBY0+/
KVrqAaCDyCE16dUspe0vIxFFRI+0sEtqDqy2b4A==",
  "license": "MIT"
},
"node_modules/@types/d3-ease": {
  "version": "3.0.2",
  "resolved": "https://registry.npmjs.org/@types/d3-ease/-/d3-ease-3.0.2.tgz",
  "integrity": "sha512-
NcV1Jj05oDzoK26oMzbILE6HW7uVXOHLQvHshBUW4UMdZGfiY6v5BeQwh9a9tCzv+CeeFZQHJt5SRgK154RtiA==",
  "license": "MIT"
},
"node_modules/@types/d3-interpolate": {
  "version": "3.0.4",
  "resolved": "https://registry.npmjs.org/@types/d3-interpolate/-/d3-
interpolate-3.0.4.tgz",
  "integrity": "sha512-
mgLPETlrpVV1YRJlglr4Ez47g7Yxjl1lj7YKsiMCb27VJH9W8NVM6Bb9d8kkpG/
uAQ55AmbA48q2IAo1KKo1MA==",
  "license": "MIT",
  "dependencies": {

```

```
    "@types/d3-color": "*"
  },
  "node_modules/@types/d3-path": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/@types/d3-path/-/d3-path-3.1.1.tgz",
    "integrity": "sha512-VMZBYyQvbGmWyWVea0EHs/BwLgxc+MKi1zLDCONksozI4YJMcTt8ZEuIR4Sb1MMTE8MMW49v0IwI5+b7RmfWlg==",
    "license": "MIT"
  },
  "node_modules/@types/d3-scale": {
    "version": "4.0.9",
    "resolved": "https://registry.npmjs.org/@types/d3-scale/-/d3-scale-4.0.9.tgz",
    "integrity": "sha512-dLmtwB8zkAe0/juAMfnV+sItKjlsW2lKdZVVy6LRR0cBmegxSABiLEpGvmSJJ8008i4+sGR6qQtb6WtuwJdvVw==",
    "license": "MIT",
    "dependencies": {
      "@types/d3-time": "*"
    }
  },
  "node_modules/@types/d3-shape": {
    "version": "3.1.8",
    "resolved": "https://registry.npmjs.org/@types/d3-shape/-/d3-shape-3.1.8.tgz",
    "integrity": "sha512-lae0iWfcDeR7qt7rA88BNiqdvPS5pFVPpo50fjElwNaT2yyekbM0C9vK+yqBqEmHr6lDkRnYNoTBYlAgJa7a4w==",
    "license": "MIT",
    "dependencies": {
      "@types/d3-path": "*"
    }
  },
  "node_modules/@types/d3-time": {
    "version": "3.0.4",
    "resolved": "https://registry.npmjs.org/@types/d3-time/-/d3-time-3.0.4.tgz",
    "integrity": "sha512-yuzZug1nkAAaBlBBikKZTGzCeA+k1uy4ZFwWAN0fKw5z5LRhV0gNA7gNkKm7HoK+HRN0wX3EkxGk0fpbWhmB7g==",
    "license": "MIT"
  },
  "node_modules/@types/d3-timer": {
    "version": "3.0.2",
    "resolved": "https://registry.npmjs.org/@types/d3-timer/-/d3-timer-3.0.2.tgz",
    "integrity": "sha512-Ps3T8E8dZDam6fUyNiMkekK3XUsaUEik+id09/YjPtFj2qruF8tFBXS7XhtE4iIXBLxhmLjP3SxPlhVf21I9Lw==",
    "license": "MIT"
  },
  "node_modules/@types/esrecurse": {
    "version": "4.3.1",
    "resolved": "https://registry.npmjs.org/@types/esrecurse/-/esrecurse-4.3.1.tgz",
    "integrity": "sha512-xJBAbDifo5hpffDBuHl0Y8ywsWbiAp/Wi7Y/GtAgSlZyIABppyurxVue0PE8LUQ0xdlgi6Zqce7uoEpqNteiUw==",
    "dev": true,
    "license": "MIT"
  }
```

```
  },
  "node_modules/@types/estree": {
    "version": "1.0.9",
    "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.9.tgz",
    "integrity": "sha512-GhdPg1e14/ImP05X05Uw4cw2/M93BCUmnEvWZNSt1CzEKME4Fkk+YpoA50iHNQmoS7Cafb8Xa3Pya8m1Qrzeg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@types/json-schema": {
    "version": "7.0.15",
    "resolved": "https://registry.npmjs.org/@types/json-schema/-/json-schema-7.0.15.tgz",
    "integrity": "sha512-5+3mES9o90IEMr9QQyRNP57xIYRteWQpAz8Rn1bVW84e6kqeZkY6sW/x74Ivafzsq0UaB/9QvAFzES56Gg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@types/react": {
    "version": "19.2.17",
    "resolved": "https://registry.npmjs.org/@types/react/-/react-19.2.17.tgz",
    "integrity": "sha512-MXfmqaVPEVgkBT/aY0aGCKrWWtByiYQXo3xdQ8r5RzuFrPiRn8Gar2tQdXSUQ2GKV3bkXcckek89V8wQBY2Q/Aw==",
    "devOptional": true,
    "license": "MIT",
    "dependencies": {
      "csstype": "^3.2.2"
    }
  },
  "node_modules/@types/react-dom": {
    "version": "19.2.3",
    "resolved": "https://registry.npmjs.org/@types/react-dom/-/react-dom-19.2.3.tgz",
    "integrity": "sha512-jp2L/eY6fn+KgVVQA0qYItbF0VY/YApe5Mz2F0aykS08gx31bYCZyvSeYxCHKvzHG5eZjc+zyaS5BrBWya2+kQ==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
      "@types/react": "^19.2.0"
    }
  },
  "node_modules/@types/use-sync-external-store": {
    "version": "0.0.6",
    "resolved": "https://registry.npmjs.org/@types/use-sync-external-store/-/use-sync-external-store-0.0.6.tgz",
    "integrity": "sha512-zFDAD+tlpf2r4asuHEj0XH6pY6i0g5NeAHPn+15wk3BV6JA69eERFXC1gyGThDkVa1zCyKr5jox1+2LbV/AMLg==",
    "license": "MIT"
  },
  "node_modules/@vitejs/plugin-react": {
    "version": "6.0.3",
    "resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-6.0.3.tgz",

```

```
"integrity": "sha512-vmFvco5/
QuC2f90j+wTk0+9XeDFkHxSamwZKYc7MxYwKICfvUv1MhqKI0VuICPltGqh1neqBKDv04kes1ya8vg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@rolldown/pluginutils": "^1.0.1"
  },
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  },
  "peerDependencies": {
    "@rolldown/plugin-babel": "^0.1.7 || ^0.2.0",
    "babel-plugin-react-compiler": "^1.0.0",
    "vite": "^8.0.0"
  },
  "peerDependenciesMeta": {
    "@rolldown/plugin-babel": {
      "optional": true
    },
    "babel-plugin-react-compiler": {
      "optional": true
    }
  },
  "node_modules/acorn": {
    "version": "8.17.0",
    "resolved": "https://registry.npmjs.org/acorn/-/acorn-8.17.0.tgz",
    "integrity": "sha512-
xRQbDb9BnwDafYNn6VwL839DYVjqXYb1XVGtWAZ1kcDc6iwAL4hg3B1dZlRiuENFe02H53gFG3in621AdERVAg==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "acorn": "bin/acorn"
    },
    "engines": {
      "node": ">=0.4.0"
    }
  },
  "node_modules/acorn-jsx": {
    "version": "5.3.2",
    "resolved": "https://registry.npmjs.org/acorn-jsx/-/acorn-jsx-5.3.2.tgz",
    "integrity": "sha512-
rq9s+JNhF0IChjtDXl1J7g41oZk5SlXtp0LHwyA5cejwn7vKmKp4pPri6YEePv2PU65sAsegbXtIinmDFDXgQ==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
      "acorn": "^6.0.0 || ^7.0.0 || ^8.0.0"
    }
  },
  "node_modules/ajv": {
    "version": "6.15.0",
```

```

    "resolved": "https://registry.npmjs.org/ajv/-/ajv-6.15.0.tgz",
    "integrity": "sha512-fgFx7Hfoq60ytK2c7DhnF8jIvzYgOMxfugjL0SMHjLIPgenqa7S7oaagATUq99mV6IYvN2tRmC0wnTYX6iPbMw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "fast-deep-equal": "^3.1.1",
      "fast-json-stable-stringify": "^2.0.0",
      "json-schema-traverse": "^0.4.1",
      "uri-js": "^4.2.2"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/epoberezkin"
    }
  },
  "node_modules/any-promise": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/any-promise/-/any-promise-1.3.0.tgz",
    "integrity": "sha512-7UvmKalWRt1wgjL1RrGxoSJW/0QZFIEgpeGvZG9kjp8vrRu55XTHbwnqq2GpXm9uLbcuhxm3IqX90B4MZR1b2A==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/anymatch": {
    "version": "3.1.3",
    "resolved": "https://registry.npmjs.org/anymatch/-/anymatch-3.1.3.tgz",
    "integrity": "sha512-KMReFUr0B4t+D+0BkjR3KYqvocp2XaSz055UcB6mgQMd3KbcE+mWTyvVV7D/zsdEbNnV6acZUutkiHQXvTr1Rw==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "normalize-path": "^3.0.0",
      "picomatch": "^2.0.4"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/anymatch/node_modules/picomatch": {
    "version": "2.3.2",
    "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
    "integrity": "sha512-V7+VQEJ06Z+c5tSye8S+nHufI51xoXIXjHQ99cQtKukQqq01k0/KCJUfZXuB47h/YBlDhah2H3hdUGXn8ie0oA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8.6"
    }
  },
  "funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  }

```

```

    }
  },
  "node_modules/arg": {
    "version": "5.0.2",
    "resolved": "https://registry.npmjs.org/arg/-/arg-5.0.2.tgz",
    "integrity": "sha512-PYjyFOLKQ9y57JvQ6QLo8dAgNqsw8M1RMJYdQduT6xbWSgK36P/Z/
v+p888pM69jMMfS8Xd8F6I1kQ/I9HUGg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/autoprefixer": {
    "version": "10.5.2",
    "resolved": "https://registry.npmjs.org/autoprefixer/-/autoprefixer-10.5.2.tgz",
    "integrity": "sha512-rD5t5Dw0jJdmS0RcTq64j8MawTC+tbQ+HHqjR4NDumamy/
ambn1UJrlKL+KdwujWxMkFjPM3pPH0EA9t14767Q==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/autoprefixer"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "browserslist": "^4.28.4",
      "caniuse-lite": "^1.0.30001799",
      "fraction.js": "^5.3.4",
      "picocolors": "^1.1.1",
      "postcss-value-parser": "^4.2.0"
    },
    "bin": {
      "autoprefixer": "bin/autoprefixer"
    },
    "engines": {
      "node": ">=10 || ^12 || >=14"
    },
    "peerDependencies": {
      "postcss": "^8.1.0"
    }
  },
  "node_modules/balanced-match": {
    "version": "4.0.4",
    "resolved": "https://registry.npmjs.org/balanced-match/-/balanced-match-4.0.4.tgz",

```

```

    "integrity": "sha512-
BLrgEcRTwX2o6gGxGOCNyMvGSp35YofuYzw9h1IMTRmKqttAZZVU67bdb9Pr2vUHA8+j3i2tJfj06C6+4myGTA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "18 || 20 || >=22"
    }
  },
  "node_modules/baseline-browser-mapping": {
    "version": "2.10.43",
    "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-
mapping-2.10.43.tgz",
    "integrity": "sha512-
AjYpR78kDWAY3Efj+cDTFH9t9SCoL70oTp1B0b0mQV7S+6CiLwnWM3FyxhJtdPufDFKzmCSFoUncKjWgJEZTCQ==",
    "dev": true,
    "license": "Apache-2.0",
    "bin": {
      "baseline-browser-mapping": "dist/cli.cjs"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/binary-extensions": {
    "version": "2.3.0",
    "resolved": "https://registry.npmjs.org/binary-extensions/-/binary-extensions-2.3.0.tgz",
    "integrity": "sha512-Ceh+7ox5qe7LJuLHoY0feh3pHuUDHAcRUeyL2VYghZwfpkNIy/
+80cg0a3UuSoYzavmylwuLWQ0f3hl0jjMMIw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/brace-expansion": {
    "version": "5.0.7",
    "resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-5.0.7.tgz",
    "integrity": "sha512-7oFfy703dxfY3/
NLxC1fh2SUCQ0H9rmAY+5EpDVfXjUTT+HEwR2nYaqLv+GwCtsumwxPfz6CzCNkwXwBUwqCA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "balanced-match": "^4.0.2"
    },
    "engines": {
      "node": "18 || 20 || >=22"
    }
  },

```

```

    "node_modules/braces": {
      "version": "3.0.3",
      "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
      "integrity": "sha512-yQbXg0/
OSZVD2IsiLlro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLc0QdIzGupr5Fj+EDe8g0/lxc1BzfMpxvA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "fill-range": "^7.1.1"
      },
      "engines": {
        "node": ">=8"
      }
    },
    "node_modules/browserslist": {
      "version": "4.28.6",
      "resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.28.6.tgz",
      "integrity": "sha512-FQBYNK15VMslhLHpA7+n+n1G0lF1kId2xcCg7/
j95f24A0F6VDYMNH4mFxF7KuaTdv627faazp0AjFzMrfJOUw==",
      "dev": true,
      "funding": [
        {
          "type": "opencollective",
          "url": "https://opencollective.com/browserslist"
        },
        {
          "type": "tidelift",
          "url": "https://tidelift.com/funding/github/npm/browserslist"
        },
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "dependencies": {
        "baseline-browser-mapping": "^2.10.42",
        "caniuse-lite": "^1.0.30001803",
        "electron-to-chromium": "^1.5.389",
        "node-releases": "^2.0.51",
        "update-browserslist-db": "^1.2.3"
      },
      "bin": {
        "browserslist": "cli.js"
      },
      "engines": {
        "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
      }
    },
    "node_modules/camelcase-css": {
      "version": "2.0.1",

```

```

    "resolved": "https://registry.npmjs.org/camelcase-css/-/camelcase-css-2.0.1.tgz",
    "integrity": "sha512-Q0SvevhslijgYwRx6Rv7zKdMF8lbRmx+uQGx2+vDc+KI/
eBnsy9kit5aj23AgGu3pa4t9AgwbnXWqS+iOY+2aA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/caniuse-lite": {
    "version": "1.0.30001805",
    "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001805.tgz",
    "integrity":
"sha512-52noaS3DubycKSXaU30TwPGIp+POyQSUVa5jBEq3vkRkY0kjb3LQgvhU6WGyCcyXqVLW00Cw0Q6BSdD0kUfVA=
=",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "CC-BY-4.0"
  },
  "node_modules/chokidar": {
    "version": "3.6.0",
    "resolved": "https://registry.npmjs.org/chokidar/-/chokidar-3.6.0.tgz",
    "integrity": "sha512-7VT13fmjotKpGipCW9JEQAusEPE+Ei8nl6/g4FBAmIm0G00LMua9NDDo/
DWp0ZAxCr3cPq5ZpBqmPAQgDda2Pw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "anymatch": "~3.1.2",
      "braces": "~3.0.2",
      "glob-parent": "~5.1.2",
      "is-binary-path": "~2.1.0",
      "is-glob": "~4.0.1",
      "normalize-path": "~3.0.0",
      "readdirp": "~3.6.0"
    },
    "engines": {
      "node": ">= 8.10.0"
    }
  },

```

```
"funding": {
  "url": "https://paulmillr.com/funding/"
},
"optionalDependencies": {
  "fsevents": "~2.3.2"
}
},
"node_modules/chokidar/node_modules/glob-parent": {
  "version": "5.1.2",
  "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
  "integrity": "sha512-A0IgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbc0c9/SrMyM5RPQrkGz4aS9Zow==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "is-glob": "^4.0.1"
  },
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/clsx": {
  "version": "2.1.1",
  "resolved": "https://registry.npmjs.org/clsx/-/clsx-2.1.1.tgz",
  "integrity": "sha512-375xqfNoQ6YbB/HFfjycSpW0f4LZxLvHvHh4oiQJfWjgW4Q0aI3wgaY8W5IDTP5NwvTg8B1jbnj9X4PZuA==",
  "license": "MIT",
  "engines": {
    "node": ">=6"
  }
},
"node_modules/commander": {
  "version": "4.1.1",
  "resolved": "https://registry.npmjs.org/commander/-/commander-4.1.1.tgz",
  "integrity": "sha512-IwxM2s6tKyYy5eFwA6sAdq4AYFv3DlFuqXl5e8pW4VW0b2ZVNcwSGi1t4929mdPQZWfV7RpbYDovT2jTqA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/convert-source-map": {
  "version": "2.0.0",
  "resolved": "https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.0.tgz",
  "integrity": "sha512-kTbXr4nYbkGvVf6s3f/5eWtQBwMem0bqrTb6X++wF0n6bqurVeY3EVbGmPwPCXuhacBqDaPtG7/hc0g70w==",
  "dev": true,
  "license": "MIT"
},
}
```

```
"node_modules/cookie": {
  "version": "1.1.1",
  "resolved": "https://registry.npmjs.org/cookie/-/cookie-1.1.1.tgz",
  "integrity": "sha512-E5fFYadylyhFldcqSidQ==",
  "license": "MIT",
  "engines": {
    "node": ">=18"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/express"
  },
},
"node_modules/cross-spawn": {
  "version": "7.0.6",
  "resolved": "https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz",
  "integrity": "sha512-uV2Q0WP2nWzsy2aMp8aRibhi9dlzF5Hgh5SHaB90iTGeyDTiJJyx0uy51QXdyWbtAHNua4XJzUKca30zKUd3vA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "path-key": "^3.1.0",
    "shebang-command": "^2.0.0",
    "which": "^2.0.1"
  },
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/cssesc": {
  "version": "3.0.0",
  "resolved": "https://registry.npmjs.org/cssesc/-/cssesc-3.0.0.tgz",
  "integrity": "sha512-/Tb/JcjK111nNScGob5MNtsntNM1aCNUdipB/TkwZFhyDrrE47S0x/18wF2bbjgc3ZzCSKW1T5nt5EbFoAz/Vg==",
  "dev": true,
  "license": "MIT",
  "bin": {
    "cssesc": "bin/cssesc"
  },
  "engines": {
    "node": ">=4"
  }
},
"node_modules/csstype": {
  "version": "3.2.3",
  "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
  "integrity": "sha512-z1HGKcYy2xA8AGQfwrn0PAy+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLF8KusUX8T/0kCi0YpAIQ==",
  "devOptional": true,
  "license": "MIT"
}
```

```

    },
    "node_modules/d3-array": {
      "version": "3.2.4",
      "resolved": "https://registry.npmjs.org/d3-array/-/d3-array-3.2.4.tgz",
      "integrity": "sha512-tdQAmyA18i4J7wprpYq8ClcxZy3SC31QMeByyCFyRt7BVHdREQZ5lpzoe5mFEYZUWe+oq8HBvk9JjpibyEV4Jg==",
      "license": "ISC",
      "dependencies": {
        "internmap": "1 - 2"
      },
      "engines": {
        "node": ">=12"
      }
    },
    "node_modules/d3-color": {
      "version": "3.1.0",
      "resolved": "https://registry.npmjs.org/d3-color/-/d3-color-3.1.0.tgz",
      "integrity": "sha512-x2DAWYrIY7qeZIHidozwV24m4iavr15lNwIwLxRmOxhA==",
      "license": "ISC",
      "engines": {
        "node": ">=12"
      }
    },
    "node_modules/d3-ease": {
      "version": "3.0.1",
      "resolved": "https://registry.npmjs.org/d3-ease/-/d3-ease-3.0.1.tgz",
      "integrity": "sha512-XK3D3XcLIzWpbvQwQ5fK+8Ykds1ip7A2Txe0yxncXSdq1L9skcG7blcedkOX+ZcgxGAmLX1FrRGbADwzi0w==",
      "license": "BSD-3-Clause",
      "engines": {
        "node": ">=12"
      }
    },
    "node_modules/d3-format": {
      "version": "3.1.2",
      "resolved": "https://registry.npmjs.org/d3-format/-/d3-format-3.1.2.tgz",
      "integrity": "sha512-AJDdY0dnyRDV5b6ArilzCPPwc1ejkHcoyFarqlPqT7zRYjhavcT3uSrqcMvsgh2CgoPbK3RCwyHaVyxYcP2Arg==",
      "license": "ISC",
      "engines": {
        "node": ">=12"
      }
    },
    "node_modules/d3-interpolate": {
      "version": "3.0.1",
      "resolved": "https://registry.npmjs.org/d3-interpolate/-/d3-interpolate-3.0.1.tgz",
      "integrity": "sha512-sha512-3bYs1r0D33uo8aqJfKP3JWPAibgw8Zm2+L9vBKEHJ2Rg+viTR7o5Mmv5mZcieN+FRYaA0WX5SJATX6k1PWz72g==",
      "license": "ISC",

```

```

    "dependencies": {
      "d3-color": "1 - 3"
    },
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/d3-path": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/d3-path/-/d3-path-3.1.0.tgz",
    "integrity": "sha512-p3Kf5HClf/bvjBSSKuXid6Zqijx7wIfNW+J/maPs+iwR35at5JCbLUT0LzF1cnjbCHWhqzQTIN2Jpe8pRebIEFQ==",
    "license": "ISC",
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/d3-scale": {
    "version": "4.0.2",
    "resolved": "https://registry.npmjs.org/d3-scale/-/d3-scale-4.0.2.tgz",
    "integrity": "sha512-GZW464g1SH7ag3Y7hXjf8RoUuAFIqk10Aq3MR140aWabTFJY9PN/E1YklhXLh+OQ3fM9yS2n0kCoS+WLZ6kvxQ==",
    "license": "ISC",
    "dependencies": {
      "d3-array": "2.10.0 - 3",
      "d3-format": "1 - 3",
      "d3-interpolate": "1.2.0 - 3",
      "d3-time": "2.1.1 - 3",
      "d3-time-format": "2 - 4"
    },
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/d3-shape": {
    "version": "3.2.0",
    "resolved": "https://registry.npmjs.org/d3-shape/-/d3-shape-3.2.0.tgz",
    "integrity": "sha512-SaLBuwGm3M0ViRq2ABk3eLoxwZELpH6zh13FbAoJ7Vm1gofKx6El1Ib5z23NUEhF9AsG17y+dzLe5Cw2AArGTA==",
    "license": "ISC",
    "dependencies": {
      "d3-path": "^3.1.0"
    },
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/d3-time": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/d3-time/-/d3-time-3.1.0.tgz",
    "integrity": "sha512-VqKjzBLEjbSMT4IgbmVgDjpkYrNWUYJnbCGo874u7MMKIWsILRX+OpX/gTk8MqjpT1A/

```

```

c6HY2dCA77ZN0lkQ2Q==" ,
  "license": "ISC",
  "dependencies": {
    "d3-array": "2 - 3"
  },
  "engines": {
    "node": ">=12"
  }
},
"node_modules/d3-time-format": {
  "version": "4.1.0",
  "resolved": "https://registry.npmjs.org/d3-time-format/-/d3-time-format-4.1.0.tgz",
  "integrity": "sha512-dJxPBlzC7NugB2PDLwo9Q8JiTR3M3e4/
XANkreKSUxF8vvXKqm1Yfq4Q5d18budlunRVlUUaDUgFt7eA8D6NLg==" ,
  "license": "ISC",
  "dependencies": {
    "d3-time": "1 - 3"
  },
  "engines": {
    "node": ">=12"
  }
},
"node_modules/d3-timer": {
  "version": "3.0.1",
  "resolved": "https://registry.npmjs.org/d3-timer/-/d3-timer-3.0.1.tgz",
  "integrity": "sha512-ndfJ/
JxxMd3nw31uyKoY2naivF+r29V+Lc0svZxe1JvvIRmi8hUshrMvdOwgS1o6uBHmiz91geQ0ylPP0aj1VUA==" ,
  "license": "ISC",
  "engines": {
    "node": ">=12"
  }
},
"node_modules/debug": {
  "version": "4.4.3",
  "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
  "integrity": "sha512-
RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYryrTlLpuvGI9GiijlTajNbcqA==" ,
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "ms": "^2.1.3"
  },
  "engines": {
    "node": ">=6.0"
  },
  "peerDependenciesMeta": {
    "supports-color": {
      "optional": true
    }
  }
},

```

```

"node_modules/decimal.js-light": {
  "version": "2.5.1",
  "resolved": "https://registry.npmjs.org/decimal.js-light/-/decimal.js-light-2.5.1.tgz",
  "integrity": "sha512-qIMFpTMZmny+MMIitAB6D7iVPEorVw6YQRWkvarTkT4tBeSLLiHzcwj6q0MmYSFCiVpiqPJTJEYIrpcPzVEIvg==",
  "license": "MIT"
},
"node_modules/deep-is": {
  "version": "0.1.4",
  "resolved": "https://registry.npmjs.org/deep-is/-/deep-is-0.1.4.tgz",
  "integrity": "sha512-oIPzksmTg4/MriiaYG0+okXDT7ztn/w3Eptv/
+gSIIdMdKsJo0u4CfYNFJPy+4SKMuCqGw2wxnA+URMg3t8a/bQ==",
  "dev": true,
  "license": "MIT"
},
"node_modules/detect-libc": {
  "version": "2.1.2",
  "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz",
  "integrity": "sha512-Btj2B00083o3WyH59e8MgXsxEQVcarkU0pEYrubB0urwnN10yQ364rsiByU11nZlqWYZm05i/of7io4mzihBtQ==",
  "dev": true,
  "license": "Apache-2.0",
  "engines": {
    "node": ">=8"
  }
},
"node_modules/didyoumean": {
  "version": "1.2.2",
  "resolved": "https://registry.npmjs.org/didyoumean/-/didyoumean-1.2.2.tgz",
  "integrity": "sha512-gxtyfqMg7GKyhQmb056K7M3xszy/
myH8w+B4RT+QXBQsvA0dc3XymqDDPHx1BgPgSDAA5SIifona89YtRATDzw==",
  "dev": true,
  "license": "Apache-2.0"
},
"node_modules/dlv": {
  "version": "1.1.3",
  "resolved": "https://registry.npmjs.org/dlv/-/dlv-1.1.3.tgz",
  "integrity": "sha512-+HlytyjlPKnIG8XuRG8WvmBP8xs8P71y+SKKS6ZXWoEgLuePxtDoUEiH7WkdePWrQ5JBpE6aoVqfZfJUQkjXwA==",
  "dev": true,
  "license": "MIT"
},
"node_modules/electron-to-chromium": {
  "version": "1.5.389",
  "resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.389.tgz",
  "integrity": "sha512-cEto7ae0qBfU1D+c5py5pE+ooscKE75JifxLBdFUZsqAxRS6y7kebtXAZvICszSl05gPjYHDTjY+1XpyGvpJbg==",
  "dev": true,
  "license": "ISC"
},

```

```
"node_modules/es-errors": {
  "version": "1.3.0",
  "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
  "integrity": "sha512-  
Zf5H2Kxt2xjTvbJvP2ZWLEICxA6j+hAmMzIlypy4xcBg1vKVnx89Wy0GbS+kf5cwCVFFzdCFh2XSCFNULS6csw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/es-toolkit": {
  "version": "1.49.0",
  "resolved": "https://registry.npmjs.org/es-toolkit/-/es-toolkit-1.49.0.tgz",
  "integrity": "sha512-  
KMNK+luUPsgA9U28cGr4RDlSzL2g==",
  "license": "MIT",
  "workspaces": [
    "docs",
    "benchmarks"
  ]
},
"node_modules/escalade": {
  "version": "3.2.0",
  "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
  "integrity": "sha512-  
WUj2qlxaQt04g6Pq5c29GTcWGDDyd8itL8zTlipyECz3JesAii0Kotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6"
  }
},
"node_modules/escape-string-regexp": {
  "version": "4.0.0",
  "resolved": "https://registry.npmjs.org/escape-string-regexp/-/escape-string-  
regexp-4.0.0.tgz",
  "integrity": "sha512-  
TtpcNJ3XAaz3Gq8sWRzJaVajRs0uVxA2YAkdb1jm2YkPz4G6egUFAyA3n5vtEIZefPk5Wa4UXbKuS5fKkJWdgA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=10"
  }
},
"node_modules/eslint": {
  "version": "10.7.0",
  "resolved": "https://registry.npmjs.org/eslint/-/eslint-10.7.0.tgz",
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  }
}
```

```
"integrity": "sha512-
GVTD7s1vdIl6UYvAfri0PeY1Df8LIZjfofLvHwde+erDHGGuHyuM6xoxRxmHiebhYuD2p1vN4wWh0XzPARSGDQ==",
"dev": true,
"license": "MIT",
"workspaces": [
  "packages/*"
],
"dependencies": {
  "@eslint-community/eslint-utils": "^4.8.0",
  "@eslint-community/regexpp": "^4.12.2",
  "@eslint/config-array": "^0.23.5",
  "@eslint/config-helpers": "^0.6.0",
  "@eslint/core": "^1.2.1",
  "@eslint/plugin-kit": "^0.7.2",
  "@humanfs/node": "^0.16.6",
  "@humanwhocodes/module-importer": "^1.0.1",
  "@humanwhocodes/retry": "^0.4.2",
  "@types/estree": "^1.0.6",
  "ajv": "^6.14.0",
  "cross-spawn": "^7.0.6",
  "debug": "^4.3.2",
  "escape-string-regexp": "^4.0.0",
  "eslint-scope": "^9.1.2",
  "eslint-visitor-keys": "^5.0.1",
  "esprez": "^11.2.0",
  "esquery": "^1.7.0",
  "esutils": "^2.0.2",
  "fast-deep-equal": "^3.1.3",
  "file-entry-cache": "^8.0.0",
  "find-up": "^5.0.0",
  "glob-parent": "^6.0.2",
  "ignore": "^5.2.0",
  "imurmurhash": "^0.1.4",
  "is-glob": "^4.0.0",
  "json-stable-stringify-without-jsonify": "^1.0.1",
  "minimatch": "^10.2.4",
  "natural-compare": "^1.4.0",
  "optionator": "^0.9.3"
},
"bin": {
  "eslint": "bin/eslint.js"
},
"engines": {
  "node": "^20.19.0 || ^22.13.0 || >=24"
},
"funding": {
  "url": "https://eslint.org/donate"
},
"peerDependencies": {
  "jiti": "*"
},
}
```



```
"esrecurse": "^4.3.0",
    "estraverse": "^5.2.0"
  },
  "engines": {
    "node": "^20.19.0 || ^22.13.0 || >=24"
  },
  "funding": {
    "url": "https://opencollective.com/eslint"
  }
},
"node_modules/eslint-visitor-keys": {
  "version": "5.0.1",
  "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-5.0.1.tgz",
  "integrity": "sha512-tD40eHxA35h0PEIZNeIjkHoDR4YjjJp34biM0mDvplBe//mB+IHCqHDGV7pxF+7MklTvigheCPPZC7ynWyjdTA==",
  "dev": true,
  "license": "Apache-2.0",
  "engines": {
    "node": "^20.19.0 || ^22.13.0 || >=24"
  },
  "funding": {
    "url": "https://opencollective.com/eslint"
  }
},
"node_modules/esprez": {
  "version": "11.2.0",
  "resolved": "https://registry.npmjs.org/esprez/-/esprez-11.2.0.tgz",
  "integrity": "sha512-7p3DrVEIopW1B1avAGLuCSH1jubc01H2JHc8B4qqGblmg5gI9yumBgACjWo4JlIc04ufug4xJ3SQI8HkS/Rgzw==",
  "dev": true,
  "license": "BSD-2-Clause",
  "dependencies": {
    "acorn": "^8.16.0",
    "acorn-jsx": "^5.3.2",
    "eslint-visitor-keys": "^5.0.1"
  },
  "engines": {
    "node": "^20.19.0 || ^22.13.0 || >=24"
  },
  "funding": {
    "url": "https://opencollective.com/eslint"
  }
},
"node_modules/esquery": {
  "version": "1.7.0",
  "resolved": "https://registry.npmjs.org/esquery/-/esquery-1.7.0.tgz",
  "integrity": "sha512-2XpRn9wA3xPQoN2UdEzV6LH0K1UyVrMMuhZ0tYpWV6qLgI88O9H4/qaoJsxkxtiAQIB+vhn3eXVnXy4fA==",
  "dev": true,
```

```

    "license": "BSD-3-Clause",
    "dependencies": {
      "estraverse": "^5.1.0"
    },
    "engines": {
      "node": ">=0.10"
    }
  },
  "node_modules/esrecurse": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/esrecurse/-/esrecurse-4.3.0.tgz",
    "integrity": "sha512-KmeGVvq8G6eQV0u89aDPRi3P4d5dE3dl08qRd3F7QI6O9Q1aW7eH3B8p4Zr9N39Eh8tKPpF9S36U2n1Uw==",
    "dev": true,
    "license": "BSD-2-Clause",
    "dependencies": {
      "estraverse": "^5.2.0"
    },
    "engines": {
      "node": ">=4.0"
    }
  },
  "node_modules/estraverse": {
    "version": "5.3.0",
    "resolved": "https://registry.npmjs.org/estraverse/-/estraverse-5.3.0.tgz",
    "integrity": "sha512-YdNqFqkX3JWvU+wi837Fj4o14NpS00+V6HpdMfW1Y1Z7WqYUqGVNaHNPdY1WwIh9C2OYIqHWOXU49eQrfUg==",
    "dev": true,
    "license": "BSD-2-Clause",
    "engines": {
      "node": ">=4.0"
    }
  },
  "node_modules/esutils": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/esutils/-/esutils-2.0.3.tgz",
    "integrity": "sha512-kVscQXk40Cp68SZ0dkgEKVi6/8ij300KBWTJq32P/dYeWTSvK41WyTxalN1eRmA5Z9UU/LX9D7FWSmV9SAYx6g==",
    "dev": true,
    "license": "BSD-2-Clause",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/eventemitter3": {
    "version": "5.0.4",
    "resolved": "https://registry.npmjs.org/eventemitter3/-/eventemitter3-5.0.4.tgz",
    "integrity": "sha512-4Ua2Tf60BTDp5QIj4oBF0EPIgB4P03XCp0lFQQj50Z7ENNB7+IrE2lGyB0xV1J8qU8tGqQF5UdFt4N3iEw==",
    "license": "MIT"
  },

```

```
"node_modules/fast-deep-equal": {
  "version": "3.1.3",
  "resolved": "https://registry.npmjs.org/fast-deep-equal/-/fast-deep-equal-3.1.3.tgz",
  "integrity": "sha512-f3qQ9oQy9j2AhBe/H9VC91wLmKBCCU/gD0nKNAYG5hsw07BLKj09Hc5HYNz9cGI+
+xlPDCIgdaitVs03ATR84Q==",
  "dev": true,
  "license": "MIT"
},
"node_modules/fast-glob": {
  "version": "3.3.3",
  "resolved": "https://registry.npmjs.org/fast-glob/-/fast-glob-3.3.3.tgz",
  "integrity": "sha512-7MptL8U0cqcFdZIZw0THoilX9x5BrNqye7Z/
LuC7kCMR1o1EMSyqRK3BEAUD7sXRq4iT4AzTVuZdhgQ2TCvYlg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@nodelib/fs.stat": "^2.0.2",
    "@nodelib/fs.walk": "^1.2.3",
    "glob-parent": "^5.1.2",
    "merge2": "^1.3.0",
    "micromatch": "^4.0.8"
  },
  "engines": {
    "node": ">=8.6.0"
  }
},
"node_modules/fast-glob/node_modules/glob-parent": {
  "version": "5.1.2",
  "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
  "integrity": "sha512-A0IgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbc0c9/
SrMyM5RPQrkGz4aS9Zow==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "is-glob": "^4.0.1"
  },
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/fast-json-stable-stringify": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/fast-json-stable-stringify/-/fast-json-stable-
stringify-2.1.0.tgz",
  "integrity": "sha512-lhd/
wF+Lk98HZoTctlVraHtfh5XYijIjalXck7saUtuanSDyLMxnHhSXEDJqHxD7msR8D0uCmq1kwjCV8xvwHw==",
  "dev": true,
  "license": "MIT"
},
"node_modules/fast-levenshtein": {
  "version": "2.0.6",
```

```
    "resolved": "https://registry.npmjs.org/fast-levenshtein/-/fast-levenshtein-2.0.6.tgz",
    "integrity": "sha512-DCXu6Ifhqcks7TZKY3Hxp3y6qphY5SJZmrWMDrKcERS0XWQdMhU9Ig/PYrzyw/
ul9j0Iyh0N4M0tbC5hodg8dw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/fastq": {
    "version": "1.20.1",
    "resolved": "https://registry.npmjs.org/fastq/-/fastq-1.20.1.tgz",
    "integrity": "sha512-9mycTc4VDza13l0vpUZTGX3mFSCtV9ksdGBVzvsyAVLM6mHFThxXw==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "reusify": "^1.0.4"
    }
  },
  "node_modules/fdir": {
    "version": "6.5.0",
    "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
    "integrity": "sha512-tIbYtZbuc0s0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwjW0nwrKYBiwAmM0p4kLJAnXg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=12.0.0"
    }
  },
  "peerDependencies": {
    "picomatch": "^3 || ^4"
  },
  "peerDependenciesMeta": {
    "picomatch": {
      "optional": true
    }
  }
},
"node_modules/file-entry-cache": {
  "version": "8.0.0",
  "resolved": "https://registry.npmjs.org/file-entry-cache/-/file-entry-cache-8.0.0.tgz",
  "integrity": "sha512-XTUwCvisa5oacNGRP9SfNtYBNAMi+RPwBFmblZEF7N7swHYQS6/
Zfk7SRwx4D5j3CH211YNRco1DEMNvfZCnQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "flat-cache": "^4.0.0"
  },
  "engines": {
    "node": ">=16.0.0"
  }
},
"node_modules/fill-range": {
```

```

    "version": "7.1.1",
    "resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
    "integrity": "sha512-YsGpe3WHLK8Zyi4tWDg2Jy3ebRz2rXowDxnld4bkQB00cc/
1Zw9AWnC0i9ztDJitvtQvaI9KaLyKrc+hBW0yg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "to-regex-range": "^5.0.1"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/find-up": {
    "version": "5.0.0",
    "resolved": "https://registry.npmjs.org/find-up/-/find-up-5.0.0.tgz",
    "integrity": "sha512-78/367820e31b14038c15180a8236349364e6661046
PXT1wLLLDgTzDs7sjq9hzz0vXD+zn+7wypEe4fXQxCmdmqfGsEPQxmiCSQI3ajFV91bVSsvNtrJRiW6nGng==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "locate-path": "^6.0.0",
      "path-exists": "^4.0.0"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/flat-cache": {
    "version": "4.0.1",
    "resolved": "https://registry.npmjs.org/flat-cache/-/flat-cache-4.0.1.tgz",
    "integrity": "sha512-77ruUvWPHsAGLNUvwi8s790pIBuXRsWH2XW6PoiC5ckli01wUqtkMj5W/Md9KbmvjRHuXqfYKge0e5YOHqg==",
FJQctuKZ0zVuN3frBo4HnK3cay9VEW0R6yPYFHC0AgqhukPzKjq22t5DmAyyqGyw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "flatted": "^3.2.9",
      "keyv": "^4.5.4"
    },
    "engines": {
      "node": ">=16"
    }
  },
  "node_modules/flatted": {
    "version": "3.4.2",
    "resolved": "https://registry.npmjs.org/flatted/-/flatted-3.4.2.tgz",
    "integrity": "sha512-1Q0p88d3YU1E811XZ9GgXgKJtjB3LqDqKXN0WU0Qp8kQXW
PjDse7RzhcPkIJwy5t7KPWQSZ9cAbzQXcafsetQoD7s0JRQlGikNbx7yZp20otDnJyrDcbyRq3Ttb18iY0qkxA==",

```

```

    "dev": true,
    "license": "ISC"
  },
  "node_modules/fraction.js": {
    "version": "5.3.4",
    "resolved": "https://registry.npmjs.org/fraction.js/-/fraction.js-5.3.4.tgz",
    "integrity": "sha512-1X1NTtiJphryn/
uLQz3whtY6jK3fTqoE3ohKs0tT+Ujr1W59oopxmoEh7Lu5p6vBaPbgoM0bzveAW4Qi5RyWDQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "*"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/rawify"
    }
  },
  "node_modules/fsevents": {
    "version": "2.3.3",
    "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
    "integrity": "sha512-5xoDfX+fL7faATnagmWPpbFtwh/
R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212XNoJwzlhffQw==",
    "dev": true,
    "hasInstallScript": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
    }
  },
  "node_modules/function-bind": {
    "version": "1.1.2",
    "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
    "integrity": "sha512-7XHNxH7qX9xG5mIwxkhumTox/
MIRNcOgDrxWsMt2pAr23WHP6MrRlN7FBSFpCpr+oV00F744iUgR82nJMfG2SA==",
    "dev": true,
    "license": "MIT",
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/gensync": {
    "version": "1.0.0-beta.2",
    "resolved": "https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz",
    "integrity": "sha512-3hN7NaskYvMDLQY55gnW3NQ+mesEAepTqlg+VEbj7zzqEMBVNhzcGYEqFo/
TlYz6eQiFcp1HcsCZ0+nGgS8zg==",
    "dev": true,

```

```

    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/glob-parent": {
    "version": "6.0.2",
    "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-6.0.2.tgz",
    "integrity": "sha512-XxwI8E0hVQgWp6iDL+3b0r86f4d6AX6zSU55HfB4ydCEuXLXc5FcYeOu+nnGftS4TEju/11rt4KJPTMgbfmv4A==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "is-glob": "^4.0.3"
    },
    "engines": {
      "node": ">=10.13.0"
    }
  },
  "node_modules/globals": {
    "version": "17.7.0",
    "resolved": "https://registry.npmjs.org/globals/-/globals-17.7.0.tgz",
    "integrity": "sha512-CzmyNs5dUsq4seFBR/
Kdydhmo8y9kC79hiSkPn0YcGtNnYWnrgt0vjrsjx9tspoDGWm2CMarffRuLjM4xUz8xg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=18"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/hasown": {
    "version": "2.0.4",
    "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.4.tgz",
    "integrity": "sha512-T2UbfBbEF32wiepXIsMlTW9+dDYC6wMh/t/vYA4tuOMKqWz/
n3vr1NFSxQiyP+zk2mXsoMA/i/7qV6LKut1t1A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "function-bind": "^1.1.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/hermes-estree": {
    "version": "0.25.1",
    "resolved": "https://registry.npmjs.org/hermes-estree/-/hermes-estree-0.25.1.tgz",
    "integrity":

```

```

"sha512-0wUoCcLp+5Ev5pDW20riHC2MJCbWlWuRx+gAqMT0kGKJJiBCLjtrvy4PWUGn6MIVefecRpzoOZ/
UV6iGd0r+Cw==",
  "dev": true,
  "license": "MIT"
},
"node_modules/hermes-parser": {
  "version": "0.25.1",
  "resolved": "https://registry.npmjs.org/hermes-parser/-/hermes-parser-0.25.1.tgz",
  "integrity": "sha512-6pEjquH3rqaI6cYAXYPcz9MS4rY6R4ngRgrgFDshRptUZIC3lw0MCIJIGDj9+
+mfySOuPTHB4nrSW99BCvOPIA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "hermes-estree": "0.25.1"
  }
},
"node_modules/ignore": {
  "version": "5.3.2",
  "resolved": "https://registry.npmjs.org/ignore/-/ignore-5.3.2.tgz",
  "integrity": "sha512-hsBTNUqQTDwkWtcdYI2i06Y/nUBEsNEDJKjWdigLvegy8kDuJAS8uRlpkkcQpyEXL0Z/
pjDy5HBmMjRCJ2gq+g==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 4"
  }
},
"node_modules/immer": {
  "version": "11.1.11",
  "resolved": "https://registry.npmjs.org/immer/-/immer-11.1.11.tgz",
  "integrity": "sha512-qzXuyXAkPySAGYkfsAwodDPWT8Zm7/
Uo5BNt4BjhMhG5WlWyZZ4wQqnWwdS8kjlQ1Cwu6gjlw3A6+0gTQwlyYtw==",
  "license": "MIT",
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/immer"
  }
},
"node_modules/imurmurhash": {
  "version": "0.1.4",
  "resolved": "https://registry.npmjs.org/imurmurhash/-/imurmurhash-0.1.4.tgz",
  "integrity": "sha512-
JmXMZ6wuvDmLiHEml9yqzq06lWfbof0GG4IkcGaENdCRDDmMVnny7s5HsIgHCbaq0w2MyPhDqkhTUgS2LU2PHA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.8.19"
  }
},
"node_modules/internmap": {
  "version": "2.0.3",

```

```
"resolved": "https://registry.npmjs.org/internmap/-/internmap-2.0.3.tgz",
"integrity": "sha512-5Hh7Y1wQbvY5ooGgPbDaL5iYLAPzMTUjMulskHLH6wnv/
A+1q5rgEaiuqEjB+oxGXIVZs1FF+R/KPN3ZSQYYg==",
"license": "ISC",
"engines": {
  "node": ">=12"
},
},
"node_modules/is-binary-path": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/is-binary-path/-/is-binary-path-2.1.0.tgz",
  "integrity": "sha512-ZMERYes6pDydyuGidse70sHxtbI7WVeUEozgR/g7rd0xUimYNlvZRE/
K2MgZTjWy725IfelLeVcEM97mmtRGXw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "binary-extensions": "^2.0.0"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/is-core-module": {
  "version": "2.16.2",
  "resolved": "https://registry.npmjs.org/is-core-module/-/is-core-module-2.16.2.tgz",
  "integrity": "sha512-
ev0r8xfXKxE6qSR0hSXL2r3sd7ALj8+7jQEUVPYcm5sgZFdJ+AYzT6yNmJenvIYQBGIgwfwz08sL8zoL7yq2BA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "hasown": "^2.0.3"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/is-extglob": {
  "version": "2.1.1",
  "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
  "integrity": "sha512-
SbKbANkN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdb036zfhGJ6QEDpOZIFkDtnq5JRxmvl3jsoQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
},
"node_modules/is-glob": {
```

```

    "version": "4.0.3",
    "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
    "integrity": "sha512-
xelSayHH36ZgE7ZWhli7pW34hNbNl80jv5KVmkJD4hBdD3th8Tfk9vYasLM+mXW0ZhFkgZfxhLSnrwRr4elSSg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-extglob": "^2.1.1"
    },
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/is-number": {
    "version": "7.0.0",
    "resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
    "integrity":
"sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTtttHvERD741+pnZ8ANv0004MRL43QKPD1K9cGvNp6NZWZUBlbGXYxxng=
=",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.12.0"
    }
  },
  "node_modules/isexe": {
    "version": "2.0.0",
    "resolved": "https://registry.npmjs.org/isexe/-/isexe-2.0.0.tgz",
    "integrity": "sha512-
RHxMLp9lnKHGHRng9QFhRCMbYAcVpn69smSGcq3f36xjgVvWThj4qqLbTLlq7Ssj8B+fIQ1EuCEGI2lKsyQeIw==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/jiti": {
    "version": "1.21.7",
    "resolved": "https://registry.npmjs.org/jiti/-/jiti-1.21.7.tgz",
    "integrity": "sha512-
1H5/9GFy+ tqjGBHcAsN+P2RnPgjsLmv6UD3Ej+Kj8nBWaRAwyk7kK5ZUc+0EatnTR3A==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "jiti": "bin/jiti.js"
    }
  },
  "node_modules/js-tokens": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
    "integrity": "sha512-
RdJUflcE3cUzKiMqQgsCu06FPu9UdIJ00beYbPhHN4k6apgJtifcoCtT9bcx0pYBtpD2kCM6Sbzig4CausW/PKQ==",
    "dev": true,
    "license": "MIT"
  }

```

```
  },
  "node_modules/jsesc": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/jsesc/-/jsesc-3.1.0.tgz",
    "integrity": "sha512-sM3d00F0zXjKQhJuo0Q173wf2K0o8t4I8vHy6lF9poUp7bKT0/NHE8fPX23PwfhnkyfqnC2xRx0nVw5XuGIaA==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "jsesc": "bin/jsesc"
    },
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/json-buffer": {
    "version": "3.0.1",
    "resolved": "https://registry.npmjs.org/json-buffer/-/json-buffer-3.0.1.tgz",
    "integrity": "sha512-4bV5BfR2mqfQTJm+V5tPPdf+ZpuhiIvTuAB5g8kcrXOZpTT/QwwVRWBywX1ozr6lEuPdbHxwaJlm9G6mI2sfSQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/json-schema-traverse": {
    "version": "0.4.1",
    "resolved": "https://registry.npmjs.org/json-schema-traverse/-/json-schema-traverse-0.4.1.tgz",
    "integrity": "sha512-xbbCH5dCYU5T8LcEhhuh7HJ88HXuW3qsI3Y0zOZFKfZEHcpWiHU/Jxzk629Brsab/mMiHQti9wMP+845RPe3Vg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/json-stable-stringify-without-jsonify": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/json-stable-stringify-without-jsonify/-/json-stable-stringify-without-jsonify-1.0.1.tgz",
    "integrity": "sha512-Bdboy+17tA30GW6FjyFHWkP5LuByj1Tk33Ljyq0axyzdk9//JSi2u3fP1QSmd1KNWq6VOKYGlAu87CisVir6Pw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/json5": {
    "version": "2.2.3",
    "resolved": "https://registry.npmjs.org/json5/-/json5-2.2.3.tgz",
    "integrity": "sha512-LmXBmZ9W4Mw61u84b0188Z0Y0kK1085YC91WU1D51Z7pY/xOxR3E15H1W0B79r4I53JXoLQ5A2+Vw==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "json5": "lib/cli.js"
    }
  },
```

```
"engines": {
  "node": ">=6"
},
"node_modules/keyv": {
  "version": "4.5.4",
  "resolved": "https://registry.npmjs.org/keyv/-/keyv-4.5.4.tgz",
  "integrity": "sha512-oxVHkHR/EJf2CNXnWxRLW6mg7JyCCUcG0DtEGmL2ctUo1PNTin1PUil+r/+4r5MpVgC/fn1kjsx7mjSujKqIpw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "json-buffer": "3.0.1"
  }
},
"node_modules/levn": {
  "version": "0.4.1",
  "resolved": "https://registry.npmjs.org/levn/-/levn-0.4.1.tgz",
  "integrity": "sha512-+bT2uH4E5LGE7h/n3evcS/sQlJXCpIp6ym80WJ5eV6+67DsQl/LaaT7qJBAt2rzfoa/5QGBhxDix1dMt2kQKQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "prelude-ls": "^1.2.1",
    "type-check": "~0.4.0"
  }
},
"engines": {
  "node": ">= 0.8.0"
},
"node_modules/lightningcss": {
  "version": "1.32.0",
  "resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.32.0.tgz",
  "integrity": "sha512-NXYBzinNrb1fraPGyrbPoD19C1h91fI/1mzgWYvXUTE414Gz/X1FD2XBZSZM7rRTrMA8JL30tAaGifrIKhQ5yQ==",
  "dev": true,
  "license": "MPL-2.0",
  "dependencies": {
    "detect-libc": "^2.0.3"
  }
},
"engines": {
  "node": ">= 12.0.0"
},
"funding": {
  "type": "opencollective",
  "url": "https://opencollective.com/parcel"
},
"optionalDependencies": {
  "lightningcss-android-arm64": "1.32.0",
  "lightningcss-darwin-arm64": "1.32.0",
  "lightningcss-darwin-x64": "1.32.0",
```

```

    "lightningcss-freebsd-x64": "1.32.0",
    "lightningcss-linux-arm-gnueabihf": "1.32.0",
    "lightningcss-linux-arm64-gnu": "1.32.0",
    "lightningcss-linux-arm64-musl": "1.32.0",
    "lightningcss-linux-x64-gnu": "1.32.0",
    "lightningcss-linux-x64-musl": "1.32.0",
    "lightningcss-win32-arm64-msvc": "1.32.0",
    "lightningcss-win32-x64-msvc": "1.32.0"
  },
  {
    "node_modules/lightningcss-android-arm64": {
      "version": "1.32.0",
      "resolved": "https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-arm64-1.32.0.tgz",
      "integrity": "sha512-YK7/CLTt4kAK0vo6w3X+Pnm0D2cf2vPHbh0XdoNti1Ga0al1P4TBZhwjATvjNwLEBCnKvjJc2jQgHXH0NEw1Ag==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "android"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-darwin-arm64": {
      "version": "1.32.0",
      "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-1.32.0.tgz",
      "integrity": "sha512-RzeG9Ju5bag2Bv1/lw1VJvBE3q6TtXskdZLLCyfg5pt+HLz9BqlIC07LZM7VHNTTn/5PRhHFBSjk5lc4cmScPQ==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
        "node": ">= 12.0.0"
      }
    },

```

```
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-darwin-x64": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-1.32.0.tgz",
    "integrity": "sha512-U+QsBp2m/s2wqpUYT/6wnlagdZbtZdndSmut/NJqlCcMLTWp5muCrID+K5UJ6jqD2BFshejCYXniPDbNh73V8w==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-freebsd-x64": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-1.32.0.tgz",
    "integrity": "sha512-JCTigedEksZk3tHTTthnMdVfGf61Fky8Ji2E4YjUTEQX14xiy/1TzXnu1vwiZe3bYe0q+SpsSH/CTeDXK6WHig=",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
}
```

```
"node_modules/lightningcss-linux-arm-gnueabihf": {
  "version": "1.32.0",
  "resolved": "https://registry.npmjs.org/lightningcss-linux-arm-gnueabihf/-/lightningcss-
linux-arm-gnueabihf-1.32.0.tgz",
  "integrity": "sha512-
x6rnnpRa2GL0zQ0kt6rts3YDPzduLpWvWAF6EMhXFVZXD4tPrBkEFqzGowzCsIWsPjqSK+tyNEODUBXeeVHskw==",
  "cpu": [
    "arm"
  ],
  "dev": true,
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lightningcss-linux-arm64-gnu": {
  "version": "1.32.0",
  "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-
linux-arm64-gnu-1.32.0.tgz",
  "integrity": "sha512-
0nnMyoyOLRJXfbM0ilaSRcLH3Jw5z9HDNGfT/
gwCPgaDjnx0i8w7vBzFLFR1f6CMLKF8gVbebmKUN3fa/kQJpQ==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lightningcss-linux-arm64-musl": {
  "version": "1.32.0",
  "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-
linux-arm64-musl-1.32.0.tgz",
  "integrity": "sha512-
```

```

UpQkoenr4UJEzgVIYpI80lDFvRmPVg6oqboNHfoH4CQIfNA+H0rZ7Mo7KZP02dC6LjghPQJeBsvXhJod/wnIBg==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lightningcss-linux-x64-gnu": {
  "version": "1.32.0",
  "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu-1.32.0.tgz",
  "integrity": "sha512-V7Qr52IhZmdKPVr+Vtw8o+WLSQJYCTd8loIfpDaMRWGUZfBOYEJeyJIkqGIDMZPwPx24pUMfwSxxI8phr/Mb0A==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lightningcss-linux-x64-musl": {
  "version": "1.32.0",
  "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-musl-1.32.0.tgz",
  "integrity": "sha512-HbsQv/j2URN0iVuxWg==",
  "cpu": [
    "x64"
  ],
  "dev": true,

```

```
"license": "MPL-2.0",
"optional": true,
"os": [
  "linux"
],
"engines": {
  "node": ">= 12.0.0"
},
"funding": {
  "type": "opencollective",
  "url": "https://opencollective.com/parcel"
}
},
"node_modules/lightningcss-win32-arm64-msvc": {
  "version": "1.32.0",
  "resolved": "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-win32-arm64-msvc-1.32.0.tgz",
  "integrity":
"sha512-8SbC8BR40pS6baCM8sbtYDSwEVQd4JlFT0laD3gWGHfThTcABnNDBda6eTZeqbofalIJhFx0qKzgHJmcPTnGdw=
=",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lightningcss-win32-x64-msvc": {
  "version": "1.32.0",
  "resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-msvc-1.32.0.tgz",
  "integrity": "sha512-Amq9B/
SoZYdDi1kFrojnoqPLxYhQ4Wo5XiL8EVJrVsB8ARoC1PWW6VGtT0WKCEmJy8aC+louJnjS7U18x3b06Q==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "win32"
  ]
}
```

```
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lilconfig": {
  "version": "3.1.3",
  "resolved": "https://registry.npmjs.org/lilconfig/-/lilconfig-3.1.3.tgz",
  "integrity": "sha512-lzjsBeItPt3oSVXapn+m4nQDvpzw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=14"
  },
  "funding": {
    "url": "https://github.com/sponsors/antonk52"
  }
},
"node_modules/lines-and-columns": {
  "version": "1.2.4",
  "resolved": "https://registry.npmjs.org/lines-and-columns/-/lines-and-columns-1.2.4.tgz",
  "integrity": "sha512-7ylylesZQ/PV29jhEDl3Ufjo6ZX7gCqJr5F7PKrqc93v7fzSymt1BpwEU8nAUXs8qzzvqhbjhK5QZg6Mt/HkBg==",
  "dev": true,
  "license": "MIT"
},
"node_modules/locate-path": {
  "version": "6.0.0",
  "resolved": "https://registry.npmjs.org/locate-path/-/locate-path-6.0.0.tgz",
  "integrity": "sha512-iPZK6eYjbxRu3uB4/WZ3EsEIMJFMqAoopl3R+zuq0UjcAm/M06KCweDgPfP3elTztoKP3KtnVHxTn2NHBSDVUw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "p-locate": "^5.0.0"
  },
  "engines": {
    "node": ">=10"
  },
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  }
},
"node_modules/lru-cache": {
  "version": "5.1.1",
  "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz",
```

```

    "integrity": "sha512-KpNARQA3Iwv+jTA0utUVVbrh+Jlrr1Fv0e56GGzAF0XN7dk/
FviaDW8LHmK52Dlch4WP2n6gI8vN1aesBFgo9w==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "yallist": "^3.0.2"
    }
  },
  "node_modules/lucide-react": {
    "version": "1.24.0",
    "resolved": "https://registry.npmjs.org/lucide-react/-/lucide-react-1.24.0.tgz",
    "integrity": "sha512-YT6mBD8lGKkg4nM39enlm94/
sfJIiW0YKUT60fBy4YK8tai31ylg1VhGNWxkpSKHo9UagfnZqwIff3HTDQwXeA==",
    "license": "ISC",
    "peerDependencies": {
      "react": "^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0"
    }
  },
  "node_modules/merge2": {
    "version": "1.4.1",
    "resolved": "https://registry.npmjs.org/merge2/-/merge2-1.4.1.tgz",
    "integrity": "sha512-8q7VEgMJW4J8tcfVPy8g09NcQwZdbwFEqhe/WZkoIzjn/
3TGDwt0CYtXGxA308tPzpczCCDgv+P2P5y00ZJ00g==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/micromatch": {
    "version": "4.0.8",
    "resolved": "https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz",
    "integrity": "sha512-PXwfBhYu0hBCPw8Dn0E+WDYb7af3dSLVWKi3HGv84IdF4TyFoC0ysxFd0Goxw7nSv4T/
PzEJQxsYsEiFCKo2BA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "braces": "^3.0.3",
      "picomatch": "^2.3.1"
    },
    "engines": {
      "node": ">=8.6"
    }
  },
  "node_modules/micromatch/node_modules/picomatch": {
    "version": "2.3.2",
    "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
    "integrity": "sha512-V7vQEJ06Z+c5tSye8S+nHUFi51xoXIXjHQ99cQtKUKQqq01k0/KCJUfZXuB47h/
YB1Dhah2H3hdUGXn8ie0oA==",
    "dev": true,
    "license": "MIT",

```

```

    "engines": {
      "node": ">=8.6"
    },
    "funding": {
      "url": "https://github.com/sponsors/jonschlinkert"
    }
  },
  "node_modules/minimatch": {
    "version": "10.2.5",
    "resolved": "https://registry.npmjs.org/minimatch/-/minimatch-10.2.5.tgz",
    "integrity": "sha512-  

MULkVLfKGYDFYejP07Q0urDLLQpcjk7Fw+7jXS2R2czRQzR56yHRveU5NDJE0viH+hETZKSkIk5c+T23GjFUMg==",
    "dev": true,
    "license": "BlueOak-1.0.0",
    "dependencies": {
      "brace-expansion": "^5.0.5"
    },
    "engines": {
      "node": "18 || 20 || >=22"
    },
    "funding": {
      "url": "https://github.com/sponsors/isaacs"
    }
  },
  "node_modules/ms": {
    "version": "2.1.3",
    "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
    "integrity": "sha512-  

XXP6tz7R9xA0tHnSO/tXtF3WRTlA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/mz": {
    "version": "2.7.0",
    "resolved": "https://registry.npmjs.org/mz/-/mz-2.7.0.tgz",
    "integrity": "sha512-  

z81GN07nnYMEhrGh9LeymoE4+Yr0Wn5McHIZMK5cfQC1+NDX08sCZgUc9/6MHni9IWuFLm1Z3HTCXu2z9fn62Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "any-promise": "^1.0.0",
      "object-assign": "^4.0.1",
      "thenify-all": "^1.0.0"
    }
  },
  "node_modules/nanoid": {
    "version": "3.3.16",
    "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.16.tgz",
    "integrity": "sha512-  

bz1KTyNJ7+LdGIIwy8ijFpIQEQIvafahV7eYykJ8Cvh42EdJe0DoJ6gUJXpQJvej1BddH80qTXZNE/KfbWAu8Q==",
    "dev": true,

```

```
"funding": [
  {
    "type": "github",
    "url": "https://github.com/sponsors/ai"
  }
],
"license": "MIT",
"bin": {
  "nanoid": "bin/nanoid.cjs"
},
"engines": {
  "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
},
"node_modules/natural-compare": {
  "version": "1.4.0",
  "resolved": "https://registry.npmjs.org/natural-compare/-/natural-compare-1.4.0.tgz",
  "integrity": "sha512-OWND8ei3VtNC9h7V60qff3SVobHr996CTwgxubgyQYEpg290h9J0buyECNNJexkFm5s0ajh5G116RYA1c8ZMSw==",
  "dev": true,
  "license": "MIT"
},
"node_modules/node-releases": {
  "version": "2.0.51",
  "resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.51.tgz",
  "integrity": "sha512-wRNIrw4DmVLKQlbgOMdkMx27Wrpzes2hh5Jtbi2bjPd+4wJstWIqP5A+lscnqbm0xxmT5Bpg8Lec5ItEBwx6BQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=18"
  }
},
"node_modules/normalize-path": {
  "version": "3.0.0",
  "resolved": "https://registry.npmjs.org/normalize-path/-/normalize-path-3.0.0.tgz",
  "integrity": "sha512-6eZs5Ls3WtCisHWp9S2GUy8dqkpGi4BVSz3GaqliE6ezub0512ESztXUwUB6C6IKbQkY2Pnb/mD4WYojCRwcwLA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/object-assign": {
  "version": "4.1.1",
  "resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
  "integrity": "sha512-rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JND0Xfk1ElbLJSnc3FUQHVe4cU5hj+BcUg==",
  "dev": true,

```

```
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/object-hash": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/object-hash/-/object-hash-3.0.0.tgz",
    "integrity": "sha512-RSn9F68PjH9HqtltsSnqYC1XXoWe9Bju5+213R98cNGttag9q9yAOTzdbsqvIa7aNm5WffbZFPWYr2aWrklWAw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/optionator": {
    "version": "0.9.4",
    "resolved": "https://registry.npmjs.org/optionator/-/optionator-0.9.4.tgz",
    "integrity": "sha512-6XN+FP8a066PpMHEMgA1U4bKeU694L3O48KdG1xT8K4fr3Ej34511vK1h0DyY3N6hLrJG8F9ZLH60oXqA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "deep-is": "^0.1.3",
      "fast-levenshtein": "^2.0.6",
      "levn": "^0.4.1",
      "prelude-ls": "^1.2.1",
      "type-check": "^0.4.0",
      "word-wrap": "^1.2.5"
    },
    "engines": {
      "node": ">= 0.8.0"
    }
  },
  "node_modules/p-limit": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/p-limit/-/p-limit-3.1.0.tgz",
    "integrity": "sha512-TYOzUj1V9W37LITyT0gkXyBk7U1z6vYqhzf7IdhR07IRybB7NJo9A9K5tPzRtOjWgR7H7Jv9eVZZDl74eDg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "yocto-queue": "^0.1.0"
    },
    "engines": {
      "node": ">=10"
    }
  },
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  }
}
```

```

    }
  },
  "node_modules/p-locate": {
    "version": "5.0.0",
    "resolved": "https://registry.npmjs.org/p-locate/-/p-locate-5.0.0.tgz",
    "integrity": "sha512-Ln7YSeOXCp8iOodzoFbBhxDzVxwXl7ksX31nsu2KEB3Z1h5QFj9YU8X89STAhsrYK02QhU6Oj1UoFsL8u4LW==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "p-limit": "^3.0.2"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/path-exists": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/path-exists/-/path-exists-4.0.0.tgz",
    "integrity": "sha512-69LHMnOH6NzOxJF14jZABQoAi81fzBgbsYhMDH1W0GkSgjbGFEnVvFiwLHkJpEgZ/qJgW/04MuOIB4TDg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/path-key": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/path-key/-/path-key-3.1.1.tgz",
    "integrity": "sha512-ojmeN0qd+y0jszEtoY48r0Peq5dwMEkIlC0u6Q5f41lfkswXuKtYrhgoTpLnyIcHm24Uhqx+5Tqm2InSwLhE6Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/path-parse": {
    "version": "1.0.7",
    "resolved": "https://registry.npmjs.org/path-parse/-/path-parse-1.0.7.tgz",
    "integrity": "sha512-LIzQWoyg9hJOsV1fdqTiQuWISDI9D+od1V+KmH1oZdYe0TBdaBXT5UfMh+oupkhQFXR5hIjPzr1h6D43G==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/picocolors": {
    "version": "1.1.1",

```

```
"resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
"integrity": "sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==",
"dev": true,
"license": "ISC"
},
"node_modules/picomatch": {
  "version": "4.0.5",
  "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.5.tgz",
  "integrity": "sha512-2UkY1ay82KhaNmmh4sPg9a51zH8DzW6LxjYHqo4OpF58VgJp83PzYk7U4EYkQ8kLkz1k3UgHhR5YXUQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=12"
  },
  "funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  }
},
"node_modules/pify": {
  "version": "2.3.0",
  "resolved": "https://registry.npmjs.org/pify/-/pify-2.3.0.tgz",
  "integrity": "sha512-WbfX3Vcnc2Al22H5Vt08R6u8I+MPC3a937PzXZ32JyB/86p83ND47Z3g55y8W3mB3l3aL3EOG+Z4y6Q==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/pirates": {
  "version": "4.0.7",
  "resolved": "https://registry.npmjs.org/pirates/-/pirates-4.0.7.tgz",
  "integrity": "sha512-7xWkL83HqVdCLs16Hi+Rm3prUKBQNYkpxaF8E881+YlZ/2vbnzPp8LWwGkeX56fHq/ugBGEf7yPckmRA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/postcss": {
  "version": "8.5.19",
  "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.19.tgz",
  "integrity": "sha512-X4/luVu1eV82dYqk6W494EwK5rYKYYqU0ULue99fA3V17ptQd4HJCE8Y84cnuUsYWgh5PIj/VX08iZ3tVw==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
    }
  ]
}
```

```

    "url": "https://opencollective.com/postcss/"
  },
  {
    "type": "tidelift",
    "url": "https://tidelift.com/funding/github/npm/postcss"
  },
  {
    "type": "github",
    "url": "https://github.com/sponsors/ai"
  }
],
"license": "MIT",
"dependencies": {
  "nanoid": "^3.3.12",
  "picocolors": "^1.1.1",
  "source-map-js": "^1.2.1"
},
"engines": {
  "node": "^10 || ^12 || >=14"
}
},
"node_modules/postcss-import": {
  "version": "15.1.0",
  "resolved": "https://registry.npmjs.org/postcss-import/-/postcss-import-15.1.0.tgz",
  "integrity": "sha512-hpr+J05B2FVYUAXHeK1YyI267J/dDDhMU6B6civm8hSY1jYJnBXxzKDKDswzJmtLHryrjhnDjqqp/49t8FALew==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "postcss-value-parser": "^4.0.0",
    "read-cache": "^1.0.0",
    "resolve": "^1.1.7"
  },
  "engines": {
    "node": ">=14.0.0"
  },
  "peerDependencies": {
    "postcss": "^8.0.0"
  }
},
"node_modules/postcss-js": {
  "version": "4.1.0",
  "resolved": "https://registry.npmjs.org/postcss-js/-/postcss-js-4.1.0.tgz",
  "integrity": "sha512-0IAO0TqgIo7q2E0wbhb8Ua1YePMvYoIeRY2YKntdpFQXNosSu3vLrniGmH90Ks/qAkfoj5oB3le/7mINW1LCfw==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
    }
  ],

```

```
{
  "type": "github",
  "url": "https://github.com/sponsors/ai"
},
"license": "MIT",
"dependencies": {
  "camelcase-css": "^2.0.1"
},
"engines": {
  "node": "^12 || ^14 || >= 16"
},
"peerDependencies": {
  "postcss": "^8.4.21"
},
"node_modules/postcss-load-config": {
  "version": "6.0.1",
  "resolved": "https://registry.npmjs.org/postcss-load-config/-/postcss-load-config-6.0.1.tgz",
  "integrity": "sha512-oPtTM4oerL+UXmx+93ytZVN82Rr1Y/wPUV8IeDxFrzIjXOLF1pN+EmKPLbubvKHT2HC20xXsCAH2Z+CKV60z/g==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "lilconfig": "^3.1.1"
  },
  "engines": {
    "node": ">= 18"
  },
  "peerDependencies": {
    "jiti": ">=1.21.0",
    "postcss": ">=8.0.9",
    "tsx": "^4.8.1",
    "yaml": "^2.4.2"
  },
  "peerDependenciesMeta": {
    "jiti": {
      "optional": true
    },
    "postcss": {
```

```
    "optional": true
  },
  "tsx": {
    "optional": true
  },
  "yaml": {
    "optional": true
  }
},
"node_modules/postcss-nested": {
  "version": "6.2.0",
  "resolved": "https://registry.npmjs.org/postcss-nested/-/postcss-nested-6.2.0.tgz",
  "integrity": "sha512-HQbt28KulC5AJzG+cZtj9kvKB93CFCdLvog1WFLf1D+xmMvPGLBstkpTEZfK5+AN9hfJocyBFCNiQyS48bpgzQ==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "postcss-selector-parser": "^6.1.1"
  },
  "engines": {
    "node": ">=12.0"
  },
  "peerDependencies": {
    "postcss": "^8.2.14"
  }
},
"node_modules/postcss-selector-parser": {
  "version": "6.1.4",
  "resolved": "https://registry.npmjs.org/postcss-selector-parser/-/postcss-selector-parser-6.1.4.tgz",
  "integrity": "sha512-1bK508Q4yV2gjhfvYx7LVjnd6Fg2J28R04l02z3PYH1sLW3N1D8kq7iHuiXZwUvHbl6F0u4SnXv72QWz0Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "cssesc": "^3.0.0",
    "util-deprecate": "^1.0.2"
  },
  "engines": {
    "node": ">=4"
  }
}
```

```
    },
    "node_modules/postcss-value-parser": {
      "version": "4.2.0",
      "resolved": "https://registry.npmjs.org/postcss-value-parser/-/postcss-value-
parser-4.2.0.tgz",
      "integrity": "sha512-1NNCs6uurfkVbeXG4S8JFT9t19m45ICnif8zWLd5oPSZ50QnwMfK+H3jv408d4jw/
7Bttv5axS5IiHoLaVNHeQ==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/prelude-ls": {
      "version": "1.2.1",
      "resolved": "https://registry.npmjs.org/prelude-ls/-/prelude-ls-1.2.1.tgz",
      "integrity": "sha512-vkcDPrRZo1QZLbn5RLGPpg/WmIQ65qoWWhcGKf/
b5eplkkarX0m9z8ppCat4ml0qUsWpyNuYg03VRyrYHSzX5g==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">= 0.8.0"
      }
    },
    "node_modules/punycode": {
      "version": "2.3.1",
      "resolved": "https://registry.npmjs.org/punycode/-/punycode-2.3.1.tgz",
      "integrity": "sha512-vYt7UD1U9Wg6138shLtL0vdAu+8DsC/
ilFtEVHcH+wydcSpNE20AfS0duf6MkRFahL5FY7X1oU7nKVZFtfq8Fg==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6"
      }
    },
    "node_modules/queue-microtask": {
      "version": "1.2.3",
      "resolved": "https://registry.npmjs.org/queue-microtask/-/queue-microtask-1.2.3.tgz",
      "integrity": "sha512-NuaNSa6flKT5JaSYQzJok04JzTL1CA6aGhv5rflW3PgqA+M2ChpZQnAC8h8i4ZFkBS8X5RqkDBHA7r4hej3K9A==",
      "dev": true,
      "funding": [
        {
          "type": "github",
          "url": "https://github.com/sponsors/feross"
        },
        {
          "type": "patreon",
          "url": "https://www.patreon.com/feross"
        },
        {
          "type": "consulting",
          "url": "https://feross.org/support"
        }
      ]
    }
  }
}
```

```

    },
    ],
    "license": "MIT"
  },
  "node_modules/react": {
    "version": "19.2.7",
    "resolved": "https://registry.npmjs.org/react/-/react-19.2.7.tgz",
    "integrity": "sha512-HNe9WslTbXmFK8o8cmwgAeJFSBvt1bPdHCVKtaaV+WlAN36mpT4hcRpwbF3fY56ar2oIXzsBp0AiIRHAdY00lQ==",
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/react-dom": {
    "version": "19.2.7",
    "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-19.2.7.tgz",
    "integrity": "sha512-t0BRVxbiE/o20Hfw669rLbMCDWtYZLvmJigy2f0MxsXF+71pxhR3x0kspms08h3ZlNzyibAmtCa3l4lYKk6gQ==",
    "license": "MIT",
    "dependencies": {
      "scheduler": "^0.27.0"
    },
    "peerDependencies": {
      "react": "^19.2.7"
    }
  },
  "node_modules/react-is": {
    "version": "19.2.7",
    "resolved": "https://registry.npmjs.org/react-is/-/react-is-19.2.7.tgz",
    "integrity": "sha512-kZFnouyVv7eP/Phmrlo9FK+zcAdriZJvzxXHF1Sl1P377WSGe2G/JxVolhTrB/jeV47lKImhNUsijjHAAbcl/A==",
    "license": "MIT",
    "peer": true
  },
  "node_modules/react-redux": {
    "version": "9.3.0",
    "resolved": "https://registry.npmjs.org/react-redux/-/react-redux-9.3.0.tgz",
    "integrity": "sha512-KQopggFo/p/fgmAs5qz6p5RWaNAzq40WAu7fJIXnQpYxFPbJYtsJPWvGeF2r0BaY/kEuV77AVsX8TsQzKm+A/g==",
    "license": "MIT",
    "dependencies": {
      "@types/use-sync-external-store": "^0.0.6",
      "use-sync-external-store": "^1.4.0"
    },
    "peerDependencies": {
      "@types/react": "^18.2.25 || ^19",
      "react": "^18.0 || ^19",
      "redux": "^5.0.0"
    }
  },
  "peerDependenciesMeta": {

```

```
    "@types/react": {
      "optional": true
    },
    "redux": {
      "optional": true
    }
  },
  "node_modules/react-router": {
    "version": "7.18.1",
    "resolved": "https://registry.npmjs.org/react-router/-/react-router-7.18.1.tgz",
    "integrity": "sha512-GDLgg3i3uM0aeJ03Fm+TCS+sDQ7gu12T6x0qdTEzCWqEflecI7JwugVNIF3U//
0FWKnJT7ptG+20B2jfDqnZAg==",
    "license": "MIT",
    "dependencies": {
      "cookie": "^1.0.1",
      "set-cookie-parser": "^2.6.0"
    },
    "engines": {
      "node": ">=20.0.0"
    },
    "peerDependencies": {
      "react": ">=18",
      "react-dom": ">=18"
    },
    "peerDependenciesMeta": {
      "react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/react-router-dom": {
    "version": "7.18.1",
    "resolved": "https://registry.npmjs.org/react-router-dom/-/react-router-dom-7.18.1.tgz",
    "integrity": "sha512-KaZh+X/6UtEp28x51AUYZDMg9NGoz2ja3dNH+ta/tk40vCzKhQ/RypCWBMLbmDr6//
E24Vv5uPsrqXFozdkAg==",
    "license": "MIT",
    "dependencies": {
      "react-router": "7.18.1"
    },
    "engines": {
      "node": ">=20.0.0"
    },
    "peerDependencies": {
      "react": ">=18",
      "react-dom": ">=18"
    }
  },
  "node_modules/read-cache": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/read-cache/-/read-cache-1.0.0.tgz",
```

```

    "integrity": "sha512-0wdv/Ft7IjOgm/
i0xvNDZ1LrRANRfew4b2prF30WMLxLfu3bS8FVhCsrSCMK41R56Y9ya+ATh0TpDCTxCmpRA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "pify": "^2.3.0"
    }
  },
  "node_modules/readdirp": {
    "version": "3.6.0",
    "resolved": "https://registry.npmjs.org/readdirp/-/readdirp-3.6.0.tgz",
    "integrity": "sha512-h0S089on8RduqdbhvQ5Z37A0ESjsqz6qnRc ffsMU3495FuTdqSm+7bhJ29JvIOsBDEEnan5DPu9t3To9VRlMzA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "picomatch": "^2.2.1"
    },
    "engines": {
      "node": ">=8.10.0"
    }
  },
  "node_modules/readdirp/node_modules/picomatch": {
    "version": "2.3.2",
    "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
    "integrity": "sha512-V7+vQEJ06Z+c5tSye8S+nHUFi51xoXIXjHQ99cQtKUKQqq01k0/KCJUfZXuB47h/
YBlDhah2H3hdUGXn8ie0oA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8.6"
    },
    "funding": {
      "url": "https://github.com/sponsors/jonschlinkert"
    }
  },
  "node_modules/recharts": {
    "version": "3.9.2",
    "resolved": "https://registry.npmjs.org/recharts/-/recharts-3.9.2.tgz",
    "integrity": "sha512-G4fy+Pk46RaXgwWMh+Nzhyo/
1bFAVqXo9gtetlye6Ehge9CsgDu0TwQDD+i1+1laLktNBiNq4bhnGlDRXFtw==",
    "license": "MIT",
    "workspaces": [
      "www"
    ],
    "dependencies": {
      "@reduxjs/toolkit": "^1.9.0 || 2.x.x",
      "clsx": "^2.1.1",
      "decimal.js-light": "^2.5.1",
      "es-toolkit": "^1.39.3",
      "eventemitter3": "^5.0.1",

```

```

    "immer": "^11.1.8",
    "react-redux": "8.x.x || 9.x.x",
    "reselect": "5.2.0",
    "tiny-invariant": "^1.3.3",
    "use-sync-external-store": "^1.2.2",
    "victory-vendor": "^37.0.2"
  },
  "engines": {
    "node": ">=18"
  },
  "peerDependencies": {
    "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0",
    "react-dom": "^16.0.0 || ^17.0.0 || ^18.0.0 || ^19.0.0",
    "react-is": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
  }
},
"node_modules/redux": {
  "version": "5.0.1",
  "resolved": "https://registry.npmjs.org/redux/-/redux-5.0.1.tgz",
  "integrity": "sha512-M9/ELqF6fy8FwmkpnF0S3YK0qMyoWJ4+CS5Efg2ct3oY9daQvd/Pc71FpGZsVsb13Cpb+IIcjBDUnnyBdQbq4w==",
  "license": "MIT"
},
"node_modules/redux-thunk": {
  "version": "3.1.0",
  "resolved": "https://registry.npmjs.org/redux-thunk/-/redux-thunk-3.1.0.tgz",
  "integrity": "sha512-NJkcLm1GPIImRQ8IzfXwRGqjVhKJGauHirT0DAuyy6hjdMZAroAcy0Klw==",
  "license": "MIT",
  "peerDependencies": {
    "redux": "^5.0.0"
  }
},
"node_modules/reselect": {
  "version": "5.2.0",
  "resolved": "https://registry.npmjs.org/reselect/-/reselect-5.2.0.tgz",
  "integrity": "sha512-AgZ3U0Zm3YndfrJ40YjgrT7bmCm/1iqkjevEfH/oYjzh6PD2qw4QuT3jjnXIrpdt4MTpMXclMT3lXbmRY+XRakw==",
  "license": "MIT"
},
"node_modules/resolve": {
  "version": "1.22.12",
  "resolved": "https://registry.npmjs.org/resolve/-/resolve-1.22.12.tgz",
  "integrity": "sha512-eAm9bKoijtvruSDEmZHM92CwS9nj7/fWttqPCgzep8CA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "is-core-module": "^2.16.1",
    "path-parse": "^1.0.7",

```

```
    "supports-preserve-symlinks-flag": "^1.0.0"
  },
  "bin": {
    "resolve": "bin/resolve"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/reusify": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/reusify/-/reusify-1.1.0.tgz",
  "integrity": "sha512-g6QUff04oZpHs0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQ0dpAWWspMh55TZfVQDPa3NQJfbVRAXdIw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "iojs": ">=1.0.0",
    "node": ">=0.10.0"
  }
},
"node_modules/rolldown": {
  "version": "1.1.5",
  "resolved": "https://registry.npmjs.org/rolldown/-/rolldown-1.1.5.tgz",
  "integrity": "sha512-t9z29cJjXf/vxQ8dyhCSpt6H6aSwHTk8cT5I3iy6SMXuFpk5mB6PL6XfC8PCwrPTx93udwKUm9HRteAltGBLiA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@oxc-project/types": "=0.139.0",
    "@rolldown/pluginutils": "^1.0.0"
  }
},
"bin": {
  "rolldown": "bin/cli.mjs"
},
"engines": {
  "node": "^20.19.0 || >=22.12.0"
},
"optionalDependencies": {
  "@rolldown/binding-android-arm64": "1.1.5",
  "@rolldown/binding-darwin-arm64": "1.1.5",
  "@rolldown/binding-darwin-x64": "1.1.5",
  "@rolldown/binding-freebsd-x64": "1.1.5",
  "@rolldown/binding-linux-arm-gnueabi-hf": "1.1.5",
  "@rolldown/binding-linux-arm64-gnu": "1.1.5",
  "@rolldown/binding-linux-arm64-musl": "1.1.5",
  "@rolldown/binding-linux-ppc64-gnu": "1.1.5",
  "@rolldown/binding-linux-s390x-gnu": "1.1.5",

```

```
    "@rolldown/binding-linux-x64-gnu": "1.1.5",
    "@rolldown/binding-linux-x64-musl": "1.1.5",
    "@rolldown/binding-openharmony-arm64": "1.1.5",
    "@rolldown/binding-wasm32-wasi": "1.1.5",
    "@rolldown/binding-win32-arm64-msvc": "1.1.5",
    "@rolldown/binding-win32-x64-msvc": "1.1.5"
  },
},
"node_modules/run-parallel": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/run-parallel/-/run-parallel-1.2.0.tgz",
  "integrity": "sha512-U52333qLW3Dl6uKq6kICG83i0ZmWYbQ3Dg83W1vZ5t14KvN173J8OoD13yF73U8rJ1h2xqYPwOaE2p7G==",
  "dev": true,
  "funding": [
    {
      "type": "github",
      "url": "https://github.com/sponsors/feross"
    },
    {
      "type": "patreon",
      "url": "https://www.patreon.com/feross"
    },
    {
      "type": "consulting",
      "url": "https://feross.org/support"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "queue-microtask": "^1.2.2"
  }
},
"node_modules/scheduler": {
  "version": "0.27.0",
  "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.27.0.tgz",
  "integrity": "sha512-4vBqLrqy6dH+XC7m5Cg6347t48p9Z4YFfYq38IkQ9N0I36h0ZvkXGp9O5eQ3wUxwUjwUjK13eHwZuFk7EA==",
  "license": "MIT"
},
"node_modules/semver": {
  "version": "6.3.1",
  "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
  "integrity": "sha512-SyERuV3ZQ2H5JXvlp4PbOuVdDaII6IbEli9R4Ss4LbdmVvQyKwIqB+TmtSOD3o0wTUhvPPhHkSg4YgHfDzA==",
  "dev": true,
  "license": "ISC",
  "bin": {
    "semver": "bin/semver.js"
  }
},
}
```

```
"node_modules/set-cookie-parser": {
  "version": "2.7.2",
  "resolved": "https://registry.npmjs.org/set-cookie-parser/-/set-cookie-parser-2.7.2.tgz",
  "integrity": "sha512-oeM1lpU/UvhTxw+g3cIfxXHyJRc/
uidd3yK1P242gzHds0udQBYzs3y8j4gCCW+ZJ7ad0yctld8RY0+bdurlvw==",
  "license": "MIT"
},
"node_modules/shebang-command": {
  "version": "2.0.0",
  "resolved": "https://registry.npmjs.org/shebang-command/-/shebang-command-2.0.0.tgz",
  "integrity": "sha512-kHxr2zZpYtdmrN1qDjrrX/Z1rR1kG8Dx+gkpK1G4eXmvXswmcE1hTWBWyUz1raYw1/
yZp6YuDY77YtvbN0dmDA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "shebang-regex": "^3.0.0"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/shebang-regex": {
  "version": "3.0.0",
  "resolved": "https://registry.npmjs.org/shebang-regex/-/shebang-regex-3.0.0.tgz",
  "integrity": "sha512-7+
+dFhtcx3353uBaQ8DDR4NuxBetBzC7ZQ0hmTQInHEd6bSrXdiEyzCvG07Z44UYdLShWUyXt5M/yhz8ekcb1A==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=8"
  }
},
"node_modules/source-map-js": {
  "version": "1.2.1",
  "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
  "integrity": "sha512-UXWMKhLOWVKb728IUtQPXxfYU+usdybtUrK/
8uGE8CQMvrhOpwvzDBwj0QhSL7MQc7vIsISBG8VQ8+IDQxpfQA==",
  "dev": true,
  "license": "BSD-3-Clause",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/sucrase": {
  "version": "3.35.1",
  "resolved": "https://registry.npmjs.org/sucrase/-/sucrase-3.35.1.tgz",
  "integrity": "sha512-
DhuTmvZWux4H1U0nWMB3sk0sbaCV0oQZjv8u1rDoTV0HTdGem9hkAZt14JZy8P2z4Bg0nT+YMeOFyVr4zcG5Tw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
```

```

    "@jridgewell/gen-mapping": "^0.3.2",
    "commander": "^4.0.0",
    "lines-and-columns": "^1.1.6",
    "mz": "^2.7.0",
    "pirates": "^4.0.1",
    "tinyglobby": "^0.2.11",
    "ts-interface-checker": "^0.1.9"
  },
  "bin": {
    "sucrase": "bin/sucrase",
    "sucrase-node": "bin/sucrase-node"
  },
  "engines": {
    "node": ">=16 || 14 >=14.17"
  }
},
"node_modules/supports-preserve-symlinks-flag": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-preserve-symlinks-flag-1.0.0.tgz",
  "integrity": "sha512-ot0WnXS9fgdkgIcePe6RHNk1WA8+muPa6cSjeR3V8K27q9BB1rTE3R1p7Hv0z1ZyAc8s6Vvv8DIyWf681MA0w==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  }
},
"funding": {
  "url": "https://github.com/sponsors/ljharb"
}
},
"node_modules/tailwindcss": {
  "version": "3.4.19",
  "resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-3.4.19.tgz",
  "integrity": "sha512-3ofp+LL8E+pK/JuPLPggVAIaEuhvIz4qNcf3nA1Xn2o/7fb7s/TYpHhwGDv1ZU3PkbBlUUVaF8PyCHcm48cKLWQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@alloc/quick-lru": "^5.2.0",
    "arg": "^5.0.2",
    "chokidar": "^3.6.0",
    "didyoumean": "^1.2.2",
    "dlv": "^1.1.3",
    "fast-glob": "^3.3.2",
    "glob-parent": "^6.0.2",
    "is-glob": "^4.0.3",
    "jiti": "^1.21.7",
    "lilconfig": "^3.1.3",
    "micromatch": "^4.0.8",
    "normalize-path": "^3.0.0",

```

```

    "object-hash": "^3.0.0",
    "picocolors": "^1.1.1",
    "postcss": "^8.4.47",
    "postcss-import": "^15.1.0",
    "postcss-js": "^4.0.1",
    "postcss-load-config": "^4.0.2 || ^5.0 || ^6.0",
    "postcss-nested": "^6.2.0",
    "postcss-selector-parser": "^6.1.2",
    "resolve": "^1.22.8",
    "sucrase": "^3.35.0"
  },
  "bin": {
    "tailwind": "lib/cli.js",
    "tailwindcss": "lib/cli.js"
  },
  "engines": {
    "node": ">=14.0.0"
  }
},
"node_modules/thenify": {
  "version": "3.3.1",
  "resolved": "https://registry.npmjs.org/thenify/-/thenify-3.3.1.tgz",
  "integrity": "sha512-YAZuKqd8hRkKhSfCGIcP2KUY0EPxndzANBmN1lzWPwak+bheSw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "any-promise": "^1.0.0"
  }
},
"node_modules/thenify-all": {
  "version": "1.6.0",
  "resolved": "https://registry.npmjs.org/thenify-all/-/thenify-all-1.6.0.tgz",
  "integrity": "sha512-sNVRBx4Xn20X+OZ9oP+iJnNFqplFra2ZUVEKCSa2oVWi3T4uVmA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "thenify": ">= 3.1.0 < 4"
  },
  "engines": {
    "node": ">=0.8"
  }
},
"node_modules/tiny-invariant": {
  "version": "1.3.3",
  "resolved": "https://registry.npmjs.org/tiny-invariant/-/tiny-invariant-1.3.3.tgz",
  "integrity": "sha512-sNVRBx4Xn20X+OZ9oP+iJnNFqplFra2ZUVEKCSa2oVWi3T4uVmA==",
  "dev": true,
  "license": "MIT"
},

```

```

"node_modules/tinyglobby": {
  "version": "0.2.17",
  "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.17.tgz",
  "integrity": "sha512-wXR/dYpcqKmfWpEdZjiKJOwCNFndD0DMnrW/cYjVGttEkBfVgcLFH0Nrlj47mj0Vic9yyNu65alsgF4NQyTa2g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "fdir": "^6.5.0",
    "picomatch": "^4.0.4"
  },
  "engines": {
    "node": ">=12.0.0"
  },
  "funding": {
    "url": "https://github.com/sponsors/SuperchupuDev"
  }
},
"node_modules/to-regex-range": {
  "version": "5.0.1",
  "resolved": "https://registry.npmjs.org/to-regex-range/-/to-regex-range-5.0.1.tgz",
  "integrity": "sha512-65P7iz6X5yEr1cwcvqXbbIw7Uk3g0y5dIdtZ4rDvELqhrdJP+Li/Hx6tyK0NEb+2GCyneCMJiGqrADCSNk8sQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "is-number": "^7.0.0"
  },
  "engines": {
    "node": ">=8.0"
  }
},
"node_modules/ts-interface-checker": {
  "version": "0.1.13",
  "resolved": "https://registry.npmjs.org/ts-interface-checker/-/ts-interface-checker-0.1.13.tgz",
  "integrity": "sha512-Y/arvbn+rrz3JCKl9C4kVNfTfSm2/mEp5FSz5EsZSANGPSlQrpRI5M4PKF+mJnE52j0090PnPSc3Ur3bTQw0gA==",
  "dev": true,
  "license": "Apache-2.0"
},
"node_modules/tslib": {
  "version": "2.8.1",
  "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
  "integrity": "sha512-ooJw2H8Ue9wY558dMf67f4Dl2umWiNYW1PdqvUZe3Gps2xm51Y3I8K2G87eXWV0GjM8G1XK9z1nYkR0z==",
  "dev": true,
  "license": "0BSD",
  "optional": true
},
"node_modules/type-check": {

```

```
"version": "0.4.0",
"resolved": "https://registry.npmjs.org/type-check/-/type-check-0.4.0.tgz",
"integrity": "sha512-XleUoc9uwGXqjWwXaUTZAmzMcFZ5858QA2vvx1Ur5xIcixXIP+8LnFDgRplU30us6teqdlSkFfu+ae4K790oew==",
"dev": true,
"license": "MIT",
"dependencies": {
  "prelude-ls": "^1.2.1"
},
"engines": {
  "node": ">= 0.8.0"
}
},
"node_modules/update-browserslist-db": {
  "version": "1.2.3",
  "resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-1.2.3.tgz",
  "integrity": "sha512-Js0m9cx+qOgDxo0eMiFGEueWztz+d4+M3rGlmKPT+T4IS/jP4ylw3Nwpu6cpTTP8R1MAC1kF4VbdLt3ARf209w==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/browserslist"
    },
    {
      "type": "tidelift",
      "url": "https://tidelift.com/funding/github/npm/browserslist"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "escalade": "^3.2.0",
    "picocolors": "^1.1.1"
  },
  "bin": {
    "update-browserslist-db": "cli.js"
  },
  "peerDependencies": {
    "browserslist": ">= 4.21.0"
  }
},
"node_modules/uri-js": {
  "version": "4.4.1",
  "resolved": "https://registry.npmjs.org/uri-js/-/uri-js-4.4.1.tgz",
  "integrity": "sha512-CD904YdJj0S0d0tJWmeM9iD8Fk3p1w6nK398XwRzTD8V5Y7foCUoi81VugR6tjS/AMzYtWq/Ce0oqqHw==",
  "sha512-7rKuyy33Q1yc98pQ1DAmltwX109F7TIfwLW1Ydo8Wl1ii1SeHieeh0HHfPeL2fMXK6z0s8ecKs9frCuLJvndBg=
```

```

=",
  "dev": true,
  "license": "BSD-2-Clause",
  "dependencies": {
    "punycode": "^2.1.0"
  }
},
"node_modules/use-sync-external-store": {
  "version": "1.6.0",
  "resolved": "https://registry.npmjs.org/use-sync-external-store/-/use-sync-external-store-1.6.0.tgz",
  "integrity": "sha512-Pp6GSwGP/NrPIrxVFAIk0Qeyw8lFen0HijQWkUTrDvrF4ALqylP2C/KCkeS9dpUM3KvYRQhna5vt7IL95+ZQ9w==",
  "license": "MIT",
  "peerDependencies": {
    "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
  }
},
"node_modules/util-deprecate": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/util-deprecate/-/util-deprecate-1.0.2.tgz",
  "integrity": "sha512-EPD5q1uXyFxJpCrLnCc1nHnq3g0a6DZBocAIIi2TaSCA7VCJ1UJDMagCzIkXNsUYfD1daK//LTEQ8xiIbrHtcw==",
  "dev": true,
  "license": "MIT"
},
"node_modules/victory-vendor": {
  "version": "37.3.6",
  "resolved": "https://registry.npmjs.org/victory-vendor/-/victory-vendor-37.3.6.tgz",
  "integrity": "sha512-SbPDPdDBYp+5MJHhBCAyI7wKM3d5ivekigc2Dk2s7pgbZ9wIgIBYGVw4zGHBml/qTFbexrofXW6Gu4noGxr0wQ==",
  "license": "MIT AND ISC",
  "dependencies": {
    "@types/d3-array": "^3.0.3",
    "@types/d3-ease": "^3.0.0",
    "@types/d3-interpolate": "^3.0.1",
    "@types/d3-scale": "^4.0.2",
    "@types/d3-shape": "^3.1.0",
    "@types/d3-time": "^3.0.0",
    "@types/d3-timer": "^3.0.0",
    "d3-array": "^3.1.6",
    "d3-ease": "^3.0.1",
    "d3-interpolate": "^3.0.1",
    "d3-scale": "^4.0.2",
    "d3-shape": "^3.1.0",
    "d3-time": "^3.0.0",
    "d3-timer": "^3.0.1"
  }
},
"node_modules/vite": {
  "version": "8.1.4",

```

```
"resolved": "https://registry.npmjs.org/vite/-/vite-8.1.4.tgz",
"integrity": "sha512-bTT9PsdW0+MQMNG9ZXIP/qM9wGh37DFxTV/
sPq9cFpHr3w4jkgef032PkAL9jAqhK3Nz8NQw308n6/xFkq04QQ==",
"dev": true,
"license": "MIT",
"dependencies": {
  "lightningcss": "^1.32.0",
  "picomatch": "^4.0.5",
  "postcss": "^8.5.16",
  "rolldown": "~1.1.4",
  "tinyglobby": "^0.2.17"
},
"bin": {
  "vite": "bin/vite.js"
},
"engines": {
  "node": "^20.19.0 || >=22.12.0"
},
"funding": {
  "url": "https://github.com/vitejs/vite?sponsor=1"
},
"optionalDependencies": {
  "fsevents": "~2.3.3"
},
"peerDependencies": {
  "@types/node": "^20.19.0 || >=22.12.0",
  "@vitejs/devtools": "^0.3.0",
  "esbuild": "^0.27.0 || ^0.28.0",
  "jiti": ">=1.21.0",
  "less": "^4.0.0",
  "sass": "^1.70.0",
  "sass-embedded": "^1.70.0",
  "stylus": ">=0.54.8",
  "sugarss": "^5.0.0",
  "terser": "^5.16.0",
  "tsx": "^4.8.1",
  "yaml": "^2.4.2"
},
"peerDependenciesMeta": {
  "@types/node": {
    "optional": true
  },
  "@vitejs/devtools": {
    "optional": true
  },
  "esbuild": {
    "optional": true
  },
  "jiti": {
    "optional": true
  }
},
```

```

    "less": {
      "optional": true
    },
    "sass": {
      "optional": true
    },
    "sass-embedded": {
      "optional": true
    },
    "stylus": {
      "optional": true
    },
    "sugarss": {
      "optional": true
    },
    "terser": {
      "optional": true
    },
    "tsx": {
      "optional": true
    },
    "yaml": {
      "optional": true
    }
  },
  "node_modules/which": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/which/-/which-2.0.2.tgz",
    "integrity": "sha512-BLI3Tl1TW3Pvl70l3yq3Y64i+awpwXqsGBYWkkqMtnbXgrMD+yj7rhW0kuEDxzJaYXGjEW5ogapKNMEKNMjibA==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "isexe": "^2.0.0"
    },
    "bin": {
      "node-which": "bin/node-which"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/word-wrap": {
    "version": "1.2.5",
    "resolved": "https://registry.npmjs.org/word-wrap/-/word-wrap-1.2.5.tgz",
    "integrity": "sha512-BN22B5eaMMI9UMtjrGd5g5eCYPpCPDUy0FJXbYsaT5zYxjF0ckS53SQDE3pWkVoWpHXVb3BrYcEN4Twa55B5cA==",
    "dev": true,
    "license": "MIT",
    "engines": {

```

```

    "node": ">=0.10.0"
  },
  "node_modules/yallist": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz",
    "integrity": "sha512-a4UGQaWPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAms9NsK8GpDMLrCHPkFT7h3K6T0oUNn2pb7RoXx4g==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/yocto-queue": {
    "version": "0.1.0",
    "resolved": "https://registry.npmjs.org/yocto-queue/-/yocto-queue-0.1.0.tgz",
    "integrity": "sha512-rVksvsnNCdJ/ohGc6xgPwyN8eheCxsilM8mxuE/t/mOVqJewPu01miLpTHQiRgTKCLexL4MeAFVagts7HmNZ2Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=10"
    }
  },
  "node_modules/funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  },
  "node_modules/zod": {
    "version": "4.4.3",
    "resolved": "https://registry.npmjs.org/zod/-/zod-4.4.3.tgz",
    "integrity": "sha512-ytENfjIJfL2UwYglde2jchW2Hwm4GJFLDiSXWdTrJQBIN9Fcyp7n4DhxJEiWNAJMV1/BqWfW/kkg71UDcHJyTQ==",
    "dev": true,
    "license": "MIT",
    "funding": {
      "url": "https://github.com/sponsors/colinhacks"
    }
  },
  "node_modules/zod-validation-error": {
    "version": "4.0.2",
    "resolved": "https://registry.npmjs.org/zod-validation-error/-/zod-validation-error-4.0.2.tgz",
    "integrity": "sha512-Q6/nZLe6jxuU80qb/4uJ4t5v2VEZ44lzQjPDhYJNztRQ4wyWc6VF3D3Kb/fAuPetZQnhS3hnajCf9CsWesghLQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=18.0.0"
    },
    "peerDependencies": {
      "zod": "^3.25.0 || ^4.0.0"
    }
  }
}

```

```
}  
}
```

postcss.config.js :

```
export default {  
  plugins: {  
    tailwindcss: {},  
    autoprefixer: {},  
  },  
}
```

README.md :

React + Vite

This template provides a minimal setup to get React working in Vite with HMR and some ESLint rules.

Currently, two official plugins are available:

- [[@vitejs/plugin-react](https://github.com/vitejs/vite-plugin-react/blob/main/packages/plugin-react)](https://github.com/vitejs/vite-plugin-react/blob/main/packages/plugin-react) uses [Oxc](https://oxc.rs)
- [[@vitejs/plugin-react-swc](https://github.com/vitejs/vite-plugin-react/blob/main/packages/plugin-react-swc)](https://github.com/vitejs/vite-plugin-react/blob/main/packages/plugin-react-swc) uses [SWC](https://swc.rs/)

React Compiler

The React Compiler is not enabled on this template because of its impact on dev & build performances. To add it, see [this documentation](https://react.dev/learn/react-compiler/installation).

Expanding the ESLint configuration

If you are developing a production application, we recommend using TypeScript with type-aware lint rules enabled. Check out the [TS template](https://github.com/vitejs/vite/tree/main/packages/create-vite/template-react-ts) for information on how to integrate TypeScript and [typescript-eslint](https://typescript-eslint.io) in your project.

-----SRC-----

App.jsx :

```
import React from 'react';  
import { BrowserRouter as Router, Routes, Route, Link, useLocation, Navigate } from 'react-router-dom';  
import { BarChart3, Calendar, Users, Settings, Bell, Plus, LogOut } from 'lucide-react';
```

```
// Import de toutes tes pages !
import Dashboard from './pages/Dashboard';
import Agenda from './pages/Agenda';
import Contacts from './pages/Contacts';
import Parametres from './pages/Parametres';
import NouveauRdv from './pages/NouveauRdv';
import Login from './pages/Login';

const ProtectedRoute = ({ children }) => {
  const token = localStorage.getItem('jwtToken');

  if (!token) {
    // Pas de token ? Direction la page de login !
    return <Navigate to="/login" replace />;
  }

  // Si tout est ok, on le laisse passer vers la page demandée
  return children;
};

// Le Layout (L'ossature de ton app)
const AppLayout = ({ children }) => {

  const ProtectedRoute = ({ children }) => {
    const token = localStorage.getItem('jwtToken');
    if (!token) {
      return <Navigate to="/login" replace />;
    }
    return children;
  };

  const location = useLocation(); // Permet de savoir sur quelle page on est pour colorer le
  menu !

  // Fonction pour savoir si un menu est actif
  const isActive = (path) => location.pathname === path;

  // On détermine le titre de la page dynamiquement
  const getPageTitle = () => {
    switch (location.pathname) {
      case '/': return 'Tableau de bord';
      case '/agenda': return 'Agenda';
      case '/contacts': return 'Contacts';
      case '/parametres': return 'Paramètres généraux';
      case '/nouveau-rdv': return 'Agenda > Nouveau RDV';
      default: return 'DigiAlert';
    }
  };

  // Fonction de déconnexion
  const handleLogout = () => {
    localStorage.removeItem('jwtToken');
    localStorage.removeItem('userId');
```

```

    localStorage.removeItem('companyName');
    window.location.href = '/login';
};

return (
  <div className="flex h-screen bg-brand-bg font-sans">

    {/* ===== SIDEBAR (Menu Gauche Fixe) ===== */}
    <div className="w-[260px] bg-brand-dark text-white flex flex-col justify-between
shrink-0">
      <div>
        <div className="h-20 flex items-center px-8">
          <h1 className="text-3xl font-bold">Digi<span className="text-brand-red">Alert</
span></h1>
        </div>

        <nav className="mt-6 px-4 space-y-2">
          <Link to="/" className={`flex items-center px-4 py-3 rounded-lg transition-all $
${isActive('/') ? 'bg-brand-red text-white shadow-md shadow-brand-red/20 font-bold' : 'text-
slate-300 hover:bg-slate-800 hover:text-white font-medium'}}`>
            <BarChart3 className="w-5 h-5 mr-3" /> Accueil
          </Link>

          <Link to="/agenda" className={`flex items-center px-4 py-3 rounded-lg transition-
all ${isActive('/agenda') || isActive('/nouveau-rdv') ? 'bg-brand-red text-white shadow-md
shadow-brand-red/20 font-bold' : 'text-slate-300 hover:bg-slate-800 hover:text-white font-
medium'}}`>
            <Calendar className="w-5 h-5 mr-3" /> Agenda
          </Link>

          <Link to="/contacts" className={`flex items-center px-4 py-3 rounded-lg transition-
all ${isActive('/contacts') ? 'bg-brand-red text-white shadow-md shadow-brand-red/20 font-
bold' : 'text-slate-300 hover:bg-slate-800 hover:text-white font-medium'}}`>
            <Users className="w-5 h-5 mr-3" /> Contacts
          </Link>

          <Link to="/parametres" className={`flex items-center px-4 py-3 rounded-lg
transition-all ${isActive('/parametres') ? 'bg-brand-red text-white shadow-md shadow-brand-red/
20 font-bold' : 'text-slate-300 hover:bg-slate-800 hover:text-white font-medium'}}`>
            <Settings className="w-5 h-5 mr-3" /> Paramètres
          </Link>
        </nav>
      </div>

      <div className="p-4 mb-4">
        <div className="flex items-center hover:bg-slate-800 p-2 rounded-lg cursor-pointer
transition-colors">
          <div className="w-10 h-10 rounded-full bg-white text-brand-dark flex items-center
justify-center font-bold text-lg">
            {/* On récupère la première lettre du nom de l'entreprise */}
            {localStorage.getItem('companyName')?.charAt(0) || 'U'}

```

```

        </div>
        <div className="ml-3 flex-1">
            <p className="font-medium text-white text-sm">{localStorage.getItem('companyName') || 'Utilisateur'}</p>
        </div>
    </div>
    {/* Bouton Déconnexion */}
    <button onClick={handleLogout} className="p-2 text-slate-400 hover:text-brand-red transition-colors" title="Se déconnecter">
        <LogOut className="w-5 h-5" />
    </button>
</div>
</div>

{/* ===== CONTENU PRINCIPAL ===== */}
<div className="flex-1 flex flex-col overflow-hidden">

    {/* Topbar Fixe */}
    <header className="h-20 bg-white border-b border-slate-200 flex items-center justify-between px-10 shrink-0 z-10">
        {/* Titre dynamique de la page */}
        {location.pathname !== '/nouveau-rdv' ? (
            <h2 className="text-3xl font-bold text-brand-dark">{getPageTitle()}</h2>
        ) : (
            <h2 className="text-3xl font-extrabold text-brand-dark">
                Agenda <span className="text-slate-400 font-medium">&gt; Nouveau RDV</span>
            </h2>
        )}

        <div className="flex items-center space-x-6">
            <div className="relative cursor-pointer hover:scale-105 transition-transform">
                <Bell className="w-7 h-7 text-brand-red" />
                <span className="absolute -top-1 -right-1 bg-brand-red text-white text-xs font-bold w-5 h-5 rounded-full flex items-center justify-center border-2 border-white">5</span>
            </div>

            {/* Bouton Nouveau RDV qui navigue vers la page de création ! */}
            <Link to="/nouveau-rdv" className="flex items-center bg-brand-red hover:bg-rose-700 text-white px-5 py-2.5 rounded-lg font-medium shadow-md shadow-brand-red/20 transition-all active:scale-95">
                <Plus className="w-5 h-5 mr-2" /> Nouveau RDV
            </Link>
        </div>
    </header>

    {/* C'est ici que les pages s'affichent maintenant ! */}
    {children}

</div>
</div>
);

```

```

};

// =====
// 3. LE ROUTEUR PRINCIPAL
// =====
function App() {
  return (
    <Router>
      <Routes>
        { /* Route Publique : Pas de Sidebar, pas de Topbar */ }
        <Route path="/login" element={<Login />} />

        { /* Routes Privées : Le Garde du Corps (ProtectedRoute) valide le Token,
           puis on affiche la structure globale (AppLayout) avec la page au centre */ }
        <Route path="/*" element={
          <ProtectedRoute>
            <AppLayout>
              <Routes>
                <Route path="/" element={<Dashboard />} />
                <Route path="/agenda" element={<Agenda />} />
                <Route path="/contacts" element={<Contacts />} />
                <Route path="/parametres" element={<Parametres />} />
                <Route path="/nouveau-rdv" element={<NouveauRdv />} />
              </Routes>
            </AppLayout>
          </ProtectedRoute>
        } />
      </Routes>
    </Router>
  );
}

export default App;
-----
index.css :

/* stylelint-disable-next-line at-rule-no-unknown */
@tailwind base;
/* stylelint-disable-next-line at-rule-no-unknown */
@tailwind components;
/* stylelint-disable-next-line at-rule-no-unknown */
@tailwind utilities;
-----
main.jsx :

import { StrictMode } from 'react'
import { createRoot } from 'react-dom/client'
import './index.css'
import App from './App.jsx'

createRoot(document.getElementById('root')).render(

```

```

    <StrictMode>
      <App />
    </StrictMode>,
  )

```

-----Pages-----

Agenda.jsx :

```

import React, { useState, useRef, useEffect } from 'react';
import { ChevronLeft, ChevronRight, Calendar as CalendarIcon } from 'lucide-react';

const RED = '#EA1552';
const INK = '#0B0D1F';
const PAGE_BG = '#F3F4F8';

// Fonction pour trouver le lundi de la semaine en cours
const formatDateInput = (date) => {
  const year = date.getFullYear();
  const month = String(date.getMonth() + 1).padStart(2, '0');
  const day = String(date.getDate()).padStart(2, '0');
  return `${year}-${month}-${day}`;
};

const getMondayOfWeek = (date) => {
  const d = new Date(date);
  const day = d.getDay();
  const diff = d.getDate() - day + (day === 0 ? -6 : 1);
  d.setDate(diff);
  return d;
};

const DAY_LABELS = ['Lun', 'Mar', 'Mer', 'Jeu', 'Ven', 'Sam', 'Dim'];
const MOIS_FR = ['Janvier', 'Février', 'Mars', 'Avril', 'Mai', 'Juin', 'Juillet', 'Août', 'Septembre', 'Octobre', 'Novembre', 'Décembre'];
const ROW_HEIGHT = 96; // h-24
const HOUR_COL_WIDTH = 80; // w-20
const DAY_COL_MIN_WIDTH = 120;

useEffect(() => {
  const loadEvents = async () => {
    const res = await fetchWithAuth('/api/Events');
    if (res.ok) {
      const data = await res.json();
      setAppointments(data.map(e => ({
        date: new Date(e.startDateTime),
        start: new Date(e.startDateTime).getHours() + new Date(e.startDateTime).getMinutes() / 60,
        end: new Date(e.endDateTime).getHours() + new Date(e.endDateTime).getMinutes() / 60,
        title: e.title,
        subtitle: e.status,

```

```
        }));
    }
};
loadEvents();
}, [weekDates]));

const sameDay = (a, b) => a.getFullYear() === b.getFullYear() && a.getMonth() === b.getMonth()
&& a.getDate() === b.getDate();

const Agenda = ({ onCreateNew }) => {
    const hours = Array.from({ length: 24 }, (_, i) => `${i.toString().padStart(2, '0')}h00`);
    const [selectedDate, setSelectedDate] = useState(formatDateInput(new Date()));
    const [weekDates, setWeekDates] = useState(() => {
        const monday = getMondayOfWeek(new Date());
        return Array.from({ length: 7 }, (_, i) => {
            const d = new Date(monday);
            d.setDate(monday.getDate() + i);
            return d;
        });
    });

    const containerRef = useRef(null);
    const eightAmRef = useRef(null);
    const dateInputRef = useRef(null);

    useEffect(() => {
        const monday = getMondayOfWeek(new Date(selectedDate));
        setWeekDates(Array.from({ length: 7 }, (_, i) => {
            const d = new Date(monday);
            d.setDate(monday.getDate() + i);
            return d;
        }));
    }, [selectedDate]);

    useEffect(() => {
        if (containerRef.current && eightAmRef.current) {
            containerRef.current.scrollTop = eightAmRef.current.offsetTop - 20;
        }
    }, [weekDates]);

    const prevWeek = () => {
        const monday = getMondayOfWeek(new Date(selectedDate));
        monday.setDate(monday.getDate() - 7);
        setSelectedDate(formatDateInput(monday));
    };

    const nextWeek = () => {
        const monday = getMondayOfWeek(new Date(selectedDate));
        monday.setDate(monday.getDate() + 7);
        setSelectedDate(formatDateInput(monday));
    };
};
```

```

const eventStyle = (start, end, bg, text) => ({
  top: `${start * ROW_HEIGHT}px`,
  height: `${(end - start) * ROW_HEIGHT}px`,
  backgroundColor: bg,
  color: text || '#fff',
  borderBottom: `4px solid ${RED}`,
});

const formatTime = (h) => `${String(Math.floor(h)).padStart(2, '0')}${h % 1 ? '30' : '00'}`;
const gridMinWidth = HOUR_COL_WIDTH + weekDates.length * DAY_COL_MIN_WIDTH;

return (
  <div className="h-screen flex flex-col overflow-hidden p-10" style={{ backgroundColor:
PAGE_BG }}>

    <div className="flex flex-col gap-4 justify-between items-start mb-6 shrink-0 md:flex-
row">
      <div className="flex items-center gap-4">
        <button type="button" onClick={() => dateInputRef.current &&
dateInputRef.current.click()} className="p-3 rounded-xl shadow-md bg-brand-red text-white"
style={{ backgroundColor: RED }}>
          <CalendarIcon className="w-6 h-6" />
        </button>
        <input ref={dateInputRef} type="date" value={selectedDate} onChange={(e) =>
setSelectedDate(e.target.value)} className="hidden" />
        <div className="text-sm text-slate-600">Date sélectionnée: <strong>{new
Date(selectedDate).toLocaleDateString('fr-FR')}</div>
      </div>

      <div className="flex items-center gap-3 text-slate-600">
        <span className="font-semibold">Semaine :</span>
        <span>{weekDates[0] ? `${weekDates[0].getDate()} ${MOIS_FR[weekDates[0].getMonth()]}
${weekDates[0].getFullYear()}` : '-'}</span>
      </div>
    </div>

    <div className="bg-white rounded-2xl shadow-sm border border-slate-100 flex flex-col
flex-1 min-h-0 overflow-hidden">

      <div className="flex justify-between items-center p-6 border-b border-slate-100
shrink-0">
        <h3 className="text-2xl font-extrabold" style={{ color: INK }}>
          {weekDates[0] ? `Semaine du ${weekDates[0].getDate()} $
{MOIS_FR[weekDates[0].getMonth()]} ${weekDates[0].getFullYear()}` : 'Semaine'}
        </h3>

        <div className="flex items-center space-x-3">

          <div className="flex space-x-2">

```

```

        <button onClick={prevWeek} className="p-2 border border-slate-200 rounded-lg
hover:bg-slate-50 text-slate-600 transition-colors">
          <ChevronLeft className="w-5 h-5" />
        </button>
        <button onClick={nextWeek} className="p-2 border border-slate-200 rounded-lg
hover:bg-slate-50 text-slate-600 transition-colors">
          <ChevronRight className="w-5 h-5" />
        </button>
      </div>
    </div>
  </div>

  /* Un SEUL conteneur possède le scroll horizontal : l'en-tête des jours et la
  grille des heures sont dedans ensemble, donc ils bougent toujours en phase. */
  <div className="flex-1 min-h-0 overflow-x-auto overflow-y-hidden">
    <div className="flex flex-col h-full" style={{ minWidth: `${gridMinWidth}px` }}>

      /* En-tête des jours : suit le scroll horizontal, jamais le scroll vertical */
      <div className="flex border-slate-200 bg-slate-100 shrink-0 overflow-y-
auto" style={{ scrollbarGutter: 'stable' }}>

        <div style={{ width: HOUR_COL_WIDTH }} className="shrink-0 bg-white" />
        {weekDates.map((d, idx) => (
          <div key={idx} className="flex-1 text-center py-4 font-bold text-slate-700
text-lg border-l border-r border-slate-200" style={{ minWidth: DAY_COL_MIN_WIDTH }}>
            {DAY_LABELS[idx]} {d.getDate()}
          </div>
        ))}
      </div>

      /* Corps : scroll vertical uniquement ici, largeur héritée du wrapper ci-dessus
      */
      <div ref={containerRef} className="flex flex-1 min-h-0 overflow-y-auto relative bg-
white" style={{ scrollbarGutter: 'stable' }}>

        /* Colonne des heures : simple empilement de div (pas de flex-col => pas de
        compression) */
        <div style={{ width: HOUR_COL_WIDTH }} className="shrink-0 border-slate-200
relative pt-2 ">
          {hours.map((hour, idx) => (
            <div key={idx} ref={hour === '08h00' ? eightAmRef : null} className="h-24
relative border-r">
              <span className="absolute -top-3 right-3 text-sm font-medium text-
slate-500">{hour}</span>
            </div>
          ))}
        </div>

        /* Colonnes des jours + événements, même structure que l'en-tête ci-dessus */
        <div className="flex flex-1 relative">
          {weekDates.map((d, idx) => (

```

```

        <div key={idx} className="flex-1 border-r border-slate-200 relative h-max"
style={{ minWidth: DAY_COL_MIN_WIDTH }}>
          {hours.map( (_, hIdx) => (
            <div key={hIdx} className="h-24 border-b border-slate-100" />
          ))}

          {APPOINTMENTS.filter((a) => sameDay(a.date, d)).map((a, i) => (
            <div key={i} className="absolute left-2 right-2 rounded-lg p-2 shadow-sm
cursor-pointer hover:brightness-105" style={eventStyle(a.start, a.end, a.bg, a.text)}>
              <p className="text-xs font-bold">{formatTime(a.start)}{a.end - a.start
>= 0.75 ? `-${formatTime(a.end)}` : ''}</p>
              <p className="text-sm font-semibold truncate mt-1">{a.title}</p>
              <p className="text-xs opacity-90 truncate">{a.subtitle}</p>
            </div>
          ))}
        </div>
      )}
    </div>
  </div>
</div>
</div>
</div>
</div>
);
};

```

```
export default Agenda;
```

```
-----
Contacts.jsx :
```

```
import React, { useState, useEffect } from 'react';
import { Search, Plus, User, Phone, Edit2, Trash2, X } from 'lucide-react';
import { fetchWithAuth } from '../services/api';
```

```
const Contacts = () => {
  const [isModalOpen, setIsModalOpen] = useState(false);
  const [confirmDeleteId, setConfirmDeleteId] = useState(null);
  const [editingContactId, setEditingContactId] = useState(null);
  const [contacts, setContacts] = useState([]);
  const [searchQuery, setSearchQuery] = useState('');
```

```
  // État pour les champs du formulaire
  const [formData, setFormData] = useState({
    firstName: '',
    lastName: '',
    phoneNumber: '',
    email: ''
  });
```

```
  // Charger les contacts à l'affichage de la page
  useEffect(() => {
```

```
    loadContacts();
  }, []);

const loadContacts = async () => {
  try {
    const response = await fetchWithAuth(`/api/Contacts`);
    if (response.ok) {
      const data = await response.json();
      const mappedContacts = data.map(c => ({
        id: c.idContact,
        firstName: c.firstName,
        lastName: c.lastName || '',
        phone: c.phoneNumber,
        email: c.email || '',
        lastRdvDate: 'N/A',
        lastRdvTitle: '-'
      }));
      setContacts(mappedContacts);
    }
  } catch (error) {
    console.error("Erreur lors du chargement des contacts :", error);
  }
};

const handleSaveContact = async (e) => {
  e.preventDefault();
  const userId = localStorage.getItem('userId');
  if (!userId) return;

  const payload = {
    idUser: parseInt(userId),
    firstName: formData.firstName,
    lastName: formData.lastName,
    phoneNumber: formData.phoneNumber,
    email: formData.email
  };

  try {
    let response;
    if (editingContactId) {
      // Modification d'un contact existant
      payload.idContact = editingContactId;
      response = await fetchWithAuth(`/api/Contacts/${editingContactId}`, {
        method: 'PUT',
        body: JSON.stringify(payload)
      });
    } else {
      // Ajout d'un nouveau contact
      response = await fetchWithAuth('/api/Contacts', {
        method: 'POST',
        body: JSON.stringify(payload)
      });
    }
  }
};
```

```
    });
  }

  if (response.ok) {
    setIsModalOpen(false);
    setEditingContactId(null);
    setFormData({ firstName: '', lastName: '', phoneNumber: '', email: '' });
    loadContacts(); // Recharger la liste
  } else {
    console.error("Erreur lors de la sauvegarde du contact");
  }
} catch (error) {
  console.error("Erreur réseau :", error);
}
};

const handleDeleteContact = async () => {
  if (!confirmDeleteId) return;

  try {
    const response = await fetchWithAuth(`/api/Contacts/${confirmDeleteId}`, {
      method: 'DELETE'
    });

    if (response.ok) {
      setConfirmDeleteId(null);
      loadContacts(); // Recharger la liste
    } else {
      console.error("Erreur de suppression");
    }
  } catch (error) {
    console.error("Erreur réseau de suppression :", error);
  }
};

const handleEditClick = (contact) => {
  setEditingContactId(contact.id);
  setFormData({
    firstName: contact.firstName,
    lastName: contact.lastName,
    phoneNumber: contact.phone,
    email: contact.email
  });
  setIsModalOpen(true);
};

// Filtrer les contacts en fonction de la recherche
const filteredContacts = contacts.filter(c =>
  `${c.firstName} ${c.lastName}`.toLowerCase().includes(searchQuery.toLowerCase()) ||
  c.phone.includes(searchQuery) ||
  c.email.toLowerCase().includes(searchQuery.toLowerCase())
);
```

```

);

return (
  <div className="p-6 bg-slate-50 min-h-screen">
    { /* En-tête */ }
    <div className="flex justify-between items-center mb-6">
      <h1 className="text-2xl font-bold text-slate-800 flex items-center gap-2">
        <User className="text-blue-600" /> Vos Contacts
      </h1>
      <button
        onClick={() => {
          setEditingContactId(null);
          setFormData({ firstName: '', lastName: '', phoneNumber: '', email:
'' });

          setIsModalOpen(true);
        }}
        className="flex items-center bg-brand-red hover:bg-rose-700 text-white px-5
py-2.5 rounded-lg font-medium shadow-md shadow-brand-red/20 transition-all active:scale-95"
        >
        <Plus size={20} /> Ajouter un contact
      </button>
    </div>

    { /* Barre de recherche */ }
    <div className="relative mb-6">
      <Search className="absolute left-3 top-2.5 text-slate-400" size={20} />
      <input
        type="text"
        placeholder="Rechercher un contact..."
        value={searchQuery}
        onChange={(e) => setSearchQuery(e.target.value)}
        className="w-full pl-10 pr-4 py-2 border border-slate-200 rounded-lg
focus:outline-none focus:ring-2 focus:ring-blue-500"
        />
    </div>

    { /* Liste des contacts */ }
    <div className="bg-white rounded-xl shadow border border-slate-100 overflow-
hidden">
      {filteredContacts.length === 0 ? (
        <div className="p-8 text-center text-slate-500">
          Aucun contact trouvé.
        </div>
      ) : (
        <table className="w-full text-left border-collapse">
          <thead>
            <tr className="bg-slate-50 border-b border-slate-100 text-slate-600
font-semibold text-sm">
              <th className="p-4">Nom complet</th>
              <th className="p-4">Téléphone</th>
              <th className="p-4">Email</th>

```

```

        <th className="p-4 text-right">Actions</th>
      </tr>
    </thead>
    <tbody>
      {filteredContacts.map((contact) => (
        <tr key={contact.id} className="border-b border-slate-50
hover:bg-slate-50/50 transition-colors">
          <td className="p-4 font-medium text-slate-800">
            {contact.firstName} {contact.lastName}
          </td>
          <td className="p-4 text-slate-600">{contact.phone}</td>
          <td className="p-4 text-slate-600">{contact.email || '-'}</
td>

          <td className="p-4 text-right flex justify-end gap-2">
            <button
              onClick={() => handleEditClick(contact)}
              className="p-1.5 hover:bg-blue-50 text-blue-600
rounded-md transition-colors"
              title="Modifier"
            >
              <Edit2 size={18} />
            </button>
            <button
              onClick={() => setConfirmDeleteId(contact.id)}
              className="p-1.5 hover:bg-red-50 text-red-600
rounded-md transition-colors"
              title="Supprimer"
            >
              <Trash2 size={18} />
            </button>
          </td>
        </tr>
      )})
    </tbody>
  </table>
)}
</div>

{/* Modal Ajouter / Modifier */}
{isModalOpen && (
  <div className="fixed inset-0 bg-black/40 backdrop-blur-sm flex items-center
justify-center z-50">
    <div className="bg-white rounded-xl shadow-xl p-6 max-w-md w-full">

      {/* Header du Modal */}
      <div className="flex flex-col items-center pt-8 pb-4 relative">
        <button type="button" onClick={() => setIsModalOpen(false)}
className="absolute right-6 top-6 text-slate-400 hover:text-slate-600">
          <X className="w-6 h-6" />
        </button>

```

```

        <h2 className="text-3xl font-extrabold text-brand-dark mb-2">
        {editingContactId ? 'Modifier le Client' : 'Ajouter un Client'}
        </h2>
        <div className="w-32 h-1 bg-brand-red rounded-full"></div>
    </div>

    {/* Corps du Formulaire */}
    <form onSubmit={handleSaveContact} className="p-8 space-y-6">
        <div className="grid grid-cols-1 md:grid-cols-3 gap-6">
            <div>
                <label className="block text-base font-bold text-brand-dark
mb-2 text-center">Nom</label>
                <input type="text" value={formData.lastName} onChange={e =>
setFormData({ ...formData, lastName: e.target.value })} placeholder="Nom de famille"
className="w-full px-4 py-2 border border-slate-300 rounded-full text-center text-sm
focus:ring-2 focus:ring-brand-red/20 focus:border-brand-red outline-none" />
            </div>
            <div>
                <label className="block text-base font-bold text-brand-dark
mb-2 text-center">Prénom</label>
                <input type="text" required value={formData.firstName}
onChange={e => setFormData({ ...formData, firstName: e.target.value })} placeholder="Prénom"
className="w-full px-4 py-2 border border-slate-300 rounded-full text-center text-sm
focus:ring-2 focus:ring-brand-red/20 focus:border-brand-red outline-none" />
            </div>
            <div>
                <label className="block text-base font-bold text-brand-dark
mb-2 text-center">Téléphone</label>
                <input type="tel" required value={formData.phoneNumber}
onChange={e => setFormData({ ...formData, phoneNumber: e.target.value })} placeholder="ex: +228
90..." className="w-full px-4 py-2 border border-slate-300 rounded-full text-center text-sm
focus:ring-2 focus:ring-brand-red/20 focus:border-brand-red outline-none" />
            </div>
        </div>

        <div className="flex justify-center pt-2">
            <div className="w-2/3">
                <label className="block text-base font-bold text-brand-dark
mb-2 text-center">Email <span className="text-slate-400 font-normal">(Optionnel)</span></label>
                <input type="email" value={formData.email} onChange={e =>
setFormData({ ...formData, email: e.target.value })} placeholder="ex: nom@gmail.com"
className="w-full px-4 py-2 border border-slate-300 rounded-full text-center text-sm
focus:ring-2 focus:ring-brand-red/20 focus:border-brand-red outline-none" />
            </div>
        </div>

        <div className="flex justify-center pb-2 pt-4">
            <button type="submit" className="px-8 py-2.5 bg-white border-2
border-slate-200 hover:border-slate-300 text-brand-dark font-bold text-lg rounded-full flex
items-center shadow-sm transition-all active:scale-95">
                <span className="text-green-500 mr-2 text-xl">✓</span>

```

```

{editingContactId ? 'Mettre à jour' : 'Enregistrer'}
      </button>
    </div>
  </form>

</div>
</div>
)}

{/* Modal Confirmation de suppression */}
{confirmDeleteId && (
  <div className="fixed inset-0 bg-black/40 backdrop-blur-sm flex items-center
justify-center z-50">
    <div className="bg-white rounded-xl shadow-xl p-6 max-w-sm w-full">
      <h3 className="text-lg font-bold text-slate-800 mb-2">Confirmer la
suppression</h3>
      <p className="text-slate-600 mb-6">Voulez-vous vraiment supprimer ce
contact ? Cette action est définitive.</p>
      <div className="flex justify-end gap-3">
        <button
          onClick={() => setConfirmDeleteId(null)}
          className="px-4 py-2 border border-slate-200 rounded-lg text-
slate-700 hover:bg-slate-50"
        >
          Annuler
        </button>
        <button
          onClick={handleDeleteContact}
          className="px-4 py-2 bg-red-600 hover:bg-red-700 text-white
rounded-lg shadow"
        >
          Supprimer
        </button>
      </div>
    </div>
  </div>
)}
</div>
);
};

```

```
export default Contacts;
```

```
-----
Dashboard.jsx :
```

```

import React, { useState, useEffect, useRef } from 'react';
import { CalendarDays, MessageSquare, TrendingUp, Clock, User as UserIcon, Calendar as
CalendarIcon } from 'lucide-react';
import { BarChart, Bar, XAxis, Tooltip, ResponsiveContainer, Cell } from 'recharts';
import { fetchWithAuth } from '../services/api';

```

```
const rangeLabels = ['L', 'M', 'M', 'J', 'V', 'S', 'D'];

const formatDateInput = (date) => {
  const year = date.getFullYear();
  const month = String(date.getMonth() + 1).padStart(2, '0');
  const day = String(date.getDate()).padStart(2, '0');
  return `${year}-${month}-${day}`;
};

const getMondayOfWeek = (date) => {
  const d = new Date(date);
  const day = d.getDay();
  const diff = d.getDate() - day + (day === 0 ? -6 : 1);
  d.setDate(diff);
  return d;
};

const getWeekDates = (date) => {
  const monday = getMondayOfWeek(date);
  return Array.from({ length: 7 }, (_, i) => {
    const d = new Date(monday);
    d.setDate(monday.getDate() + i);
    return d;
  });
};

const Dashboard = () => {
  const [selectedDate, setSelectedDate] = useState(formatDateInput(new Date()));
  const [weekDates, setWeekDates] = useState(getWeekDates(new Date()));
  const [selectedDayIndex, setSelectedDayIndex] = useState(new Date().getDay() === 0 ? 6 : new Date().getDay() - 1);
  const dateInputRef = useRef(null);

  useEffect(() => {
    const date = new Date(selectedDate);
    const dates = getWeekDates(date);
    setWeekDates(dates);
    setSelectedDayIndex(date.getDay() === 0 ? 6 : date.getDay() - 1);
  }, [selectedDate]);

  const chartData = weekDates.map((d, idx) => ({
    day: rangeLabels[idx],
    sms: 60 + idx * 15 + (d.getDate() % 5) * 8,
  }));

  const selectedDateLabel = weekDates[selectedDayIndex] ? `
${weekDates[selectedDayIndex].getDate()} ${weekDates[selectedDayIndex].toLocaleString('fr-FR',
{ month: 'long' })}` : '';

  // État pour stocker les vraies données du backend
```

```

const [summaryData, setSummaryData] = useState({
  rdvDuJour: 0,
  smsEnvoyes: 0,
  tauxDelivrabilite: 0,
  prochainsSms: []
});

// Lancement de la requête au chargement de la page
useEffect(() => {
  const loadDashboardData = async () => {
    const userId = localStorage.getItem('userId');
    if (!userId) return;

    try {
      const response = await fetchWithAuth(`/api/Dashboard/summary/${userId}`);
      if (response.ok) {
        const data = await response.json();
        setSummaryData(data); // On met à jour l'écran avec les vraies données !
      }
    } catch (error) {
      console.error("Erreur de chargement du dashboard :", error);
    }
  };

  loadDashboardData();
}, []); // S'exécute une seule fois au chargement

return (
  <div className="flex-1 overflow-y-auto p-10 bg-brand-bg">
    <div className="flex flex-col lg:flex-row justify-between gap-6 mb-8 items-center">
      <div className="flex items-center gap-3 text-slate-700">
        <button type="button" onClick={() => dateInputRef.current &&
dateInputRef.current.click()} className="p-3 rounded-xl shadow-md bg-brand-red text-white">
          <CalendarIcon className="w-6 h-6" />
        </button>
        <input ref={dateInputRef} type="date" value={selectedDate} onChange={(e) =>
setSelectedDate(e.target.value)} className="hidden" />
        <span className="ml-3 text-sm">Date sélectionnée: <strong>{new
Date(selectedDate).toLocaleDateString('fr-FR')}</strong></span>
      </div>
      <div className="text-slate-600">
        Semaine du <span className="font-semibold">{weekDates[0] ? `${weekDates[0].getDate()}
${weekDates[0].toLocaleString('fr-FR', { month: 'long' })} ${weekDates[0].getFullYear()}` :
'-'}</span>, jour sélectionné <span className="font-semibold">{selectedDateLabel}</span>
      </div>
    </div>

    <div className="grid grid-cols-1 md:grid-cols-3 gap-8 mb-8">
      <div className="bg-white p-6 rounded-2xl shadow-[0_4px_12px_rgba(15,23,42,0.05)] border
border-slate-100 flex flex-col justify-between h-36 transition-all duration-300 hover:-
translate-y-1 hover:shadow-[0_10px_20px_rgba(15,23,42,0.1)] cursor-pointer">

```

```

    <div className="flex justify-between items-start">
      <p className="text-slate-600 font-medium">Rendez-vous du jour</p>
      <button type="button" onClick={() => dateInputRef.current &&
dateInputRef.current.click()} className="text-slate-400 w-5 h-5 flex items-center justify-
center">
        <CalendarDays className="w-5 h-5" />
      </button>
    </div>
    <h3 className="text-5xl font-bold text-brand-dark">{summaryData.rdvDuJour}</h3>
  </div>

  <div className="bg-white p-6 rounded-2xl shadow-[0_4px_12px_rgba(15,23,42,0.05)] border
border-slate-100 flex flex-col justify-between h-36 transition-all duration-300 hover:-
translate-y-1 hover:shadow-[0_10px_20px_rgba(15,23,42,0.1)] cursor-pointer">
    <div className="flex justify-between items-start">
      <p className="text-slate-600 font-medium">Rappels SMS envoyés</p>
      <MessageSquare className="text-slate-400 w-5 h-5" />
    </div>
    <h3 className="text-5xl font-bold text-brand-dark">{summaryData.rdvDuJour}</h3>
  </div>

  <div className="bg-white p-6 rounded-2xl shadow-[0_4px_12px_rgba(15,23,42,0.05)] border
border-slate-100 flex flex-col justify-between h-36 transition-all duration-300 hover:-
translate-y-1 hover:shadow-[0_10px_20px_rgba(15,23,42,0.1)] cursor-pointer">
    <div className="flex justify-between items-start">
      <p className="text-slate-600 font-medium">Taux de délivrabilité API</p>
      <TrendingUp className="text-green-500 w-5 h-5" />
    </div>
    <h3 className="text-5xl font-bold text-brand-dark">{summaryData.tauxDelivrabilite}%</
h3>
  </div>
</div>

  <div className="grid grid-cols-1 md:grid-cols-3 gap-8 h-[400px]">
    <div className="md:col-span-2 bg-white rounded-2xl shadow-
[0_4px_12px_rgba(15,23,42,0.05)] border border-slate-100 p-6 flex flex-col">
      <div className="flex justify-between items-center mb-6">
        <h4 className="font-bold text-brand-dark text-lg">Activité de la semaine du 13
juillet 2026</h4>
        <button type="button" onClick={() => dateInputRef.current &&
dateInputRef.current.click()} className="bg-brand-red text-white p-2 rounded-lg hover:bg-
rose-700 transition-colors">
          <CalendarIcon className="w-5 h-5" />
        </button>
      </div>
      <div className="flex-1 w-full">
        <ResponsiveContainer width="100%" height="100%">
          <BarChart data={chartData} margin={{ top: 10, right: 10, left: 10, bottom: 0 }}
>
            <XAxis dataKey="day" axisLine={false} tickLine={false} tick={{fill:
'#64748B', fontWeight: 600}} dy={10} />

```

```

        <Tooltip cursor={{fill: '#F8FAFC'}} contentStyle={{borderRadius: '8px',
border: 'none', boxShadow: '0 4px 12px rgba(0,0,0,0.1)'}} />
        <Bar dataKey="sms" radius={[4, 4, 0, 0]}>
          {chartData.map((entry, index) => (
            <Cell key={`cell-${index}`} fill={index === selectedDayIndex ?
'#E11D48' : '#0F172A'} />
          ))}
        </Bar>
      </BarChart>
    </ResponsiveContainer>
  </div>
</div>

  <div className="bg-white rounded-2xl shadow-[0_4px_12px_rgba(15,23,42,0.05)] border
border-slate-100 p-6 flex flex-col">
    <h4 className="font-bold text-brand-dark text-lg text-center border-b border-
slate-100 pb-4 mb-4">Prochains SMS Programmés<br/><span className="text-sm font-normal text-
slate-500">(cette Semaine)</span></h4>
    <div className="flex-1 overflow-y-auto space-y-4 pr-2">
      {summaryData.prochainsSms.length === 0 ? (
        <p className="text-center text-slate-500 mt-10">Aucun SMS programmé.</p>
      ) : (
        summaryData.prochainsSms.map((sms) => (
          <div key={sms.id} className="border-b border-slate-100 pb-4 last:border-0">
            <div className="flex justify-between items-center mb-1">
              <div className="flex items-center text-brand-dark font-semibold">
                <div className="bg-slate-100 p-1.5 rounded-full mr-3">
                  <UserIcon className="w-4 h-4 text-slate-600" />
                </div>
                {sms.clientName}
              </div>
              <span className="bg-yellow-100 text-yellow-800 text-[10px] font-bold px-2 py-1
rounded-full uppercase">
                {sms.status}
              </span>
            </div>
            <div className="flex items-center text-slate-500 text-sm ml-10">
              <Clock className="w-3.5 h-3.5 mr-1" />
              <span>{sms.time}<span className="text-slate-400 mx-1">•</span> {sms.date}</
span>
            </div>
          </div>
        ))
      )}
    </div>
  </div>
);
};

```

```
export default Dashboard;
```

```
-----  
Login.jsx :
```

```
// src/pages/Login.jsx  
import React, { useState } from 'react';  
import { useNavigate } from 'react-router-dom';  
import { BASE_URL } from '../services/api';  
  
const Login = () => {  
  const [email, setEmail] = useState('');  
  const [password, setPassword] = useState('');  
  const [error, setError] = useState('');  
  const [isLoading, setIsLoading] = useState(false);  
  
  const navigate = useNavigate();  
  
  const handleLogin = async (e) => {  
    e.preventDefault();  
    setError('');  
    setIsLoading(true);  
  
    try {  
      // Appel direct à l'API Auth  
      const response = await fetch(`${BASE_URL}/api/Auth/login`, {  
        method: 'POST',  
        headers: { 'Content-Type': 'application/json' },  
        body: JSON.stringify({ email, password })  
      });  
  
      if (!response.ok) {  
        throw new Error("Email ou mot de passe incorrect.");  
      }  
  
      const data = await response.json();  
  
      // BINGO ! On stocke le Token et l'ID dans le navigateur  
      localStorage.setItem('jwtToken', data.token);  
      localStorage.setItem('userId', data.userId);  
      localStorage.setItem('companyName', data.companyName);  
  
      // Téléportation vers le Dashboard  
      navigate('/');  
    } catch (err) {  
      setError(err.message);  
    } finally {  
      setIsLoading(false);  
    }  
  };  
  
  return (  

```

```

<div className="min-h-screen bg-brand-bg flex items-center justify-center p-4 font-sans">
  <div className="bg-white p-10 rounded-[2rem] shadow-2xl w-full max-w-md border border-slate-100 animate-in zoom-in duration-300">

    <div className="text-center mb-10">
      <h1 className="text-4xl font-extrabold text-brand-dark mb-2">Digi<span
className="text-brand-red">Alert</span></h1>
      <p className="text-slate-500 font-medium">Connectez-vous à votre espace pro</p>
    </div>

    {error && (
      <div className="bg-rose-50 text-brand-red p-4 rounded-xl text-sm font-bold mb-6 text-center border border-rose-200">
        {error}
      </div>
    )}

    <form onSubmit={handleLogin} className="space-y-6">
      <div>
        <label className="block text-sm font-bold text-brand-dark mb-2">Adresse E-mail</
label>
        <input
          type="email"
          required
          value={email}
          onChange={(e) => setEmail(e.target.value)}
          className="w-full px-4 py-3 border border-slate-300 rounded-xl focus:outline-none
focus:ring-2 focus:ring-brand-red/20 focus:border-brand-red transition-all"
          placeholder="drkoffi@clinique.com"
        />
      </div>

      <div>
        <label className="block text-sm font-bold text-brand-dark mb-2">Mot de passe</
label>
        <input
          type="password"
          required
          value={password}
          onChange={(e) => setPassword(e.target.value)}
          className="w-full px-4 py-3 border border-slate-300 rounded-xl focus:outline-none
focus:ring-2 focus:ring-brand-red/20 focus:border-brand-red transition-all"
          placeholder="....."
        />
      </div>

      <button
        type="submit"
        disabled={isLoading}
        className="w-full bg-brand-dark hover:bg-slate-800 text-white font-bold py-3.5
rounded-xl transition-all shadow-lg active:scale-95 flex justify-center mt-4"

```

```

        >
        {isLoading ? 'Connexion en cours...' : 'Se connecter'}
      </button>
    </form>

  </div>
</div>
);
};

export default Login;
-----
NouveauRdv.jsx :

import React, { useState } from 'react';
import { MessageSquare, Calendar as CalendarIcon, Check, X, Plus } from 'lucide-react';

const NouveauRdv = () => {
  // États pour gérer l'ouverture des 3 Pop-ups
  const [showMsgModal, setShowMsgModal] = useState(false);
  const [showRecurrenceModal, setShowRecurrenceModal] = useState(false);
  const [showValidationModal, setShowValidationModal] = useState(false);

  // État des données du formulaire (pour le résumé de validation)
  const [formData, setFormData] = useState({
    titre: '',
    clients: ['Dr. Koffi'],
    date: '',
    heure: '',
    messageSMS: '',
    messageEmail: '',
    recurrences: [],
    emailEnabled: true
  });

  // Récurrence rows temporaires pour le modal
  const [recurrenceRows, setRecurrenceRows] = useState([
    { id: 1, date: '', heure: '', repeat: 'Non' }
  ]);

  // Message modal selections
  const [selectedMsgId, setSelectedMsgId] = useState(1);
  const [msgFields, setMsgFields] = useState({ nom: '', prenom: '', date: '' });
  // Clients dropdown
  const AVAILABLE_CLIENTS = ['Dr. Koffi', 'M. Amida', 'Mme. Aminata'];
  const [showClientDropdown, setShowClientDropdown] = useState(false);
  const handleConfirm = async () => {
    const startDateTime = `${formData.date}T${formData.heure}:00`;
    const evtRes = await fetchWithAuth('/api/Events', {
      method: 'POST',
      body: JSON.stringify({

```

```

    title: formData.titre,
    startDateTime,
    endDateTime: startDateTime, // ajuste selon ta logique de durée
    contactIds: formData.clients.map(/* mapper vers de vrais IDs contact, pas des noms */),
  )),
});
if (!evtRes.ok) return;
const { eventId } = await evtRes.json();

// Un rappel par contact (adapte si récurrences multiples)
await fetchWithAuth('/api/Reminders', {
  method: 'POST',
  body: JSON.stringify({
    idEvent: eventId,
    idContact: /* id du contact */,
    scheduledTime: startDateTime,
    messageText: formData.messageSMS,
  }),
});

setShowValidationModal(false);
// reset du formulaire...
};

return (
  <div className="flex-1 flex flex-col overflow-y-auto p-10 bg-brand-bg relative">

    {/* Titre de la page */}
    <h1 className="text-4xl font-extrabold text-brand-dark mb-8 shrink-0">
      Agenda <span className="text-slate-400 font-medium">&gt; Nouveau RDV</span>
    </h1>

    {/* Conteneur Principal (Les 2 Colonnes) */}
    <div className="bg-white rounded-2xl shadow-[0_4px_12px_rgba(15,23,42,0.05)] border
border-slate-100 p-8 flex flex-col md:flex-row gap-12">

      {/* ===== COLONNE GAUCHE (Infos RDV) ===== */}
      <div className="flex-1 space-y-6">
        <div>
          <label className="block text-lg font-bold text-brand-dark mb-2">Titre</label>
          <input type="text" placeholder="Titre du rapelle" className="w-full px-4 py-2
border border-slate-300 rounded-full focus:ring-2 focus:ring-brand-red/20 outline-none"
onChange={e => setFormData({...formData, titre: e.target.value})} />
        </div>

        <div className="relative">
          <label className="block text-lg font-bold text-brand-dark mb-2">Client(s)</label>
          <div>
            <button type="button" onClick={() => setShowClientDropdown(!showClientDropdown)}
className="w-full text-left px-4 py-2 border border-slate-300 rounded-full flex justify-between
items-center">
              <span className="text-slate-700">

```

```

        {formData.clients && formData.clients.length > 0 ? `
{formData.clients.length} client(s) sélectionné(s)` : 'Sélectionner un client'}
      </span>
      <span className="text-slate-400">▼</span>
    </button>

    {showClientDropdown && (
      <div className="absolute z-40 mt-2 w-full bg-white border rounded-lg shadow-md
max-h-48 overflow-auto">
        {AVAILABLE_CLIENTS.map((c, i) => (
          <div key={i} className="px-4 py-2 hover:bg-slate-50 cursor-pointer flex
justify-between items-center" onClick={() => {
            const exists = formData.clients && formData.clients.includes(c);
            if (!exists) setFormData({...formData, clients: [...(formData.clients|
[]), c]});

            setShowClientDropdown(false);
          }}>
            <span>{c}</span>
            {formData.clients && formData.clients.includes(c) ? <span
className="text-sm text-slate-400">✓</span> : null}
          </div>
        ))}
      </div>
    )}
  </div>
  <div className="mt-3 flex flex-wrap gap-2">
    {formData.clients && formData.clients.map((c, i) => (
      <span key={i} className="inline-flex items-center gap-2 px-3 py-1 bg-slate-100
rounded-full text-sm">
        <span className="truncate max-w-[12rem]">{c}</span>
        <button type="button" onClick={() => { const copy = formData.clients.filter(x
=> x !== c); setFormData({...formData, clients: copy}); }} className="text-slate-500
hover:text-slate-700"><X className="w-3 h-3" /></button>
      </span>
    ))}
  </div>
</div>
<div className="grid grid-cols-1 md:grid-cols-2 gap-4 mt-6">
  <div>
    <label className="block text-lg font-bold text-brand-dark mb-2">Date</label>
    <input type="date" value={formData.date} onChange={e => setFormData({...formData,
date: e.target.value, recurrences: [])} disabled={formData.recurrences &&
formData.recurrences.length > 0} className="w-full px-4 py-2 border border-slate-300 rounded-
full outline-none focus:ring-2 focus:ring-brand-red/20 disabled:opacity-60" />
  </div>
  <div>
    <label className="block text-lg font-bold text-brand-dark mb-2">Heure</label>
    <input type="time" value={formData.heure} onChange={e =>
setFormData({...formData, heure: e.target.value, recurrences: [])}
disabled={formData.recurrences && formData.recurrences.length > 0} className="w-full px-4 py-2
border border-slate-300 rounded-full outline-none focus:ring-2 focus:ring-brand-red/20

```

```

disabled:opacity-60" />
    </div>
  </div>
  {formData.recurrences && formData.recurrences.length > 0 && (
    <p className="mt-3 text-sm text-brand-red">La date principale est désactivée car
une récurrence est programmée.</p>
  )}
  <div className="pt-4 flex flex-col items-center border-t border-slate-100">
    <button onClick={() => setShowRecurrenceModal(true)} className="px-6 py-2 bg-
brand-dark text-white font-bold rounded-full shadow-md hover:bg-slate-800 transition-all mb-4">
      Récurrence ?
    </button>
    <div className="w-full p-6 border-2 border-slate-200 rounded-2xl">
      {formData.recurrences && formData.recurrences.length > 0 ? (
        <div className="space-y-2">
          {formData.recurrences.map((r, idx) => (
            <div key={idx} className="p-3 bg-slate-50 rounded-lg border">
              <div className="text-sm font-semibold">{idx+1}. {r.date || '-'} à
{r.heure || '-'}</div>
              <div className="text-xs text-slate-500">Répète : {r.repeat}</div>
            </div>
          ))}
        </div>
      ) : (
        <div className="flex items-center justify-center h-28">
          <span className="text-slate-400 font-bold">Pas de Recurrence Defini</span>
        </div>
      )}
    </div>
  </div>
</div>

{/* Ligne Séparatrice Verticale */}
<div className="hidden md:block w-px bg-brand-red opacity-30"></div>

{/* ===== COLONNE DROITE (Automatisations) ===== */}
<div className="flex-1 space-y-6">

  {/* Bloc SMS */}
  <div className="border border-slate-200 rounded-2xl p-6 relative">
    <h3 className="flex items-center text-lg font-bold text-brand-dark absolute -
top-3.5 left-4 bg-white px-2">
      <MessageSquare className="w-5 h-5 mr-2" /> Rapelle SMS
    </h3>
    <textarea
      placeholder="Message"
      className="w-full h-24 mt-2 resize-none text-2xl text-slate-400 outline-none"
      onChange={e => setFormData({...formData, messageSMS: e.target.value})}
      value={formData.messageSMS}
    ></textarea>
  </div>

```

```

    <div className="flex justify-center">
      <button onClick={() => setShowMsgModal(true)} className="px-6 py-2 bg-brand-dark
text-white font-bold rounded-full shadow-md hover:bg-slate-800 transition-all">
        Message Programmé ?
      </button>
    </div>

    {/* Bloc Email */}
    <div className="border border-slate-200 rounded-2xl p-6 relative mt-10">
      <div className="absolute -top-4 left-1/2 transform -translate-x-1/2 bg-brand-dark
text-white px-6 py-1.5 rounded-full flex items-center space-x-3 shadow-md">
        <span className="font-bold">Email ?</span>
        <input type="checkbox" checked={formData.emailEnabled} onChange={e =>
setFormData({...formData, emailEnabled: e.target.checked})} className="w-4 h-4 accent-brand-red
cursor-pointer" />
      </div>
      <input type="email" placeholder="Email" disabled={!formData.emailEnabled}
value={formData.email || ''} onChange={e => setFormData({...formData, email: e.target.value})}
className="w-full mt-4 px-4 py-2 border border-slate-300 rounded-full outline-none
focus:border-brand-dark disabled:opacity-40" />

      <div className={`border border-slate-200 rounded-xl p-4 mt-4 relative ${!
formData.emailEnabled ? 'opacity-60 pointer-events-none' : ''}`}>
        <h3 className="flex items-center text-md font-bold text-brand-dark absolute -
top-3 left-4 bg-white px-2">
          <MessageSquare className="w-4 h-4 mr-2" /> Rapelle Email
        </h3>
        <textarea placeholder="Message" disabled={!formData.emailEnabled} className="w-
full h-20 mt-2 resize-none text-2xl text-slate-400 outline-none disabled:opacity-40"
value={formData.messageEmail} onChange={e => setFormData({...formData, messageEmail:
e.target.value})}></textarea>
      </div>
    </div>

    <div className="flex justify-center pt-4">
      <button onClick={() => setShowValidationModal(true)} className="px-10 py-3 bg-
brand-dark text-white font-bold rounded-full shadow-lg hover:bg-slate-800 transition-all
active:scale-95">
        Programmer
      </button>
    </div>
  </div>
</div>

{/* ===== 1. POP-UP MESSAGE PROGRAMMÉ ===== */}
{showMsgModal && (
  <div className="absolute inset-0 bg-brand-dark/40 backdrop-blur-sm flex items-center
justify-center z-50">
    <div className="bg-white rounded-3xl shadow-2xl p-8 w-full max-w-2xl border-t-4
border-brand-red animate-in zoom-in duration-200">

```

```

<div className="flex gap-8">
  <div className="flex-1 border-r border-slate-100 pr-6">
    <h3 className="text-xl font-bold text-center mb-4">Liste Messages</h3>
    <div className="space-y-3">
      <button onClick={() => setSelectedMsgId(1)} className={`w-full py-2 border
border-slate-200 rounded-full font-bold text-brand-dark hover:bg-slate-100 flex items-center
px-4 ${selectedMsgId===1 ? 'bg-slate-50 shadow-md':''}`}>
        <span className="mr-4">1</span> Mess Rendez-vous
      </button>
      <button onClick={() => setSelectedMsgId(2)} className={`w-full py-2 border
border-slate-200 rounded-full font-bold hover:bg-slate-100 flex items-center px-4 $
${selectedMsgId===2 ? 'bg-slate-50 shadow-md':''}`}>
        <span className="mr-4">2</span> Mess Rappel RDV
      </button>
    </div>
  </div>
  <div className="flex-1">
    <h3 className="text-xl font-bold text-center mb-4">Champs</h3>
    <div className="space-y-4">
      <div className="flex space-x-2">
        <div className="flex-1"><label className="text-xs font-bold pl-2">Nom</
label><input type="text" placeholder="Nom" className="w-full border rounded-full px-3 py-1
text-sm" value={msgFields.nom} onChange={e=>setMsgFields({...msgFields, nom: e.target.value})}
disabled={formData.clients && formData.clients.length>1} /></div>
        <div className="flex-1"><label className="text-xs font-bold pl-2">Prenom</
label><input type="text" placeholder="Prénom" className="w-full border rounded-full px-3 py-1
text-sm" value={msgFields.prenom} onChange={e=>setMsgFields({...msgFields, prenom:
e.target.value})} disabled={formData.clients && formData.clients.length>1} /></div>
      </div>
      <div>
        <label className="text-xs font-bold pl-2">Date</label>
        <div className="relative w-1/2">
          <CalendarIcon className="absolute left-3 top-1/2 -translate-y-1/2 text-
brand-red w-4 h-4"/>
          <input type="date" value={msgFields.date}
onChange={e=>setMsgFields({...msgFields, date: e.target.value})} className="w-full pl-10 pr-3
py-1 border rounded-full text-sm"/>
        </div>
      </div>
    </div>
  </div>
  <div className="mt-8 flex justify-center">
    <button onClick={() => {
      const templates = {
        1: "Bonjour {prenom} {nom}, ceci est un rappel de votre rendez-vous le
{date}.",
        2: "Rappel: votre rendez-vous est programmé le {date}."
      };
      let msg = templates[selectedMsgId] || templates[1];
      if (formData.clients && formData.clients.length>1) {

```

```

        msg = msg.replace(/\{prenom\}|\{nom\}|\{date\}/g, '').replace(/ +/g, '
').trim();
    } else {
        msg = msg.replace('{prenom}', msgFields.prenom || '').replace('{nom}',
msgFields.nom || '').replace('{date}', msgFields.date || formData.date || '');
    }
    setFormData({...formData, messageSMS: msg});
    setShowMsgModal(false);
  }} className="px-8 py-2 bg-brand-dark text-white font-bold rounded-full flex
items-center"><Check className="w-5 h-5 mr-2 text-green-400"/> Valider</button>
</div>
</div>
</div>
  )}

  /* ===== 2. POP-UP RÉCURRENCE ===== */
  {showRecurrenceModal && (
    <div className="absolute inset-0 bg-brand-dark/40 backdrop-blur-sm flex items-center
justify-center z-50">
      <div className="bg-white rounded-3xl shadow-2xl p-8 w-full max-w-xl border-b-4
border-brand-red animate-in zoom-in duration-200">
        <h3 className="text-2xl font-bold text-center mb-6">Programmer une Réurrence</h3>
        <div className="space-y-4">
          {recurrenceRows.map((row, idx) => (
            <div key={row.id} className={`flex flex-col md:flex-row md:items-center gap-3
border ${idx===1? 'border-brand-red':'border-slate-200'} p-3 rounded-lg shadow-sm`}>
              <div className="flex items-center gap-3">
                <span className="font-bold ml-2">{idx+1}</span>
                <span className="font-bold">Date</span>
                <input type="date" value={row.date} onChange={e => { const
copy=[...recurrenceRows]; copy[idx].date = e.target.value; setRecurrenceRows(copy); }}
className="border rounded-full px-2 py-1 text-sm outline-none min-w-0"/>
              </div>
              <div className="flex items-center gap-3">
                <span className="font-bold">Heure</span>
                <input type="time" value={row.heure} onChange={e => { const
copy=[...recurrenceRows]; copy[idx].heure = e.target.value; setRecurrenceRows(copy); }}
className="border rounded-full px-2 py-1 text-sm outline-none min-w-0"/>
              <div className="text-xs font-bold">Répéter
                <select value={row.repeat} onChange={e => { const
copy=[...recurrenceRows]; copy[idx].repeat = e.target.value; setRecurrenceRows(copy); }}
className="border rounded-full px-2 py-1 text-sm ml-2">
                  <option>Non</option>
                  <option>Jour</option>
                  <option>Semaine</option>
                  <option>Mois</option>
                </select>
              </div>
            </div>
          )}
        </div>
      </div>
    )}
  )}

```

```

    </div>
    <div className="flex justify-center mt-4 text-brand-red">
      <Plus onClick={() => { const nextId = recurrenceRows.length ?
recurrenceRows[recurrenceRows.length-1].id + 1 : 1; setRecurrenceRows([...recurrenceRows, { id:
nextId, date: '', heure: '', repeat: 'Non' }]); }} className="w-6 h-6 cursor-pointer
hover:scale-110 transition-transform" />
    </div>
    <div className="mt-6 flex justify-center">
      <button onClick={() => { setFormData({...formData, recurrences: recurrenceRows,
date: '', heure: ''}); setShowRecurrenceModal(false); }} className="px-8 py-2 bg-brand-dark
text-white font-bold rounded-full flex items-center"><Check className="w-5 h-5 mr-2 text-
green-400"/> Valider</button>
    </div>
  </div>
</div>
)}

{/* ===== 3. POP-UP VALIDATION FINALE ===== */}
{showValidationModal && (
  <div className="absolute inset-0 bg-brand-dark/60 backdrop-blur-sm flex items-center
justify-center z-50">
    <div className="bg-white rounded-2xl shadow-2xl w-full max-w-md p-8 animate-in fade-
in zoom-in duration-200">
      <h2 className="text-2xl font-bold text-brand-dark mb-6 text-center border-b border-
slate-100 pb-4">Résumé de la Programmation</h2>

      <div className="space-y-3 mb-8 text-slate-700">
        <p><span className="font-bold text-brand-dark">Titre :</span> {formData.titre ||
'-'}</p>

        <div>
          <span className="font-bold text-brand-dark">Clients :</span>
          <ul className="mt-1 list-disc list-inside text-slate-700">
            {formData.clients && formData.clients.length>0 ? formData.clients.map((c, i)
=> (
              <li key={i}>{c} – id: client-{i+1}</li>
            )) : <li>-</li>}
          </ul>
        </div>

        <p><span className="font-bold text-brand-dark">Date :</span> {formData.date ? `
${formData.date} à ${formData.heure || '-'}` : '-'}</p>

        {formData.recurrences && formData.recurrences.length>0 && (
          <div>
            <p className="font-bold text-brand-dark">Récurrences :</p>
            <ul className="list-disc list-inside text-slate-700">
              {formData.recurrences.map((r,i) => (
                <li key={i}>{r.date || '-'} à {r.heure || '-'} – {r.repeat}</li>
              ))}
            </ul>
          </div>
        )}
      </div>
    </div>
  )}

```

```

    </div>
  )}

  <div className="bg-slate-50 p-3 rounded-lg border border-slate-200 mt-2">
    <p className="text-xs font-bold text-brand-dark mb-1">Aperçu SMS :</p>
    <p className="text-sm italic text-slate-600">"{formData.messageSMS || 'Aucun
message configuré.'}"</p>
  </div>

  {formData.emailEnabled && (formData.email || formData.messageEmail) && (
    <div className="bg-slate-50 p-3 rounded-lg border border-slate-200 mt-2">
      <p className="text-xs font-bold text-brand-dark mb-1">Email :</p>
      <p className="text-sm text-slate-700">{formData.email || '-'}</p>
      <p className="text-xs font-bold text-brand-dark mb-1 mt-2">Aperçu Email :</p>
      <p className="text-sm italic text-slate-600">"{formData.messageEmail ||
'Aucun message configuré.'}"</p>
    </div>
  )}
</div>

<div className="flex justify-center space-x-4">
  <button onClick={() => setShowValidationModal(false)} className="px-6 py-2
border-2 border-slate-200 text-slate-600 font-bold rounded-full hover:bg-slate-50 transition-
colors">
    Modifier
  </button>
  <button onClick={() => {
    setShowValidationModal(false);
    alert("RDV et Rappels enregistrés en BDD !");
    // Reset form
    setFormData({ titre: '', clients: [], date: '', heure: '', messageSMS: '',
messageEmail: '', recurrences: [], emailEnabled: true });
    setRecurrenceRows([{ id: 1, date: '', heure: '', repeat: 'Non' }]);
    setMsgFields({ nom: '', prenom: '', date: '' });
    setSelectedMsgId(1);
  }} className="px-6 py-2 bg-brand-red text-white font-bold rounded-full hover:bg-
rose-700 shadow-md transition-colors">
    Confirmer l'envoi
  </button>
</div>
</div>
</div>
)}

</div>
);
};

export default NouveauRdv;
-----
Parametres.jsx :
```

```

import React, { useState } from 'react';
import { User, Plug, FileText, Eye, EyeOff, Edit2, Trash2, X, Loader2 } from 'lucide-react';

const Parametres = () => {
  // Gestion de l'onglet actif (profil, api, templates)
  const [activeTab, setActiveTab] = useState('api');
  // Gestion de l'affichage du mot de passe / Clé API
  const [showApiKey, setShowApiKey] = useState(false);
  // Gestion du Pop-up "Nouveau Modèle"
  const [isModalOpen, setIsModalOpen] = useState(false);
  // Gestion des templates
  const [templates, setTemplates] = useState([
    { id: 1, name: 'Mess Rendez-vous', content: 'Bonjour {Prenom} {Nom}, ceci est un rappel de votre rendez-vous le {Date}.' },
    { id: 2, name: 'Mess Rendez-vous1', content: 'Bonjour {Prenom}, votre rendez-vous est prévu le {Date}.' },
    { id: 3, name: 'Mess Rendez-vous2', content: 'Rappel: rendez-vous le {Date} à {Heure}.' },
    { id: 4, name: 'Mess Rendez-vous3', content: 'Bonjour {Nom}, vous avez un rendez-vous le {Date}.' },
    { id: 5, name: 'Mess Rendez-vous4', content: 'Votre prochain rendez-vous est le {Date}.' },
    { id: 6, name: 'Mess Rendez-vous5', content: 'Nouveau rappel: rendez-vous le {Date}.' },
  ]);
  const [editingTemplate, setEditingTemplate] = useState(null);
  const [modelName, setModelName] = useState('');
  const [messageContent, setMessageContent] = useState('');
  const [connectionStatus, setConnectionStatus] = useState('idle');
  const [connectionMessage, setConnectionMessage] = useState('Cliquez pour tester votre connexion.');
```

const [loadingConnection, setLoadingConnection] = useState(false);
 const [confirmDeleteId, setConfirmDeleteId] = useState(null);
 const [dragOverField, setDragOverField] = useState(false);
 const fields = ['Nom', 'Prenom', 'Perso1', 'Perso2'];

```

  const testConnection = () => {
    if (loadingConnection) return;
    setLoadingConnection(true);
    setConnectionStatus('pending');
    setConnectionMessage('Test de connexion en cours...');
    setTimeout(() => {
      const success = Math.random() > 0.35;
      setConnectionStatus(success ? 'success' : 'error');
      setConnectionMessage(success ? 'Connexion réussie au serveur DigiSMS' : 'Échec de la connexion, vérifiez la clé API.');
```

setLoadingConnection(false);
 }, 1400);
};

```

  return (
    <div className="flex-1 flex flex-col overflow-y-auto p-10 bg-brand-bg relative">

```

```

<div className="flex gap-10">

  {/ * ===== MENU GAUCHE (ONGLETS) ===== */}
  <div className="w-1/3 flex flex-col space-y-4">
    <button
      onClick={() => setActiveTab('profil')}
      className={`flex items-center px-6 py-4 rounded-xl font-bold text-lg transition-all
        ${activeTab === 'profil' ? 'bg-slate-400 text-white shadow-md' : 'bg-slate-300/60 text-slate-800'}}`
    >
      <User className="w-6 h-6 mr-3" /> Profil de l'Entreprise
    </button>

    <button
      onClick={() => setActiveTab('api')}
      className={`flex items-center px-6 py-4 rounded-xl font-bold text-lg transition-all
        ${activeTab === 'api' ? 'bg-slate-400 text-white shadow-md' : 'bg-slate-300/60 text-slate-800'}}`
    >
      <Plug className="w-6 h-6 mr-3" /> Intégration API (DigiSMS)
    </button>

    <button
      onClick={() => setActiveTab('templates')}
      className={`flex items-center px-6 py-4 rounded-xl font-bold text-lg transition-all
        ${activeTab === 'templates' ? 'bg-slate-400 text-white shadow-md' : 'bg-slate-300/60 text-slate-800'}}`
    >
      <FileText className="w-6 h-6 mr-3" /> Modèles de SMS (Templates)
    </button>
  </div>

  {/ * ===== CONTENU DROITE (CARTE BLANCHE) ===== */}
  <div className="w-2/3 bg-white rounded-[2rem] shadow-lg border border-slate-100 p-10 min-h-[500px]">

    {/ * ---- ONGLET : PROFIL ---- */}
    {activeTab === 'profil' && (
      <div className="animate-in fade-in duration-300">
        <div className="flex flex-col items-center mb-8">
          <h2 className="text-3xl font-extrabold text-brand-dark flex items-center">
            <User className="w-8 h-8 mr-3" /> Profil de l'Entreprise
          </h2>
          <div className="w-48 h-1 bg-brand-red rounded-full mt-3"></div>
        </div>
        <div className="space-y-6 max-w-md mx-auto">
          <div>
            <label className="block text-lg font-bold text-brand-dark mb-2">Nom de la Structure</label>
            <input type="text" defaultValue="Clinique Biova" className="w-full px-4 py-3 border border-slate-400 rounded-full text-brand-dark focus:ring-2 focus:ring-brand-red/20

```

```

outline-none" />
    </div>
    <div>
        <label className="block text-lg font-bold text-brand-dark mb-2">Adresse E-
mail de connexion</label>
        <input type="email" defaultValue="drkoffi@cliniquebiova.com" className="w-
full px-4 py-3 border border-slate-400 rounded-full text-brand-dark focus:ring-2 focus:ring-
brand-red/20 outline-none" />
    </div>
    <div className="flex justify-center pt-8">
        <button className="px-8 py-3 bg-white text-brand-dark font-extrabold text-xl
rounded-2xl border-b-4 border-brand-red shadow-sm active:translate-y-[1px] transition-
transform">
            Modifier le mot de passe
        </button>
    </div>
</div>
</div>
)}}

{/* ---- ONGLET : API DIGISMS ---- */}
{activeTab === 'api' && (
    <div className="animate-in fade-in duration-300">
        <div className="flex flex-col items-center mb-8">
            <h2 className="text-3xl font-extrabold text-brand-dark flex items-center">
                <Plug className="w-8 h-8 mr-3" /> Intégration API (DigiSMS)
            </h2>
            <div className="w-48 h-1 bg-brand-red rounded-full mt-3"></div>
        </div>
        <div className="space-y-6 max-w-md mx-auto">
            <div>
                <label className="block text-lg font-bold text-brand-dark mb-2">Nom
d'Expéditeur (Sender ID)</label>
                <input type="text" defaultValue="DIGIALERT" className="w-full px-4 py-3
border border-slate-400 rounded-full text-brand-dark focus:ring-2 focus:ring-brand-red/20
outline-none" />
            </div>
            <div>
                <label className="block text-lg font-bold text-brand-dark mb-2">Clé d'API
(API Key)</label>
                <div className="relative">
                    <input
                        type={showApiKey ? "text" : "password"}
                        defaultValue="digisms_live_123456789"
                        className="w-full pl-4 pr-12 py-3 border border-slate-400 rounded-full
text-brand-dark focus:ring-2 focus:ring-brand-red/20 outline-none tracking-wider"
                    />
                    <button onClick={() => setShowApiKey(!showApiKey)} className="absolute
right-4 top-1/2 transform -translate-y-1/2 text-slate-500 active:text-brand-dark">
                        {showApiKey ? <EyeOff className="w-6 h-6" /> : <Eye className="w-6 h-6" />
                    >
                </div>
            </div>
        </div>
    </div>
)}

```

```

        </button>
      </div>
    </div>

    <div className="flex flex-col items-center pt-6">
      <button type="button" onClick={testConnection} className="flex items-center justify-center space-x-3 px-6 py-3 bg-white text-brand-dark font-extrabold text-xl rounded-2xl border-b-4 border-brand-red shadow-sm transition-all active:translate-y-[1px]">
        {loadingConnection ? <Loader2 className="w-5 h-5 animate-spin text-brand-dark" /> : null}
        <span>Tester la connexion</span>
        <span className={`w-6 h-6 rounded-full ${connectionStatus === 'success' ? 'bg-green-500 border-2 border-green-700 shadow-[0_0_8px_rgba(34,197,94,0.6)]' : connectionStatus === 'error' ? 'bg-red-500 border-2 border-red-700 shadow-[0_0_8px_rgba(239,68,68,0.4)]' : 'bg-slate-300 border border-slate-400'}`}></span>
      </button>
      <p className={`text-sm font-bold text-center mt-3 ${connectionStatus === 'error' ? 'text-red-600' : connectionStatus === 'success' ? 'text-emerald-600' : 'text-slate-600'}`}>{connectionMessage}</p>
    </div>

    <div className="flex justify-center pt-8">
      <button className="px-8 py-3 bg-white text-brand-dark font-extrabold text-xl rounded-2xl border-b-4 border-brand-red shadow-sm active:translate-y-[1px] transition-transform">
        Sauvegarder la clés API
      </button>
    </div>
  </div>
</div>
)}}

{/* ---- ONGLET : TEMPLATES ---- */}
{activeTab === 'templates' && (
  <div className="animate-in fade-in duration-300">
    <div className="flex flex-col items-center mb-8">
      <h2 className="text-3xl font-extrabold text-brand-dark flex items-center">
        <FileText className="w-8 h-8 mr-3" /> Modèles de SMS (Templates)
      </h2>
      <div className="w-48 h-1 bg-brand-red rounded-full mt-3"></div>
    </div>

    {/* Bloc "Vos Messages" avec bordure coupée */}
    <div className="max-w-lg mx-auto relative border-2 border-brand-dark rounded-3xl p-6 mt-6">
      <div className="absolute -top-4 left-1/2 transform -translate-x-1/2 bg-brand-dark text-white px-6 py-1 rounded-full font-bold text-lg">
        Vos Messages
      </div>

      <div className="space-y-4 mt-2 max-h-[300px] overflow-y-auto pr-2">

```

```

        {templates.map((tpl) => (
          <div key={tpl.id} className="flex justify-between items-center border-2
border-brand-red rounded-full px-6 py-3 bg-white shadow-sm">
            <span className="font-extrabold text-lg text-brand-dark">{tpl.name}</
span>

            <div className="flex space-x-3">
              <button type="button" onClick={() => { setEditingTemplate(tpl);
setModelName(tpl.name); setMessageContent(tpl.content); setIsModalOpen(true);
setConfirmDeleteId(null); }} className="w-8 h-8 rounded-full bg-slate-100 flex items-center
justify-center text-brand-dark active:scale-95 transition-transform">
                <Edit2 className="w-4 h-4" />
              </button>
              <button type="button" onClick={() => setConfirmDeleteId(tpl.id)}
className="w-8 h-8 rounded-full bg-slate-100 flex items-center justify-center text-brand-red
active:scale-95 transition-transform">
                <Trash2 className="w-4 h-4" />
              </button>
            </div>
          </div>
        ))}
      </div>
      {confirmDeleteId && (
        <div className="mt-4 rounded-2xl border border-red-200 bg-red-50 p-4">
          <p className="text-sm font-bold text-red-700">Voulez-vous vraiment
supprimer ce modèle ?</p>
          <div className="mt-3 flex items-center gap-3">
            <button type="button" onClick={() => { setTemplates(prev =>
prev.filter(tpl => tpl.id !== confirmDeleteId)); setConfirmDeleteId(null); }} className="px-4
py-2 bg-red-600 text-white rounded-full font-bold active:translate-y-[1px] transition-
all">Supprimer</button>
            <button type="button" onClick={() => setConfirmDeleteId(null)}
className="px-4 py-2 bg-white text-brand-dark border border-slate-300 rounded-full font-bold
active:translate-y-[1px] transition-all">Annuler</button>
          </div>
        </div>
      )}
    </div>

    <div className="flex justify-center pt-10">
      <button
        onClick={() => {
          setEditingTemplate(null);
          setModelName('');
          setMessageContent('');
          setIsModalOpen(true);
        }}
        className="px-8 py-3 bg-white text-brand-dark font-extrabold text-xl
rounded-2xl border-b-4 border-brand-red shadow-sm transition-all active:translate-y-[1px]"
      >
        Nouveau Modèle
      </button>
    </div>
  </div>
)

```

```

        </div>
      </div>
    )}
  </div>
</div>

{ /* ===== MODAL : NOUVEAU MODÈLE ===== */}
{isModalOpen && (
  <div className="absolute inset-0 bg-brand-dark/40 backdrop-blur-sm flex items-center
justify-center z-50">
    <div className="bg-white rounded-[2.5rem] shadow-2xl w-full max-w-2xl p-10 relative
animate-in zoom-in duration-200">

      { /* Header Modal */}
      <div className="flex flex-col items-center mb-8 relative">
        <button type="button" onClick={() => setIsModalOpen(false)} className="absolute
right-0 top-0 text-slate-500 active:text-brand-dark">
          <X className="w-8 h-8" />
        </button>
        <h2 className="text-4xl font-extrabold text-brand-dark mb-2">
          {editingTemplate ? 'Modifier le Modèle' : 'Nouveau Modèle'}
        </h2>
        <div className="w-40 h-1.5 bg-brand-red rounded-full"></div>
      </div>

      { /* Nom du Modèle */}
      <div className="mb-8">
        <label className="block text-xl font-bold text-brand-dark mb-2">Nom du Modèle</
label>
        <input type="text" value={modelName} onChange={e => setModelName(e.target.value)}
placeholder="Rapelle Mr Emanuel" className="w-full px-4 py-3 border border-slate-400 rounded-
full text-slate-600 focus:ring-2 focus:ring-brand-red/20 outline-none" />
      </div>

      { /* Flex pour Texte et Champs */}
      <div className="flex gap-6 mb-8">
        <div className={`flex-1 relative border-[3px] border-brand-dark rounded-2xl p-6
mt-4 ${dragOverField ? 'bg-slate-50 border-dashed border-brand-red' : ''}`} onDragOver={e =>
{ e.preventDefault(); setDragOverField(true); }} onDragLeave={() => setDragOverField(false)}
onDrop={e => { e.preventDefault(); const field = e.dataTransfer.getData('text/plain'); if
(field) setMessageContent(prev => `${prev}${prev ? ' ' : ''}${field}`)};
setDragOverField(false); }>
          <div className="absolute -top-4 left-6 bg-white px-2 font-extrabold text-lg
text-brand-dark">
            Contenu du message
          </div>
          <div className="text-slate-500 text-lg">
            ex: Salut <span className="bg-rose-200 border border-brand-red text-slate-700
px-3 py-1 rounded-full mx-1">Prenom</span> <span className="bg-rose-200 border border-brand-red
text-slate-700 px-3 py-1 rounded-full mx-1">Nom</span><br />
            Votre rendez-vous est pour le 11/09/20
          </div>
        </div>
      </div>
    )}
  </div>
}

```

```

        </div>
        <textarea value={messageContent} onChange={e =>
setMessageContent(e.target.value)} className="w-full h-32 mt-4 resize-none outline-none text-xl
font-medium text-slate-600" placeholder="Message"></textarea>
    </div>

    <div className="w-1/3 relative border-[3px] border-brand-dark rounded-2xl p-6
mt-4">
        <div className="absolute -top-4 left-6 bg-white px-2 font-extrabold text-lg
text-brand-dark">
            Champs
        </div>
        <div className="flex flex-col space-y-3 mt-2">
            {fields.map((field) => (
                <div key={field} className="bg-rose-200 border border-brand-red text-
slate-700 px-4 py-1.5 rounded-full font-medium w-max cursor-move" draggable onDragStart={e =>
e.dataTransfer.setData('text/plain', field)}>
                    {field}
                </div>
            ))}
        </div>
    </div>
</div>

<div className="flex justify-center gap-4 pt-2">
    <button type="button" onClick={() => { setIsModalOpen(false);
setEditingTemplate(null); setConfirmDeleteId(null); }} className="px-10 py-3 bg-white text-
brand-dark font-extrabold text-xl rounded-2xl border-b-4 border-brand-red shadow-sm transition-
all active:translate-y-[1px]">
        {editingTemplate ? 'Annuler' : 'Fermer'}
    </button>
    <button type="button" onClick={() => {
        if (editingTemplate) {
            setTemplates(prev => prev.map(tpl => tpl.id === editingTemplate.id ?
{ ...tpl, name: modelName || tpl.name, content: messageContent } : tpl));
        } else {
            const nextId = templates.length ? Math.max(...templates.map(t => t.id)) + 1 :
1;
            setTemplates(prev => [...prev, { id: nextId, name: modelName || `Modèle $
{nextId}`, content: messageContent }]);
        }
        setIsModalOpen(false);
        setEditingTemplate(null);
    }} className="px-10 py-3 bg-white text-brand-dark font-extrabold text-xl
rounded-2xl border-b-4 border-brand-red shadow-sm transition-all active:translate-y-[1px]">
        {editingTemplate ? 'Modifier' : 'Créer le Modèle'}
    </button>
</div>
</div>
</div>
)}

```

```
    </div>
  );
};

export default Parametres;
-----
-----services-----
api.js :

// src/services/api.js

// L'adresse de base de ton API (tu pourras la changer via un fichier .env plus tard pour la prod)
export const BASE_URL = import.meta.env.VITE_API_URL || 'http://localhost:5294';

export const fetchWithAuth = async (endpoint, options = {}) => {
  // 1. On récupère le badge (Token) s'il existe dans le stockage du navigateur
  const token = localStorage.getItem('jwtToken');

  // 2. On prépare les en-têtes (Headers)
  const headers = {
    'Content-Type': 'application/json',
    ...options.headers,
  };

  // 3. Si on a un Token, on l'attache au format officiel : "Bearer <token>"
  if (token) {
    headers['Authorization'] = `Bearer ${token}`;
  }

  // 4. On lance la requête
  const response = await fetch(`${BASE_URL}${endpoint}`, {
    ...options,
    headers,
  });

  // 5. Sécurité : Si l'API nous jette (Code 401 Unauthorized), c'est que le token est mort
  if (response.status === 401) {
    localStorage.removeItem('jwtToken');
    localStorage.removeItem('userId');
    window.location.href = '/login'; // On force le retour à la page de connexion
  }

  return response;
};
-----
-----
tailwind.config.js :
```

```
/** @type {import('tailwindcss').Config} */
export default {
  content: [
    './index.html',
    './src/**/*.{js,ts,jsx,tsx}',
  ],
  theme: {
    extend: {
      colors: {
        'brand-dark': '#0F172A', // Ton Bleu Nuit
        'brand-red': '#E11D48',  // Ton Rouge Action
        'brand-bg': '#F8F AFC',   // Ton fond Gris Clair
      }
    },
  },
  plugins: [],
}
```

vite.config.js :

```
import { defineConfig } from 'vite'
import react from '@vitejs/plugin-react'

// https://vite.dev/config/
export default defineConfig({
  plugins: [react()],
})
```
