ANSYS Electronics Desktop 2020 R2 - Project1 - Circuit1 - SchematicEditor - [Project1 - Circuit1 - Schematic]

File Edit View Project Draw Schematic Circuit Tools Window Help

Desktop View Schematic Simulation Results Automation

Project Manager
Project1*
  Circuit1
  Definitions

Properties

Message Manager   Progress

Component Libraries
Nexim Circuit Elements
  BJTs
  Capacitors
  Coaxial Cable
  Controlled Sources
  Diodes
  Distributed
  EMC Tools
  Equalizers
  FETs
  Filters
  Groups
  IBIS Buffer Components
  Ideal Distributed
  Ideal Microwave
  Independent Sources
  Inductors
  Loadpull Behavioral
  lumped_general
  Models
  MOSFETs
  nonlinearRF

Components Symbols

Number of selected items: 0   X: 3369mil   Y: -227mil

Hide 0 Messages   Hide Progress

Type here to search   ENG   05:56 PM   04-07-2023

ANSYS Electronics Desktop 2020 R2 - Project1

File Edit View Project Tools Window Help

New Open Open Examples Save Save As Close   Save Archive Restore Archive   Cut Copy Paste Delete   Undo Redo
HFSS Q3D Circuits & Systems Icepak Maxwell Simplorer
Update Definitions Remove Unused Definitions Edit Definitions
Project Variables Datasets Event Callbacks
General Options Help ANSYS

Desktop View Simulation Automation

Project Manager
Project1

Properties
Name   Value   Unit   Evaluated...

Variables

Workflow   X

Workflow   Serial Design

Specification   PCIe3 Stressed

Template   LongChannel

☐ Use Workflow

None
MS - Alumina (Er=9.8) 0.010 inch, gold
MS - Alumina (Er=9.8) 0.025 inch, gold
MS - FR4 (Er=4.4) 0.030 inch, 0.5 oz copper
MS - FR4 (Er=4.4) 0.060 inch, 0.5 oz copper
MS - RT_duroid 5880 (Er=2.20) 0.010 inch, 0.5 oz copper
MS - RT_duroid 5880 (Er=2.20) 0.020 inch, 0.5 oz copper
MS - RT_duroid 6010 (Er=10.2) 0.010 inch, 0.5 oz copper
MS - RT_duroid 6010 (Er=10.2) 0.025 inch, 0.5 oz copper
PCB - DoubleSided
PCB - SingleSided
SL - Alumina (Er=9.8) 0.010 inch, gold
SL - Alumina (Er=9.8) 0.025 inch, gold
SL - FR4 (Er=4.4) 0.030 inch, 0.5 oz copper
SL - FR4 (Er=4.4) 0.060 inch, 0.5 oz copper
SL - RT_duroid 5880 (Er=2.20) 0.010 inch, 0.5 oz copper
SL - RT_duroid 5880 (Er=2.20) 0.020 inch, 0.5 oz copper

☑ Show this dialog on new design   OK   Cancel

Message Manager   Progress

Ready

Type here to search   ENG   05:58 PM   04-07-2023