OperationalError at /

no such table: blog_post

Request Method: GET

Request URL: http://127.0.0.1:8000/

Django Version: 4.1

Exception Type: OperationalError

Exception Value: no such table: blog_post

Exception Location: C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-

packages\django\db\backends\sqlite3\base.py, line 357, in execute

Raised during: blog.views.PostListView

Python Executable: C:\Users\eltsin\.conda\envs\myDjangoenv\python.exe

Python Version: 3.12.2

Python Path: ['C:\\Users\\eltsin\\Documents\\Learn\\python-

training\\web\\udemy\\My_Django_Stuff\\blog_project\\mysite',

'C:\\Users\\eltsin\\Documents\\Learn\\python-training\\RobotFramework\\pythonProject',

'C:\\Users\\eltsin\\.conda\\envs\\myDjangoenv\\python312.zip',

'C:\\Users\\eltsin\\.conda\\envs\\myDjangoenv\\DLLs', 'C:\\Users\\eltsin\\.conda\\envs\\myDjangoenv\\Lib', 'C:\\Users\\eltsin\\.conda\\envs\\myDjangoenv',

'C:\\Users\\eltsin\\.conda\\envs\\myDjangoenv\\Lib\\site-packages']

Server time: Sun, 07 Apr 2024 11:18:21 +0000

Error during template rendering

In template C:\Users\eltsin\Documents\Learn\pythontraining\web\udemy\My_Django_Stuff\blog_project\mysite\blog\templates\blog\post_list.html, error at line 7

no such table: blog_post

```
1 {% extends 'blog/base.html' %}
2
3 {% block content %}
   <div class="centerstage">
5
6
7
       {% for post in post_list %}
8
           <div class="post">
9
10
               <h1><a href="{% url 'post_detail' pk=post.pk %}">{{ post.title }}</a></h1>
11
               <div class="date">
12
                    Published on: {{ post.published_date|date:"D M Y"}}
13
14
               <a href="{% url 'post_detail' pk=post.pk %}">Comments: {{ post.approve_comments.count }}</a>
15
           </div>
16
       {% endfor %}
17 </div>
```

Traceback Switch to copy-and-paste view

```
\verb|C:\Users| eltsin\.conda| envs\myDjangoenv\Lib\site-packages\django\db\backends\utils.py, \ line\ 89, \ in\ \_execute \ and \ and
```

```
89. return self.cursor.execute(sql, params)
```

Local vars

C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\db\backends\sqlite3\base.py, line 357, in execute

```
357. return Database.Cursor.execute(self, query, params) ...
```

Local vars

127.0.0.1:8000

1005.

Local vars

The above exception (no such table: blog_post) was the direct cause of the following exception: C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\core\handlers\exception.py, line 55, in inner 55. response = get_response(request) ▶ Local vars $\verb|C:\Users| eltsin|.conda| envs| myDjangoenv| Lib| site-packages| django| core| handlers| base.py, line 220, in _get_response| for the line of the l$ response = response.render() ▶ Local vars ${\tt C:\Users\eltsin\conda\envs\myDjangoenv\Lib\site-packages\django\template\response.py,\ line\ 114,\ in\ render\ 114,$ self.content = self.rendered content Local vars $\verb|C:\Users| eltsin|.conda| envs| myDjangoenv| Lib| site-packages| django| template| response.py, line 92, in rendered_content| template| response.py, line 92, in rendered_content| response.py, li$ 92. return template.render(context, self._request) Local vars C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\template\backends\django.py, line 62, in render return self.template.render(context) ▶ Local vars C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\template\base.py, line 175, in render 175. return self._render(context) ▶ Local vars ${\tt C:\Users} in .. conda\envs in $$ Lib\simeq -packages \django \env] in $$ E-packages \django \$ 167. return self.nodelist.render(context) ▶ Local vars ${\tt C:\Users\eltsin\conda\envs\myDjangoenv\Lib\site-packages\django\template\base.py,\ line\ 1005,\ in\ render}$ 1005. return SafeString("".join([node.render_annotated(context) for node in self])) ▶ Local vars C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\template\base.py, line 966, in render_annotated 966. return self.render(context) ▶ Local vars ${\tt C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\template\loader_tags.py,\ line\ 157,\ in\ render\ 157,\ in\ render\$ 157. return compiled_parent._render(context) ▶ Local vars C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\template\base.py, line 167, in _render 167. return self.nodelist.render(context) ▶ Local vars C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\template\base.py, line 1005, in render

C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\template\base.py, line 966, in render_annotated

127.0.0.1:8000

return SafeString("".join([node.render_annotated(context) for node in self]))

2/11

```
966.
                                                   return self.render(context)
             ▶ Local vars
\verb|C:\Users| eltsin|.conda| envs| myDjangoenv| Lib| site-packages| django| template| loader_tags.py, line 63, in render | loader_tags.py, line 64, line |
             63.
                                                         result = block.nodelist.render(context)
             Local vars
C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\template\base.py, line 1005, in render
             1005.
                                            return SafeString("".join([node.render_annotated(context) for node in self]))
             ▶ Local vars
C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\template\base.py, line 966, in render annotated
             966.
                                                   return self.render(context)
             ▶ Local vars
C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\template\defaulttags.py, line 194, in render
                                                   len_values = len(values)
             ▶ Local vars
C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\db\models\query.py, line 376, in len
             376.
                                          self. fetch all()
             ▶ Local vars
C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\db\models\query.py, line 1866, in _fetch_all
                                                     self._result_cache = list(self._iterable_class(self))
             1866.
             ▶ Local vars
C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\db\models\query.py, \lim 87, \lim _{\longrightarrow} 10^{-1}
                                        results = compiler.execute sql(
             87.
             ▶ Local vars
C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\db\models\sql\compiler.py, line 1395, in execute_sql
                                                     cursor.execute(sql, params)
             ▶ Local vars
C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\db\backends\utils.py, line 103, in execute
             103.
                                                   return super().execute(sql, params)
             ▶ Local vars
C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\db\backends\utils.py, line 67, in execute
             67.
                                        return self._execute_with_wrappers(
             Local vars
C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\db\backends\utils.py, line 80, in
_execute_with_wrappers
             80.
                                        return executor(sql, params, many, context)
             ▶ Local vars
C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\db\backends\utils.py, line 84, in _execute
                                        with self.db.wrap_database_errors:
              84.
             ▶ Local vars
```

127.0.0.1:8000 3/11

 $\verb|C:\Users| eltsin|.conda| envs| \verb|myDjangoenv| Lib| site-packages| django| db| utils.py, line 91, in __exit__ex$

91. raise dj_exc_value.with_traceback(traceback) from exc_value

▶ Local vars

C:\Users\eltsin\.conda\envs\myDjangoenv\Lib\site-packages\django\db\backends\utils.py, line 89, in _execute

89. return self.cursor.execute(sql, params)

▶ Local vars

 $\verb|C:\Users| in ..conda| envs| myDjangoenv| Lib| site-packages| django| db| backends| sqlite3| base.py, line 357, in execute | line 357| site-packages| django| db| backends| sqlite3| base.py, line 357| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| site-packages| django| db| backends| sqlite3| base.py | line 357| site-packages| django| db| backends| site-packages| django| db| backends| site-packages| django| db| backends| site-packages| django| db| backends| dall backends| db| backends| dall b$

357. return Database.Cursor.execute(self, query, params)

▶ Local vars

Request information

USER AnonymousUser

GET No GET data

POST No POST data

FILES No FILES data

COOKIES

Variable	Value
csrftoken	'MJf9lOtMa7ZTFjEEtnGNIsdAkPbWdltp'

META

Variable	Value
ALLUSERSPROFILE	'C:\\ProgramData'
APPDATA	<pre>'C:\\Users\\eltsin\\AppData\\Roaming'</pre>
ASL.LOG	'Destination=file'
CHOCOLATEYINSTALL	<pre>'C:\\ProgramData\\chocolatey'</pre>
CHOCOLATEYLASTPATHUPDATE	'133541743559519703'
COMMONPROGRAMFILES	<pre>'C:\\Program Files\\Common Files'</pre>
COMMONPROGRAMFILES(X86)	<pre>'C:\\Program Files (x86)\\Common Files'</pre>
COMMONPROGRAMW6432	<pre>'C:\\Program Files\\Common Files'</pre>
COMPUTERNAME	'DESKTOP-GV55KM1'
COMSPEC	<pre>'C:\\WINDOWS\\system32\\cmd.exe'</pre>
CONDA_DEFAULT_ENV	'myDjangoenv'
CONDA_EXE	<pre>'C:\\ProgramData\\anaconda3\\Scripts\\conda.exe'</pre>
CONDA_PREFIX	<pre>'C:\\Users\\eltsin\\.conda\\envs\\myDjangoenv'</pre>
CONDA_PREFIX_1	'C:\\ProgramData\\anaconda3'
CONDA_PROMPT_MODIFIER	'(myDjangoenv) '
CONDA_PYTHON_EXE	<pre>'C:\\ProgramData\\anaconda3\\python.exe'</pre>
CONDA_SHLVL	'2'
CONTENT_LENGTH	11
CONTENT_TYPE	'text/plain'
CSRF_COOKIE	'MJf9lOtMa7ZTFjEEtnGNIsdAkPbWdltp'
DJANGO_SETTINGS_MODULE	'mysite.settings'
DRIVERDATA	<pre>'C:\\Windows\\System32\\Drivers\\DriverData'</pre>
EFC_12628	'1'
GATEWAY_INTERFACE	'CGI/1.1'
HOMEDRIVE	'C:'
HOMEPATH	'\\Users\\eltsin'
HTTP_ACCEPT	<pre>'text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7'</pre>
HTTP_ACCEPT_ENCODING	'gzip, deflate, br, zstd'
HTTP_ACCEPT_LANGUAGE	'en-US,en;q=0.9'

127.0.0.1:8000 4/11

```
Variable
                                Value
HTTP_CONNECTION
                                'keep-alive'
HTTP COOKIE
                                'csrftoken=MJf910tMa7ZTFjEEtnGNIsdAkPbWdltp'
HTTP HOST
                                '127.0.0.1:8000
HTTP_SEC_CH_UA
                                '"Google Chrome";v="123", "Not:A-Brand";v="8",
                                "Chromium"; v="123"
HTTP_SEC_CH_UA_MOBILE
                                1201
                                "Windows"
HTTP_SEC_CH_UA_PLATFORM
HTTP_SEC_FETCH_DEST
                                'document'
HTTP_SEC_FETCH_MODE
                                'navigate'
HTTP_SEC_FETCH_SITE
                                'none'
                                '?1'
HTTP_SEC_FETCH_USER
HTTP UPGRADE INSECURE REQUESTS '1'
HTTP_USER_AGENT
                                ('Mozilla/5.0 (Windows NT 10.0; Win64; x64)
                               AppleWebKit/537.36 (KHTML, like
                                 'Gecko) Chrome/123.0.0.0 Safari/537.36')
JAVA_HOME
                                'C:\\Program Files\\Amazon Corretto\\jdk11.0.22_7'
LOCALAPPDATA
                                'C:\\Users\\eltsin\\AppData\\Local'
LOGONSERVER
                                '\\\DESKTOP-GV55KM1'
                                '8'
NUMBER OF PROCESSORS
ONFDRTVF
                                'C:\\Users\\eltsin\\OneDrive'
ONEDRIVECONSUMER
                                'C:\\Users\\eltsin\\OneDrive'
OS
                                'Windows NT'
PATH
                                ('C:\\Users\\eltsin\\.conda\\envs\\myDjangoenv;C:\\Users\\
                               eltsin\\.conda\\envs\\myDjangoenv\\Library\\mingw-
                               w64\\bin;C:\\Users\\eltsin\\.conda\\envs\\myDjangoenv\\Lib
                               rary\\usr\\bin;C:\\Users\\eltsin\\.conda\\envs\\myDjangoen
                               v\\Library\\bin;C:\\Users\\eltsin\\.conda\\envs\\myDjangoe
                               nv\\Scripts;C:\\Users\\eltsin\\.conda\\envs\\myDjangoenv\\
                               bin;C:\\ProgramData\\anaconda3\\condabin;C:\\Program
                                 'Files\\Amazon
                                'Corretto\\jdk11.0.22_7\\bin;C:\\Python\\Scripts;C:\\Pytho
                               n;C:\\Users\\eltsin\\python\\Scripts;C:\\WINDOWS\\system32
                                ;C:\\WINDOWS;C:\\WINDOWS\\System32\\Wbem;C:\\WINDOWS\\Syst
                               em32\\WindowsPowerShell\\v1.0;C:\\WINDOWS\\System32\\OpenS
                               SH;C:\\Program
                                 'Files (x86)\\Intel\\Intel(R) Management Engine
                               Components\\DAL;C:\\Program
                                 'Files\\Intel\\Intel(R) Management Engine
                               Components\\DAL;C:\\Program
                                 'Files\\PuTTY;C:\\Program Files\\dotnet;C:\\Program
                                Files\\Microsoft SQL
                                 'Server\\130\\Tools\\Binn;C:\\Program Files\\Microsoft
                               SQL Server\\Client
                                 'SDK\\ODBC\\170\\Tools\\Binn;C:\\Program Files '
                                 '(x86)\\IncrediBuild;C:\\Program Files
                                (x86)\\dotnet;C:\\Program Files
                                 (x86)\\Google\\Cloud
                                 'SDK\\google-cloud-
                               sdk\\bin;C:\\ProgramData\\chocolatey\\bin;C:\\HashiCorp\\V
                               agrant\\bin;C:\\Program
                                'Files\\Git\\cmd;C:\\ProgramData\\chocolatey\\lib\\maven\\
                                apache-maven-3.9.6\\bin;C:\\Program '
                                 'Files\\Amazon\\AWSCLIV2;C:\\Program Files\\Microsoft VS
                                'Code\\bin;C:\\Users\\eltsin\\AppData\\Local\\Microsoft\\W
                                indowsApps;C:\\Users\\eltsin\\.dotnet\\tools;C:\\Program
                                 'Files\\JetBrains\\PyCharm Community Edition '
                                \verb|'2023.3.4\|bin;C:\Users\eltsin\AppData\Local\atom\bi|
                               n;C:\\Program
                                 'Files\\Oracle\\VirtualBox;.')
                                '.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.PY
PATHEXT
                                ;.PYW
PATH INFO
                                '/'
PROCESSOR_ARCHITECTURE
                                'AMD64'
```

127.0.0.1:8000 5/11

	OperationalError at /
Variable	Value
PROCESSOR_IDENTIFIER	'Intel64 Family 6 Model 142 Stepping 10, GenuineIntel'
PROCESSOR_LEVEL	'6'
PROCESSOR_REVISION	'8e0a'
PROGRAMDATA	'C:\\ProgramData'
PROGRAMFILES	'C:\\Program Files'
PROGRAMFILES(X86)	'C:\\Program Files (x86)'
PROGRAMW6432	'C:\\Program Files'
PROMPT	'(myDjangoenv) \$P\$G'
PSMODULEPATH	('C:\\Program Files '
	'(x86)\\WindowsPowerShell\\Modules;C:\\WINDOWS\\system32\\ WindowsPowerShell\\v1.0\\Modules;C:\\Program ' 'Files (x86)\\AutoIt3\\AutoItX;C:\\Program Files (x86)\\Google\\Cloud ' 'SDK\\google-cloud-sdk\\platform\\PowerShell')
PUBLIC	'C:\\Users\\Public'
PYCHARM COMMUNITY EDITION	<pre>'C:\\Program Files\\JetBrains\\PyCharm Community Edition 2023.3.4\\bin;'</pre>
PYTHONPATH	<pre>'C:\\Users\\eltsin\\Documents\\Learn\\python- training\\RobotFramework\\pythonProject'</pre>
QUERY_STRING	11
REMOTE ADDR	'127.0.0.1'
REMOTE HOST	11
REQUEST METHOD	'GET'
RUN MAIN	'true'
SCRIPT NAME	11
SERVER NAME	'DESKTOP-GV55KM1'
SERVER PORT	'8000'
SERVER PROTOCOL	'HTTP/1.1'
SERVER SOFTWARE	'WSGIServer/0.2'
SESSIONNAME	'Console'
SSL CERT FILE	<pre>'C:\\ProgramData\\anaconda3\\Library\\ssl\\cacert.pem'</pre>
SYSTEMDRIVE	'C:'
SYSTEMROOT	'C:\\WINDOWS'
TEMP	'C:\\Users\\eltsin\\AppData\\Local\\Temp'
TMP	'C:\\Users\\eltsin\\AppData\\Local\\Temp'
USERDOMAIN	'DESKTOP-GV55KM1'
USERDOMAIN ROAMINGPROFILE	'DESKTOP-GV55KM1'
USERNAME	'eltsin'
USERPROFILE	
	<pre>'C:\\Users\\eltsin' 'C:\\Program Files\\Oracle\\VirtualBox\\'</pre>
VBOX_MSI_INSTALL_PATH	'C:\\WINDOWS'
WINDIR	C:\\wINDOWS
CONDA_OPENSLL_CERT_FILE_SET	-
wsgi.errors	<pre><_io.TextIOWrapper name='<stderr>' mode='w' encoding='utf- 8'></stderr></pre>
wsgi.file_wrapper	<class 'wsgiref.util.filewrapper'=""></class>
wsgi.input	<pre><django.core.handlers.wsgi.limitedstream 0x000001d2f2343d70="" at="" object=""></django.core.handlers.wsgi.limitedstream></pre>
wsgi.multiprocess	False
wsgi.multithread	True
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings Using settings module mysite.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	[]
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']

```
Value
Setting
                                    '********************'
AUTH_PASSWORD_VALIDATORS
AUTH_USER_MODEL
                                   'auth.User'
BASE DIR
                                   WindowsPath('C:/Users/eltsin/Documents/Learn/python-
                                   training/web/udemy/My_Django_Stuff/blog_project/mysite'
CACHES
                                   {'default': {'BACKEND':
                                   'django.core.cache.backends.locmem.LocMemCache'}}
CACHE MIDDLEWARE ALIAS
                                   'default'
                                   '*******************'
CACHE_MIDDLEWARE_KEY_PREFIX
CACHE_MIDDLEWARE_SECONDS
                                   600
CSRF_COOKIE_AGE
                                   31449600
CSRF COOKIE DOMAIN
                                   None
CSRF_COOKIE_HTTPONLY
                                   False
CSRF_COOKIE_MASKED
                                   False
CSRF_COOKIE_NAME
                                   'csrftoken'
                                   '/'
CSRF_COOKIE_PATH
CSRF_COOKIE_SAMESITE
                                   'Lax'
CSRF COOKIE SECURE
                                   False
CSRF_FAILURE_VIEW
                                   'django.views.csrf.csrf_failure'
                                   'HTTP_X_CSRFTOKEN'
CSRF_HEADER_NAME
CSRF TRUSTED ORIGINS
                                   []
CSRF USE SESSIONS
                                   False
DATABASES
                                   {'default': {'ATOMIC_REQUESTS': False,
                                                 'AUTOCOMMIT': True,
                                                 'CONN_HEALTH_CHECKS': False,
                                                 'CONN_MAX_AGE': 0,
                                                 'ENGINE': 'django.db.backends.sqlite3',
                                                 'HOST': '',
                                                 'NAME':
                                   WindowsPath('C:/Users/eltsin/Documents/Learn/python-
                                   training/web/udemy/My_Django_Stuff/blog_project/mysite/
                                   db.sqlite3'),
                                                 'OPTIONS': {},
                                                 'PORT': ''
                                                 'TEST': {'CHARSET': None,
                                                           'COLLATION': None,
                                                          'MIGRATE': True,
                                                          'MIRROR': None,
                                                          'NAME': None},
                                                 'TIME ZONE': None,
                                                 'USER': ''}}
DATABASE ROUTERS
                                   П
                                   2621440
DATA UPLOAD MAX MEMORY SIZE
DATA_UPLOAD_MAX_NUMBER_FIELDS
                                   1000
DATETIME_FORMAT
                                   'N j, Y, P'
                                   ['%Y-%m-%d %H:%M:%S'
DATETIME INPUT FORMATS
                                    '%Y-%m-%d %H:%M:%S.%f',
                                    '%Y-%m-%d %H:%M',
                                    '%m/%d/%Y %H:%M:%S'
                                    '%m/%d/%Y %H:%M:%S.%f',
                                    '%m/%d/%Y %H:%M'
                                    '%m/%d/%y %H:%M:%S'
                                    '%m/%d/%y %H:%M:%S.%f',
                                    '%m/%d/%y %H:%M']
DATE_FORMAT
                                   'N j, Y'
DATE_INPUT_FORMATS
                                   ['%Y-%m-%d',
                                    '%m/%d/%Y',
                                    '%m/%d/%y',
                                    '%b %d %Y'
                                    '%b %d, %Y'
                                    '%d %b %Y'
                                    '%d %b, %Y'
                                    '%B %d %Y',
                                    '%B %d, %Y',
                                    '%d %B %Y'
                                    '%d %B, %Y']
```

127.0.0.1:8000 7/11

```
Setting
                                          Value
DEBUG
                                          True
DEBUG_PROPAGATE_EXCEPTIONS
                                          False
                                          ٠. '
DECIMAL SEPARATOR
DEFAULT_AUTO_FIELD
                                          'django.db.models.BigAutoField'
DEFAULT CHARSET
                                          'utf-8'
DEFAULT_EXCEPTION_REPORTER
                                          'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE
                                          'django.core.files.storage.FileSystemStorage'
DEFAULT FROM EMAIL
                                          'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE
DEFAULT_TABLESPACE
DISALLOWED_USER_AGENTS
                                          []
EMAIL BACKEND
                                          'django.core.mail.backends.smtp.EmailBackend'
EMAIL HOST
                                          'localhost'
                                          '*************************'
EMAIL_HOST_PASSWORD
EMAIL_HOST_USER
EMAIL_PORT
                                          25
EMAIL SSL CERTFILE
                                          None
                                          '************************'
EMAIL_SSL_KEYFILE
                                          '[Django] '
EMAIL_SUBJECT_PREFIX
EMAIL_TIMEOUT
                                          None
EMAIL_USE_LOCALTIME
                                          False
                                          False
EMAIL_USE_SSL
EMAIL USE TLS
                                          False
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
FILE_UPLOAD_HANDLERS
                                          ['django.core.files.uploadhandler.MemoryFileUploadHandl
                                          'django.core.files.uploadhandler.TemporaryFileUploadHan
                                          dler']
FILE_UPLOAD_MAX_MEMORY_SIZE
                                          2621440
FILE_UPLOAD_PERMISSIONS
                                          420
FILE_UPLOAD_TEMP_DIR
                                          None
FIRST DAY OF WEEK
                                          0
FIXTURE_DIRS
                                          []
FORCE_SCRIPT_NAME
                                          None
FORMAT_MODULE_PATH
                                          None
FORM RENDERER
                                          'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS
                                          П
                                          ['django.contrib.admin',
INSTALLED APPS
                                            'django.contrib.auth',
                                            'django.contrib.contenttypes',
                                            'django.contrib.sessions',
                                            'django.contrib.messages'
                                            'django.contrib.staticfiles',
                                            'blog']
INTERNAL_IPS
                                          [('af', 'Afrikaans'),
  ('ar', 'Arabic'),
LANGUAGES
                                           ('ar', 'Arabic'),
('ar-dz', 'Algerian Arabic'),
('ast', 'Asturian'),
('az', 'Azerbaijani'),
('bg', 'Bulgarian'),
('be', 'Belarusian'),
('bn', 'Bengali'),
('br', 'Breton'),
('bs', 'Bosnian'),
('ca', 'Catalan'),
('cs', 'Czech').
                                           ('cs', 'Czech'),
('cy', 'Welsh'),
('da', 'Danish'),
('de', 'German'),
                                           ('dsb', 'Lower Sorbian'),
('el', 'Greek'),
```

127.0.0.1:8000 8/11

```
Value
Setting
                                                                                                                                                                                                          ('en', 'English'),
                                                                                                                                                                                                          ('en-au', 'Australian English'),
('en-gb', 'British English'),
                                                                                                                                                                                                          ('eo', 'Esperanto'), ('es', 'Spanish'),
                                                                                                                                                                                                         ('es', 'Spanish'),
('es-ar', 'Argentinian Spanish'),
('es-co', 'Colombian Spanish'),
('es-mx', 'Mexican Spanish'),
('es-ni', 'Nicaraguan Spanish'),
('es-ve', 'Venezuelan Spanish'),
                                                                                                                                                                                                        ('es-ve', 'Venezuelan Span:
('et', 'Estonian'),
('eu', 'Basque'),
('fa', 'Persian'),
('fi', 'Finnish'),
('fr', 'French'),
('fy', 'Frisian'),
('ga', 'Irish'),
('gd', 'Scottish Gaelic'),
('gl', 'Galician'),
('he', 'Hebrew'),
('hi', 'Hindi'),
('hr', 'Croatian'),
                                                                                                                                                                                                      ('he', 'Hebrew'),
('hi', 'Hindi'),
('hr', 'Croatian'),
('hsb', 'Upper Sorbian'),
('hu', 'Hungarian'),
('hy', 'Armenian'),
('ia', 'Interlingua'),
('id', 'Indonesian'),
('ig', 'Igbo'),
('io', 'Ido'),
('is', 'Icelandic'),
('it', 'Italian'),
('ja', 'Japanese'),
('ka', 'Georgian'),
('kab', 'Kabyle'),
('kk', 'Kazakh'),
('km', 'Khmer'),
('kn', 'Korean'),
('ko', 'Korean'),
('ky', 'Kyrgyz'),
('lb', 'Luxembourgish'),
('lt', 'Lithuanian'),
('nt', 'Latvian'),
('mk', 'Macedonian'),
('mr', 'Malayalam'),
('mn', 'Mongolian'),
('mr', 'Marathi'),
('ms', 'Malay'),
('my', 'Burmese'),
('nb', 'Norwegian Bokmål'),
('ne', 'Nepali'),
('ne', 'Nepali'),
('nl', 'Dutch'),
                                                                                                                                                                                                          ('ne', 'Nepali'),
('nl', 'Dutch'),
('nn', 'Norwegian Nynorsk'),
('os', 'Ossetic'),
                                                                                                                                                                                                          ('os', 'ossette'),
('pa', 'Punjabi'),
('pl', 'Polish'),
('pt', 'Portuguese'),
                                                                                                                                                                                                         ('pt', 'Fortuguese'),
('pt-br', 'Brazilian Portuguese'),
('ro', 'Romanian'),
('ru', 'Russian'),
('sk', 'Slovak'),
('sl', 'Slovenian'),
('sq', 'Albanian'),
('sr', 'Serbian'),
('sr', 'Serbian'),
                                                                                                                                                                                                           ('sr-latn', 'Serbian Latin'),
                                                                                                                                                                                                        ('sr-lath', 'Serbia'
('sv', 'Swedish'),
('sw', 'Swahili'),
('ta', 'Tamil'),
('te', 'Telugu'),
('tg', 'Tajik'),
('th', 'Thai'),
('th', 'Turkmen'),
('tr', 'Turkish'),
('tt', 'Tatar').
                                                                                                                                                                                                          ('tt', 'Tatar'),
('udm', 'Udmurt'),
('uk', 'Ukrainian'),
```

127.0.0.1:8000 9/11

```
Value
Setting
                                      ('ur', 'Urdu'),
('uz', 'Uzbek'),
('vi', 'Vietnamese'),
                                      ('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
                                     ['he', 'ar', 'ar-dz', 'fa', 'ur']
LANGUAGES BIDI
LANGUAGE_CODE
                                     'en-us'
LANGUAGE_COOKIE_AGE
                                     None
LANGUAGE_COOKIE_DOMAIN
                                     None
LANGUAGE COOKIE HTTPONLY
                                     False
LANGUAGE_COOKIE_NAME
                                     'django_language'
LANGUAGE_COOKIE_PATH
                                     '/'
LANGUAGE_COOKIE_SAMESITE
                                     None
LANGUAGE COOKIE SECURE
                                     False
LOCALE_PATHS
                                     []
LOGGING
                                     {}
LOGGING_CONFIG
                                     'logging.config.dictConfig'
LOGIN_REDIRECT_URL
LOGIN URL
                                     '/accounts/login/'
LOGOUT_REDIRECT_URL
                                     None
MANAGERS
                                     []
MEDIA_ROOT
MEDIA_URL
MESSAGE_STORAGE
                                     \verb|'django.contrib.messages.storage.fallback.FallbackStora|\\
                                     ge'
MIDDLEWARE
                                     ['django.middleware.security.SecurityMiddleware',
                                     'django.contrib.sessions.middleware.SessionMiddleware',
                                      'django.middleware.common.CommonMiddleware',
                                      'django.middleware.csrf.CsrfViewMiddleware',
                                     \verb|'django.contrib.auth.middleware.AuthenticationMiddlewar| \\
                                     е',
                                     'django.contrib.messages.middleware.MessageMiddleware',
                                     'django.middleware.clickjacking.XFrameOptionsMiddleware
                                     ']
MIGRATION MODULES
                                     {}
MONTH_DAY_FORMAT
                                     'F j'
NUMBER GROUPING
                                     '***************
PASSWORD_HASHERS
PASSWORD_RESET_TIMEOUT
                                     '**************************'
PREPEND_WWW
                                     False
ROOT_URLCONF
                                     'mysite.urls'
                                     '********************'
SECRET KEY
                                     SECRET_KEY_FALLBACKS
SECURE_CONTENT_TYPE_NOSNIFF
                                     True
SECURE_CROSS_ORIGIN_OPENER_POLICY 'same-origin'
SECURE_HSTS_INCLUDE_SUBDOMAINS
                                     False
SECURE_HSTS_PRELOAD
                                     False
SECURE HSTS SECONDS
SECURE_PROXY_SSL_HEADER
                                     None
SECURE_REDIRECT_EXEMPT
                                     []
SECURE_REFERRER_POLICY
                                     'same-origin'
SECURE SSL HOST
                                     None
SECURE SSL REDIRECT
                                     False
SERVER_EMAIL
                                     'root@localhost'
                                     'default'
SESSION_CACHE_ALIAS
SESSION_COOKIE_AGE
                                     1209600
SESSION_COOKIE_DOMAIN
                                     None
SESSION_COOKIE_HTTPONLY
                                     True
```

127.0.0.1:8000

Setting	Value
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION COOKIE SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
_	False
SESSION_EXPIRE_AT_BROWSER_CLOSE	
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'mysite.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
STATICFILES_DIRS	[]
STATICFILES_FINDERS	$[\ 'django.contrib.static files.finders.File System Finder',\\$
	<pre>'django.contrib.staticfiles.finders.AppDirectoriesFinde r']</pre>
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	<pre>'C:\\Users\\eltsin\\Documents\\Learn\\python- training\\web\\udemy\\My_Django_Stuff\\blog_project\\my site\\static'</pre>
STATIC URL	'/static/'
TEMPLATES	[{'APP_DIRS': True, 'BACKEND':
	'django.template.backends.django.DjangoTemplates', 'DIRS':
	<pre>['C:\\Users\\eltsin\\Documents\\Learn\\python- training\\web\\udemy\\My_Django_Stuff\\blog_project\\my site\\blog/templates/blog'],</pre>
	'OPTIONS': {'context_processors': ['django.template.context_processors.debug',
	'django.template.context_processors.request',
	'django.contrib.auth.context_processors.auth',
	<pre>'django.contrib.messages.context_processors.messages']} }]</pre>
TEMPLATE_DIR	<pre>'C:\\Users\\eltsin\\Documents\\Learn\\python- training\\web\\udemy\\My_Django_Stuff\\blog_project\\my site\\blog/templates/blog'</pre>
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	1 1
TIME_FORMAT	'P'
TIME INPUT FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_DEPRECATED_PYTZ	False
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
	True
USE_TZ	
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'mysite.wsgi.application'
X_FRAME_OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have <code>DEBUG = True</code> in your Django settings file. Change that to <code>False</code>, and Django will display a standard page generated by the handler for this status code.

127.0.0.1:8000