| Reference | Qty | Value | Part No | Manufacturer |
|-----------|-----|------------------------|--------------------|-------------------|
| C1,C2 | | 2 10uF | C1206C104K5RAC7800 | KEMET |
| C3 | | 1 0.1uF | C0805C104K5RAC7800 | KEMET |
| C4 | | 1 0.1uF | C0805C104K3RAC7800 | KEMET |
| C5 | | 1 22pF | C0805C220J5GAC7800 | KEMET |
| C6,C7 | | 2 47uF | GRM32ER71A476KE15K | Murata |
| J1,J2 | | 2 Screw_Terminal_01x02 | 1757019 | Phoenix Contact |
| L1 | | 1 8.2uH | L-7443845030082 | Wurth Elektronik |
| R1 | | 1 30.9K | RC0805FR-0730K9L | Yageo |
| R2 | | 1 84.5K | RC0805FR-0784K5L | Yageo |
| R3 | | 1 10K | RC0805FR-0710KL | Yageo |
| R4 | | 1 1K | RC0805FR-071KL | Yageo |
| U1 | | 1 LMR51450SDRRR | LMR51450SDRRR | Texas Instruments |

Description

1206 Size, $10\mu F$, 50V, X7R Dielectric

0805 Size, 0.1μF, 50V, X7R Dielectric

0805 Size, 0.1μF, 25V, X7R Dielectric

0805 Size, 22pF, 50V, COG Dielectric

1210 Size, 47µF, 25V, X7R Dielectric

Pluggable Terminal Blocks

IND, POWER, 8.2uH +/-20%, 6.1A, SMD, WE-MXGI

0805 Size, 30.9 kΩ, 1% Tolerance, 1/8W Power Rating

0805 Size, 84.5 k Ω , 1% Tolerance, 1/8W Power Rating

0805 Size, 10 k Ω , 1% Tolerance, 1/8W Power Rating

0805 Size, 1 k Ω , 1% Tolerance, 1/8W Power Rating

IC, SYNC BUCK CONV, 4V-36V INPUT, 5A, WSON-12

Footprint

Capacitor_SMD:C_1206_3216Metric

Capacitor_SMD:C_0805_2012Metric

Capacitor_SMD:C_0805_2012Metric

Capacitor_SMD:C_0805_2012Metric

Capacitor_SMD:C_1210_3225Metric

Connector_Samtec_HPM_THT:Samtec_HPM-02-01-x-S_Straight_1x02_Pitch5.08mm

 $Inductor_SMD_Wurth1:L_Wurth_WE-MXGI-5030$

Resistor_SMD:R_0805_2012Metric

Resistor_SMD:R_0805_2012Metric

Resistor_SMD:R_0805_2012Metric

Resistor_SMD:R_0805_2012Metric

KiCADv6:WSON_SDRRR_TEX