

Your Guide to Professional Web Site Design and Development

# "How To Easily Generate THOUSANDS Of Dollars Every Month With This Secret Residual Income System...On Complete Autopilot!" Click Here

- HTML Tips
- HTML Codes
- Web Development
- Web Design Tips
- JavaScript Codes
- 216 Web Safe Colors
- CSS Tutorial
- JavaScript Tutorial
- ASCII Character Codes




# **HTML Tags / Codes / Web Page Design**

If you're doing business on the Internet, taking the time to learn how to design your own web site and write your own HTML code (hypertext markup language) will play a major role in your success. Not only will learning HTML coding provide you with the freedom to update your own HTML documents, but it will also save you a great deal of money, as you will be able to avoid hiring a professional web designer.

If you're looking for some HTML tags to spice up your web site, you've come to the right place. You will find a variety of HTML codes and tips to assist you below.

However, before reviewing the HTML tags, if you're new to HTML and web site design, the following section will assist you in creating an HTML web page. For additional web site design information, make sure you don't miss the web design articles and tutorials at the bottom of this page.



Click here to download a fully functional demo

# **Creating an HTML Page**

A web page is created using a language called, Hypertext Markup Language, better known as HTML Code. You can write your own coding within a plain text editor, such as Note Pad, or use an HTML editor, which will write the code for you.

eTips Member Login	
Enter your email address a password to enter the priv membership area:	
Email:	

HTML codes, also referred to as HTML tags, are enclosed by the lesser than (<) and greater than (>) brackets and may be written in capital or lower case letters.

The opening bracket is followed by an **element**, which is a browser command, and ends with the closing bracket.

```
<font size=2>
```

An **element** may also be followed by **attributes**, which are words describing the properties of the element, and further instruct the browser.

```
<font size=2>
```

Attributes are only contained in the opening HTML tags to the right of the **element** and are separated by a space and followed by an equal (=) sign.

The value follows the equal sign and is enclosed in quotes.

```
<font size=2>
```

#### **Basic HTML Document Code Structure**

Begin writing your HTML tags by creating your document's basic layout. Copy and paste this code into your text or HTML editor.


```
<HTML>
<HEAD>
<TITLE>Your Page Title</TITLE>
</HEAD>
<BODY>
```

This area will contain everything that will be visible through a web browser, such as text and graphics. All of the information will be HTML coded.

For a complete list of HTML codes, tags and examples, see the HTML chart below.

```
</BODY>
```

<HTML> - Begins your HTML document.









<HEAD> - Contains information about the page such as the TITLE, META tags for proper Search Engine indexing, STYLE tags, which determine the page layout, and JavaScript coding for special effects.

<TITLE> - The TITLE of your page. This will be visible in the title bar of the viewers' browser.

</TITLE> - Closes the HTML <TITLE> tag.

</HEAD> - Closes the HTML <HEAD> tag.

<BODY> - This is where you will begin writing your document and placing your HTML codes.

</BODY> - Closes the HTML <BODY> tag.

</HTML> - Closes the <HTML> tag.

# How to Copy and Paste HTML Tags / Codes

To copy and paste the HTML tags / codes from the HTML chart below into the HTML of your web page, place your mouse pointer over the beginning of the HTML code you would like to copy. Next, click and hold your left mouse button and drag your mouse over all the HTML code you would like to copy (Example of highlighted text). Your HTML code should now be highlighted. Go to "Edit" - "Copy" on your web browser's toolbar and then place your cursor within your HTML code where you would like to place the code. Right click on your mouse and go to "Paste." Your HTML code should now be displaying within your HTML document.

- Plug-in Profits
- Web Design Service
- Site Build It!
- Insider Secrets
- Web Site Templates
- > Your Link Here <

#### Web Site Design



- HTML Tips
- PC Security
- CSS Tutorial
- HTML Codes
- Video Tutorials
- Web Design Tips
- JavaScript Codes
- JavaScript Tutorial
- Java Applet Tutorial
- 216 Web Safe Colors
- Web Site Development
- ASCII Character Codes

#### **Web Site Tools**



- Domain Search
- Format Your Text
- Create Meta Tags
- Text to HTML Converter
- Color Code Converter
- CSS Generator
- Bookmark Site Generator
- Button Generator
- Rollover Button Generator
- Rollover Text Button

#### Generator

- Colored Scrollbar Generator
- Table Generator
- Article Syndication
- Free Classified Ads

**Web Resources** 

#### Web Site Design Course

FREE Intensive 10-Day Web Site Design Email Course. Learn how to design a professional web site.

#### Plug-in Profit Site

Launch your very own money making website today that's 100% ready to take orders and pull in massive profits for you right now...guaranteed.

Note: For additional tutorials to assist you in HTML and much more, <u>click here</u> to sign up for our free membership club. You will instantly receive a wealth of quality information, such as dozens of video tutorials, several informative ebooks, utilities to assist you in creating buttons, tables, meta tags, and more. Best of all, it's completely free.

# **HTML Tags Chart**

To use any of the following HTML tags, simply select the HTML code you'd like and copy and paste it into your web page.

Tag	Name	Code Example	Browser View
</td <td>comment</td> <td><!--This can be viewed in the HTML part of a document--></td> <td>Nothing will show (Tip)</td>	comment	This can be viewed in the HTML part of a document	Nothing will show (Tip)
<a -<="" td=""><td>anchor</td><td><a href="http://www.yourdomain.com/">Visit Our Site</a></td><td>Visit Our Site (Tip)</td></a>	anchor	<a href="http://www.yourdomain.com/">Visit Our Site</a>	Visit Our Site (Tip)
<b></b>	bold	<b>Example</b>	Example
<big></big>	big (text)	<big>Example</big>	Example (Tip)
<body></body>	body of HTML document	<body>The content of your HTML page</body>	Contents of your web page (Tip)
 	line break	The contents of your page The contents of your page	The contents of your web page The contents of your web page
<center></center>	center	<center>This will center your contents</center>	This will center your contents
<dd></dd>	definition description	<dl> <dt>Definition Term <dd>Definition of the term <dt>Definition Term <dd>Definition of the term </dd></dt></dd></dt></dl>	Definition Term  Definition of the term  Definition Term  Definition of the term

<dl></dl>	definition list	<dl> <dt>Definition Term <dd>Definition of the term <dt>Definition Term <dd>Definition of the term </dd></dt></dd></dt></dl>	Definition Term Definition of the term Definition Term Definition of the term
<dt></dt>	definition term	<dl> <dt>Definition Term <dd>Definition of the term <dt>Definition Term <dd>Definition of the term </dd></dt></dd></dt></dl>	Definition Term  Definition of the term  Definition Term  Definition of the term
<em></em>	emphasis	This is an <b><em></em></b> Example <b></b> of using the emphasis tag	This is an Example of using the emphasis tag
<embed/>	embed object	<embed align="center" height="60" src="yourfile.mid" width="100%"/>	<u>(Tip)</u>
<embed/>	embed object	<embed autostart="true" hidden="false" loop="false" src="yourfile.mid"/> <noembed><bgsound loop="1" src="yourfile.mid"/> </noembed>	Music will begin playing when your page is loaded and will only play one time. A control panel will be

			displayed to enable your visitors to stop the music.
<font></font>	font	<pre><font face="Times New Roman">Example</font></pre> /FONT>	Example (Tip)
<font></font>	font	<font face="Times New Roman" size="4">Example</font>	Example (Tip)
<font></font>	font	<pre><font color="#FF0000" face="Times New Roman" size="+3">Example</font></pre> /FONT>	Example (Tip)
<form></form>	form	<pre><form action="mailto:you@yourdomain.com"> Name: <input name="Name" size="10" value=""/>  Email: <input name="Email" size="10" value=""/>  <center><input type="submit"/></center> </form></pre>	Name: (Tip) Email: Submit Query
<h1> <h2> <h3> <h4> <h6></h6></h4></h3></h2></h1>	heading 1 heading 2 heading 3 heading 4 heading 5 heading 6	<h1>Heading 1 Example</h1> <h2>Heading 2 Example</h2> <h3>Heading 3 Example</h3> <h4>Heading 4 Example</h4> <h5>Heading 5 Example</h5> <h6>Heading 6 Example</h6>	Heading 1 Heading 2 Heading 3 Heading 4 Heading 5 Heading 6
<head></head>	heading of HTML document	<head>Contains elements describing the document</head>	Nothing will show
<hr/>	horizontal rule	<hr/>	Contents of your web page (Tip)  Contents of your web page
<hr/>	horizontal rule	<hr size="3" width="50%"/>	Contents of your web page  Contents of your web page
<hr/>	horizontal rule	<hr noshade="" size="3" width="50%"/>	Contents of your web page  Contents of your web page
<hr/> (Internet Explorer)	horizontal rule	<b><hr< b=""> WIDTH="75%" COLOR="<u>#FF0000</u>" SIZE="4"&gt;</hr<></b>	Contents of your web page  Contents of your web page

<hr/> (Internet Explorer)	horizontal rule	<b><hr< b=""> WIDTH="25%" COLOR="<u>#6699FF</u>" SIZE="6"&gt;</hr<></b>	Contents of your web page  Contents of your web page	
<html></html>	hypertext markup language	<pre><html><head><meta/><title>Title of your web page</title></head><body>HTML web page contents</body></html></pre> /HTML>	Contents of your web page	
<l></l>	italic	<i>Example</i>	Example	
<img/>	image	<img alt="text describing the image" border="0" height="41" src="Earth.gif" width="41"/>	( <u>Tip)</u>	
<input/>	input field	Example 1: <form action="/cgi-bin/example.cgi" method="post"> <input maxlength="30" size="10" type="text"/> <input type="Submit" value="Submit"/> </form>	Example 1: (Tip) Submit	
<input/> (Internet Explorer)	input field	Example 2: <form action="/cgi-bin/example.cgi" method="post"> <input maxlength="30" size="10" style="color: #FFFFFF; font-family: Verdana; font-weight: bold; font-size: 12px; background-color: #72A4D2;" type="text"/> <input type="Submit" value="Submit"/> </form>	Example 2: (Tip) Submit	
<input/>	input field	Example 3: <form action="/cgi-bin/example.cgi" method="post"> <table border="0" cellpadding="2" cellspacing="0"><tr><td bgcolor="#8463FF"> <input maxlength="30" size="10" type="text"/> </td><td bgcolor="#8463FF" valign="Middle"> <input name="submit" src="yourimage.gif" type="image"/> </td></tr></table></form>	<input maxlength="30" size="10" type="text"/>	<input name="submit" src="yourimage.gif" type="image"/>
<input maxlength="30" size="10" type="text"/>	<input name="submit" src="yourimage.gif" type="image"/>			

 Example 3: (Tip) ||  | input field | Example 4:  Enter Your Comments: | Example 4: (Tip)  Submit Clear |

		<pre><input type="Reset" value="Clear"/> </pre>	
<input/>	input field	Example 5: <form action="/cgi-bin/example.cgi" method="post"> <center> Select an option: <select> <option> option 1 <option selected=""> option 2 <option> option 3 <option> option 4 <option> option 5 <option> option 6 </option></option></option></option></option></option></select>   <input type="Submit" value="Submit"/> </center> </form>	Example 5: (Tip)  Select an option: option 2  Submit
<input/>	input field	Example 6: <form action="/cgi-bin/example.cgi" method="post"> Select an option:  <input name="option" type="radio"/> Option 1 <input checked="" name="option" type="radio"/> Option 2 <input name="option" type="radio"/> Option 3     Select an option:  <input name="selection" type="checkbox"/> Selection 1 <input checked="" name="selection" type="checkbox"/> Selection 2 <input name="selection" type="checkbox"/> Selection 3 <input name="selection" type="checkbox"/> Selection 3 <input type="Submit" value="Submit"/> </form>	Example 6: (Tip)  Select an option: Option 1 Option 2 Option 3  Select an option: Selection 1 Selection 2 Selection 3  Submit
<li></li>	list item	Example 1: <menu> <li type="disc">List item 1 <li type="circle">List item 2 <li type="square">List item 3 </li></li></li></menu> Example 2:	Example 1: (Tip)  • List item 1  • List item 2  ■ List item 3  Example 2:  i. List item 1

		<ol type="i"> <li>List item 1 <li>List item 2 <li>List item 3 <li>List item 4 </li></li></li></li></ol>	ii. List item 2 iii. List item 3 iv. List item 4
<link/>	link	<head> <li>link rel="stylesheet" type="text/css" href="style.css" /&gt; </li></head>	
<marquee> (Internet Explorer)</marquee>	scrolling text	<pre><marquee bgcolor="#CCCCCC" loop="-1" scrollamount="2" width="100%">Example Marquee</marquee></pre>	Example Marquee (Tip)
<menu></menu>	menu	<pre><menu> <li type="disc">List item 1 <li type="circle">List item 2 <li type="square">List item 3 </li></li></li></menu></pre>	<ul><li>List item 1</li><li>List item 2</li><li>List item 3</li></ul>
<meta/>	meta	<pre><meta content="Description of your site" name="Description"/> <meta content="keywords describing your site" name="keywords"/></pre>	Nothing will show (Tip)
<meta/>	meta	<pre><meta content="4; URL=http://www.yourdomain.com/" http-equiv="Refresh"/></pre>	Nothing will show (Tip)
<meta/>	meta	<meth><meth><meth><meth><meth></meth></meth></meth></meth></meth>	Nothing will show (Tip)
<meta/>	meta	<meta content="General" name="rating"/>	Nothing will show (Tip)
<meta/>	meta	<meta content="ALL" name="ROBOTS"/>	Nothing will show (Tip)
<meta/>	meta	<b><meta< b=""> NAME="ROBOTS" content="NOINDEX,FOLLOW"&gt;</meta<></b>	Nothing will show (Tip)
<ol></ol>	ordered list	Numbered <ol> <li>List item 1 <li>List item 2 <li>List item 3 <li>List item 4 </li></li></li></li></ol> Numbered Special Start	Numbered  1. List item 1 2. List item 2 3. List item 3 4. List item 4  Numbered Special Start  5. List item 1 6. List item 2 7. List item 3

#### <OL start="5">

- <LI>List item 1
- <LI>List item 2
- <LI>List item 3
- <LI>List item 4
- </0L>

#### **Lowercase Letters**

#### <OL type="a">

- <LI>List item 1
- <LI>List item 2
- <LI>List item 3
- <LI>List item 4
- </0L>

#### **Capital Letters**

#### <OL type="A">

- <LI>List item 1
- <LI>List item 2
- <LI>List item 3
- <LI>List item 4
- </0L>

#### **Capital Letters Special Start**

#### <OL type="A" start="3">

- <LI>List item 1
- <LI>List item 2
- <LI>List item 3
- <LI>List item 4
- </0L>

#### **Lowercase Roman Numerals**

#### <OL type="i">

- <LI>List item 1
- <LI>List item 2
- <LI>List item 3
- <LI>List item 4
- </0L>

#### **Capital Roman Numerals**

8. List item 4

#### Lowercase Letters

- a. List item 1
- b. List item 2
- c. List item 3
- d. List item 4

#### **Capital Letters**

- A. List item 1
- B. List item 2
- C. List item 3
- D. List item 4

#### **Capital Letters Special Start**

- C. List item 1
- D. List item 2
- E. List item 3
- F. List item 4

#### **Lowercase Roman Numerals**

- i. List item 1
- ii. List item 2
- iii. List item 3
- iv. List item 4

#### **Capital Roman Numerals**

- 1. List item 1
- 11. List item 2
- 111. List item 3
- IV. List item 4

# **Capital Roman Numerals Special Start**

- VII. List item 1
- VIII. List item 2
- IX. List item 3
- X. List item 4

		<pre><ol type="I"> <li>List item 1 <li>List item 2 <li>List item 3 <li>List item 4 </li></li></li></li></ol>  Capital Roman Numerals Special Start  <ol start="7" type="I"> <li>List item 1 <li>List item 2 <li>List item 3 <li>List item 4 </li></li></li></li></ol></pre>	
<option></option>	listbox option	<form action="/cgi-bin/example.cgi" method="post"> <center> Select an option: <select> <option>option 1 <option selected="">option 2 <option>option 3 <option>option 4 <option>option 5 <option>option 6 </option></option></option></option></option></option></select>  </center> </form>	Select an option: (Tip) option 2
<p></p>	paragraph	This is an example displaying the use of the paragraph tag. <p> This will create a line break and a space between lines.  Attributes:  Example 1:    <p align="left"> This is an example  displaying the use  of the paragraph tag.  Example 2:      &lt;</p></p>	This is an example displaying the use of the paragraph tag.  This will create a line break and a space between lines.  Attributes:  Example 1:  This is an example displaying the use of the paragraph tag.  Example 2:

		<p align="right"> This is an example  displaying the use  of the paragraph tag.    Example 3:  <p align="center"> This is an example  displaying the use  of the paragraph tag.</p></p>	This is display	This is an example displaying the use of the paragraph tag. ample 3: an example ving the use aragraph tag.		
<small></small>	small (text)	<small>Example</small>	Example (Tip)			
<strike></strike>	deleted text	<strike>Example</strike>	Example			
/>   RUNG->	strong emphasis	<strong>Example</strong>	Example			
<table></table>	table	Example 1: <table border="4" cellpadding="2" cellspacing="2" width="100%"> <tr> <td>Column 1</td> <td>Column 2</td> </tr> </table> Example 2: (Internet Explorer) <table border="2" bordercolor="#336699" cellpadding="2" cellspacing="2" width="100%"> <tr> <td>Column 1</td> <td>Column 1</td> </tr> </table> Example 3: <table cellpadding="2" cellspacing="2" width="100%"> </table>	Column 1	Column 2	Column 1	Column 1
Column 1	Column 2					
Column 1	Column 1					

Example 3:

<title>&lt;br&gt;&lt;/th&gt;&lt;th&gt;title&lt;/th&gt;&lt;th&gt;&lt;TITLE&gt;Title of your HTML page</title> <table border="2" cellpadding="2" cellspacing="2" width="100%"> <tr></tr></table>	bar. (Tip)	Column 2					
<th></th> <th>table header</th> <th><td>Row 3</td> <td>Row 3</td> <td>Row 3</td> <td>Row 3</td> </th>		table header	<td>Row 3</td> <td>Row 3</td> <td>Row 3</td> <td>Row 3</td>	Row 3	Row 3	Row 3	Row 3
Row 4	Row 4	Row 4					

 Row 2 Row 3 Row 4 | Column 2 Column 3  Row 2 Row 2  Row 3 Row 3  Row 4 Row 4 || | | table data | Row 2 | Row 2 | |

Column 1
----------

<tt></tt>	teletype	<td>Column 2</td>	Column 2
-----------	----------	-------------------	----------

Example Example ||  | underline | Example | Example |
|  | unordered list | Example 1:     - List item 1   - List item 2    Example 2:   - List item 1   - List item 2     - List item 3       - List item 3         - List item 4 | Example 1:  • List item 1 • List item 2  Example 2:  • List item 1 • List item 2 • List item 3 • List item 4 |

# MouseOver PopUps provided by:



# Would you like to learn how to design your own web site?

Whether you are a complete beginner or have some web site design experience, this web design course will teach you how to plan, design, build and market your own web site

If you like these codes, you'll love Web Design Mastery. Get these codes and many more.

"I have learned more from this web design course than I did from a course I took in college!" - Joseph Seeles

More More

# **Web Design Information:**

- Web Development
- HTML Codes
- HTML Tips
- Web Design Tips
- Javascript Snippets
- 216 Safe Colors
- **Symbols**

# **Web Design Articles:**

- Selecting a Quality Domain Name
- Selecting the Best Web Design Language for Your Project
- Bring Your Web Site to Life With PHP
- The Birth of a Professional Web Site (10 part series)
- Increase Your Traffic by Recovering Your Lost Visitors
- Using HTML Tables to Format Your Web Page
- HTML Forms -- Back to the Basics and Beyond Part One Basic Forms Tutorial
- HTML Forms -- Back to the Basics and Beyond Part Two Advanced Forms
- HTML Forms -- Back to the Basics and Beyond Part Three Form Tips & Tricks
- 35 Deadly Web Site Sins that will Kill Your Business!
- Selecting A Quality Web Host
- Mini-Sites -- Highly Targeted Sales Generators
- Spice Up Your Web Site with JavaScript
- Use CGI to Automate Your Web Site
- Give Your Graphics A Professional Look without the Price
- Use JavaScript to Dynamically Update Your Website
- 10 Website Essentials to Increase Your Sales
- Is Your Domain Name A Trademark Infringement?
- Steps to Optimizing Your HTML Codes
- The Secrets to Building a Successful Website

# **Web Development Tutorials:**

- Creating an Ebook
- Internet Marketing Strategies
- Internet Marketing Tools
- Developing an Internet Business
- Developing a Professional Web Site
- Free Content
- Webpage Optimization
- Hosting Your Site
- Promotion
- Internet Marketing
- Web Site Building
- Listing Your Site
- Internet Advertising
- Developing Traffic
- Web Development Strategies

#### Back

| Web Site Development | HTML Codes | HTML Tips | Javascript Snippets | Web Resources | 216 Safe Colors | Symbols | Web Development Strategies | FeedBack | About | Privacy Policy | Terms and Conditions | Site Map | Affiliate Program |

Web-Source.net <a href="http://www.web-source.net">http://www.web-source.net</a>
Your Guide to Professional Web Site Design and Development
Hosted with <a href="https://www.web-source.net">Hosted Web Site Design and Development
Hosted with <a href="https://www.web-source.net">Hosted Web Site Design and Development
Hosted With Host4Profit</a>.

Copyright © 1997-2009 Brajusta Publishing, Inc., All Rights Reserved