Experiment 7

AIM: Develop Feedback Management Module using MVC Layout, Partial View & Validation. (HTML Helpers, Validation, Layouts)

Source:
File Name with extension:

" C:\Users\saimu\source\repos\Practical_7\Index.cshtml""

Code:

1. **FeedbackModel.cs**

```
using System.ComponentModel.DataAnnotations;

namespace Practical_7.Models
{
   public class FeedbackModel
   {
      public int Id { get; set; }

      [Required(ErrorMessage = "Please enter your full name.")]
      [StringLength(50, MinimumLength = 3, ErrorMessage = "Name must be between 3 and 50 characters.")]
      public string StudentName { get; set; } = string.Empty;

      [Required(ErrorMessage = "Please enter your email address.")]
      [EmailAddress(ErrorMessage = "Invalid email format.")]
      public string Email { get; set; } = string.Empty;

      [Required(ErrorMessage = "Please select a course/module.")]
      public string CourseName { get; set; } = string.Empty;

      [Range(1, 5, ErrorMessage = "Rating must be between 1 and 5 stars.")]
      public int Rating { get; set; }

      [Required(ErrorMessage = "Please provide your comments.")]
      [StringLength(500, MinimumLength = 10, ErrorMessage = "Comments must be between 10 and 500
characters.")]
      public string Comments { get; set; } = string.Empty;
   }
}
```

2. **FeedbackController.cs**

```
using Microsoft.AspNetCore.Mvc;
using Practical_7.Models;

namespace Practical_7.Controllers
{
  public class FeedbackController : Controller
  {
    [HttpGet]
    public IActionResult Index()
    {
      return View();
    }

    [HttpPost]
    [ValidateAntiForgeryToken]
    public IActionResult SubmitFeedback(FeedbackModel model)
    {
      if (ModelState.IsValid)
      {
        ViewBag.Message = "Feedback submitted successfully!";
        return View("Success", model);
      }

      return View("Index", model);
    }
  }
}
```

3. **FeedbackFormPartial.cshtml**

```
@model Practical_7.Models.FeedbackModel

@using (Html.BeginForm("SubmitFeedback", "Feedback", FormMethod.Post))
{
  @Html.AntiForgeryToken()

  <div class="form-group mb-3">
    @Html.LabelFor(m => m.StudentName, "Student Name")
    @Html.TextBoxFor(m => m.StudentName, new { @class = "form-control", placeholder = "Enter
your name" })
    @Html.ValidationMessageFor(m => m.StudentName, "", new { @class = "text-danger" })
  </div>
```

```
    <div class="form-group mb-3">
        @Html.LabelFor(m => m.Email, "Email Address")
        @Html.TextBoxFor(m => m.Email, new { @class = "form-control", placeholder =
"name@example.com" })
        @Html.ValidationMessageFor(m => m.Email, "", new { @class = "text-danger" })
    </div>

    <div class="form-group mb-3">
        @Html.LabelFor(m => m.CourseName, "Course / Module")
        @Html.DropDownListFor(
            m => m.CourseName,
            new SelectList(new[] { "ASP.NET MVC", "HTML Helpers", "Partial Views & Validation" }),
            "Select Course",
            new { @class = "form-control" }
        )
        @Html.ValidationMessageFor(m => m.CourseName, "", new { @class = "text-danger" })
    </div>

    <div class="form-group mb-3">
        @Html.LabelFor(m => m.Rating, "Rating (1-5)")
        @Html.TextBoxFor(m => m.Rating, new { @class = "form-control", type = "number", min = "1", max
= "5" })
        @Html.ValidationMessageFor(m => m.Rating, "", new { @class = "text-danger" })
    </div>

    <div class="form-group mb-3">
        @Html.LabelFor(m => m.Comments, "Comments")
        @Html.TextAreaFor(m => m.Comments, 4, 40, new { @class = "form-control", placeholder = "Write
your feedback here..." })
        @Html.ValidationMessageFor(m => m.Comments, "", new { @class = "text-danger" })
    </div>

    <button type="submit" class="btn btn-primary">Submit Feedback</button>
}
```

4. **Index.cshtml**

```
@{
    ViewData["Title"] = "Feedback Form";
}

<div class="container mt-4">
    <h2>Feedback Management Module</h2>
    <hr />
    <div class="row">
        <div class="col-md-6">
            @await Html.PartialAsync("_FeedbackFormPartial", new Practical_7.Models.FeedbackModel())
        </div>
```

```
  </div>
</div>

@section Scripts {
  @{
    await Html.RenderPartialAsync("_ValidationScriptsPartial");
  }
}
```

5. **Success.cshtml**

```
@model Practical_7.Models.FeedbackModel

<div class="container mt-4">
  <div class="alert alert-success">
    <h2>Thank You, @Model.StudentName!</h2>
    <p>@ViewBag.Message</p>
  </div>
  <a href="@Url.Action("Index", "Feedback")" class="btn btn-secondary">Submit Another
Feedback</a>
</div>
```

6. **Program.cs**

```
namespace Practical_7
{
  public class Program
  {
    public static void Main(string[] args)
    {
      var builder = WebApplication.CreateBuilder(args);

      // Add services to the container.
      builder.Services.AddControllersWithViews();

      var app = builder.Build();

      // Configure the HTTP request pipeline.
      if (!app.Environment.IsDevelopment())
      {
        app.UseExceptionHandler("/Home/Error");
        app.UseHsts();
      }
```


```
        app.UseHttpsRedirection();
        app.UseRouting();
        app.UseAuthorization();


        app.MapStaticAssets();


        app.MapControllerRoute(
            name: "default",
            pattern: "{controller=Feedback}/{action=Index}/{id?}")
            .WithStaticAssets();

        app.Run();
    }
  }
}
```

Output:




ractical_7
Home
Privacy
Feedback Management Module
Student Name
kumar
Email Address
kumar@gmail.com
Course / Module
HTML Helpers
Rating (1-5)
3
Comments
the good modules
Submit Feedback


Practical_7
Home
Privacy
Thank You, kumar!
Feedback submitted successfully!
Submit Another Feedback

GitHub URL :