Add instructor notes here.



Explain the lesson coverage

# Lesson Objectives



- > In this lesson, you will learn:
  - SQL Server Profiler
  - Working with SQL Server Profiler in SQL Server Management Studio



### **SQL Server Profiler**



- Every DBA require tools to analyze the activity in the SQL Server database. Whether it's to troubleshoot a possible application or database issue or simply to monitor the overall health of their system.
- > SQL Server Profiler is a tool that provides an user interface to create and manage traces and analyze and replay trace results.
- Events are saved in a trace file that can later be analyzed or used to replay a specific series of steps when trying to diagnose a problem.
- It gives you the ability to monitor everything that is going on inside your SQL Server instance.

#### What is trigger?

A trigger is a special type of stored procedure that is fired on an eventdriven basis rather than by a direct call.

You can set up a trigger to fire when a data modification statement is issued—that is, an INSERT, UPDATE, or DELETE statement. SQL Server 2008 provides two types of triggers: after triggers and instead-of triggers

• By default triggers are after trigger i.e. executed after the event and NOT

before

- Views have a special type of Triggers called instead of triggers
- You can define multiple after triggers on a table for each event, and each

trigger can invoke many stored procedures as well as carry out many different actions based on the values of a given column of data.

However, you have only a minimum amount of control over the order in which triggers are fired on the same table.

 No trigger can be written for select statement because select does not

## SQL Server Profiler (Contd...)



- SQL Server Profiler is used for activities such as:
  - Stepping through problem queries to find the cause of the problem.
  - Finding and diagnosing slow-running queries.
  - Capturing the series of Transact-SQL statements that lead to a problem.
    The saved trace can then be used to replicate the problem on a test server where the problem can be diagnosed.
  - Monitoring the performance of SQL Server to tune workloads.
  - · Correlating performance counters to diagnose problems.
  - SQL Server Profiler also supports auditing the actions performed on instances of SQL Server. Audits record security-related actions for later review by a security administrator.

#### What is trigger?

A trigger is a special type of stored procedure that is fired on an eventdriven basis rather than by a direct call.

You can set up a trigger to fire when a data modification statement is issued—that is, an INSERT, UPDATE, or DELETE statement. SQL Server 2008 provides two types of triggers: after triggers and instead-of triggers

 By default triggers are after trigger i.e. executed after the event and NOT

before

- Views have a special type of Triggers called instead of triggers
- You can define multiple after triggers on a table for each event, and each

trigger can invoke many stored procedures as well as carry out many different actions based on the values of a given column of data.

However, you have only a minimum amount of control over the order in which triggers are fired on the same table.

 No trigger can be written for select statement because select does not

## SQL Server Profiler (Contd...)



- > SQL Server Profiler shows how SQL Server resolves queries internally.
- ➤ This allows administrators to see exactly what Transact-SQL statements or Multi-Dimensional Expressions are submitted to the server and how the server accesses the database or cube to return result sets.
- Using SQL Server Profiler, you can do the following:
  - · Create a trace that is based on a reusable template
  - · Watch the trace results as the trace runs
  - Store the trace results in a table
  - Start, stop, pause, and modify the trace results as necessary
  - Replay the trace results

#### What is trigger?

A trigger is a special type of stored procedure that is fired on an eventdriven basis rather than by a direct call.

You can set up a trigger to fire when a data modification statement is issued—that is, an INSERT, UPDATE, or DELETE statement. SQL Server 2008 provides two types of triggers: after triggers and instead-of triggers

• By default triggers are after trigger i.e. executed after the event and NOT

before

- Views have a special type of Triggers called instead of triggers
- You can define multiple after triggers on a table for each event, and each

trigger can invoke many stored procedures as well as carry out many different actions based on the values of a given column of data.

However, you have only a minimum amount of control over the order in which triggers are fired on the same table.

 No trigger can be written for select statement because select does not



# To start SQL Server Profiler in SQL Server Management Studio

- You can start SQL Server Profiler from several locations in SQL Server Management Studio.
- When SQL Server Profiler starts, it loads the connection context, trace template, and filter context of its launch point.
- SQL Server Management Studio starts each SQL Server Profiler session in its own instance, and Profiler continues to run if you shut down SQL Server Management Studio.
- > To start SQL Server Profiler from the Tools menu
  - In the SQL Server Management Studio Tools menu, click SQL Server Profiler.
- > To start SQL Server Profiler from the Query Editor
  - In Query Editor, right-click and then select Trace Query in SQL Server Profiler.

#### What is trigger?

A trigger is a special type of stored procedure that is fired on an eventdriven basis rather than by a direct call.

You can set up a trigger to fire when a data modification statement is issued—that is, an INSERT, UPDATE, or DELETE statement. SQL Server 2008 provides two types of triggers: after triggers and instead-of triggers

 By default triggers are after trigger i.e. executed after the event and NOT

before

- Views have a special type of Triggers called instead of triggers
- You can define multiple after triggers on a table for each event, and each

trigger can invoke many stored procedures as well as carry out many different actions based on the values of a given column of data.

However, you have only a minimum amount of control over the order in which triggers are fired on the same table.

 No trigger can be written for select statement because select does not

None

# Summary



- > In this lesson, you have learnt:
  - What is SQL Server Profiler?
  - How to start SQL Server Profiler in SQL Server Management Studio

