

Coding Journey Report

Data visualizations and summaries for exploring a coding journey.

Author: giri

Task name: using reference

Typing Time: 5 minutes 50 seconds

Total time spent: 12 minutes 16 seconds

Average typing speed: 28 character(s)/minute

Number of lines: 28

Number of characters: 456

Number of time points: 71 (Logged at 5 seconds) Interactive version of this report is available here.

Final Code

If the code contains more than one file, they are concatenated and shown.

```
==+==
FILE: Main.cpp
==+==
/* using reference*/
#include<iostream>
using namespace std;
class temp{
     public:
        int t1;
        int t2;
         void input()
           cout<<"enter the temperature";
           cin>>t1>>t2;
        }
         int& compare(int& a,int& b)
      {
        if(a>b)
             return a;
         else
             return b;
      }
};
int main()
{
     temp a;
     a.input();
     a.compare(a.t1,a.t2)=100;
     cout<<"the temperature are "<<a.t1<<a.t2;</pre>
     return 0;
}
```

Final Execution Output

Output of the most recent code execution.

Inputs to the Code

Most recent user-typed inputs to the program (STDIN).

20 30

Most Common Error

The most common error that occured during the coding process; "null" (if any) indicates no errors.


Effort Summary

Active durations while working on the task, shown as green bars.



Text Added or Removed Over Time

Green and red circles show text add and removed; size of the circle shows change in the number of characters.




Code Executions

Green and red dots correspond to successful and failed executions.



Typing Speed

Typing speed can be negative when text is deleted.



Edited Line Locations (inactive durations not shown)

Each edited line block is assigned a color; highlighted bars show the line(s) edited at that time point.



Report generated at https://www.processfeedback.org/ on Dec 11, 2023 1:07:39 PM; Safari 15.4; Mac OS 10.15.7.