











































	C1	C1A	C2	C3	C3A	C3B	C3C	C3D	C3E
U.ROOF FLOOR TO L.ROOF FLOOR C50	 MAIN REINF : 24 T16 LINKS : T10@200mm	 MAIN REINF : 24 T16 LINKS : T10@200mm	– – – – – –	 MAIN REINF : 4 T25 + 18 T20 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 4 T25 + 18 T20 LINKS : T10@200mm
L.ROOF FLOOR TO 4TH FLOOR C50	 MAIN REINF : 24 T16 LINKS : T10@200mm	 MAIN REINF : 24 T16 LINKS : T10@200mm	– – – – – –	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm
4TH FLOOR TO 2nd FLOOR C50	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	– – – – – –	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm
2nd FLOOR TO 1st FLR C50	 MAIN REINF : 30 T20 LINKS : T10@200mm	 MAIN REINF : 30 T20 LINKS : T10@200mm	– – – – – –	 MAIN REINF : 34 T16 LINKS : T10@200mm	 MAIN REINF : 36 T20 LINKS : T10@200mm	 MAIN REINF : 38 T20 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 34 T16 LINKS : T10@200mm
1st FLOOR TO GROUND FLR C50	 MAIN REINF : 30 T20 LINKS : T10@200mm	 MAIN REINF : 30 T20 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 34 T16 LINKS : T10@200mm	 MAIN REINF : 36 T20 LINKS : T10@200mm	 MAIN REINF : 38 T20 LINKS : T10@200mm	 MAIN REINF : 36 T16 LINKS : T10@200mm	 MAIN REINF : 28 T16 LINKS : T10@200mm	 MAIN REINF : 34 T16 LINKS : T10@200mm
GROUND FLR TO FOUNDATION C50	 MAIN REINF : 30 T20 LINKS : T10@200mm	 MAIN REINF : 30 T20 LINKS : T10@200mm	 MAIN REINF : 26 T16 LINKS : T10@200mm	 MAIN REINF : 34 T16 LINKS : T10@200mm	 MAIN REINF : 36 T20 LINKS : T10@200mm	 MAIN REINF : 38 T20 LINKS : T10@200mm	 MAIN REINF : 36 T16 LINKS : T10@200mm	 MAIN REINF : 28 T16 LINKS : T10@200mm	 MAIN REINF : 34 T16 LINKS : T10@200mm
FLOORS / COL.NAME	C1	C1A	C2	C3	C3A	C3B	C3C	C3D	C3E

NOTES :
1. THIS DRAWING MAY NOT BE REPRODUCED BY ANY MEANS WITHOUT PRIOR APPROVAL FROM EMSQUARE
2. DRAWINGS ARE NOT TO BE SCALED,STATED DIMENSIONS ONLY ARE TO BE TAKEN.
3. ANY INCONSISTENCY OR DISCRIPANCY IS TO BE BROUGHT TO THE ATTENTION OF & RESOLVED BY THE ARCHITECT/ENGINEER BEFORE THE WORK IS PUT IN HAND.



TYPICAL COLUMN LINKS ARRANGEMENT

DATE	DESCRIPTION	REV.	BY
13.04.2026	FOR AUTHORITY APPROVAL	00	MS

CONSULTANT :

EMSQUARE ENGINEERING CONSULTANTS
ARCHITECTS-CIVIL ENGINEERS-INTERIORS
P.O. Box 181903, Tel: +971 4 2729209, Fax: +971 4 2729334
Email: emsquare@emirates.net.ae

OWNER :

G F S REAL ESTATE L.L.C

JOB TITLE :

PROPOSED RESIDENTIAL BUILDING (B+G+5+ROOF)

PLOT NO. / PARCEL ID	BLOCK / COMMUNITY
5310319	SAIH SHUAIB 2

DRAWING TITLE :

COLUMN DETAILS 1

ARCHITECT :	STRUCTURAL ENGR. :	DRAWN :
SHAFI	Eng.Vincent	MUFADDAL
SCALE :	**DATE :**	**CHECKED BY :**
1:25	13.04.2026	Eng.Vincent
JOB NO :	**DRAWING NO. :**	**REVISION NO. :**
—	S-04_1	

PRINTED BY :USER-4.-STRUCTURE GFS B+G+5+ROOF R00.DWG -APRIL/13/2026 - 2:52PM)