(1) Create a java program to print your mother and father name, age, salary, phonenumber, address like city state country.

```
Code:
import java.util.Scanner;
public class Sample {
public static void main(String[] args) {
String motherName,fatherName,city,state,country;
int age,salary,phone;
Scanner <u>scanner=new Scanner(System.in);</u>
      System.out.print("Enter Mothers Name : ");
motherName=scanner.nextLine();
System.out.print("Enter Fathers Name : ");
fatherName=scanner.nextLine();
System.out.print("Enter your Age : ");
age=scanner.nextInt();
System.out.print("Enter Your Salary : ");
salary=scanner.nextInt();
             System.out.print("Enter Your phone : ");
phone=scanner.nextInt();
System.out.print("Enter City Name : ");
city=scanner.nextLine();
System.out.print("Enter Your Satate Name : ");
state=scanner.nextLine();
             System.out.print("Enter Your Country Name : ");
country=scanner.nextLine();
System.out.println("Mother's Name is : "+motherName+
"\nFather's Name is : "+fatherName+
"\nAge is : "+age+
"\nSalary is : "+salary+
```

```
"\nPhone number is : "+phone+
"\nCity is : "+city+
"\nState is : "+state+
"\nCountry is : "+country);
     }
}
Output:
Enter Mothers Name : Shashi Devi
Enter Fathers Name : Anjan Ray
Enter your Age : 22
Enter Your Salary : 30000
Enter Your phone: 1232456789
Enter City Name : Ulhasnagar
Enter Your Satate Name : Maharashtra
Enter Your Country Name : India
Mother's Name is : Shashi Devi
Father's Name is : Anjan Ray
Age is : 22
Salary is: 30000
Phone number is: 1232456789
City is : Ulhasnagar
State is : Maharashtra
Country is : India
(2) Write a java program to print the below msg in the given format hello welcome to
edubridge online classes
Code:
public class Assignment2 {
public static void main(String[] args) {
// TODO Auto-generated method stub
System.out.println("Hello");
```

```
System.out.println("Welcome to ");
System.out.println("Edubridge Online Classes");
}
}
Output:
Hello
Welcome to
Edubridge Online Classes
(3) What is default package in java?
Ans: In Java, two packages java. lang package and a no-name package (also called
default package) are imported by default in all the classes of Java.
(4) Scanner class is in which package?
--> Scanner is a class in java. util package.
(5) list the methods of Scanner class.
--> nextDouble() nextFloat() nextInt() nextLine()
(6) list the types of datatypes with size and give an example of each by doing
declaring and initializating the variables.
--> byte -- 1 bytes -- byte b = 127 ;
short -- 2 bytes -- short s = 32000;
int -- 4 bytes -- int age = 25 ;
long -- 8 bytes -- long distance = 19999999999.82888381;
float -- 4 bytes -- float f = 21.43f;
double -- 8 bytes -- double d = 56.8988;
char -- 2 bytes -- char ch = 'A';
 boolean-- 1 bite -- boolean b = true;
```

(7) Write a program to display the names of your 5 friends.

Ans:

```
public class Assignment3 { public static void main(String[] args) {
System.out.println("Here I will display the list of my 5 friend's names: ");
System.out.println("1.Ranjan"); System.out.println("2.Saurabh");
System.out.println("3.Pratiksha"); System.out.println("4.Nikhil");
System.out.println("5.Pushkar"); } }
(8) Write a program to do addition 5 number
Ans:
import java.util.Scanner;
public class Assignment4 { public static void main(String[] args) {
int num1,num2,num3,num4,num5;
Scanner sc = new Scanner(System.in);
System.out.println("Enter first number:"); num1=sc.nextInt();
System.out.println("Enter second number:"); num2=sc.nextInt();
System.out.println("Enter third number:"); num3=sc.nextInt();
System.out.println("Enter fourth number:"); num4=sc.nextInt();
System.out.println("Enter fifth number:"); num5=sc.nextInt(); int add =
num1+num2+num3+num4+num5; System.out.println("The sum of this 5 numbers is: " + add);
} }
(9) Write a program to display your, father and mother name.
Ans:
public class Assignment5 { public static void main(String[] args) {
System.out.println("My fathers name is: Dnyaneshwar");
System.out.println("My mothers name is: Vanita"); } }
(10) write a program to display your name in short like
yourname.fathernamefirstletter.sirnamefirstletter
(11) Explain the public static void main(String[] args) in detail.
Ans:
Public:- it is an access specifier that means it will be accessed by publically.
Static:- it is access modifier that means when the java program is load then it will
create the space in memory automatically.
Void: - it is a return type that is it does not return any value.
```

```
main():- it is a method or a function name.
(12) Write a program to display names of days by using commandLine arguments.
Ans: // Write a program to display names of days by using commandLine arguments.
package basics;
import java.util.Scanner;
public class Assignment6 { public static void main(String[] args) { String
s1,s2,s3,s4,s5,s6,s7;
Scanner sc = new Scanner(System.in);
System.out.println("Enter the first day: ");
 s1 = sc.nextLine();
System.out.println("Enter the second day: ");
s2 = sc.nextLine();
System.out.println("Enter the third day: ");
 s3 = sc.nextLine();
System.out.println("Enter the fourth day: ");
 s4 = sc.nextLine();
System.out.println("Enter the fifth day: ");
s5 = sc.nextLine();
System.out.println("Enter the sixth day: ");
s6 = sc.nextLine();
System.out.println("Enter the seventh day: ");
s7 = sc.nextLine();
System.out.println("The days you have entered: ");
System.out.println(s1);
System.out.println(s2);
System.out.println(s3);
System.out.println(s4);
System.out.println(s5);
System.out.println(s6);
System.out.println(s7); } }
```

(13) What are the rules of naming the java file.

<u>Ans:</u> Class names should be nouns, in mixed cases with the first letter of each internal word capitalized. Interfaces names should also be capitalized just like class names. Use whole words and must avoid acronyms and abbreviations.

(14) what are the rules of naming the class

<u>Ans:</u> Class names should be nouns, in mixed case with the first letter of each internal word capitalized.

(15) what are the rules for naming the methods

Methods should be verbs, in mixed case with the first letter lowercase, with the first letter of each internal word capitalized.

(16) what are the rules for naming variables in java

<u>Ans:</u> What are rules for naming variables? A variable name must start with a letter or an underscore character (\_). A variable name cannot start with a digit. A variable name can only contain alpha-numeric characters and underscores ( a-z, A-Z , 0-9 , and \_ ). Variable names are case-sensitive (age, Age and AGE are three different variables)

(17) which is the main entry point of java program

Ans: The main() method is the entry point of every java program.

(18) who is invoking the main method of java

Ans: Jvm starts main thread to call main method.

(19) why main has to be static method

<u>Ans:</u> The main() method is static so that JVM can invoke it without instantiating the class.