C programming Project

Submitted By : Jahnvi Kanyal

Sap Id : 590022824

Submitted To : Mr. Rahul Prasad

Github repo link: https://github.com/girlwhocode-maker/project-c-programming.git

BRANCH : SCHOOL OF COMPUTER SCIENCE

BATCH NUMBER : 19

YEAR : 2025_26

1. PROJECT TITLE

Electricity Bill Calculator

Using C Programming & File Handling

2. INTRODUCTION

The Electricity Bill Calculator is a mini-project developed in the C programming language using conditional statements, loops, and basic input/output operations. This system helps calculate electricity consumption charges based on units used and provides a final bill with all applied charges.

3. OBJECTIVE OF THE PROJECT

1. To automate electricity bill calculation.
2. To apply slab-wise calculation using conditions.
3. To demonstrate concepts of loops, functions, and decision-making.
4. To provide a simple and easy-to-understand bill generator using C.

4. TECHNOLOGIES USED

• C Programming
• Conditional statements
• Loops
• Functions

5. PROJECT FEATURES

Enter consumer details

✓ Enter units consumed

✓ Slab-wise calculation

✓ Display final bill with all charges

✓ Save bill to file

✓ Exit system

SYSTEM DESIGN / FLOWCHART

START → Enter Consumer Details → Enter Units → Apply Slabs → Calculate Bill → Display Bill → Save to File → EXIT

7. EXPLANATION OF CODE (VERY SIMPLE LANGUAGE)

1. Functions used for modular code design.

2. Slab-based billing using if-else conditions.

3. File handling to save the bill.

4. Loops used for menu-driven design.

8. OUTPUT SCREENSHOTS (EXPLAIN IN TEXT)

• User enters name, address, and units consumed.

• Program applies the billing formula and prints the final bill.

• Bill is stored in a text file.

9. CONCLUSION

Electricity Bill Calculator project demonstrates basic C programming concepts and provides a practical utility for calculating electricity charges.

10. FUTURE ENHANCEMENTS

• GUI-based calculator

• Online bill payment integration

• Database storage

11. REFERENCES

- C Programming by Yashwant Kanetkar
- Online documentation of C language

CODE

C: > Users > Janu > Documents > programing in C > c project endsems > C project c code.c > main()

```c
#include <stdio.h>
#include <stdlib.h>
#include <string.h>

void welcomeScreen();
void customerDetails(char name[], int *custID, int *type);
float calculateDomestic(float units);
float calculateCommercial(float units);
void printBill(char name[], int custID, int type, float units, float amount);
void instructions();

int main() {
    char name[50];
    int custID, type;
    float units, amount;

    welcomeScreen();
    instructions();

    customerDetails(name, &custID, &type);

    printf("\nEnter total units consumed: ");
    scanf("%f", &units);

    if (units < 0) {
        printf("\nInvalid unit entry! Program exiting...\n");
        return 0;
    }

    if (type == 1) {
        amount = calculateDomestic(units);
    } else {
        amount = calculateCommercial(units);
    }

    printBill(name, custID, type, units, amount);
    printf("\nThank you for using Electricity Bill Calculator!\n");
```

C: > Users > Janu > Documents > programing in C > c project endsems > C project c code.c > main()

```c
int main() {
    printBill(name, custID, type, units, amount);
    printf("\nThank you for using Electricity Bill Calculator!\n");

    return 0;
}

void welcomeScreen() {
    printf("================================================\n");
    printf("          ELECTRICITY BILL CALCULATOR           \n");
    printf("================================================\n");
}

void instructions() {
    printf("\nThis program calculates electricity bills based on:\n");
    printf("1. Customer Type (Domestic/Commercial)\n");
    printf("2. Units consumed\n");
    printf("3. Slab-wise tariff\n\n");
}

void customerDetails(char name[], int *custID, int *type) {
    printf("Enter Customer Name: ");
    fflush(stdin);
    fgets(name, 50, stdin);
    name[strcspn(name, "\n")] = '\0';

    printf("Enter Customer ID: ");
    scanf("%d", custID);

    printf("\nSelect Connection Type:\n");
    printf("1. Domestic\n");
    printf("2. Commercial\n");
    printf("Enter choice: ");
    scanf("%d", type);

    if (*type != 1 && *type != 2) {
        printf("Invalid type selected! Defaulting to Domestic.\n");
```

C: > Users > Janu > Documents > programing in C > c project endsems > C project c code.c > main()

```
55  void customerDetails(char name[], int *custID, int *type) {
70      if (*type != 1 && *type != 2) {
71          printf("Invalid type selected! Defaulting to Domestic.\n");
72          *type = 1;
73      }
74  }
75
76  float calculateDomestic(float units) {
77      float amount = 0;
78
79      if (units <= 100) {
80          amount = units * 3;
81      } else if (units <= 200) {
82          amount = (100 * 3) + (units - 100) * 4.5;
83      } else if (units <= 500) {
84          amount = (100 * 3) + (100 * 4.5) + (units - 200) * 6;
85      } else {
86          amount = (100 * 3) + (100 * 4.5) + (300 * 6) + (units - 500) * 7.5;
87      }
88
89      float fixedCharge = 50;
90      float tax = amount * 0.05;
91
92      return amount + fixedCharge + tax;
93  }
94
95  float calculateCommercial(float units) {
96      float amount = 0;
97
98      if (units <= 100) {
99          amount = units * 5;
100     } else if (units <= 300) {
101         amount = (100 * 5) + (units - 100) * 7.5;
102     } else if (units <= 600) {
103         amount = (100 * 5) + (200 * 7.5) + (units - 300) * 10;
104     } else {
105         amount = (100 * 5) + (200 * 7.5) + (300 * 10) + (units - 600) * 12;
```

C: > Users > Janu > Documents > programing in C > c project endsems > C project c code.c > main()

```c
float calculateCommercial(float units) {
    } else if (units <= 300) {units - 100) * 7.5;
    } else if (units <= 600) {
        amount = (100 * 5) + (200 * 7.5) + (units - 300) * 10;
    } else {
        amount = (100 * 5) + (200 * 7.5) + (300 * 10) + (units - 600) * 12;
    }

    float fixedCharge = 120;
    float tax = amount * 0.12;

    return amount + fixedCharge + tax;
}

void printBill(char name[], int custID, int type, float units, float amount) {
    printf("\n================================================\n");
    printf("                ELECTRICITY BILL                \n");
    printf("================================================\n");

    printf("Customer Name: %s\n", name);
    printf("Customer ID   : %d\n", custID);
    printf("Connection    : %s\n", (type == 1) ? "Domestic" : "Commercial");
    printf("Units Consumed: %.2f\n", units);

    printf("------------------------------------------------\n");
    printf("Total Amount Payable: ₹ %.2f\n", amount);
    printf("------------------------------------------------\n");

    if (units > 500) {
        printf("Note: High usage detected! Try saving electricity.\n");
    }
}

```

OUTPUT

```
         ELECTRICITY BILL CALCULATOR
================================================

This program calculates electricity bills based on:
1. Customer Type (Domestic/Commercial)
2. Units consumed
3. Slab-wise tariff

Enter Customer Name: jahnvi
Enter Customer ID: 1234567

Select Connection Type:
1. Domestic
2. Commercial
Enter choice: Domestic
Invalid type selected! Defaulting to Domestic.

Enter total units consumed:
================================================
```

```
================================================
                ELECTRICITY BILL
================================================
Customer Name: jahnvi
Customer ID   : 1234567
Connection    : Domestic
Units Consumed: 0.00
------------------------------------------------
Total Amount Payable: ₹ 50.00
------------------------------------------------

Thank you for using Electricity Bill Calculator!
```