
```
Would you like to install a starter kit? [No starter kit]:
          ] No starter kit
 none
          ] Laravel Breeze
 [breeze
 [jetstream] Laravel Jetstream
> none
Which testing framework do you prefer? [Pest]:
 [0] Pest
 [1] PHPUnit
Would you like to initialize a Git repository? (yes/no) [no]:
> yes
Which database will your application use? [SQLite]:
 [sqlite ] SQLite
[mysql ] MySQL
 [mariadb] MariaDB
 [pgsql ] PostgreSQL
 [sqlsrv ] SQL Server (Missing PDO extension)
> sqlite
```


#### LARAVEL INSTALLATION

```
Last login: Fri Sep 6 23:49:03 on ttys000
[gianrussellvillegas@Gians-MacBook-Air ~ % brew install composer ==> Auto-updating Homebrew...
Adjust how often this is run with HOMEBREW_AUTO_UPDATE_SECS or disable with HOMEBREW_NO_AUTO_UPDATE. Hide these hints with HOMEBREW_NO_ENV_HINTS (see `man b rew`).
```


### **COMPOSER INSTALL**



# **CREATE NEW LARAVEL PROJECT**



LARAVEL HERD ON MAC OS



#### **GIT REPOSITORY**



**RESOURCES/ VIEWS/PHP** 

```
routes) ** web_php

??php

3 use Illuminate\Support\Facades\Route;

4 Route:jget('/', function () {

5 | return visw('welcome');

7 );

8 Route:jget('/home', function () {

7 | return visw('home');

13 | Route:jget('/about', function () {

8 | return visw('about');

15 | );

16 | Route:jget('/content', function () {


17 | Route:jget('/content');

18 | return visw('content');

19 | );

20 | Initial Spaces 4 UTF-8 LF PHP Q
```


## **ROUTES FOR EACH BLADE.PHP FILES**




php artisan serve - to run the laravel project



THE HOME PAGE



THE ABOUT PAGE



THE CONTENT PAGE