



MODULE 1.2 ASSIGNMENT: GITHUB REPOSITORY SETUP

**ELVIA GISELLA ADAIR
STUDENT**

**LATONYA LEWIS
PROFESSOR**


MAY 10, 2026

Assignment:

Follow the directions below:

- For this assignment, you are to ensure you have Java and NetBeans correctly installed and configured.
- Then you must correctly install and configure MySQL 5.
- The following code example is to be used to test your setup.
- Code Example for Testing Setup (Zip File) [Click for more options](#).
- Your database name is to be "databasedb", user ID "student1", and the password for this account will be "pass".
- Lastly, you must configure the database to allow a Java connection.
- Capture and submit images in a single document of your running of the test application to show you were successful with the installation and configuration.

1. Screenshot Java correctly installed






```
MINGW64:/c/Users/gisel
gisel@Gisella-Adair MINGW64 ~ (master)
$ java --version
java 25.0.1 2025-10-21 LTS
Java(TM) SE Runtime Environment (build 25.0.1+8-LTS-27)
Java HotSpot(TM) 64-Bit Server VM (build 25.0.1+8-LTS-27, mixed mode, sharing)

gisel@Gisella-Adair MINGW64 ~ (master)
$ javac --version
javac 25.0.1

gisel@Gisella-Adair MINGW64 ~ (master)
$ |
```

2. Screenshot Netbeans correctly installed





3. MYSQL correctly installed

```
MINGW64:/c/Users/gisel

gisel@Gisella-Adair MINGW64 ~ (master)
$ mysql -u root -p
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 11
Server version: 8.0.44 MySQL Community Server - GPL

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql>
```

SQL File 4

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

1 CREATE DATABASE databasedb;

2

3 CREATE USER 'student1'@'localhost' IDENTIFIED BY 'pass';

4

5 GRANT ALL PRIVILEGES ON databasedb.* TO 'student1'@'localhost';

6


7 FLUSH PRIVILEGES;

Output


Action Output

#	Time	Action	Message	Duration / Fetch
1	23:35:37	CREATE DATABASE databasedb	1 row(s) affected	0.047 sec
2	23:35:37	CREATE USER 'student1'@'localhost' IDENTIFIED BY 'pass'	0 row(s) affected	0.046 sec
3	23:35:37	GRANT ALL PRIVILEGES ON databasedb.* TO 'student1'@'localhost'	0 row(s) affected	0.016 sec
4	23:35:37	FLUSH PRIVILEGES	0 row(s) affected	0.000 sec


4. Enable Java (JDBC) Connection



5. Successfully log in Student1 Connection



6. Commands_User zip database as a student1



```
MINGW64:/c/Users/gisel
gisel@Gisella-Adair MINGW64 ~ (master)
$ mysql -u student1 -p
Enter password: ****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 20
Server version: 8.0.44 MySQL Community Server - GPL

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> SELECT CURRENT_USER();
+-----+
| CURRENT_USER() |
+-----+
| student1@localhost |
+-----+
1 row in set (0.00 sec)

mysql> |
```