AI Practitioner

Confident, governed, peer-multiplying AI adoption

Copilot fluency, responsible use, and adoption that spreads to peers.

78	24	13	TBC
hours	live sessions of 3 hrs	weeks · 2 sessions a week	start date to be confirmed

STAGE 1 · 10 HRS

Understand

Instructor-led foundation · 3 sessions + 1 hr self-paced

Demystify: AI predicts; I direct it and I check it

STAGE 2 · 31 HRS

Practice

Live expert-led practical learning · 10 sessions + 1 hr clinic

Experiment: Iterate, structure, reuse

STAGE 3 · 28 HRS

Apply

Mentor-led workplace application · 8 sessions + 4 hrs independent

Redesign: AI changes how my workflow runs

STAGE 4 · 9 HRS

Prove

Capstone mentoring · 3 sessions

Champion: I can prove it and spread it

By the end, every learner can

1. **Explain the machine.** How Copilot produces an output, and why instructions change it.
2. **Build reusable patterns.** Prompt templates that hold up in daily work, not just in a demo.
3. **Judge the fit.** Which tasks suit AI, which do not, and why.
4. **Work inside the boundary.** Governance rules on permitted data and external tools.
5. **Carry the room.** Make the case to peers and managers, and defend it.

AUDIENCE	PRIMARY TOOL	UNIT OF VALUE	MULTIPLIER	RISK LENS
Adjacent to technology, not inside it	Copilot Chat with file upload; no M365 integration	An adopted workflow others can copy	Peers. The learner spreads the practice	Responsible AI and permitted data boundaries

AI PRACTITIONER · THE MINDSET SHIFT

Woven through every session

STAGE	SHIFT	FROM	TO
Understand	**Demystify**	AI is magic, or a threat	AI predicts; I direct it and I check it
Practice	**Experiment**	One prompt, take what comes	Iterate, structure, reuse
Apply	**Redesign**	AI helps me with a task	AI changes how my workflow runs
Prove	**Champion**	It works for me	I can prove it and spread it

Every live session: Spark → Build → Reflect

Spark (10–15 min): a real GenAI use case from one OSBI function. **Build**: hands-on work through the learner's own function. **Reflect** (~10 min): two or three prompts and one thing to do differently.

Mindset pulse

Self-rated 1–5 at S3, the guidance clinic, S21, S24.

1. I know what AI can and cannot do in my role.
2. I check AI output before I use it.
3. I reach for AI first on drafting and summarising tasks.
4. I can name a workflow in my team that AI could improve.
5. I have helped a colleague use AI well.

Who does what

ROLE	UNDERSTAND	PRACTICE	APPLY	PROVE
Instructor 10 hrs · 3 sessions	Leads	·	·	·
Expert trainer 31 hrs · 10 sessions	·	Leads	·	·
Mentor 33 hrs · 11 sessions	·	·	Leads	Leads
Reporting manager OSBI role	·	·	Validates	Supports
Panel One review, pending confirmation	·	·	·	Challenges
The learner Throughout	Builds	Practises	Owns	Defends

Scope and pending confirmations

- Not developer training; no agent building
- No certification or accreditation offered or implied
- Panel review and five-minute defence are proposed, pending approval
- Learners use permitted workplace data or safe mock data, subject to OSBI governance
- One-week holiday pause; its position depends on the confirmed start date

AI PRACTITIONER · AT A GLANCE

The flow, session by session

WHEN		SESSION	HRS	SPARK	LEARNER PRODUCES
Wk 1 · Day 1	S1	How generative AI works	3	Operations	Working vocabulary and a first set of tested prompts
Wk 1 · Day 2	S2	Why instructions change the output	3	HR	A before-and-after prompt comparison
Wk 2 · Day 1	S3	Responsible and governed AI use	3	Risk	Completed diagnostic and a personal do and do-not list
Wk 2 · Self-directed	·	*Self-paced foundation*	*1*	—	*Consolidated notes carried into Session 4*
Wk 2 · Day 2	S4	Copilot in daily work	3	Lending	Three working prompts used on permitted work tasks
Wk 3 · Day 1	S5	Meeting and communication workflows	3	Savings	A tested meeting and follow-up workflow
Wk 3 · Day 2	S6	Prompt patterns and structure	3	Finance	A set of structured prompt patterns
Wk 4 · Day 1	S7	Building reusable templates	3	Quality	A personal prompt template set
Wk 4 · Day 2	S8	Research and long-document handling	3	Procurement	Two tested research workflows
Wk 5 · Day 1	S9	Analysis and reporting workflows	3	Customer Insights	One tested reporting workflow
Wk 5 · Day 2	S10	Rebuilding a business task, part 1	3	Accounts	A mapped task and its redesign
Wk 6 · Day 1	S11	Rebuilding a business task, part 2	3	Audit	A working redesigned task, before and after
Wk 6 · Day 2	S12	Peer practice and prompt review clinic	3	Learning	Peer-reviewed and improved prompts
Wk 7 · Day 1	S13	Failure modes, verification and correction	3	Operations	A personal verification checklist
Wk 7 · Day 2	·	*Guidance clinic*	*1*	—	*Blockers cleared before the applied stage*
Wk 8 · Day 1	S14	Use case discovery	3	HR	Three candidate use cases, sized
Wk 8 · Day 2	S15	Manager conversation and selection	3	Finance	A selected use case, validated by the manager
Wk 9 · Day 1	S16	Designing the workflow	3	Savings	A workflow design
Wk 9 · Day 2	S17	Building the workflow	3	Procurement	A working AI-assisted workflow
Wk 10 · Day 1	S18	Establishing the baseline	3	Accounts	A documented baseline
Wk 10 · Day 2	S19	Measuring the improvement	3	Quality	A before-and-after comparison with numbers
Wk 11 · Day 1	S20	Adoption plan	3	Learning	A one-page adoption plan

WHEN		SESSION	HRS	SPARK	LEARNER PRODUCES
Wk 11 · Day 2	S21	Risk and mitigation	3	Risk	A named risk with its mitigation
Wk 11 · Self-directed	·	*Independent application*	*4*	—	*Progress artifacts across the stage*
Wk 12 · Day 1	S22	Assembling the case	3	Customer Insights	A complete workplace AI adoption case
Wk 12 · Day 2	S23	Capstone review	3	Audit	A reviewed and corrected case
Wk 13 · Day 1	S24	Rehearsal and defense preparation	3	Lending	A rehearsed, defensible case

Concept, use case, how to, reflect

S1 How generative AI works

Week 1 · Day 1 · 3 hrs · Live session · Instructor · Stage 1 Understand

Copilot predicts the next likely words from patterns and the context you give it. It does not look things up or know your work. You direct it and check it.

COVERS

What a model is, and what tokens, context and limits mean in practice. How Copilot produces an answer. First guided prompts.

PRODUCES

Working vocabulary and a first set of tested prompts

FLOW

- **Segment 1 · 90 min · Spark + Build.** What a model, tokens and context are, shown through the exception log demo
- **Segment 2 · 90 min · Build + Reflect.** First guided prompts on mock material from each learner's function; spotting limits

BUILD

Each learner runs three guided prompts on a mock document from their own function and notes where the output helped or slipped.

HOW TO

1. Open Copilot Chat and paste a short mock or anonymised document.
2. Ask for a five-bullet summary for a named reader.
3. Remove half the text and ask again; compare the answers.
4. Mark anything the output states that the source does not contain.

SPARK · OPERATIONS

Exception log to structured summary

A servicing team ends the day with a long, inconsistent exception log that the next shift must understand quickly.

Input: A mock exception log with case references replaced by placeholders, pasted as text.

AI produces: Groups exceptions by type, lists open items and suggested next steps in a short structured summary.

Human check: The team member checks counts, categories and open items against the log before handover.

Measure: Minutes to produce the handover summary; exceptions missed or miscounted.

Boundary: Mock or anonymised logs only; no customer details pasted. AI summarises; people decide actions.

REFLECT

- What surprised you about how Copilot produces an answer?
- Where did the output sound confident but go beyond the source?
- Which word now describes AI better for you: magic, threat, or predictor?

S2 Why instructions change the output

Week 1 · Day 2 · 3 hrs · Live session · Instructor · Stage 1 Understand

The output is only as good as the instruction. Role, context, audience and format turn a generic answer into one you can use.

COVERS

Instruction quality, role and context framing, and the difference between a vague ask and a precise one. Live comparison exercises.

PRODUCES

A before-and-after prompt comparison

FLOW

- **Segment 1 · 90 min · Spark + Build.** Vague versus precise asks; adding role, context, audience and format one at a time
- **Segment 2 · 90 min · Build + Reflect.** Live comparison exercises on a task from each learner's own function

BUILD

Learners write a vague and a precise prompt for one task in their function, run both, and record what changed.

HOW TO

1. Write the task as you would say it aloud in one line.
2. Add who Copilot should act as and who will read it.
3. Add the context, the constraints and the format you want back.
4. Run both versions and note three differences side by side.

SPARK · HR

Vague versus precise job description prompt

HR needs a first draft job description for an operations analyst role and tries a one-line prompt first.

Input: A mock role brief: responsibilities, required skills, team context and house style notes.

AI produces: Produces two drafts, one from a vague prompt and one from a precise prompt, for side-by-side comparison.

Human check: HR checks accuracy, inclusive language and policy fit before any draft is used.

Measure: Edits needed per draft to reach a usable job description.

Boundary: Mock role brief only. AI drafts content; it does not screen, rank or select candidates.

REFLECT

- Which single addition to your prompt changed the output most?
- When output disappoints, do you now blame the tool or the instruction?
- What will you add to every prompt from tomorrow?

S3 Responsible and governed AI use

Week 2 · Day 1 · 3 hrs · Live session · Instructor · Stage 1 Understand

Safe use is part of the skill. Know which data is permitted, where output fails, and how to verify it before anyone relies on it.

COVERS

Data privacy, permitted work data, and external tool boundaries. Where output fails and how to verify it. Readiness diagnostic.

PRODUCES

Completed diagnostic and a personal do and do-not list

FLOW

- **Segment 1 · 90 min · Spark + Build.** Permitted work data, external tool boundaries, UK GDPR and Consumer Duty in practice
- **Segment 2 · 90 min · Build + Reflect.** Verification techniques, the readiness diagnostic and personal do and do-not lists

BUILD

Learners sort sample work items from their function into permitted, anonymise-first and never, then draft their personal do and do-not list.

HOW TO

1. Before pasting, ask: is this customer-identifiable, confidential or unapproved?
2. Replace names, account numbers and addresses with neutral placeholders.

SPARK · RISK

Verifying a risk register summary

Risk needs a short summary of register movements for a committee pack, and the draft must be accurate.

Input: A mock risk register extract with risks, ratings, owners and control status, uploaded as a file.

AI produces: Summarises key movements and high-rated risks, citing the register row behind each statement.

Human check: The risk analyst verifies every rating, owner and movement against the register before use.

Measure: Errors found per summary; minutes to verify the draft.

Boundary: Mock or approved data only; no confidential register uploaded without approval. Ratings stay human judgements.

3. Ask Copilot to quote the source line behind each key claim.
4. Check every figure, name and date against the original yourself.

REFLECT

- Complete the mindset pulse: where do you stand on checking AI output?
- Which item on your do-not list would you most likely have missed?
- Who is accountable when AI output is wrong: the tool or you?

· Self-paced foundation

Week 2 · Self-directed · 1 hr · Self-paced · Learner, self-directed · Stage 1 Understand

Consolidate the foundation at your own pace: how generative AI works, why instructions matter, and why governance shapes every use.

COVERS

Curated external reading and short videos on generative AI fundamentals, completed after Session 3, before Stage 2 begins.

PRODUCES

Consolidated notes carried into Session 4

FLOW

- **Self-paced · 60 min.** Curated reading and short videos on generative AI fundamentals, completed before Session 4

HOW TO

1. Work through the curated reading and videos in the order given.
2. Note one idea that confirms and one that challenges your view.
3. Write three questions about using AI in your own role.
4. Bring your consolidated notes to Session 4.

REFLECT

- What do you now understand about AI that you did not three sessions ago?
- Which fear or assumption about AI has shifted, and why?

S4 Copilot in daily work

Week 2 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Copilot becomes useful when you bring it real, permitted tasks from your own role, try it, and judge the result honestly.

COVERS

Live demonstration, then learner practice on document and email tasks taken from their own role.

PRODUCES

Three working prompts used on permitted work tasks

FLOW

- **Segment 1 · 90 min · Spark + Build.** Trainer demonstration on document and email tasks drawn from learners' roles
- **Segment 2 · 90 min · Build + Reflect.** Learner practice on three permitted tasks; trainer observes and corrects

BUILD

Each learner picks three recurring document or email tasks from their role and builds a working prompt for each on permitted material.

HOW TO

1. List three tasks you repeat weekly that involve drafting or summarising.
2. Prepare a permitted or mock version of the input for each.
3. Run a first prompt, then refine it at least twice.
4. Save the version that needed the least editing.

SPARK · LENDING

Structuring a credit memo draft

An underwriting support colleague turns scattered case notes into the standard credit memo structure before underwriter review.

Input: Mock case notes and the blank credit memo section headings, pasted as text.

AI produces: Arranges the notes under each memo heading, flags missing information and lists questions for the underwriter.

Human check: The underwriter reviews the structured draft and makes every credit judgement and decision.

Measure: Minutes to structure the memo draft; gaps flagged versus found later.

Boundary: Mock notes only; no customer-identifiable data. AI structures text and never recommends or makes credit decisions.

REFLECT

- How many attempts did your best prompt take, and what changed each time?
- Which task surprised you by working well, or by not working?
- What would you try differently if you started again?

S5 Meeting and communication workflows

Week 3 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Notes, summaries and follow-ups can be drafted from pasted or exported meeting notes. Copilot here does not join or record meetings.

COVERS

Notes, summaries, follow-ups, and drafting responses that hold up without heavy editing.

PRODUCES

A tested meeting and follow-up workflow

FLOW

- **Segment 1 · 90 min · Spark + Build.** From pasted notes to summary, decisions and actions; what Copilot Chat can and cannot see
- **Segment 2 · 90 min · Build + Reflect.** Drafting follow-ups and responses that hold up without heavy editing

BUILD

Learners take mock or anonymised meeting notes from their function and build a tested summary-and-follow-up workflow.

HOW TO

1. Paste or upload your own typed or exported meeting notes.
2. Ask for decisions, actions with owners, and open questions separately.
3. Ask for a follow-up message in your team's usual tone.
4. Check every action and owner against your notes before sending.

SPARK · SAVINGS

Meeting notes to actions and follow-up

After a savings product meeting, a colleague must circulate decisions, actions and a follow-up message the same day.

Input: Typed or exported mock meeting notes, pasted as text. Copilot Chat does not join or record meetings.

AI produces: Drafts a summary of decisions, an action list with owners and dates, and a short follow-up message.

Human check: The note-taker confirms decisions, owners and dates with the notes before sending the follow-up.

Measure: Minutes from meeting end to follow-up sent; edits made before sending.

Boundary: Pasted or exported notes only; no Teams or Outlook integration. No customer data in notes.

REFLECT

- How much editing did the follow-up need, and why?
- What did you add to your prompt to reduce that editing?
- Where would you not trust a summary without rereading the notes?

S6 Prompt patterns and structure

Week 3 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Structured prompts give predictable results. Role, context, constraints and an explicit output format are patterns you can repeat on purpose.

COVERS

Role framing, context, constraints, and controlling the output format.

PRODUCES

A set of structured prompt patterns

FLOW

- **Segment 1 · 90 min · Spark + Build.** The four building blocks: role, context, constraints, output format
- **Segment 2 · 90 min · Build + Reflect.** Building and testing structured patterns on learners' own tasks

BUILD

Learners rebuild one of their S4 prompts into a structured pattern and test whether it gives consistent output across two inputs.

HOW TO

1. Label four sections: Role, Context, Constraints, Output format.
2. State the format exactly: table columns, bullet count or word limit.
3. Add what to leave out, such as speculation or unstated figures.
4. Run the same pattern on two different inputs and compare.

SPARK · FINANCE

Structured variance commentary

Finance writes monthly variance commentary on an MIS table and wants consistent format and tone each month.

Input: A mock MIS variance table with actuals, budget and variances, pasted as text.

AI produces: Drafts variance commentary in a fixed format: line item, variance, likely driver to confirm, and follow-up question.

Human check: The finance analyst confirms every figure and replaces suggested drivers with confirmed explanations.

Measure: Minutes to first-draft commentary; edits needed to reach review standard.

Boundary: Mock or approved figures only. AI drafts wording; drivers and figures are confirmed by finance.

REFLECT

- Did structure make the output more consistent across inputs?
- Which constraint saved you the most editing?
- Which pattern would you reuse tomorrow without changing it?

S7 Building reusable templates

Week 4 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

A prompt that works once is personal; a template with clear placeholders and instructions is something the whole team can reuse.

COVERS

Turning working prompts into templates the wider team can pick up and reuse.

PRODUCES

A personal prompt template set

FLOW

- **Segment 1 · 90 min · Spark + Build.** What makes a prompt reusable: placeholders, instructions, examples and limits
- **Segment 2 · 90 min · Build + Reflect.** Turning working prompts into a personal template set and testing it with a peer

BUILD

Learners convert their best working prompts into templates with placeholders and usage notes, then a peer tests one cold.

HOW TO

1. Replace task-specific details with bracketed placeholders, such as [period].
2. Add a one-line note on when to use and not use it.

SPARK · QUALITY

Reusable QC summary template

Quality analysts each summarise sampling results differently; the team wants one template everyone can reuse.

Input: Mock quality-check sampling results and a working prompt from one analyst.

AI produces: Produces a consistent summary of sample size, pass rate, error themes and suggested SOP points to review.

Human check: The quality analyst checks rates and themes against sampling records before the summary is shared.

Measure: Minutes per summary; variation in format between analysts.

Boundary: Mock or anonymised sampling data only. AI summarises; quality judgements stay with analysts.

3. Include the required checks the user must do on the output.
4. Ask a peer to run it without help and note confusion.

REFLECT

- What did your peer misunderstand in your template?
- Which of your prompts is ready for someone else to use?
- How does writing for others change how you write prompts?

S8 Research and long-document handling

Week 4 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Copilot can extract, compare and summarise across long or messy documents, provided you set the questions and check against the source.

COVERS

Extraction, comparison, and summarization across long or messy source material.

PRODUCES

Two tested research workflows

FLOW

- **Segment 1 · 90 min · Spark + Build.** Extraction and comparison techniques; working within upload and length limits
- **Segment 2 · 90 min · Build + Reflect.** Building two research workflows on long permitted documents from learners' functions

BUILD

Learners build two research workflows, one extraction and one comparison, on long permitted or mock documents from their function.

HOW TO

1. Upload the documents, or paste long text in labelled sections.
2. Give a fixed list of questions or criteria to extract against.
3. Ask for a table with a source reference per cell.
4. Spot-check at least three cells against the original document.

SPARK · PROCUREMENT

Comparing long vendor responses

Procurement must compare three lengthy RFP responses against a requirement list before a shortlist discussion.

Input: Three mock vendor responses and a requirement list, uploaded as files.

AI produces: Extracts each vendor's response per requirement into a comparison table with section references and gaps flagged.

Human check: The procurement lead verifies key cells against source documents; the evaluation panel makes the selection.

Measure: Minutes to build the comparison table; cells found incorrect on spot-check.

Boundary: Mock or approved documents only. AI extracts and compares; it does not score or select vendors.

REFLECT

- Where did the extraction miss or merge information?
- How did giving fixed criteria change the quality of the comparison?
- Which long-document task will you test again this week?

S9 Analysis and reporting workflows

Week 5 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Notes and data become useful when turned into structured output: tables, comparisons and action lists someone can act on.

COVERS

Turning notes and data into structured output. Tables, comparisons, and action lists.

PRODUCES

One tested reporting workflow

FLOW

- **Segment 1 · 90 min · Spark + Build.** From unstructured notes and data to tables, comparisons and action lists
- **Segment 2 · 90 min · Build + Reflect.** Building and testing one reporting workflow in each learner's function

BUILD

Learners build one reporting workflow that turns their function's notes or data into a structured table and action list.

HOW TO

1. Paste anonymised notes or data with a short description of each column.
2. Specify the table structure and the order of rows.
3. Ask for actions only where the data supports them.
4. Recount at least one figure or theme by hand.

SPARK · CUSTOMER INSIGHTS

Survey comments to theme report

Customer Insights receives hundreds of free-text survey comments and must report themes and actions to stakeholders.

Input: Mock or anonymised survey comments with no customer identifiers, pasted or uploaded.

AI produces: Groups comments into themes with approximate counts, example quotes and suggested actions in a table.

Human check: The insights analyst checks theme counts and quotes, and owns the conclusions shared.

Measure: Minutes to produce the theme table; themes merged or missed on review.

Boundary: Anonymised or mock comments only; strip names and account details before pasting.

REFLECT

- Did the structure reveal anything the raw notes hid?
- Which part of the report still needs your judgement?
- How would you improve the prompt for next month's run?

S10 Rebuilding a business task, part 1

Week 5 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Redesigning a task means mapping every step first, then deciding which steps AI drafts, which a human does, and where checks sit.

COVERS

Mapping a full task from the learner's role and designing the AI-assisted version of it.

PRODUCES

A mapped task and its redesign

FLOW

- **Segment 1 · 90 min · Spark + Build.** Mapping a full task: inputs, steps, handoffs, checks and outputs
- **Segment 2 · 90 min · Build + Reflect.** Designing the AI-assisted version with human review points marked

BUILD

Learners map one full task from their role and design its AI-assisted version, marking AI steps, human steps and checkpoints.

HOW TO

1. List every step of the task today, including handoffs and checks.
2. Mark each step: AI drafts, human does, or human checks.
3. Write the prompt or template for each AI step.
4. Confirm every AI output passes a named human check.

SPARK · ACCOUNTS

Mapping the reconciliation note task

At month-end, accounts colleagues write reconciliation notes explaining breaks; the task is mapped before redesign.

Input: A mock reconciliation summary with breaks and the current step-by-step process, pasted as text.

AI produces: Helps list process steps and drafts a reconciliation note explaining each break from the supplied facts.

Human check: The accountant confirms every break explanation and figure before the note is filed.

Measure: Minutes per reconciliation note; steps removed or merged in the redesign.

Boundary: Mock or approved figures only. AI drafts narrative; reconciliation and sign-off stay human.

REFLECT

- Which step did you assume AI could do but decided it should not?

- Where did mapping reveal waste you had not noticed?
- How many separate prompts did one task really need?

S11 Rebuilding a business task, part 2

Week 6 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

A redesign is only real once it runs end to end on realistic input and you can show the before and after.

COVERS

Building and testing the redesigned task end to end with the trainer.

PRODUCES

A working redesigned task, before and after

FLOW

- **Segment 1 · 90 min · Spark + Build.** Running the redesigned task end to end with the trainer
- **Segment 2 · 90 min · Build + Reflect.** Fixing weak steps and documenting the before and after

BUILD

Learners run their S10 redesign end to end on permitted or mock input, fix weak steps, and document the before and after.

HOW TO

1. Run each AI step in order, passing outputs forward by paste.
2. Note where you had to edit heavily or start again.
3. Rework the weakest prompt and rerun that step.
4. Record time and edits for the old and new versions.

SPARK · AUDIT

First-cut audit programme, end to end

An auditor prepares a first-cut audit programme for a process review, using the redesigned AI-assisted steps.

Input: A mock process description and a list of key risks, pasted or uploaded.

AI produces: Drafts objectives, risks, test steps and evidence requests as a structured first-cut audit programme.

Human check: The auditor reviews scope, tests and evidence requests; the audit lead approves the programme.

Measure: Minutes to first-cut programme; test steps added or removed in review.

Boundary: Mock or approved process material only. AI drafts; audit scope and conclusions are human.

REFLECT

- Which step broke first, and what did you change?
- Is the redesigned version genuinely better, or only different?
- What would a colleague need to run this without you?

S12 Peer practice and prompt review clinic

Week 6 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Prompts improve fastest under another person's eyes. Reviewing and being reviewed builds the judgement to iterate deliberately.

COVERS

Breakout practice. Reviewing and improving each other's prompts against permitted workplace examples.

PRODUCES

Peer-reviewed and improved prompts

FLOW

- **Segment 1 · 90 min · Spark + Build.** A simple review checklist; breakout practice reviewing each other's prompts
- **Segment 2 · 90 min · Build + Reflect.** Improving prompts after review and retesting on permitted workplace examples

BUILD

In breakouts, learners exchange two prompts, review them against the checklist, then improve and retest their own on permitted examples.

HOW TO

1. Swap one prompt and its sample input with a partner.
2. Check role, context, constraints, format and data safety.
3. Suggest one change that would most improve the output.
4. Apply the feedback, rerun, and compare both outputs.

SPARK · LEARNING

Peer-reviewed feedback summary prompt

A learning colleague's prompt for summarising training feedback is reviewed and improved by a peer.

Input: Mock session feedback forms, anonymised, and the colleague's original prompt.

AI produces: Summarises feedback into strengths, improvement areas and suggested content changes, before and after the prompt is improved.

Human check: The learning colleague checks the summary reflects the feedback before acting on it.

Measure: Edits needed per summary, before and after peer review.

Boundary: Anonymised or mock feedback only; no participant names pasted. AI summarises; people decide changes.

REFLECT

- What did your reviewer see that you could not?
- Which feedback point will you apply to all your prompts?
- How comfortable are you now critiquing someone else's prompt?

S13 Failure modes, verification and correction

Week 7 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

AI output fails in predictable ways: invented detail, dropped items, wrong figures, overconfidence. Catching them, or not using AI, is the skill.

COVERS

Where output goes wrong, how to catch it, and when not to use AI at all.

PRODUCES

A personal verification checklist

FLOW

- **Segment 1 · 90 min · Spark + Build.** Common failure modes, how to spot them, and tasks unsuited to AI
- **Segment 2 · 90 min · Build + Reflect.** Building and testing a personal verification checklist on learners' own outputs

BUILD

Learners audit three of their own earlier outputs for failure modes and turn what they find into a personal verification checklist.

HOW TO

1. Count items in the source and the output; confirm they match.
2. Trace every figure, name and date back to the source.
3. Ask Copilot what it was unsure about, then check those points.
4. Decide when the task is unsuitable for AI and note why.

SPARK · OPERATIONS

Catching errors in a handover summary

A shift handover summary looks complete, but one exception is missing and a figure does not match the log.

Input: A mock exception log and its AI-generated handover summary containing planted errors.

AI produces: Produces the handover summary; then, when asked, lists points where it was uncertain or inferred.

Human check: The handing-over colleague reconciles the summary to the log before the next shift relies on it.

Measure: Errors caught per summary; minutes spent verifying.

Boundary: Mock logs only. Never pass on an AI summary without checking it against the source.

REFLECT

- Which failure mode did you find most often in your own outputs?

- Name one task in your role where you would not use AI.
- How has your habit of checking output changed since Stage 1?

· Guidance clinic

Week 7 · Day 2 · 1 hr · Live clinic · Expert trainer · Stage 2 Practice

Clear what is blocking your practice before the applied stage, with the trainer and peers working through real problems.

COVERS

Live open clinic. Learners bring blockers from their own practice and work them through with the trainer.

PRODUCES

Blockers cleared before the applied stage

FLOW

- **Single block · 60 min · Build + Reflect.** Learners bring blockers from their own practice and work them through with the trainer

BUILD

Each learner brings one blocker, such as a prompt that will not hold or a data question, and works it through live.

HOW TO

1. State your blocker in one sentence with an example.
2. Show the prompt, the input type and the output you got.
3. Try the trainer's suggested fix live and compare.
4. Note any governance question to raise with the right OSBI contact.

REFLECT

- Complete the mindset pulse: how has your use of AI changed so far?
- Is your blocker cleared, and what will you try next?
- Which workflow in your team are you ready to redesign?

S14 Use case discovery

Week 8 · Day 1 · 3 hrs · Live session · Mentor · Stage 3 Apply

Look at your workflows, not single prompts. Find at least three places where AI could change how work runs, and size each.

COVERS

Identifying at least three workplace AI use cases and sizing the value of each.

PRODUCES

Three candidate use cases, sized

FLOW

- **Segment 1 · 90 min · Spark + Build.** Spotting candidate use cases: repeated, text-heavy, reviewable, permitted data
- **Segment 2 · 90 min · Build + Reflect.** Sizing value: frequency, effort, quality and risk for each candidate

BUILD

Learners list at least three candidate use cases from their own workflow and size each by frequency, effort, quality and risk.

HOW TO

1. List tasks you repeat that involve drafting, summarising or comparing.
2. Filter out any needing customer-identifiable data or AI decisions.

SPARK · HR

Sizing an onboarding checklist use case

HR tailors onboarding checklists by role by hand; is AI drafting worth pursuing, and how valuable is it?

Input: A mock generic onboarding checklist and a short mock role profile.

AI produces: Drafts a role-tailored onboarding checklist and helps list the factors for sizing the use case.

Human check: HR checks the checklist against policy and the hiring manager confirms role-specific steps.

Measure: Checklists tailored per month; minutes per checklist today.

Boundary: Mock profiles only; no new joiner personal data. AI drafts; HR owns onboarding decisions.

REFLECT

- Which candidate would change how your team works, not just you?
- Which did you drop, and what boundary ruled it out?

3. For each, estimate frequency and current effort per occurrence.
4. Ask Copilot to challenge your sizing, then decide yourself.

- Are you thinking about tasks or about workflows now?

S15 Manager conversation and selection

Week 8 · Day 2 · 3 hrs · Live session · Mentor · Stage 3 Apply

A use case earns its place when your reporting manager agrees it matters. Prepare the case, have the conversation, choose one.

COVERS

Preparing and running the conversation with the reporting manager, then selecting one use case.

PRODUCES

A selected use case, validated by the manager

FLOW

- **Segment 1 · 90 min · Spark + Build.** Preparing the manager brief: problem, value, risk and ask
- **Segment 2 · 90 min · Build + Reflect.** Rehearsing the conversation, then selecting one use case for validation

BUILD

Learners draft a one-page brief on their three candidates, rehearse the manager conversation in pairs, and select one use case.

HOW TO

1. Paste your three sized candidates into Copilot Chat.
2. Ask for a one-page brief: problem, value, risk, ask.
3. Ask for three questions your manager is likely to raise.
4. Rewrite the brief in your own words before the meeting.

SPARK · FINANCE

Manager brief for an MIS summary idea

A finance colleague wants manager backing to redesign how monthly MIS summaries are drafted.

Input: The colleague's own notes on the problem, effort today and proposed change.

AI produces: Drafts a one-page brief covering problem, value, risk and ask, plus likely manager questions.

Human check: The colleague checks every claim is accurate; the reporting manager validates the use case.

Measure: Minutes to prepare the brief; manager questions anticipated versus asked.

Boundary: No confidential figures needed in the brief. AI drafts; the manager validates and decides.

REFLECT

- What did your manager value that you had underplayed?
- Why is your selected use case worth redesigning the workflow for?
- What evidence will you need to prove it worked?

S16 Designing the workflow

Week 9 · Day 1 · 3 hrs · Live session · Mentor · Stage 3 Apply

A designed workflow has clear steps, inputs, prompts, human checks and an owner, so it runs the same way every time.

COVERS

Turning the selected problem into a designed AI-assisted workflow with clear steps.

PRODUCES

A workflow design

FLOW

- **Segment 1 · 90 min · Spark + Build.** Workflow anatomy: trigger, inputs, AI steps, human checks, outputs, owner
- **Segment 2 · 90 min · Build + Reflect.** Designing each learner's selected use case as a step-by-step workflow

BUILD

Learners design their selected use case as a step-by-step workflow with inputs, prompts, human checks and an owner for each step.

HOW TO

1. Name the trigger that starts the workflow and the final output.
2. Write each step as input, action, output and owner.

SPARK · SAVINGS

Designing an FAQ refresh workflow

When savings product terms change, the FAQs must be updated consistently, clearly and with compliance review.

Input: Mock old and new product terms summaries and the current mock FAQ set.

AI produces: Identifies FAQs affected by the change and drafts updated answers in plain English for review.

Human check: The product owner checks accuracy; compliance reviews clarity and fairness under Consumer Duty before publishing.

Measure: Minutes from terms change to FAQ drafts ready; FAQs missed.

Boundary: Mock or approved product documents only. Nothing reaches customers without human and compliance review.

3. Attach a prompt or template to every AI step.
4. Place a named human check before anything leaves the team.

REFLECT

- How does the designed workflow differ from how the task runs today?
- Which human check is most important, and who owns it?
- Could a colleague run this workflow from your design alone?

S17 Building the workflow

Week 9 · Day 2 · 3 hrs · Live session · Mentor · Stage 3 Apply

Build the designed workflow and test it against real, permitted work. Design survives contact with live tasks only after iteration.

COVERS

Building it with mentor input and testing it against live work.

PRODUCES

A working AI-assisted workflow

FLOW

- **Segment 1 · 90 min · Spark + Build.** Building the workflow's prompts and templates with mentor input
- **Segment 2 · 90 min · Build + Reflect.** Testing against permitted live work and recording what needed fixing

BUILD

Learners build their workflow's prompts and templates, test them on permitted live work with mentor input, and log every fix.

HOW TO

1. Build each step's prompt from your S16 design.
2. Test on permitted live input, or approved anonymised versions.
3. Log each failure, its cause and the fix you made.
4. Rerun the full workflow once all fixes are in.

SPARK · PROCUREMENT

Testing a vendor comparison workflow

The vendor comparison workflow designed on mock data is now tested on approved, real RFP responses.

Input: Approved RFP responses with confidential pricing removed, and the requirement list, uploaded.

AI produces: Runs the comparison steps: extraction per requirement, gap flags and a neutral summary table.

Human check: The procurement lead verifies extractions; the evaluation panel scores and selects vendors.

Measure: Fixes needed per run; minutes per comparison.

Boundary: Approved documents only; remove confidential terms if not permitted. AI never scores or selects vendors.

REFLECT

- What did live work expose that mock data did not?
- Is the workflow now reliable enough for daily use?
- Which fix would matter most to a colleague adopting it?

S18 Establishing the baseline

Week 10 · Day 1 · 3 hrs · Live session · Mentor · Stage 3 Apply

You cannot prove an improvement without knowing the starting point. Measure how the task runs today, honestly, before changing it.

COVERS

Measuring how the task runs today, before the change, so the improvement is provable.

PRODUCES

A documented baseline

FLOW

- **Segment 1 · 90 min · Spark + Build.** Choosing baseline measures: time, edits, errors, rework, turnaround
- **Segment 2 · 90 min · Build + Reflect.** Setting up and documenting each learner's baseline method and first readings

BUILD

Learners choose two or three baseline measures for their task and document how it runs today, with first readings.

HOW TO

1. Pick measures you can collect reliably: minutes, edits, errors, rework.
2. Time the current task on several real occurrences, not one.
3. Record conditions: input size, complexity, interruptions.
4. Write the baseline in a simple table your manager can read.

SPARK · ACCOUNTS

Baselining journal narrative effort

Before redesigning how journal narratives are written, accounts measures how long and how accurate they are today.

Input: A simple timing log of current journal narratives written manually, plus sample mock narratives.

AI produces: Helps structure the baseline table and summarises the timing log; it does not write the baseline.

Human check: The accountant confirms the baseline figures; the manager agrees the measures are fair.

Measure: Minutes per journal narrative; review comments per narrative.

Boundary: Timing logs contain no ledger or customer data. AI formats; measurements are recorded by people.

REFLECT

- Did the real baseline differ from what you assumed?
- Which measure will matter most to your manager?
- How confident are you that the baseline is fair?

S19 Measuring the improvement

Week 10 · Day 2 · 3 hrs · Live session · Mentor · Stage 3 Apply

Compare after with before on the same measures. Estimate time, cost, quality or decision impact, and state the limits honestly.

COVERS

Estimating time, cost, quality or decision impact after the change.

PRODUCES

A before-and-after comparison with numbers

FLOW

- **Segment 1 · 90 min · Spark + Build.** Measuring the redesigned task on the baseline measures
- **Segment 2 · 90 min · Build + Reflect.** Building the before-and-after comparison and stating its limits

BUILD

Learners measure their redesigned workflow on the S18 measures and build a before-and-after comparison with their own numbers.

HOW TO

1. Run the new workflow on comparable occurrences to the baseline.
2. Include review and correction time in the after figures.
3. Put before and after side by side for each measure.
4. Note sample size and anything that limits the comparison.

SPARK · QUALITY

Before and after: quality report summaries

Quality compares time and rework on monthly quality report summaries before and after the AI-assisted workflow.

Input: Baseline and post-change timing and rework logs, pasted as a simple table.

AI produces: Builds a before-and-after comparison table and drafts a cautious narrative of the results and limits.

Human check: The quality analyst recalculates the comparison; the manager reviews claims before they are shared.

Measure: Minutes per summary and rework items, before and after.

Boundary: Only measurement data is pasted. No benefit is claimed beyond what the learner's own data shows.

REFLECT

- Does the evidence support the improvement you expected?
- Which result would you be cautious about claiming, and why?
- Has measuring changed how you think about the workflow?

S20 Adoption plan

Week 11 · Day 1 · 3 hrs · Live session · Mentor · Stage 3 Apply

A workflow that only you use is a personal habit. A one-page adoption plan turns it into something peers and teams can pick up.

COVERS

Writing the one-page plan for spreading the workflow to peers and teams.

PRODUCES

A one-page adoption plan

FLOW

- **Segment 1 · 90 min · Spark + Build.** Who adopts first, what they need, and what gets in the way
- **Segment 2 · 90 min · Build + Reflect.** Writing and peer-testing the one-page adoption plan

BUILD

Learners write a one-page adoption plan for spreading their workflow to peers, including a quick guide and support steps.

HOW TO

1. Name the first peers or teams who could use the workflow.
2. List what they need: template, guide, example, checks.
3. Ask Copilot to draft a quick guide from your workflow design.
4. Test the guide with one peer and revise it.

SPARK · LEARNING

Workflow to peer quick guide

A tested workflow needs a short guide so peers in other teams can adopt it without a training session.

Input: The learner's own workflow design, prompts and checks, pasted as text.

AI produces: Drafts a one-page quick guide: when to use, steps, prompts, required checks and where to get help.

Human check: The workflow owner checks the guide is accurate and includes every required human check.

Measure: Peers able to run the workflow from the guide alone.

Boundary: Guide contains no work data. Prompts must keep the data rules and human review steps.

REFLECT

- Who in your team will adopt this first, and why them?
- What barrier to adoption are you most worried about?
- What would make a colleague choose to keep using it?

S21 Risk and mitigation

Week 11 · Day 2 · 3 hrs · Live session · Mentor · Stage 3 Apply

Every workflow carries risk. Name the responsible AI or data privacy risk in yours and define a practical mitigation someone will follow.

COVERS

Naming a responsible AI or data privacy risk and defining a practical mitigation.

PRODUCES

A named risk with its mitigation

FLOW

- **Segment 1 · 90 min · Spark + Build.** Identifying responsible AI and data privacy risks in each learner's workflow
- **Segment 2 · 90 min · Build + Reflect.** Defining practical mitigations, owners and evidence

BUILD

Learners name the main responsible AI or data privacy risk in their workflow and write its mitigation, owner and evidence.

HOW TO

1. Walk your workflow step by step asking what could go wrong.
2. Pick the risk with the worst realistic consequence.
3. Write the control as a specific action with a named owner.
4. State what evidence shows the control is working.

SPARK · RISK

Control narrative for an AI workflow

Risk documents a responsible AI risk in an AI-assisted workflow as a control narrative, in register style.

Input: The learner's workflow description and identified risk, with no confidential data.

AI produces: Drafts a control narrative: risk description, cause, control, owner, frequency and evidence of operation.

Human check: The learner and risk colleague check the control is realistic, owned and evidenced.

Measure: Control steps followed per workflow run; issues caught by the control.

Boundary: Workflow descriptions only; no confidential data. AI drafts; risk owners decide ratings and controls.

REFLECT

- Complete the mindset pulse: how has your view of AI risk changed?
- Would your mitigation still work if a peer ran the workflow?
- What risk would you warn every new adopter about?

· Independent application

Week 11 · Self-directed · 4 hrs · Independent application · Learner, self-directed · Stage 3 Apply

Run your workflow on live, permitted work between sessions and capture the evidence that will make your case.

COVERS

Running the workflow on live work between sessions and producing progress artifacts.

PRODUCES

Progress artifacts across the stage

FLOW

- **Independent · 240 min.** Running the workflow on live work and producing progress artifacts across Stage 3

HOW TO

1. Run the workflow on permitted live tasks as they arise.
2. Log time, edits and issues each time you run it.
3. Save before-and-after examples, anonymised where needed.
4. Bring your log and artifacts to the next mentor session.

REFLECT

- Is the workflow becoming your default way of doing the task?
- What evidence from live use surprised you?

S22 Assembling the case

Week 12 · Day 1 · 3 hrs · Live session · Mentor · Stage 4 Prove

A workplace case brings evidence, the before and after, the adoption plan and the risk together into one argument others can act on.

COVERS

Pulling the evidence, the before-and-after, the plan and the risk into one workplace case.

PRODUCES

A complete workplace AI adoption case

FLOW

- **Segment 1 · 90 min · Spark + Build.** Case structure: problem, workflow, evidence, adoption plan, risk, ask
- **Segment 2 · 90 min · Build + Reflect.** Assembling each learner's complete workplace AI adoption case

BUILD

Learners assemble their stage outputs into one complete workplace AI adoption case with a clear storyline and evidence for each claim.

HOW TO

1. Gather your baseline, comparison, adoption plan and risk outputs.
2. Ask Copilot to propose a storyline outline from your materials.
3. Link every claim to a piece of your own evidence.
4. Rewrite the summary yourself so it sounds like you.

SPARK · CUSTOMER INSIGHTS

Assembling an insight report storyline

Insights must turn scattered findings into one report with a clear storyline, mirroring how learners assemble their case.

Input: Mock theme tables, key figures and notes from several insight analyses.

AI produces: Proposes a report outline and storyline, linking each section to the supplied evidence.

Human check: The insights analyst checks each claim is supported and owns the final conclusions.

Measure: Minutes to a reviewable report draft; unsupported claims found in review.

Boundary: Anonymised or mock findings only. AI structures the story; the analyst decides what is concluded.

REFLECT

- Could someone outside your team follow and act on your case?
- Which claim is your strongest, and which needs more evidence?
- How will this case help others adopt the workflow?

S23 Capstone review

Week 12 · Day 2 · 3 hrs · Live session · Mentor · Stage 4 Prove

A strong case survives scrutiny. Mentor review finds the gaps; you close them and tighten every piece of evidence.

COVERS

Mentor review of the full case. Gaps closed and evidence tightened.

PRODUCES

A reviewed and corrected case

FLOW

- **Segment 1 · 90 min · Spark + Build.** Mentor review of the full case against evidence and clarity criteria
- **Segment 2 · 90 min · Build + Reflect.** Closing gaps and tightening evidence for a reviewed, corrected case

BUILD

Learners act on mentor review: close evidence gaps, correct overstated claims, and produce a reviewed, corrected case.

HOW TO

1. List each claim in your case with its supporting evidence.
2. Ask Copilot to flag claims that lack clear support.
3. Decide yourself whether to add evidence or soften the claim.
4. Record every change made after mentor review.

SPARK · AUDIT

Evidence-testing a findings summary

An auditor checks a draft findings summary to confirm every statement is backed by evidence before review.

Input: A mock findings summary and a list of the evidence obtained, pasted as text.

AI produces: Lists each claim, matches it to the supplied evidence and flags claims with weak or no support.

Human check: The auditor decides each fix; the audit lead reviews findings before they are issued.

Measure: Unsupported claims found per summary; minutes to complete the check.

Boundary: Mock or approved findings only. AI flags gaps; audit judgements and conclusions stay human.

REFLECT

- Which gap would a sceptical reader have found first?
- Is your case now honest about its limits?

- What have you learnt about proving value, not just claiming it?

S24 Rehearsal and defense preparation

Week 13 · Day 1 · 3 hrs · Live session · Mentor · Stage 4 Prove

Practitioners can defend their case. Rehearse the five-minute presentation and prepare for the hard questions, if the panel is approved.

COVERS

Rehearsing the five-minute presentation and anticipating the questions a panel will ask, if the panel review is approved.

PRODUCES

A rehearsed, defensible case

FLOW

- **Segment 1 · 90 min · Spark + Build.** Shaping the five-minute presentation and anticipating panel questions
- **Segment 2 · 90 min · Build + Reflect.** Timed rehearsals with peer and mentor challenge, then final adjustments

BUILD

Learners rehearse their five-minute case, use Copilot to anticipate tough questions, and practise answers under peer challenge.

HOW TO

1. Cut your case to five minutes: problem, change, evidence, spread, risk.
2. Ask Copilot for the ten hardest questions a sceptical reviewer would ask.
3. Prepare short evidence-based answers in your own words.
4. Rehearse aloud with a timer and a peer challenging you.

SPARK · LENDING

Stress-testing a loan policy briefing

A lending colleague prepares to brief a policy change and must anticipate challenging questions from reviewers.

Input: A mock summary comparing old and new loan policy wording.

AI produces: Generates likely challenge questions by theme and drafts answer outlines that point back to the policy text.

Human check: The lending colleague checks answers against the policy; policy owners approve any interpretation.

Measure: Questions anticipated versus questions actually asked.

Boundary: Mock or approved policy text only. AI never interprets policy for credit decisions on cases.

REFLECT

- Complete the mindset pulse: how have you changed since Session 1?
- Which question would you least like to be asked, and why?
- Who will you help adopt AI well in the next month?

Data Citizen

Independent, confident, decision-ready data practice

Raw data to decision-ready insight, without waiting on an analyst.

78	24	13	TBC
hours	live sessions of 3 hrs	weeks · 2 sessions a week	start date to be confirmed

STAGE 1 · 10 HRS

Understand

Instructor-led foundation · 3 sessions + 1 hr self-paced

Demystify: Data is evidence I can question

STAGE 2 · 31 HRS

Practice

Live expert-led practical learning · 10 sessions + 1 hr clinic

Experiment: Prepare, analyse and check it myself

STAGE 3 · 28 HRS

Apply

Mentor-led workplace application · 8 sessions + 4 hrs independent

Redesign: A decision-ready view my team uses

STAGE 4 · 9 HRS

Prove

Capstone mentoring · 3 sessions

Champion: A defended decision others act on

By the end, every learner can

1. **Prepare it fast.** Turn raw or unstructured data into an analysis-ready dataset.
2. **Answer the question.** Reach the answer without raising a request to someone else.
3. **Check the answer.** Judge whether the analysis is sound before acting on it.
4. **Show the story.** A dashboard a decision-maker reads without explanation.
5. **Protect the data.** Quality, privacy, and governance judgment on what they touch.
6. **Land the decision.** Connect the insight to a decision, and defend the reasoning.

AUDIENCE	PRIMARY TOOLS	UNIT OF VALUE	MULTIPLIER	RISK LENS
Business roles where technology is not the core	Excel, data preparation, dashboards, AI assistance; pending tool confirmation	A decision-ready insight, not a report request	Independence. Fewer handoffs to analysts	Data quality, privacy, and governance

Woven through every session

STAGE	SHIFT	FROM	TO
Understand	**Demystify**	Data is the analyst's job	Data is evidence I can question
Practice	**Experiment**	Raise a request, wait for a report	Prepare, analyse and check it myself
Apply	**Redesign**	The monthly report as usual	A decision-ready view my team uses
Prove	**Champion**	These are my numbers	A defended decision others act on

Every live session: Spark → Build → Reflect

Spark (10–15 min): a real GenAI use case from one OSBI function. **Build**: hands-on work through the learner's own function. **Reflect** (~10 min): two or three prompts and one thing to do differently.

Mindset pulse

Self-rated 1–5 at S3, the guidance clinic, S21, S24.

1. I can tell whether a dataset is fit to use.
2. I can answer a routine business question without raising a request.
3. I check an analysis before acting on it.
4. I can present a finding a decision-maker understands without explanation.
5. I know what data I may share, upload or combine.

Who does what

ROLE	UNDERSTAND	PRACTICE	APPLY	PROVE
Instructor 10 hrs · 3 sessions	Leads	·	·	·
Expert trainer 31 hrs · 10 sessions	·	Leads	·	·
Mentor 33 hrs · 11 sessions	·	·	Leads	Leads
Reporting manager OSBI role	·	·	Validates	Supports
Panel One review, pending confirmation	·	·	·	Challenges
The learner Throughout	Builds	Practises	Owns	Defends

Scope and pending confirmations

- Not developer training; no agent building
- No certification or accreditation offered or implied
- Panel review and five-minute defence are proposed, pending approval
- Learners use permitted workplace data or safe mock data, subject to OSBI governance
- One-week holiday pause; its position depends on the confirmed start date

DATA CITIZEN · AT A GLANCE

The flow, session by session

WHEN		SESSION	HRS	SPARK	LEARNER PRODUCES
Wk 1 · Day 1	S1	The value of data and where it comes from	3	Operations	A source map for their role
Wk 1 · Day 2	S2	What makes data trustworthy	3	Quality	A data quality checklist
Wk 2 · Day 1	S3	Data governance and privacy	3	Risk	Completed diagnostic and a data handling checklist
Wk 2 · Self-directed	·	*Self-paced foundation*	*1*	—	*Consolidated notes carried into Session 4*
Wk 2 · Day 2	S4	Data preparation and cleaning	3	Lending	A cleaned working dataset
Wk 3 · Day 1	S5	Structuring and transforming data	3	Accounts	A reusable preparation routine
Wk 3 · Day 2	S6	Combining sources	3	Savings	A combined, verified dataset
Wk 4 · Day 1	S7	Analysis in Excel, part 1	3	Finance	Two completed analyses
Wk 4 · Day 2	S8	Analysis in Excel, part 2	3	Procurement	A summarized view of a permitted or mock dataset
Wk 5 · Day 1	S9	Framing a business question	3	Customer Insights	A documented answer with its method
Wk 5 · Day 2	S10	Visualization fundamentals	3	HR	Three charts that answer a question
Wk 6 · Day 1	S11	Dashboard building	3	Operations	A working dashboard
Wk 6 · Day 2	S12	Communicating an insight	3	Learning	An insight summary and narrative
Wk 7 · Day 1	S13	Peer practice and correction clinic	3	Audit	Peer-reviewed analysis
Wk 7 · Day 2	·	*Guidance clinic*	*1*	—	*Blockers cleared before the applied stage*
Wk 8 · Day 1	S14	Opportunity discovery	3	HR	Three candidate opportunities, sized
Wk 8 · Day 2	S15	Manager conversation and selection	3	Finance	A selected opportunity, validated by the manager
Wk 9 · Day 1	S16	Sourcing the working dataset	3	Savings	A sourced dataset with its permissions clear
Wk 9 · Day 2	S17	Preparing the working dataset	3	Lending	An analysis-ready dataset
Wk 10 · Day 1	S18	Building the analysis	3	Quality	A completed, checked analysis
Wk 10 · Day 2	S19	Building the dashboard	3	Customer Insights	A working dashboard or report
Wk 11 · Day 1	S20	Impact and enablement plan	3	Procurement	Impact estimate and a one-page plan

WHEN		SESSION	HRS	SPARK	LEARNER PRODUCES
Wk 11 · Day 2	S21	Privacy and governance check	3	Risk	A named risk with its mitigation
Wk 11 · Self-directed	·	*Independent application*	*4*	—	*Progress artifacts across the stage*
Wk 12 · Day 1	S22	Assembling the case	3	Accounts	A complete workplace data case
Wk 12 · Day 2	S23	Capstone review	3	Audit	A reviewed and corrected case
Wk 13 · Day 1	S24	Rehearsal and defense preparation	3	Learning	A rehearsed, defensible case

Concept, use case, how to, reflect

S1 The value of data and where it comes from

Week 1 · Day 1 · 3 hrs · Live session · Instructor · Stage 1 Understand

Data has value only through the decision it informs. Knowing where your data comes from is the first step to questioning it.

COVERS

What data is worth to a decision. Data types and sources, and mapping the sources used in the learner's own role.

PRODUCES

A source map for their role

FLOW

- **Segment 1 · 90 min · Spark + Build.** Why data matters to a decision; data types and where they come from.
- **Segment 2 · 90 min · Build + Reflect.** Map the sources you use in your own role, and how each reaches you.

BUILD

Map every data source used in your role: origin, owner, refresh cadence, format, and the decision each one feeds.

HOW TO

1. List the decisions you make or support each week.
2. Name the data behind each decision and where it comes from.
3. Record owner, format and refresh cadence for each source.
4. Flag any source you use but could not explain.

SPARK · OPERATIONS

Tracing the sources behind exception reporting

Exception counts differ between the log, the handover note and the weekly summary. Which source feeds which decision?

Input: Mock servicing exception log, shift handover notes and weekly summary, anonymised.

AI produces: A source map showing origin, owner, refresh and the decision each source feeds, with AI assistance drafting the summary.

Human check: Learner confirms each source and owner with the process, not AI output.

Measure: Number of sources mapped; number of unexplained discrepancies.

Boundary: Mock or anonymised logs only; no account or customer identifiers pasted into AI assistance.

REFLECT

- Which decision in your role rests on data you have never questioned?
- Where did you assume data was someone else's job?
- One source you will trace back to its origin this week.

S2 What makes data trustworthy

Week 1 · Day 2 · 3 hrs · Live session · Instructor · Stage 1 Understand

Bad data rarely announces itself. Completeness and consistency checks catch it before it quietly shapes a decision.

COVERS

Common quality failures. Completeness, consistency, and how bad data quietly reaches a decision.

PRODUCES

A data quality checklist

FLOW

- **Segment 1 · 90 min · Spark + Build.** Common quality failures: missing values, inconsistent codes, duplicates, stale records.
- **Segment 2 · 90 min · Build + Reflect.** Build a quality checklist and test it on a mock dataset from your function.

BUILD

Build a data quality checklist for a dataset you use, then test it on a safe mock version.

HOW TO

1. Choose one dataset you rely on in your function.
2. Write checks for completeness, consistency, duplicates and timeliness.
3. Run each check on the mock version and log failures.
4. Note how each failure could reach a decision unnoticed.

SPARK · QUALITY

Finding hidden failures in a QC sample

A quality-check sample passed review, yet fields were blank, codes inconsistent and some cases duplicated.

Input: Mock QC sample with deliberate blanks, inconsistent outcome codes and duplicate case references.

AI produces: A completeness and consistency check in Excel, plus an AI-assisted draft quality checklist.

Human check: Learner checks each flagged failure against the sample before adding it to the checklist.

Measure: Number of quality failures found; minutes to run the checklist.

Boundary: Mock sample only; QC outcomes inform review, never individual performance decisions.

REFLECT

- Which quality failure would most likely slip past you today?
- What would you now question before trusting a figure?
- One check you will run before your next report.

S3 Data governance and privacy

Week 2 · Day 1 · 3 hrs · Live session · Instructor · Stage 1 Understand

Governance tells you what may be shared, uploaded or combined. Handling rules come before analysis, not after it.

COVERS

Governance basics, what may be shared or uploaded, and handling rules for the data they touch. Readiness diagnostic.

PRODUCES

Completed diagnostic and a data handling checklist

FLOW

- **Segment 1 · 90 min · Spark + Build.** Governance basics, data classification, and the readiness diagnostic.
- **Segment 2 · 90 min · Build + Reflect.** Write handling rules for the data you touch, including AI-assistance limits.

BUILD

Complete the readiness diagnostic, then write a data handling checklist for the data your role touches.

HOW TO

1. Complete the readiness diagnostic individually.
2. List the data types you handle and their classification.
3. For each, note what may be shared, uploaded or combined.
4. Mark anything needing anonymisation or mock data before AI use.

SPARK · RISK

Deciding what may go into AI assistance

A colleague wants to paste a risk register extract into Copilot Chat. What may be shared, and how?

Input: Mock risk register extract with fields classified by sensitivity.

AI produces: A classification of each field as share, mask or exclude, and an AI-assisted handling checklist.

Human check: Learner confirms classifications against OSBI governance guidance, not AI suggestions.

Measure: Number of fields correctly classified; minutes to produce a safe extract.

Boundary: Copilot Chat via paste or upload only; follow OSBI data classification rules.

REFLECT

- Which data do you handle that must never go into AI assistance?

- How does governance change what you treat as usable evidence?
- Complete the mindset pulse before you leave.

· Self-paced foundation

Week 2 · Self-directed · 1 hr · Self-paced · Learner, self-directed · Stage 1 Understand

Consolidate Stage 1 with curated reading and short videos on data fundamentals and decision-making.

COVERS

Curated external reading and short videos on data fundamentals and decision-making, completed after Session 3, before Stage 2 begins.

PRODUCES

Consolidated notes carried into Session 4

FLOW

- **Self-paced · 60 min.** Curated reading and videos on data fundamentals and decision-making.

HOW TO

1. Work through the curated reading and short videos.
2. Note one idea each on sources, quality and governance.
3. Link each idea to a decision in your role.
4. Bring your consolidated notes to Session 4.

REFLECT

- Which idea most changed how you view your data?
- What question will you bring into Stage 2?

S4 Data preparation and cleaning

Week 2 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Messy data is normal. A repeatable cleaning routine turns it into something you can analyse yourself, without raising a request.

COVERS

Working with messy, incomplete and inconsistent data. Cleaning routines applied to business examples.

PRODUCES

A cleaned working dataset

FLOW

- **Segment 1 · 90 min · Spark + Build.** Spotting mess: blanks, mixed formats, duplicates, inconsistent labels.
- **Segment 2 · 90 min · Build + Reflect.** Clean a mock dataset from your own function and log each step.

BUILD

Clean a messy mock dataset from your function in Excel, using AI assistance to suggest steps, and log every change.

HOW TO

1. Profile the dataset: blanks, formats, duplicates, odd values.
2. Ask AI assistance to suggest cleaning steps for the issues found.
3. Apply each step in Excel and record what changed.
4. Compare row counts and totals before and after cleaning.

SPARK · LENDING

Cleaning a messy application pipeline extract

A pipeline extract has broker names spelled several ways and mixed date formats, so counts disagree.

Input: Mock mortgage application pipeline extract with inconsistent broker names, date formats and blanks.

AI produces: A cleaned dataset with standardised names and dates, and a step log; AI assistance suggests cleaning steps.

Human check: Learner verifies that no valid applications were merged or dropped.

Measure: Minutes from raw extract to clean dataset; records changed.

Boundary: Mock data only; the dataset informs pipeline reporting, never credit decisions.

REFLECT

- Which cleaning step would you previously have sent to an analyst?
- How do you know your cleaning did not remove valid records?
- One messy file you will clean yourself this month.

S5 Structuring and transforming data

Week 3 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Shape data once, then repeat it. A documented transformation routine makes next month's preparation faster and consistent.

COVERS

Shaping data for analysis and building transformation steps that can be repeated next month.

PRODUCES

A reusable preparation routine

FLOW

- **Segment 1 · 90 min · Spark + Build.** Shaping data for analysis: columns, types, layout, derived fields.
- **Segment 2 · 90 min · Build + Reflect.** Build and document transformation steps you can rerun next month.

BUILD

Turn a mock monthly extract from your function into a reusable preparation routine, documented so a colleague could rerun it.

HOW TO

1. Decide the shape your analysis needs: rows, columns, types.
2. Build each transformation step in Excel or the preparation tool.
3. Document the steps in order, in plain language.
4. Rerun the routine on a second month's mock extract.

SPARK · ACCOUNTS

A month-end reconciliation routine you can rerun

Each month the reconciliation extract is reshaped by hand. Saving the steps would make it repeatable.

Input: Two months of mock ledger and bank-side extracts, anonymised.

AI produces: A documented transformation routine in Excel or the preparation tool, with AI assistance explaining steps.

Human check: Learner reconciles routine output to control totals for both months.

Measure: Minutes to prepare each month's reconciliation; manual steps remaining.

Boundary: Mock extracts only; no account numbers or real balances in AI assistance.

REFLECT

- Which monthly task do you rebuild from scratch each time?
- What would a colleague need to rerun your routine without you?
- One preparation routine you will document this week.

S6 Combining sources

Week 3 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Combining sources adds value only if the join holds. Always check row counts and unmatched records after joining.

COVERS

Bringing separate datasets together without breaking them, and checking the join held.

PRODUCES

A combined, verified dataset

FLOW

- **Segment 1 · 90 min · Spark + Build.** Join types, keys, and how joins break: duplicates, mismatched formats.
- **Segment 2 · 90 min · Build + Reflect.** Combine two mock datasets from your function and prove the join held.

BUILD

Combine two mock datasets from your function using a lookup or merge, then verify the result with counts and unmatched checks.

HOW TO

1. Identify a shared key and check it is unique.
2. Standardise key formats in both datasets before joining.
3. Join with a lookup or merge in Excel or the preparation tool.
4. Reconcile row counts and list unmatched records.

SPARK · SAVINGS

Joining maturities to contact preferences

A maturity list must be joined to contact preferences before outreach. Did the join hold?

Input: Mock savings maturity list and mock contact-preference list sharing a pseudonymised reference.

AI produces: A combined dataset with row-count reconciliation and an unmatched-records list; AI assistance explains the lookup.

Human check: Learner reconciles row counts and reviews every unmatched record.

Measure: Rows matched, unmatched and duplicated after the join.

Boundary: Pseudonymised mock data only; no names, contact details or account numbers.

REFLECT

- How would you have spotted a broken join before this session?
- Which combined dataset in your work has never been checked?

- One check you will always run after a join.

S7 Analysis in Excel, part 1

Week 4 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Formulas and lookups answer business questions directly. The skill is choosing the right calculation and checking it.

COVERS

Formulas and lookups applied to workplace business questions, pending tool confirmation.

PRODUCES

Two completed analyses

FLOW

- **Segment 1 · 90 min · Spark + Build.** Core formulas and lookups applied to real business questions.
- **Segment 2 · 90 min · Build + Reflect.** Complete two analyses on a mock dataset from your function.

BUILD

Answer two business questions from your function using formulas and lookups on a permitted or mock dataset.

HOW TO

1. Write each business question in one sentence.
2. Choose the formulas and lookups the question needs.
3. Use AI assistance to explain or debug a formula, not to decide.
4. Check results against a manual total or known figure.

SPARK · FINANCE

Answering a variance question with lookups

A manager asks why a cost line moved against budget. The figures sit in two tables.

Input: Mock budget and actuals tables by cost centre and month.

AI produces: Variance by cost centre using formulas and lookups, with AI assistance explaining the formulas.

Human check: Learner ties totals back to source tables before drafting commentary.

Measure: Hours from question to answered variance.

Boundary: Mock figures only; analysis supports commentary, not regulatory submissions.

REFLECT

- Which question could you now answer without raising a request?
- How did you check the formula gave the right answer?
- One routine question you will answer yourself next week.

S8 Analysis in Excel, part 2

Week 4 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Pivots summarise thousands of rows in seconds. The judgement is in how you group, and what the summary hides.

COVERS

Pivots, grouping and summarizing at scale, pending tool confirmation.

PRODUCES

A summarized view of a permitted or mock dataset

FLOW

- **Segment 1 · 90 min · Spark + Build.** Pivots, grouping and summarising at scale.
- **Segment 2 · 90 min · Build + Reflect.** Build a summarised view of a permitted or mock dataset from your function.

BUILD

Summarise a permitted or mock dataset from your function with pivots, then test whether a different grouping changes the story.

HOW TO

1. Decide what the summary must answer before building it.
2. Build a pivot with the grouping that fits the question.
3. Regroup by another field and compare the picture.
4. Reconcile pivot totals to the source data.

SPARK · PROCUREMENT

Summarising vendor spend with pivots

Vendor spend looks stable by category, but grouping by month shows a sharp change.

Input: Mock purchase-order dataset with vendor, category, month and amount.

AI produces: Pivot summaries by category and by month, with AI assistance suggesting groupings to compare.

Human check: Learner checks the change against source rows before reporting it.

Measure: Minutes to produce the summary; groupings tested.

Boundary: Mock spend data only; no contract terms or commercially sensitive details in AI assistance.

REFLECT

- What did a different grouping reveal that the first one hid?

- Which summary in your work might be hiding something?
- One summary you will rebuild and recheck yourself.

S9 Framing a business question

Week 5 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

A sharp question picks the right measure. Test whether the answer holds before anyone acts on it.

COVERS

Choosing the right measure for the question asked, and testing whether the answer holds.

PRODUCES

A documented answer with its method

FLOW

- **Segment 1 · 90 min · Spark + Build.** Turning a vague request into a precise question with the right measure.
- **Segment 2 · 90 min · Build + Reflect.** Answer one framed question from your function and document the method.

BUILD

Frame a business question from your function, choose its measure, answer it, and document the method and its limits.

HOW TO

1. Rewrite a vague request as one precise question.
2. Choose the measure and comparison that answers it.
3. Answer it, then test with another period or segment.
4. Document method, assumptions and limits in a few lines.

SPARK · CUSTOMER INSIGHTS

Framing a complaint-trend question properly

Complaints appear to be rising. The answer depends on rate versus count, and which period.

Input: Mock monthly complaint counts by theme with matching customer volumes, anonymised.

AI produces: A framed question, chosen measure and tested answer; AI assistance challenges the framing.

Human check: Learner decides which measure fits; AI alternatives are tested, not adopted.

Measure: Days from question to documented answer.

Boundary: Aggregated mock data only; no complaint text with customer details.

REFLECT

- How did reframing the question change the answer?
- Would your answer hold if someone tested it differently?
- One request you will reframe before starting analysis.

S10 Visualization fundamentals

Week 5 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

The right chart answers the question at a glance. Remove everything the reader does not need.

COVERS

Choosing the right chart for the question, and removing what the reader does not need.

PRODUCES

Three charts that answer a question

FLOW

- **Segment 1 · 90 min · Spark + Build.** Matching chart type to question; decluttering and labelling.
- **Segment 2 · 90 min · Build + Reflect.** Build three charts that each answer one question from your function.

BUILD

Build three charts from an aggregated, anonymised dataset in your function, each answering one stated question.

HOW TO

1. Write the question each chart must answer.
2. Pick the chart type that best fits each question.
3. Remove gridlines, legends and colours the reader does not need.
4. Title each chart with its answer, not its topic.

SPARK · HR

Charting onboarding time clearly

An onboarding chart uses too many colours and axes, and nobody can say what it shows.

Input: Aggregated, anonymised mock data on onboarding duration by month and stage.

AI produces: Three simplified charts each answering one question; AI assistance suggests chart types.

Human check: Learner checks each chart against the data and the question.

Measure: Seconds for a peer to state each chart's answer.

Boundary: Aggregated mock data only; no individual records; never used for hiring or performance decisions.

REFLECT

- Could a reader get your answer without you explaining it?
- What did you remove, and did the chart get clearer?

- One chart in your regular reporting you will simplify.

S11 Dashboard building

Week 6 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

A dashboard works only if a decision-maker can read it alone. Design for the decision, not the data.

COVERS

Building a dashboard a decision-maker can read without anyone standing beside them.

PRODUCES

A working dashboard

FLOW

- **Segment 1 · 90 min · Spark + Build.** Dashboard layout: decision first, key measures, minimal clutter.
- **Segment 2 · 90 min · Build + Reflect.** Build a working dashboard for a decision in your function.

BUILD

Build a working dashboard in Excel or the dashboard tool (to be confirmed) for one decision in your function.

HOW TO

1. Name the decision and the person who makes it.
2. Choose three to five measures that inform that decision.
3. Lay out the most important measure first, top left.
4. Test it with a peer who has no explanation.

SPARK · OPERATIONS

A dashboard a shift lead can read

A shift lead needs to see backlog and exceptions at a glance, without asking an analyst.

Input: Mock servicing backlog and exception data by day and process.

AI produces: A one-page dashboard in Excel or the dashboard tool (to be confirmed); AI assistance suggests layout.

Human check: Learner confirms each measure matches source data and the decision.

Measure: Questions a first-time reader asks before acting.

Boundary: Mock data only; the dashboard informs prioritisation, never individual performance decisions.

REFLECT

- Could your peer act on the dashboard without asking you?
- Which report request could this dashboard replace?
- One change to make the dashboard readable alone.

S12 Communicating an insight

Week 6 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Numbers do not speak for themselves. A short narrative connects the finding to the decision it should change.

COVERS

Writing the narrative around the numbers and presenting it to a non-technical audience.

PRODUCES

An insight summary and narrative

FLOW

- **Segment 1 · 90 min · Spark + Build.** Structuring an insight: finding, evidence, implication, recommendation.
- **Segment 2 · 90 min · Build + Reflect.** Write and present an insight summary from your function to a non-technical peer.

BUILD

Write an insight summary and narrative for an analysis from your function, then present it to a non-technical peer.

HOW TO

1. State the finding in one sentence a non-specialist understands.
2. Add two pieces of supporting evidence and one caveat.
3. Use AI assistance to tighten wording; check every figure yourself.
4. Present in three minutes and note listener questions.

SPARK · LEARNING

Turning feedback scores into a narrative

Training feedback scores rose, but the report lists numbers without saying what to do next.

Input: Mock aggregated session feedback scores and themed comments, anonymised.

AI produces: A short insight narrative: finding, evidence, caveat, recommendation, with AI assistance tightening wording.

Human check: Learner confirms AI edits have not changed any meaning or figure.

Measure: Minutes from analysis to approved narrative.

Boundary: Aggregated mock feedback only; no named participants or trainers.

REFLECT

- Which question from your listener exposed a gap in your story?
- Did AI assistance change any meaning you had to correct?

- One insight you will present yourself rather than send as a table.

S13 Peer practice and correction clinic

Week 7 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Review catches what the author misses. Correcting each other's analysis builds the habit of checking before relying.

COVERS

Breakout practice. Reviewing and improving each other's analysis and visuals.

PRODUCES

Peer-reviewed analysis

FLOW

- **Segment 1 · 90 min · Spark + Build.** Review method: question, data, method, result, visual.
- **Segment 2 · 90 min · Build + Reflect.** Peer-review a colleague's analysis and visuals, then improve your own.

BUILD

Swap an analysis and its visuals with a peer, review against a shared checklist, then correct your own work.

HOW TO

1. Agree a review checklist covering data, method, result and visual.
2. Review your peer's work and note specific issues.
3. Discuss findings and agree what to change.
4. Correct your own analysis and record what changed.

SPARK · AUDIT

Reviewing a sample analysis method

An evidence sample total is right, but the method behind it would not survive review.

Input: Mock audit sample analysis with a deliberate method error.

AI produces: A peer review against a checklist; AI assistance suggests review questions.

Human check: Reviewer confirms each issue against the data before raising it.

Measure: Issues found per review; minutes per review.

Boundary: Mock analysis only; peer review is developmental, not an audit opinion.

REFLECT

- What did your reviewer catch that you had missed?
- How will you check your own work before sharing next time?
- One habit from peer review you will keep.

· Guidance clinic

Week 7 · Day 2 · 1 hr · Live clinic · Expert trainer · Stage 2 Practice

Clear blockers from your own data before the applied stage, working them through live with the trainer.

COVERS

Live open clinic. Learners bring blockers from their own data and work them through with the trainer.

PRODUCES

Blockers cleared before the applied stage

FLOW

- **Single block · 60 min · Build + Reflect.** Live blocker clearance on learners' own data problems.

BUILD

Bring one blocker from your own data and work it through with the trainer and peers.

HOW TO

1. Write your blocker in one sentence before the clinic.
2. Share a safe mock or anonymised sample of the problem.
3. Work it through with the trainer and note the fix.
4. Record anything still open for Stage 3.

REFLECT

- Which blocker could you now solve yourself next time?
- What do you still rely on others to do with data?
- Complete the mindset pulse before you leave.

S14 Opportunity discovery

Week 8 · Day 1 · 3 hrs · Live session · Mentor · Stage 3 Apply

The best opportunities hide in routine work. Find where a data-driven view could change a decision, then size it.

COVERS

Identifying at least three data-driven opportunities in their own work and sizing the value of each.

PRODUCES

Three candidate opportunities, sized

FLOW

- **Segment 1 · 90 min · Spark + Build.** Spotting data-driven opportunities in your own recurring work.
- **Segment 2 · 90 min · Build + Reflect.** Identify and size three candidate opportunities from your function.

BUILD

Identify at least three data-driven opportunities in your own work and size the value of each.

HOW TO

1. List recurring reports, requests and decisions in your role.
2. Mark where data arrives late, scattered or unchecked.
3. Describe three opportunities as a decision plus a better view.
4. Size each by time, frequency and decision affected.

SPARK · HR

Spotting a data opportunity in onboarding

Onboarding status sits in several trackers, so nobody sees overall progress.

Input: Description of current onboarding trackers and mock aggregated status counts.

AI produces: Three sized opportunity statements; AI assistance helps structure each one.

Human check: Learner validates each opportunity's size against their own working knowledge.

Measure: Hours per week spent consolidating trackers.

Boundary: Aggregated or mock data only; no candidate or employee personal data.

REFLECT

- Which routine report could become a view your team uses?
- What would change if that decision had better data?
- One opportunity you would put to your manager.

S15 Manager conversation and selection

Week 8 · Day 2 · 3 hrs · Live session · Mentor · Stage 3 Apply

Your manager validates business value. Prepare a short, evidenced conversation and select one opportunity together.

COVERS

Preparing and running the conversation with the reporting manager, then selecting one opportunity.

PRODUCES

A selected opportunity, validated by the manager

FLOW

- **Segment 1 · 90 min · Spark + Build.** Preparing the manager conversation: problem, value, data, effort.
- **Segment 2 · 90 min · Build + Reflect.** Prepare your case, run the manager conversation, and select one opportunity.

BUILD

Prepare a one-page summary of your three opportunities, run the manager conversation, and record the selected opportunity.

HOW TO

1. Summarise each opportunity: problem, decision, data, effort.
2. Anticipate your manager's questions and prepare answers.
3. Run the conversation and listen for their priorities.
4. Record the selected opportunity and agreed success measure.

SPARK · FINANCE

Preparing the manager conversation on MIS

Two MIS improvement ideas compete. The manager must choose the one that matters most.

Input: One-page summaries of candidate opportunities, using mock figures.

AI produces: A prepared conversation brief with anticipated questions; AI assistance drafts likely challenges.

Human check: Manager validates business value; learner confirms facts behind every answer.

Measure: Days from opportunity list to manager-validated selection.

Boundary: No confidential financial results in AI assistance; mock figures only.

REFLECT

- How did your manager's view change the opportunity?
- Which team decision will your work actually change?
- One thing you will confirm with your manager next.

S16 Sourcing the working dataset

Week 9 · Day 1 · 3 hrs · Live session · Mentor · Stage 3 Apply

Permission comes before analysis. Source permitted workplace data, or build safe mock data, for your selected problem.

COVERS

Locating permitted workplace data, or building safe mock data, for the selected problem.

PRODUCES

A sourced dataset with its permissions clear

FLOW

- **Segment 1 · 90 min · Spark + Build.** Locating permitted data; rules for anonymisation and mock data.
- **Segment 2 · 90 min · Build + Reflect.** Source your working dataset and record its permissions.

BUILD

Locate permitted workplace data for your selected problem, or build safe mock data, and record its permissions.

HOW TO

1. List the fields your analysis actually needs.
2. Confirm with the data owner what you may use.
3. Remove or mask identifiers, or build a mock equivalent.
4. Record source, permissions and any handling limits.

SPARK · SAVINGS

Building a safe mock savings dataset

The real servicing file contains customer details, so a safe mock version is needed for analysis.

Input: Field list of a savings servicing extract, with no records.

AI produces: A mock dataset matching the real structure; AI assistance generates realistic synthetic values.

Human check: Learner checks the mock contains no real values and mirrors real distributions sensibly.

Measure: Days to obtain a permission-cleared dataset.

Boundary: No real customer data in AI assistance; data owner confirms permissions.

REFLECT

- Does your dataset contain only what the decision needs?
- Who must agree before your team relies on this data?
- One permission you still need to confirm.

S17 Preparing the working dataset

Week 9 · Day 2 · 3 hrs · Live session · Mentor · Stage 3 Apply

Analysis-ready means clean, structured and documented. Apply your earlier routines to the real problem with mentor input.

COVERS

Cleaning and structuring it into an analysis-ready state with mentor input.

PRODUCES

An analysis-ready dataset

FLOW

- **Segment 1 · 90 min · Spark + Build.** Applying cleaning and structuring routines to your working dataset.
- **Segment 2 · 90 min · Build + Reflect.** Prepare your working dataset to analysis-ready with mentor review.

BUILD

Clean and structure your working dataset into an analysis-ready state, documenting each step for mentor review.

HOW TO

1. Profile your working dataset for quality issues.
2. Apply cleaning and transformation steps from your routine.
3. Document each step so it can be rerun.
4. Review readiness with your mentor and fix gaps.

SPARK · LENDING

Making lending data analysis-ready

The working dataset for a pipeline reporting problem needs cleaning and structuring before analysis.

Input: Permitted or mock application pipeline data for the learner's selected problem.

AI produces: An analysis-ready dataset with a documented routine; AI assistance reviews the step log.

Human check: Mentor and learner confirm readiness against the quality checklist.

Measure: Minutes to rerun the preparation routine.

Boundary: Permitted or mock data only; supports reporting, never credit decisions.

REFLECT

- Could your team rerun this preparation without you?
- What would make this dataset trustworthy enough to use weekly?

- One preparation step you will automate in your routine.

S18 Building the analysis

Week 10 · Day 1 · 3 hrs · Live session · Mentor · Stage 3 Apply

An answer is only useful once checked. Test your analysis before anyone relies on it.

COVERS

Answering the selected business question, and checking the answer before relying on it.

PRODUCES

A completed, checked analysis

FLOW

- **Segment 1 · 90 min · Spark + Build.** Answering the selected question with the right measures.
- **Segment 2 · 90 min · Build + Reflect.** Check the answer: reconcile totals, test alternatives, note limits.

BUILD

Answer your selected business question and check the analysis before relying on it.

HOW TO

1. Restate the question and the measure agreed with your manager.
2. Build the analysis on your analysis-ready dataset.
3. Reconcile totals and test with another period or segment.
4. Record limits and what would change the answer.

SPARK · QUALITY

Checking an error-rate analysis

An analysis shows QC error rates falling, but sample sizes changed between periods.

Input: Mock QC results by month with varying sample sizes.

AI produces: An error-rate analysis checked for sample size and period effects; AI assistance proposes alternative explanations.

Human check: Learner decides whether the trend holds before reporting it.

Measure: Checks run before the answer was relied on.

Boundary: Mock data only; results inform process improvement, not individual performance decisions.

REFLECT

- How confident are you, and what is that confidence based on?
- What would your team need to trust this answer weekly?
- One check you will repeat each time the data refreshes.

S19 Building the dashboard

Week 10 · Day 2 · 3 hrs · Live session · Mentor · Stage 3 Apply

A dashboard earns its place when a decision-maker uses it week to week. Build for that routine.

COVERS

Turning the analysis into something a decision-maker can actually use week to week.

PRODUCES

A working dashboard or report

FLOW

- **Segment 1 · 90 min · Spark + Build.** Designing for the weekly decision and its decision-maker.
- **Segment 2 · 90 min · Build + Reflect.** Build and test the dashboard or report with its intended user.

BUILD

Turn your checked analysis into a working dashboard or report your decision-maker can use week to week.

HOW TO

1. Confirm who uses it, when, and for which decision.
2. Build it in Excel or the dashboard tool (to be confirmed).
3. Add refresh steps and a short data note.
4. Test with the intended user and capture their feedback.

SPARK · CUSTOMER INSIGHTS

A weekly complaint-theme view

Complaint themes are reported monthly, but service decisions are made weekly.

Input: Mock weekly complaint counts by theme and channel, aggregated.

AI produces: A weekly view in Excel or the dashboard tool (to be confirmed); AI assistance drafts the data note.

Human check: Intended user confirms the view supports their weekly decision.

Measure: Days between data refresh and decision.

Boundary: Aggregated mock data only; no complaint text containing customer details.

REFLECT

- Does your view replace a report, or add another one?
- What would stop your team using this every week?
- One change your user asked for that you will make.

S20 Impact and enablement plan

Week 11 · Day 1 · 3 hrs · Live session · Mentor · Stage 3 Apply

Impact is estimated honestly, not promised. A one-page plan shows how the team adopts the new view.

COVERS

Estimating the business or decision impact, and writing the one-page enablement plan.

PRODUCES

Impact estimate and a one-page plan

FLOW

- **Segment 1 · 90 min · Spark + Build.** Estimating decision or business impact, with stated assumptions.
- **Segment 2 · 90 min · Build + Reflect.** Write the one-page enablement plan for your team.

BUILD

Estimate the business or decision impact of your work, and write a one-page enablement plan for your team.

HOW TO

1. Compare the old and new way: time, steps, handoffs.
2. State the impact estimate with every assumption visible.
3. Plan who uses the view, how often, and who maintains it.
4. Fit it on one page and review with your mentor.

SPARK · PROCUREMENT

Estimating impact of a vendor-comparison view

Vendor comparisons were assembled by hand. A prepared view could change how reviews run.

Input: Mock before-and-after process steps and time logs for a vendor review.

AI produces: An impact estimate with visible assumptions and a one-page enablement plan; AI assistance structures the page.

Human check: Learner checks every assumption is stated and evidenced.

Measure: Hours per vendor review, before and after.

Boundary: Mock vendor data only; no contract terms or pricing in AI assistance.

REFLECT

- Which assumption in your estimate is weakest, and how will you test it?
- Who in your team needs to change their routine for this to land?
- One step to get the view adopted, not just built.

S21 Privacy and governance check

Week 11 · Day 2 · 3 hrs · Live session · Mentor · Stage 3 Apply

Every useful dataset carries a risk. Name a privacy or governance risk and define a practical mitigation.

COVERS

Naming a data privacy or governance risk and defining a practical mitigation.

PRODUCES

A named risk with its mitigation

FLOW

- **Segment 1 · 90 min · Spark + Build.** Identifying privacy and governance risks in your own case.
- **Segment 2 · 90 min · Build + Reflect.** Define a practical mitigation and record it in your case.

BUILD

Name one data privacy or governance risk in your work and define a practical, owned mitigation.

HOW TO

1. Review your data, outputs and audience for exposure risks.
2. Name the most material risk in one sentence.
3. Define a mitigation with an owner and a check.
4. Confirm the analysis informs, never automates, any decision.

SPARK · RISK

Naming the risk in a risk dashboard

A risk reporting dashboard is useful but exposes more detail than some viewers should see.

Input: Mock risk dashboard layout and its audience list.

AI produces: A named privacy or governance risk with mitigation; AI assistance suggests risks to consider.

Human check: Learner confirms the risk and mitigation against OSBI governance guidance.

Measure: Risks identified; mitigations with a named owner.

Boundary: Mock data only; analysis informs decisions, never automates them.

REFLECT

- Would your view still be safe if shared one level wider?
- How has your idea of usable data changed since Session 3?
- Complete the mindset pulse before you leave.

· Independent application

Week 11 · Self-directed · 4 hrs · Independent application · Learner, self-directed · Stage 3 Apply

Work your analysis between sessions and produce progress artefacts that show the case taking shape.

COVERS

Working the analysis between sessions and producing progress artifacts.

PRODUCES

Progress artifacts across the stage

FLOW

- **Independent · 240 min.** Analysis work between sessions and progress artefacts.

HOW TO

1. Plan independent hours around your Stage 3 milestones.
2. Work on permitted or mock data only.
3. Save a dated progress artefact after each work block.
4. Bring questions and artefacts to your next mentor session.

REFLECT

- What did you complete without needing to ask anyone?
- Is your view becoming something your team would use?

S22 Assembling the case

Week 12 · Day 1 · 3 hrs · Live session · Mentor · Stage 4 Prove

A case persuades when its parts connect: question, analysis, impact, plan and risk tell one story.

COVERS

Pulling the analysis, the impact, the plan and the risk into one workplace case.

PRODUCES

A complete workplace data case

FLOW

- **Segment 1 · 90 min · Spark + Build.** Structuring the case: question, analysis, impact, plan, risk.
- **Segment 2 · 90 min · Build + Reflect.** Assemble your evidence into one complete workplace data case.

BUILD

Pull your analysis, impact estimate, enablement plan and named risk into one complete workplace data case.

HOW TO

1. Outline the case from question to recommended decision.
2. Insert your analysis, impact, plan and risk in order.
3. Check every figure traces back to the dataset.
4. Cut anything that does not support the decision.

SPARK · ACCOUNTS

Assembling a reconciliation improvement case

Reconciliation analysis, impact estimate, plan and risk sit in separate files.

Input: The learner's own analysis, impact estimate, plan and risk note, using mock figures.

AI produces: One structured workplace case; AI assistance checks the storyline for gaps.

Human check: Learner confirms every figure and claim traces to evidence.

Measure: Figures in the case traced back to source.

Boundary: Mock or permitted figures only; no real account data in AI assistance.

REFLECT

- Could someone act on your case without you in the room?
- Which part of your case is weakest, and why?
- One piece of evidence you will strengthen before review.

S23 Capstone review

Week 12 · Day 2 · 3 hrs · Live session · Mentor · Stage 4 Prove

Review is where a case becomes defensible. Close gaps and tighten evidence before others rely on it.

COVERS

Mentor review of the full case. Gaps closed and evidence tightened.

PRODUCES

A reviewed and corrected case

FLOW

- **Segment 1 · 90 min · Spark + Build.** Mentor review of the full case against agreed criteria.
- **Segment 2 · 90 min · Build + Reflect.** Close gaps, tighten evidence and correct the case.

BUILD

Take mentor review of your full case, then close gaps, tighten evidence and record each correction.

HOW TO

1. Present your case to your mentor in brief.
2. Log every gap or challenge raised.
3. Fix evidence, method or narrative for each one.
4. Recheck figures and confirm the case still holds.

SPARK · AUDIT

Testing a case like an auditor

A capstone case reads well, but a reviewer asks how each claim is known.

Input: The learner's draft case, using permitted or mock data.

AI produces: An evidence trail for each claim; AI assistance drafts challenge questions an auditor might ask.

Human check: Mentor confirms gaps are closed with evidence, not wording.

Measure: Claims without evidence, before and after review.

Boundary: Permitted or mock data only; review is developmental, not an audit opinion.

REFLECT

- Which challenge surprised you most, and what did it reveal?
- Is this a decision others could act on, or still your numbers?
- One correction that made your case more defensible.

S24 Rehearsal and defense preparation

Week 13 · Day 1 · 3 hrs · Live session · Mentor · Stage 4 Prove

Defending a case means anticipating the hard questions. Rehearse the five-minute presentation until the reasoning holds under challenge.

COVERS

Rehearsing the five-minute presentation and anticipating the questions a panel will ask, if the panel review is approved.

PRODUCES

A rehearsed, defensible case

FLOW

- **Segment 1 · 90 min · Spark + Build.** Shaping the five-minute presentation around the decision.
- **Segment 2 · 90 min · Build + Reflect.** Rehearse with challenge questions and refine answers.

BUILD

Rehearse your five-minute presentation and practise answering likely panel questions, if the panel review is approved.

HOW TO

1. Cut the case to a five-minute storyline.
2. Rehearse once, timed, with a peer or mentor.
3. List the hardest likely questions and draft answers.
4. Rehearse again and tighten weak answers.

SPARK · LEARNING

Rehearsing answers to panel questions

A five-minute presentation must withstand questions on data, method and impact.

Input: The learner's reviewed case and presentation outline.

AI produces: A list of likely panel questions and rehearsed answers; AI assistance plays the challenger.

Human check: Mentor judges whether answers rest on evidence.

Measure: Panel-style questions answered with evidence in rehearsal.

Boundary: No real customer or confidential data in AI assistance; panel review pending approval.

REFLECT

- Which question would test your reasoning, not just your numbers?
- Who will act on your decision, and what will you share with them?
- Complete the mindset pulse to close the programme.