Data Citizen

Independent, confident, decision-ready data practice

Raw data to decision-ready insight, without waiting on an analyst.

78	24	13	TBC
hours	live sessions of 3 hrs	weeks · 2 sessions a week	start date to be confirmed

STAGE 1 · 10 HRS

Understand

Instructor-led foundation · 3 sessions + 1 hr self-paced

Demystify: Data is evidence I can question

STAGE 2 · 31 HRS

Practice

Live expert-led practical learning · 10 sessions + 1 hr clinic

Experiment: Prepare, analyse and check it myself

STAGE 3 · 28 HRS

Apply

Mentor-led workplace application · 8 sessions + 4 hrs independent

Redesign: A decision-ready view my team uses

STAGE 4 · 9 HRS

Prove

Capstone mentoring · 3 sessions

Champion: A defended decision others act on

By the end, every learner can

1. **Prepare it fast.** Turn raw or unstructured data into an analysis-ready dataset.
2. **Answer the question.** Reach the answer without raising a request to someone else.
3. **Check the answer.** Judge whether the analysis is sound before acting on it.
4. **Show the story.** A dashboard a decision-maker reads without explanation.
5. **Protect the data.** Quality, privacy, and governance judgment on what they touch.
6. **Land the decision.** Connect the insight to a decision, and defend the reasoning.

AUDIENCE	PRIMARY TOOLS	UNIT OF VALUE	MULTIPLIER	RISK LENS
Business roles where technology is not the core	Excel, data preparation, dashboards, AI assistance; pending tool confirmation	A decision-ready insight, not a report request	Independence. Fewer handoffs to analysts	Data quality, privacy, and governance

DATA CITIZEN · THE MINDSET SHIFT

Woven through every session

STAGE	SHIFT	FROM	TO
Understand	**Demystify**	Data is the analyst's job	Data is evidence I can question
Practice	**Experiment**	Raise a request, wait for a report	Prepare, analyse and check it myself
Apply	**Redesign**	The monthly report as usual	A decision-ready view my team uses
Prove	**Champion**	These are my numbers	A defended decision others act on

Every live session: Spark → Build → Reflect

Spark (10–15 min): a real GenAI use case from one OSBI function. **Build**: hands-on work through the learner's own function. **Reflect** (~10 min): two or three prompts and one thing to do differently.

Mindset pulse

Self-rated 1–5 at S3, the guidance clinic, S21, S24.

1. I can tell whether a dataset is fit to use.
2. I can answer a routine business question without raising a request.
3. I check an analysis before acting on it.
4. I can present a finding a decision-maker understands without explanation.
5. I know what data I may share, upload or combine.

Who does what

ROLE	UNDERSTAND	PRACTICE	APPLY	PROVE
Instructor 10 hrs · 3 sessions	Leads	·	·	·
Expert trainer 31 hrs · 10 sessions	·	Leads	·	·
Mentor 33 hrs · 11 sessions	·	·	Leads	Leads
Reporting manager OSBI role	·	·	Validates	Supports
Panel One review, pending confirmation	·	·	·	Challenges
The learner Throughout	Builds	Practises	Owns	Defends

Scope and pending confirmations

- Not developer training; no agent building
- No certification or accreditation offered or implied
- Panel review and five-minute defence are proposed, pending approval
- Learners use permitted workplace data or safe mock data, subject to OSBI governance
- One-week holiday pause; its position depends on the confirmed start date

DATA CITIZEN · AT A GLANCE

The flow, session by session

WHEN		SESSION	HRS	SPARK	LEARNER PRODUCES
Wk 1 · Day 1	S1	The value of data and where it comes from	3	Operations	A source map for their role
Wk 1 · Day 2	S2	What makes data trustworthy	3	Quality	A data quality checklist
Wk 2 · Day 1	S3	Data governance and privacy	3	Risk	Completed diagnostic and a data handling checklist
Wk 2 · Self-directed	·	*Self-paced foundation*	*1*	—	*Consolidated notes carried into Session 4*
Wk 2 · Day 2	S4	Data preparation and cleaning	3	Lending	A cleaned working dataset
Wk 3 · Day 1	S5	Structuring and transforming data	3	Accounts	A reusable preparation routine
Wk 3 · Day 2	S6	Combining sources	3	Savings	A combined, verified dataset
Wk 4 · Day 1	S7	Analysis in Excel, part 1	3	Finance	Two completed analyses
Wk 4 · Day 2	S8	Analysis in Excel, part 2	3	Procurement	A summarized view of a permitted or mock dataset
Wk 5 · Day 1	S9	Framing a business question	3	Customer Insights	A documented answer with its method
Wk 5 · Day 2	S10	Visualization fundamentals	3	HR	Three charts that answer a question
Wk 6 · Day 1	S11	Dashboard building	3	Operations	A working dashboard
Wk 6 · Day 2	S12	Communicating an insight	3	Learning	An insight summary and narrative
Wk 7 · Day 1	S13	Peer practice and correction clinic	3	Audit	Peer-reviewed analysis
Wk 7 · Day 2	·	*Guidance clinic*	*1*	—	*Blockers cleared before the applied stage*
Wk 8 · Day 1	S14	Opportunity discovery	3	HR	Three candidate opportunities, sized
Wk 8 · Day 2	S15	Manager conversation and selection	3	Finance	A selected opportunity, validated by the manager
Wk 9 · Day 1	S16	Sourcing the working dataset	3	Savings	A sourced dataset with its permissions clear
Wk 9 · Day 2	S17	Preparing the working dataset	3	Lending	An analysis-ready dataset
Wk 10 · Day 1	S18	Building the analysis	3	Quality	A completed, checked analysis
Wk 10 · Day 2	S19	Building the dashboard	3	Customer Insights	A working dashboard or report
Wk 11 · Day 1	S20	Impact and enablement plan	3	Procurement	Impact estimate and a one-page plan

WHEN		SESSION	HRS	SPARK	LEARNER PRODUCES
Wk 11 · Day 2	S21	Privacy and governance check	3	Risk	A named risk with its mitigation
Wk 11 · Self-directed	·	*Independent application*	*4*	—	*Progress artifacts across the stage*
Wk 12 · Day 1	S22	Assembling the case	3	Accounts	A complete workplace data case
Wk 12 · Day 2	S23	Capstone review	3	Audit	A reviewed and corrected case
Wk 13 · Day 1	S24	Rehearsal and defense preparation	3	Learning	A rehearsed, defensible case

Concept, use case, how to, reflect

S1 The value of data and where it comes from

Week 1 · Day 1 · 3 hrs · Live session · Instructor · Stage 1 Understand

Data has value only through the decision it informs. Knowing where your data comes from is the first step to questioning it.

COVERS

What data is worth to a decision. Data types and sources, and mapping the sources used in the learner's own role.

PRODUCES

A source map for their role

FLOW

- **Segment 1 · 90 min · Spark + Build.** Why data matters to a decision; data types and where they come from.
- **Segment 2 · 90 min · Build + Reflect.** Map the sources you use in your own role, and how each reaches you.

BUILD

Map every data source used in your role: origin, owner, refresh cadence, format, and the decision each one feeds.

HOW TO

1. List the decisions you make or support each week.
2. Name the data behind each decision and where it comes from.
3. Record owner, format and refresh cadence for each source.
4. Flag any source you use but could not explain.

SPARK · OPERATIONS

Tracing the sources behind exception reporting

Exception counts differ between the log, the handover note and the weekly summary. Which source feeds which decision?

Input: Mock servicing exception log, shift handover notes and weekly summary, anonymised.

AI produces: A source map showing origin, owner, refresh and the decision each source feeds, with AI assistance drafting the summary.

Human check: Learner confirms each source and owner with the process, not AI output.

Measure: Number of sources mapped; number of unexplained discrepancies.

Boundary: Mock or anonymised logs only; no account or customer identifiers pasted into AI assistance.

REFLECT

- Which decision in your role rests on data you have never questioned?
- Where did you assume data was someone else's job?
- One source you will trace back to its origin this week.

S2 What makes data trustworthy

Week 1 · Day 2 · 3 hrs · Live session · Instructor · Stage 1 Understand

Bad data rarely announces itself. Completeness and consistency checks catch it before it quietly shapes a decision.

COVERS

Common quality failures. Completeness, consistency, and how bad data quietly reaches a decision.

PRODUCES

A data quality checklist

FLOW

- **Segment 1 · 90 min · Spark + Build.** Common quality failures: missing values, inconsistent codes, duplicates, stale records.
- **Segment 2 · 90 min · Build + Reflect.** Build a quality checklist and test it on a mock dataset from your function.

BUILD

Build a data quality checklist for a dataset you use, then test it on a safe mock version.

HOW TO

1. Choose one dataset you rely on in your function.
2. Write checks for completeness, consistency, duplicates and timeliness.
3. Run each check on the mock version and log failures.
4. Note how each failure could reach a decision unnoticed.

SPARK · QUALITY

Finding hidden failures in a QC sample

A quality-check sample passed review, yet fields were blank, codes inconsistent and some cases duplicated.

Input: Mock QC sample with deliberate blanks, inconsistent outcome codes and duplicate case references.

AI produces: A completeness and consistency check in Excel, plus an AI-assisted draft quality checklist.

Human check: Learner checks each flagged failure against the sample before adding it to the checklist.

Measure: Number of quality failures found; minutes to run the checklist.

Boundary: Mock sample only; QC outcomes inform review, never individual performance decisions.

REFLECT

- Which quality failure would most likely slip past you today?
- What would you now question before trusting a figure?
- One check you will run before your next report.

S3 Data governance and privacy

Week 2 · Day 1 · 3 hrs · Live session · Instructor · Stage 1 Understand

Governance tells you what may be shared, uploaded or combined. Handling rules come before analysis, not after it.

COVERS

Governance basics, what may be shared or uploaded, and handling rules for the data they touch. Readiness diagnostic.

PRODUCES

Completed diagnostic and a data handling checklist

FLOW

- **Segment 1 · 90 min · Spark + Build.** Governance basics, data classification, and the readiness diagnostic.
- **Segment 2 · 90 min · Build + Reflect.** Write handling rules for the data you touch, including AI-assistance limits.

BUILD

Complete the readiness diagnostic, then write a data handling checklist for the data your role touches.

HOW TO

1. Complete the readiness diagnostic individually.
2. List the data types you handle and their classification.
3. For each, note what may be shared, uploaded or combined.
4. Mark anything needing anonymisation or mock data before AI use.

SPARK · RISK

Deciding what may go into AI assistance

A colleague wants to paste a risk register extract into Copilot Chat. What may be shared, and how?

Input: Mock risk register extract with fields classified by sensitivity.

AI produces: A classification of each field as share, mask or exclude, and an AI-assisted handling checklist.

Human check: Learner confirms classifications against OSBI governance guidance, not AI suggestions.

Measure: Number of fields correctly classified; minutes to produce a safe extract.

Boundary: Copilot Chat via paste or upload only; follow OSBI data classification rules.

REFLECT

- Which data do you handle that must never go into AI assistance?

- How does governance change what you treat as usable evidence?
- Complete the mindset pulse before you leave.

· Self-paced foundation

Week 2 · Self-directed · 1 hr · Self-paced · Learner, self-directed · Stage 1 Understand

Consolidate Stage 1 with curated reading and short videos on data fundamentals and decision-making.

COVERS

Curated external reading and short videos on data fundamentals and decision-making, completed after Session 3, before Stage 2 begins.

PRODUCES

Consolidated notes carried into Session 4

FLOW

- **Self-paced · 60 min.** Curated reading and videos on data fundamentals and decision-making.

HOW TO

1. Work through the curated reading and short videos.
2. Note one idea each on sources, quality and governance.
3. Link each idea to a decision in your role.
4. Bring your consolidated notes to Session 4.

REFLECT

- Which idea most changed how you view your data?
- What question will you bring into Stage 2?

S4 Data preparation and cleaning

Week 2 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Messy data is normal. A repeatable cleaning routine turns it into something you can analyse yourself, without raising a request.

COVERS

Working with messy, incomplete and inconsistent data. Cleaning routines applied to business examples.

PRODUCES

A cleaned working dataset

FLOW

- **Segment 1 · 90 min · Spark + Build.** Spotting mess: blanks, mixed formats, duplicates, inconsistent labels.
- **Segment 2 · 90 min · Build + Reflect.** Clean a mock dataset from your own function and log each step.

BUILD

Clean a messy mock dataset from your function in Excel, using AI assistance to suggest steps, and log every change.

HOW TO

1. Profile the dataset: blanks, formats, duplicates, odd values.
2. Ask AI assistance to suggest cleaning steps for the issues found.
3. Apply each step in Excel and record what changed.
4. Compare row counts and totals before and after cleaning.

SPARK · LENDING

Cleaning a messy application pipeline extract

A pipeline extract has broker names spelled several ways and mixed date formats, so counts disagree.

Input: Mock mortgage application pipeline extract with inconsistent broker names, date formats and blanks.

AI produces: A cleaned dataset with standardised names and dates, and a step log; AI assistance suggests cleaning steps.

Human check: Learner verifies that no valid applications were merged or dropped.

Measure: Minutes from raw extract to clean dataset; records changed.

Boundary: Mock data only; the dataset informs pipeline reporting, never credit decisions.

REFLECT

- Which cleaning step would you previously have sent to an analyst?
- How do you know your cleaning did not remove valid records?
- One messy file you will clean yourself this month.

S5 Structuring and transforming data

Week 3 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Shape data once, then repeat it. A documented transformation routine makes next month's preparation faster and consistent.

COVERS

Shaping data for analysis and building transformation steps that can be repeated next month.

PRODUCES

A reusable preparation routine

FLOW

- **Segment 1 · 90 min · Spark + Build.** Shaping data for analysis: columns, types, layout, derived fields.
- **Segment 2 · 90 min · Build + Reflect.** Build and document transformation steps you can rerun next month.

BUILD

Turn a mock monthly extract from your function into a reusable preparation routine, documented so a colleague could rerun it.

HOW TO

1. Decide the shape your analysis needs: rows, columns, types.
2. Build each transformation step in Excel or the preparation tool.
3. Document the steps in order, in plain language.
4. Rerun the routine on a second month's mock extract.

SPARK · ACCOUNTS

A month-end reconciliation routine you can rerun

Each month the reconciliation extract is reshaped by hand. Saving the steps would make it repeatable.

Input: Two months of mock ledger and bank-side extracts, anonymised.

AI produces: A documented transformation routine in Excel or the preparation tool, with AI assistance explaining steps.

Human check: Learner reconciles routine output to control totals for both months.

Measure: Minutes to prepare each month's reconciliation; manual steps remaining.

Boundary: Mock extracts only; no account numbers or real balances in AI assistance.

REFLECT

- Which monthly task do you rebuild from scratch each time?
- What would a colleague need to rerun your routine without you?
- One preparation routine you will document this week.

S6 Combining sources

Week 3 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Combining sources adds value only if the join holds. Always check row counts and unmatched records after joining.

COVERS

Bringing separate datasets together without breaking them, and checking the join held.

PRODUCES

A combined, verified dataset

FLOW

- **Segment 1 · 90 min · Spark + Build.** Join types, keys, and how joins break: duplicates, mismatched formats.
- **Segment 2 · 90 min · Build + Reflect.** Combine two mock datasets from your function and prove the join held.

BUILD

Combine two mock datasets from your function using a lookup or merge, then verify the result with counts and unmatched checks.

HOW TO

1. Identify a shared key and check it is unique.
2. Standardise key formats in both datasets before joining.
3. Join with a lookup or merge in Excel or the preparation tool.
4. Reconcile row counts and list unmatched records.

SPARK · SAVINGS

Joining maturities to contact preferences

A maturity list must be joined to contact preferences before outreach. Did the join hold?

Input: Mock savings maturity list and mock contact-preference list sharing a pseudonymised reference.

AI produces: A combined dataset with row-count reconciliation and an unmatched-records list; AI assistance explains the lookup.

Human check: Learner reconciles row counts and reviews every unmatched record.

Measure: Rows matched, unmatched and duplicated after the join.

Boundary: Pseudonymised mock data only; no names, contact details or account numbers.

REFLECT

- How would you have spotted a broken join before this session?
- Which combined dataset in your work has never been checked?

- One check you will always run after a join.

S7 Analysis in Excel, part 1

Week 4 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Formulas and lookups answer business questions directly. The skill is choosing the right calculation and checking it.

COVERS

Formulas and lookups applied to workplace business questions, pending tool confirmation.

PRODUCES

Two completed analyses

FLOW

- **Segment 1 · 90 min · Spark + Build.** Core formulas and lookups applied to real business questions.
- **Segment 2 · 90 min · Build + Reflect.** Complete two analyses on a mock dataset from your function.

BUILD

Answer two business questions from your function using formulas and lookups on a permitted or mock dataset.

HOW TO

1. Write each business question in one sentence.
2. Choose the formulas and lookups the question needs.
3. Use AI assistance to explain or debug a formula, not to decide.
4. Check results against a manual total or known figure.

SPARK · FINANCE

Answering a variance question with lookups

A manager asks why a cost line moved against budget. The figures sit in two tables.

Input: Mock budget and actuals tables by cost centre and month.

AI produces: Variance by cost centre using formulas and lookups, with AI assistance explaining the formulas.

Human check: Learner ties totals back to source tables before drafting commentary.

Measure: Hours from question to answered variance.

Boundary: Mock figures only; analysis supports commentary, not regulatory submissions.

REFLECT

- Which question could you now answer without raising a request?
- How did you check the formula gave the right answer?
- One routine question you will answer yourself next week.

S8 Analysis in Excel, part 2

Week 4 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Pivots summarise thousands of rows in seconds. The judgement is in how you group, and what the summary hides.

COVERS

Pivots, grouping and summarizing at scale, pending tool confirmation.

PRODUCES

A summarized view of a permitted or mock dataset

FLOW

- **Segment 1 · 90 min · Spark + Build.** Pivots, grouping and summarising at scale.
- **Segment 2 · 90 min · Build + Reflect.** Build a summarised view of a permitted or mock dataset from your function.

BUILD

Summarise a permitted or mock dataset from your function with pivots, then test whether a different grouping changes the story.

HOW TO

1. Decide what the summary must answer before building it.
2. Build a pivot with the grouping that fits the question.
3. Regroup by another field and compare the picture.
4. Reconcile pivot totals to the source data.

SPARK · PROCUREMENT

Summarising vendor spend with pivots

Vendor spend looks stable by category, but grouping by month shows a sharp change.

Input: Mock purchase-order dataset with vendor, category, month and amount.

AI produces: Pivot summaries by category and by month, with AI assistance suggesting groupings to compare.

Human check: Learner checks the change against source rows before reporting it.

Measure: Minutes to produce the summary; groupings tested.

Boundary: Mock spend data only; no contract terms or commercially sensitive details in AI assistance.

REFLECT

- What did a different grouping reveal that the first one hid?

- Which summary in your work might be hiding something?
- One summary you will rebuild and recheck yourself.

S9 Framing a business question

Week 5 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

A sharp question picks the right measure. Test whether the answer holds before anyone acts on it.

COVERS

Choosing the right measure for the question asked, and testing whether the answer holds.

PRODUCES

A documented answer with its method

FLOW

- **Segment 1 · 90 min · Spark + Build.** Turning a vague request into a precise question with the right measure.
- **Segment 2 · 90 min · Build + Reflect.** Answer one framed question from your function and document the method.

BUILD

Frame a business question from your function, choose its measure, answer it, and document the method and its limits.

HOW TO

1. Rewrite a vague request as one precise question.
2. Choose the measure and comparison that answers it.
3. Answer it, then test with another period or segment.
4. Document method, assumptions and limits in a few lines.

SPARK · CUSTOMER INSIGHTS

Framing a complaint-trend question properly

Complaints appear to be rising. The answer depends on rate versus count, and which period.

Input: Mock monthly complaint counts by theme with matching customer volumes, anonymised.

AI produces: A framed question, chosen measure and tested answer; AI assistance challenges the framing.

Human check: Learner decides which measure fits; AI alternatives are tested, not adopted.

Measure: Days from question to documented answer.

Boundary: Aggregated mock data only; no complaint text with customer details.

REFLECT

- How did reframing the question change the answer?
- Would your answer hold if someone tested it differently?
- One request you will reframe before starting analysis.

S10 Visualization fundamentals

Week 5 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

The right chart answers the question at a glance. Remove everything the reader does not need.

COVERS

Choosing the right chart for the question, and removing what the reader does not need.

PRODUCES

Three charts that answer a question

FLOW

- **Segment 1 · 90 min · Spark + Build.** Matching chart type to question; decluttering and labelling.
- **Segment 2 · 90 min · Build + Reflect.** Build three charts that each answer one question from your function.

BUILD

Build three charts from an aggregated, anonymised dataset in your function, each answering one stated question.

HOW TO

1. Write the question each chart must answer.
2. Pick the chart type that best fits each question.
3. Remove gridlines, legends and colours the reader does not need.
4. Title each chart with its answer, not its topic.

SPARK · HR

Charting onboarding time clearly

An onboarding chart uses too many colours and axes, and nobody can say what it shows.

Input: Aggregated, anonymised mock data on onboarding duration by month and stage.

AI produces: Three simplified charts each answering one question; AI assistance suggests chart types.

Human check: Learner checks each chart against the data and the question.

Measure: Seconds for a peer to state each chart's answer.

Boundary: Aggregated mock data only; no individual records; never used for hiring or performance decisions.

REFLECT

- Could a reader get your answer without you explaining it?
- What did you remove, and did the chart get clearer?

- One chart in your regular reporting you will simplify.

S11 Dashboard building

Week 6 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

A dashboard works only if a decision-maker can read it alone. Design for the decision, not the data.

COVERS

Building a dashboard a decision-maker can read without anyone standing beside them.

PRODUCES

A working dashboard

FLOW

- **Segment 1 · 90 min · Spark + Build.** Dashboard layout: decision first, key measures, minimal clutter.
- **Segment 2 · 90 min · Build + Reflect.** Build a working dashboard for a decision in your function.

BUILD

Build a working dashboard in Excel or the dashboard tool (to be confirmed) for one decision in your function.

HOW TO

1. Name the decision and the person who makes it.
2. Choose three to five measures that inform that decision.
3. Lay out the most important measure first, top left.
4. Test it with a peer who has no explanation.

SPARK · OPERATIONS

A dashboard a shift lead can read

A shift lead needs to see backlog and exceptions at a glance, without asking an analyst.

Input: Mock servicing backlog and exception data by day and process.

AI produces: A one-page dashboard in Excel or the dashboard tool (to be confirmed); AI assistance suggests layout.

Human check: Learner confirms each measure matches source data and the decision.

Measure: Questions a first-time reader asks before acting.

Boundary: Mock data only; the dashboard informs prioritisation, never individual performance decisions.

REFLECT

- Could your peer act on the dashboard without asking you?
- Which report request could this dashboard replace?
- One change to make the dashboard readable alone.

S12 Communicating an insight

Week 6 · Day 2 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Numbers do not speak for themselves. A short narrative connects the finding to the decision it should change.

COVERS

Writing the narrative around the numbers and presenting it to a non-technical audience.

PRODUCES

An insight summary and narrative

FLOW

- **Segment 1 · 90 min · Spark + Build.** Structuring an insight: finding, evidence, implication, recommendation.
- **Segment 2 · 90 min · Build + Reflect.** Write and present an insight summary from your function to a non-technical peer.

BUILD

Write an insight summary and narrative for an analysis from your function, then present it to a non-technical peer.

HOW TO

1. State the finding in one sentence a non-specialist understands.
2. Add two pieces of supporting evidence and one caveat.
3. Use AI assistance to tighten wording; check every figure yourself.
4. Present in three minutes and note listener questions.

SPARK · LEARNING

Turning feedback scores into a narrative

Training feedback scores rose, but the report lists numbers without saying what to do next.

Input: Mock aggregated session feedback scores and themed comments, anonymised.

AI produces: A short insight narrative: finding, evidence, caveat, recommendation, with AI assistance tightening wording.

Human check: Learner confirms AI edits have not changed any meaning or figure.

Measure: Minutes from analysis to approved narrative.

Boundary: Aggregated mock feedback only; no named participants or trainers.

REFLECT

- Which question from your listener exposed a gap in your story?
- Did AI assistance change any meaning you had to correct?

- One insight you will present yourself rather than send as a table.

S13 Peer practice and correction clinic

Week 7 · Day 1 · 3 hrs · Live session · Expert trainer · Stage 2 Practice

Review catches what the author misses. Correcting each other's analysis builds the habit of checking before relying.

COVERS

Breakout practice. Reviewing and improving each other's analysis and visuals.

PRODUCES

Peer-reviewed analysis

FLOW

- **Segment 1 · 90 min · Spark + Build.** Review method: question, data, method, result, visual.
- **Segment 2 · 90 min · Build + Reflect.** Peer-review a colleague's analysis and visuals, then improve your own.

BUILD

Swap an analysis and its visuals with a peer, review against a shared checklist, then correct your own work.

HOW TO

1. Agree a review checklist covering data, method, result and visual.
2. Review your peer's work and note specific issues.
3. Discuss findings and agree what to change.
4. Correct your own analysis and record what changed.

SPARK · AUDIT

Reviewing a sample analysis method

An evidence sample total is right, but the method behind it would not survive review.

Input: Mock audit sample analysis with a deliberate method error.

AI produces: A peer review against a checklist; AI assistance suggests review questions.

Human check: Reviewer confirms each issue against the data before raising it.

Measure: Issues found per review; minutes per review.

Boundary: Mock analysis only; peer review is developmental, not an audit opinion.

REFLECT

- What did your reviewer catch that you had missed?
- How will you check your own work before sharing next time?
- One habit from peer review you will keep.

· Guidance clinic

Week 7 · Day 2 · 1 hr · Live clinic · Expert trainer · Stage 2 Practice

Clear blockers from your own data before the applied stage, working them through live with the trainer.

COVERS

Live open clinic. Learners bring blockers from their own data and work them through with the trainer.

PRODUCES

Blockers cleared before the applied stage

FLOW

- **Single block · 60 min · Build + Reflect.** Live blocker clearance on learners' own data problems.

BUILD

Bring one blocker from your own data and work it through with the trainer and peers.

HOW TO

1. Write your blocker in one sentence before the clinic.
2. Share a safe mock or anonymised sample of the problem.
3. Work it through with the trainer and note the fix.
4. Record anything still open for Stage 3.

REFLECT

- Which blocker could you now solve yourself next time?
- What do you still rely on others to do with data?
- Complete the mindset pulse before you leave.

S14 Opportunity discovery

Week 8 · Day 1 · 3 hrs · Live session · Mentor · Stage 3 Apply

The best opportunities hide in routine work. Find where a data-driven view could change a decision, then size it.

COVERS

Identifying at least three data-driven opportunities in their own work and sizing the value of each.

PRODUCES

Three candidate opportunities, sized

FLOW

- **Segment 1 · 90 min · Spark + Build.** Spotting data-driven opportunities in your own recurring work.
- **Segment 2 · 90 min · Build + Reflect.** Identify and size three candidate opportunities from your function.

BUILD

Identify at least three data-driven opportunities in your own work and size the value of each.

HOW TO

1. List recurring reports, requests and decisions in your role.
2. Mark where data arrives late, scattered or unchecked.
3. Describe three opportunities as a decision plus a better view.
4. Size each by time, frequency and decision affected.

SPARK · HR

Spotting a data opportunity in onboarding

Onboarding status sits in several trackers, so nobody sees overall progress.

Input: Description of current onboarding trackers and mock aggregated status counts.

AI produces: Three sized opportunity statements; AI assistance helps structure each one.

Human check: Learner validates each opportunity's size against their own working knowledge.

Measure: Hours per week spent consolidating trackers.

Boundary: Aggregated or mock data only; no candidate or employee personal data.

REFLECT

- Which routine report could become a view your team uses?
- What would change if that decision had better data?
- One opportunity you would put to your manager.

S15 Manager conversation and selection

Week 8 · Day 2 · 3 hrs · Live session · Mentor · Stage 3 Apply

Your manager validates business value. Prepare a short, evidenced conversation and select one opportunity together.

COVERS

Preparing and running the conversation with the reporting manager, then selecting one opportunity.

PRODUCES

A selected opportunity, validated by the manager

FLOW

- **Segment 1 · 90 min · Spark + Build.** Preparing the manager conversation: problem, value, data, effort.
- **Segment 2 · 90 min · Build + Reflect.** Prepare your case, run the manager conversation, and select one opportunity.

BUILD

Prepare a one-page summary of your three opportunities, run the manager conversation, and record the selected opportunity.

HOW TO

1. Summarise each opportunity: problem, decision, data, effort.
2. Anticipate your manager's questions and prepare answers.
3. Run the conversation and listen for their priorities.
4. Record the selected opportunity and agreed success measure.

SPARK · FINANCE

Preparing the manager conversation on MIS

Two MIS improvement ideas compete. The manager must choose the one that matters most.

Input: One-page summaries of candidate opportunities, using mock figures.

AI produces: A prepared conversation brief with anticipated questions; AI assistance drafts likely challenges.

Human check: Manager validates business value; learner confirms facts behind every answer.

Measure: Days from opportunity list to manager-validated selection.

Boundary: No confidential financial results in AI assistance; mock figures only.

REFLECT

- How did your manager's view change the opportunity?
- Which team decision will your work actually change?
- One thing you will confirm with your manager next.

S16 Sourcing the working dataset

Week 9 · Day 1 · 3 hrs · Live session · Mentor · Stage 3 Apply

Permission comes before analysis. Source permitted workplace data, or build safe mock data, for your selected problem.

COVERS

Locating permitted workplace data, or building safe mock data, for the selected problem.

PRODUCES

A sourced dataset with its permissions clear

FLOW

- **Segment 1 · 90 min · Spark + Build.** Locating permitted data; rules for anonymisation and mock data.
- **Segment 2 · 90 min · Build + Reflect.** Source your working dataset and record its permissions.

BUILD

Locate permitted workplace data for your selected problem, or build safe mock data, and record its permissions.

HOW TO

1. List the fields your analysis actually needs.
2. Confirm with the data owner what you may use.
3. Remove or mask identifiers, or build a mock equivalent.
4. Record source, permissions and any handling limits.

SPARK · SAVINGS

Building a safe mock savings dataset

The real servicing file contains customer details, so a safe mock version is needed for analysis.

Input: Field list of a savings servicing extract, with no records.

AI produces: A mock dataset matching the real structure; AI assistance generates realistic synthetic values.

Human check: Learner checks the mock contains no real values and mirrors real distributions sensibly.

Measure: Days to obtain a permission-cleared dataset.

Boundary: No real customer data in AI assistance; data owner confirms permissions.

REFLECT

- Does your dataset contain only what the decision needs?
- Who must agree before your team relies on this data?
- One permission you still need to confirm.

S17 Preparing the working dataset

Week 9 · Day 2 · 3 hrs · Live session · Mentor · Stage 3 Apply

Analysis-ready means clean, structured and documented. Apply your earlier routines to the real problem with mentor input.

COVERS

Cleaning and structuring it into an analysis-ready state with mentor input.

PRODUCES

An analysis-ready dataset

FLOW

- **Segment 1 · 90 min · Spark + Build.** Applying cleaning and structuring routines to your working dataset.
- **Segment 2 · 90 min · Build + Reflect.** Prepare your working dataset to analysis-ready with mentor review.

BUILD

Clean and structure your working dataset into an analysis-ready state, documenting each step for mentor review.

HOW TO

1. Profile your working dataset for quality issues.
2. Apply cleaning and transformation steps from your routine.
3. Document each step so it can be rerun.
4. Review readiness with your mentor and fix gaps.

SPARK · LENDING

Making lending data analysis-ready

The working dataset for a pipeline reporting problem needs cleaning and structuring before analysis.

Input: Permitted or mock application pipeline data for the learner's selected problem.

AI produces: An analysis-ready dataset with a documented routine; AI assistance reviews the step log.

Human check: Mentor and learner confirm readiness against the quality checklist.

Measure: Minutes to rerun the preparation routine.

Boundary: Permitted or mock data only; supports reporting, never credit decisions.

REFLECT

- Could your team rerun this preparation without you?
- What would make this dataset trustworthy enough to use weekly?

- One preparation step you will automate in your routine.

S18 Building the analysis

Week 10 · Day 1 · 3 hrs · Live session · Mentor · Stage 3 Apply

An answer is only useful once checked. Test your analysis before anyone relies on it.

COVERS

Answering the selected business question, and checking the answer before relying on it.

PRODUCES

A completed, checked analysis

FLOW

- **Segment 1 · 90 min · Spark + Build.** Answering the selected question with the right measures.
- **Segment 2 · 90 min · Build + Reflect.** Check the answer: reconcile totals, test alternatives, note limits.

BUILD

Answer your selected business question and check the analysis before relying on it.

HOW TO

1. Restate the question and the measure agreed with your manager.
2. Build the analysis on your analysis-ready dataset.
3. Reconcile totals and test with another period or segment.
4. Record limits and what would change the answer.

SPARK · QUALITY

Checking an error-rate analysis

An analysis shows QC error rates falling, but sample sizes changed between periods.

Input: Mock QC results by month with varying sample sizes.

AI produces: An error-rate analysis checked for sample size and period effects; AI assistance proposes alternative explanations.

Human check: Learner decides whether the trend holds before reporting it.

Measure: Checks run before the answer was relied on.

Boundary: Mock data only; results inform process improvement, not individual performance decisions.

REFLECT

- How confident are you, and what is that confidence based on?
- What would your team need to trust this answer weekly?
- One check you will repeat each time the data refreshes.

S19 Building the dashboard

Week 10 · Day 2 · 3 hrs · Live session · Mentor · Stage 3 Apply

A dashboard earns its place when a decision-maker uses it week to week. Build for that routine.

COVERS

Turning the analysis into something a decision-maker can actually use week to week.

PRODUCES

A working dashboard or report

FLOW

- **Segment 1 · 90 min · Spark + Build.** Designing for the weekly decision and its decision-maker.
- **Segment 2 · 90 min · Build + Reflect.** Build and test the dashboard or report with its intended user.

BUILD

Turn your checked analysis into a working dashboard or report your decision-maker can use week to week.

HOW TO

1. Confirm who uses it, when, and for which decision.
2. Build it in Excel or the dashboard tool (to be confirmed).
3. Add refresh steps and a short data note.
4. Test with the intended user and capture their feedback.

SPARK · CUSTOMER INSIGHTS

A weekly complaint-theme view

Complaint themes are reported monthly, but service decisions are made weekly.

Input: Mock weekly complaint counts by theme and channel, aggregated.

AI produces: A weekly view in Excel or the dashboard tool (to be confirmed); AI assistance drafts the data note.

Human check: Intended user confirms the view supports their weekly decision.

Measure: Days between data refresh and decision.

Boundary: Aggregated mock data only; no complaint text containing customer details.

REFLECT

- Does your view replace a report, or add another one?
- What would stop your team using this every week?
- One change your user asked for that you will make.

S20 Impact and enablement plan

Week 11 · Day 1 · 3 hrs · Live session · Mentor · Stage 3 Apply

Impact is estimated honestly, not promised. A one-page plan shows how the team adopts the new view.

COVERS

Estimating the business or decision impact, and writing the one-page enablement plan.

PRODUCES

Impact estimate and a one-page plan

FLOW

- **Segment 1 · 90 min · Spark + Build.** Estimating decision or business impact, with stated assumptions.
- **Segment 2 · 90 min · Build + Reflect.** Write the one-page enablement plan for your team.

BUILD

Estimate the business or decision impact of your work, and write a one-page enablement plan for your team.

HOW TO

1. Compare the old and new way: time, steps, handoffs.
2. State the impact estimate with every assumption visible.
3. Plan who uses the view, how often, and who maintains it.
4. Fit it on one page and review with your mentor.

SPARK · PROCUREMENT

Estimating impact of a vendor-comparison view

Vendor comparisons were assembled by hand. A prepared view could change how reviews run.

Input: Mock before-and-after process steps and time logs for a vendor review.

AI produces: An impact estimate with visible assumptions and a one-page enablement plan; AI assistance structures the page.

Human check: Learner checks every assumption is stated and evidenced.

Measure: Hours per vendor review, before and after.

Boundary: Mock vendor data only; no contract terms or pricing in AI assistance.

REFLECT

- Which assumption in your estimate is weakest, and how will you test it?
- Who in your team needs to change their routine for this to land?
- One step to get the view adopted, not just built.

S21 Privacy and governance check

Week 11 · Day 2 · 3 hrs · Live session · Mentor · Stage 3 Apply

Every useful dataset carries a risk. Name a privacy or governance risk and define a practical mitigation.

COVERS

Naming a data privacy or governance risk and defining a practical mitigation.

PRODUCES

A named risk with its mitigation

FLOW

- **Segment 1 · 90 min · Spark + Build.** Identifying privacy and governance risks in your own case.
- **Segment 2 · 90 min · Build + Reflect.** Define a practical mitigation and record it in your case.

BUILD

Name one data privacy or governance risk in your work and define a practical, owned mitigation.

HOW TO

1. Review your data, outputs and audience for exposure risks.
2. Name the most material risk in one sentence.
3. Define a mitigation with an owner and a check.
4. Confirm the analysis informs, never automates, any decision.

SPARK · RISK

Naming the risk in a risk dashboard

A risk reporting dashboard is useful but exposes more detail than some viewers should see.

Input: Mock risk dashboard layout and its audience list.

AI produces: A named privacy or governance risk with mitigation; AI assistance suggests risks to consider.

Human check: Learner confirms the risk and mitigation against OSBI governance guidance.

Measure: Risks identified; mitigations with a named owner.

Boundary: Mock data only; analysis informs decisions, never automates them.

REFLECT

- Would your view still be safe if shared one level wider?
- How has your idea of usable data changed since Session 3?
- Complete the mindset pulse before you leave.

· Independent application

Week 11 · Self-directed · 4 hrs · Independent application · Learner, self-directed · Stage 3 Apply

Work your analysis between sessions and produce progress artefacts that show the case taking shape.

COVERS

Working the analysis between sessions and producing progress artifacts.

PRODUCES

Progress artifacts across the stage

FLOW

- **Independent · 240 min.** Analysis work between sessions and progress artefacts.

HOW TO

1. Plan independent hours around your Stage 3 milestones.
2. Work on permitted or mock data only.
3. Save a dated progress artefact after each work block.
4. Bring questions and artefacts to your next mentor session.

REFLECT

- What did you complete without needing to ask anyone?
- Is your view becoming something your team would use?

S22 Assembling the case

Week 12 · Day 1 · 3 hrs · Live session · Mentor · Stage 4 Prove

A case persuades when its parts connect: question, analysis, impact, plan and risk tell one story.

COVERS

Pulling the analysis, the impact, the plan and the risk into one workplace case.

PRODUCES

A complete workplace data case

FLOW

- **Segment 1 · 90 min · Spark + Build.** Structuring the case: question, analysis, impact, plan, risk.
- **Segment 2 · 90 min · Build + Reflect.** Assemble your evidence into one complete workplace data case.

BUILD

Pull your analysis, impact estimate, enablement plan and named risk into one complete workplace data case.

HOW TO

1. Outline the case from question to recommended decision.
2. Insert your analysis, impact, plan and risk in order.
3. Check every figure traces back to the dataset.
4. Cut anything that does not support the decision.

SPARK · ACCOUNTS

Assembling a reconciliation improvement case

Reconciliation analysis, impact estimate, plan and risk sit in separate files.

Input: The learner's own analysis, impact estimate, plan and risk note, using mock figures.

AI produces: One structured workplace case; AI assistance checks the storyline for gaps.

Human check: Learner confirms every figure and claim traces to evidence.

Measure: Figures in the case traced back to source.

Boundary: Mock or permitted figures only; no real account data in AI assistance.

REFLECT

- Could someone act on your case without you in the room?
- Which part of your case is weakest, and why?
- One piece of evidence you will strengthen before review.

S23 Capstone review

Week 12 · Day 2 · 3 hrs · Live session · Mentor · Stage 4 Prove

Review is where a case becomes defensible. Close gaps and tighten evidence before others rely on it.

COVERS

Mentor review of the full case. Gaps closed and evidence tightened.

PRODUCES

A reviewed and corrected case

FLOW

- **Segment 1 · 90 min · Spark + Build.** Mentor review of the full case against agreed criteria.
- **Segment 2 · 90 min · Build + Reflect.** Close gaps, tighten evidence and correct the case.

BUILD

Take mentor review of your full case, then close gaps, tighten evidence and record each correction.

HOW TO

1. Present your case to your mentor in brief.
2. Log every gap or challenge raised.
3. Fix evidence, method or narrative for each one.
4. Recheck figures and confirm the case still holds.

SPARK · AUDIT

Testing a case like an auditor

A capstone case reads well, but a reviewer asks how each claim is known.

Input: The learner's draft case, using permitted or mock data.

AI produces: An evidence trail for each claim; AI assistance drafts challenge questions an auditor might ask.

Human check: Mentor confirms gaps are closed with evidence, not wording.

Measure: Claims without evidence, before and after review.

Boundary: Permitted or mock data only; review is developmental, not an audit opinion.

REFLECT

- Which challenge surprised you most, and what did it reveal?
- Is this a decision others could act on, or still your numbers?
- One correction that made your case more defensible.

S24 Rehearsal and defense preparation

Week 13 · Day 1 · 3 hrs · Live session · Mentor · Stage 4 Prove

Defending a case means anticipating the hard questions. Rehearse the five-minute presentation until the reasoning holds under challenge.

COVERS

Rehearsing the five-minute presentation and anticipating the questions a panel will ask, if the panel review is approved.

PRODUCES

A rehearsed, defensible case

FLOW

- **Segment 1 · 90 min · Spark + Build.** Shaping the five-minute presentation around the decision.
- **Segment 2 · 90 min · Build + Reflect.** Rehearse with challenge questions and refine answers.

BUILD

Rehearse your five-minute presentation and practise answering likely panel questions, if the panel review is approved.

HOW TO

1. Cut the case to a five-minute storyline.
2. Rehearse once, timed, with a peer or mentor.
3. List the hardest likely questions and draft answers.
4. Rehearse again and tighten weak answers.

SPARK · LEARNING

Rehearsing answers to panel questions

A five-minute presentation must withstand questions on data, method and impact.

Input: The learner's reviewed case and presentation outline.

AI produces: A list of likely panel questions and rehearsed answers; AI assistance plays the challenger.

Human check: Mentor judges whether answers rest on evidence.

Measure: Panel-style questions answered with evidence in rehearsal.

Boundary: No real customer or confidential data in AI assistance; panel review pending approval.

REFLECT

- Which question would test your reasoning, not just your numbers?
- Who will act on your decision, and what will you share with them?
- Complete the mindset pulse to close the programme.