AIGENX × DRAGONFRUIT MEDIA

Batch 3 — Role-Specific Agent Playbooks

Part 3 of 3 — Creative Directors (continued) and Editors

Document: Part 3 of 3
Prepared by: AIGENX
Date: March 2026
Classification: Confidential

Playbook 4 (Continued) — Creative Director Agent Playbook

4.4 Agent Opportunity: CD-1 — Predictive Retention Scoring Tool

> **30%**
>
> Faster time-to-first-draft (Innovation Experiment KPI)

What It Does

Accepts a full script as input and outputs a predicted audience retention curve, similar to YouTube Analytics retention graphs. Identifies likely drop-off points, flags sections with low engagement potential, and suggests structural edits including opening hook improvements with rationale. Functions as an AI focus group that simulates viewer behavior before a video is produced.

Agent Architecture (OpenAI Agents SDK)

```
retention_scoring_agent = Agent(
    name="RetentionScoringAgent",
    model="gpt-4o",
    instructions="""You predict audience retention for YouTube scripts at DFM.

    INPUTS:
    - Script text (full)
    - Outlier script data (from CD-2 competitor analysis)
    - Channel context (client knowledge base from CD-4)
    - Video format: longform or shortform

    ANALYSIS FRAMEWORK:
    1. HOOK ANALYSIS (0-30s): Score opening hook strength (1-10)
       - Pattern match against top-performing hooks from competitor data
       - Check for curiosity gap, stakes establishment, pattern interrupt
    2. SEGMENT SCORING: Score each script section (1-10)
       - Pacing variation, information density, emotional beats
       - Compare against retention patterns of similar content
    3. DROP-OFF PREDICTION: Flag likely exit points
       - Long exposition without payoff (>90s)
       - Topic shifts without bridges
       - Low-energy segments after high-energy peaks
    4. STRUCTURAL SUGGESTIONS:
       - Reorder recommendations for better retention
       - Hook alternatives with rationale
       - "Re-hook" insertion points (mini-hooks mid-video)

    OUTPUT FORMAT:
    - Predicted retention curve (percentage at each minute mark)
    - Overall retention score (1-100)
```

```
    - Top 3 drop-off risks with timestamps and fixes
    - Hook score with 2 alternative hook suggestions
    - Comparison to channel average retention""",
    tools=[
        analyze_script_structure,   # Function: NLP analysis
        compare_competitor_hooks,   # Function: CD-2 data
        get_channel_retention_avg,  # Function: YouTube API data
        get_client_context,         # Function: CD-4 knowledge base
        generate_retention_curve,   # Function: prediction model
        notion_update_page,         # MCP: Notion (save analysis)
    ]
)
```

Output Example

📊 **Retention Prediction — Client X "Why AI Will Replace Doctors"**

Overall Score: 74/100 (Channel avg: 68)
Predicted Avg View Duration: 8:42 / **14:00** (62% retention)

Retention Curve:
0:00-0:30 — 95% (Strong hook: "What if I told you your doctor is already using AI?")
0:30-2:00 — 82% (Good context setting, stakes clear)
2:00-4:00 — 71% ⚠️ (Exposition heavy — 3 consecutive data points without story)
4:00-6:00 — 68% (Case study recovers interest)
6:00-8:00 — 58% 🔴 (Technical explanation too dense, no visual cues in script)
8:00-10:00 — 52% (Gradual decline, needs re-hook)
10:00-12:00 — 48% (Counter-argument section — good but too late)
12:00-14:00 — 45% (CTA + outro)

🔴 **Top Drop-Off Risks:**
1. **2:00-4:00:** Three consecutive statistics without narrative. Fix: Weave data into a patient story.
2. **6:00-8:00:** Technical AI explanation (transformer architecture). Fix: Use analogy — "Think of it like autocomplete for medical diagnoses."
3. **8:00 mark:** No re-hook. Fix: Insert "But here's where it gets scary..." at 7:45.

🎣 **Hook Alternatives:**
A. "A hospital in Tokyo just let an AI diagnose 10,000 patients. The results shocked everyone." (Score: 8/10)
B. "Your next doctor's appointment might be with a machine. And that might be a good thing." (Score: 7/10)
Current hook score: 7/10

4.5 Agent Opportunity: CD-2 — Competitor Script Scraper + Pattern Tracker

What It Does

Continuously monitors ~20 competitor channels per client, scrapes transcripts, and analyzes patterns across hooks and narrative structures. Distinguishes between baseline performance and genuine outliers. Delivers weekly Slack digest of outlier videos with analysis.

Agent Architecture

```
competitor_scraper_agent = Agent(
    name="CompetitorScraperAgent",
    model="gpt-4o",
    instructions="""You monitor competitor YouTube channels for DFM clients.

    MONITORING:
    - ~20 competitor channels per client (configured in Notion)
    - Check daily for new uploads
    - Scrape transcripts via YouTube API + captions
    - Pull performance data: views, likes, comments, retention (if available)

    OUTLIER DETECTION:
    - Calculate channel baseline: avg views over last 20 videos
    - Outlier threshold: >2x baseline views within 7 days of publish
    - Also flag: fastest-growing videos (velocity), highest engagement rate

    ANALYSIS PER OUTLIER:
    - Hook analysis: first 30 seconds transcript + pattern classification
    - Narrative structure: intro/body/conclusion breakdown
    - Topic categorization: theme, format, angle
    - Timing patterns: day of week, time of day, seasonal relevance
    - Thumbnail analysis: composition, text, faces, colors (via vision)

    OUTPUT: Weekly Slack digest per client + Notion database entry
    FEEDS INTO: CD-1 (retention scoring), CD-3 (packaging roaster)""",
    tools=[
        youtube_search_channel,     # API: YouTube Data API
        youtube_get_transcript,     # API: YouTube captions
        youtube_get_stats,          # API: YouTube Data API
        analyze_thumbnail,          # Function: Vision analysis
        analyze_hook_pattern,       # Function: NLP
        notion_create_entry,        # MCP: Notion
        slack_send_message,         # MCP: Slack
    ]
)
```

Weekly Digest Example

📊 **Competitor Outlier Digest — Client X — Week of March 3**

🔥 **Outlier #1:** "Why I Quit Being a Doctor" — @MedChannel (2.1M views, baseline: 400K = 5.25x)

• Hook: Personal story opening ("I walked out of the hospital for the last time...")
• Pattern: Confession format + career pivot narrative
• Thumbnail: Close-up face, single word "QUIT" in red, hospital background
• Relevance to Client X: High — similar audience, different angle on healthcare

🔥 **Outlier #2:** "The $1M Medical Device Nobody Knows About" — @TechHealth (890K views, baseline: 200K = 4.45x)
• Hook: Mystery/reveal format ("There's a device in every hospital that costs more than your house...")
• Pattern: Hidden knowledge + price anchor
• Thumbnail: Device image with price tag, shocked face
• Relevance to Client X: Medium — tech angle applicable

📈 **Trending Patterns This Week:**
• Personal story hooks outperforming data-led hooks by 2.3x
• "Quit/Left/Walked Away" titles trending in professional niches
• Single-word thumbnail text performing 40% better than multi-word

4.6 Agent Opportunity: CD-3 — Packaging Roaster

What It Does

Analyzes thumbnails and titles for visual tension, curiosity gaps, and competitive positioning. Can function as a Slack command: post a title + thumbnail image, get back a score and critique. Cross-references with Google Trends/SEO data.

Slack Command Interface

CD types in Slack: `/roast "Why AI Will Replace Doctors" [thumbnail.jpg]`

Agent Response:
Title Score: 7/10
✅ Curiosity gap present ("Will it?")
✅ Emotional trigger ("Replace" implies threat)
⚠️ Overused format — 14 videos with similar titles in last 30 days
💡 Alternative: "Your Doctor Is Already Using AI (And You Don't Know It)" — Score: 8/10

Thumbnail Score: 6/10
✅ Face present (good for CTR)
⚠️ Text too small — won't read on mobile
⚠️ Color palette too similar to channel's last 3 thumbnails (shelf fatigue)
💡 Suggestion: Increase text size 40%, use contrasting color (yellow on dark), add visual tension element (robot hand + human hand)

SEO Check: "AI replace doctors" — 12,100 monthly searches, trending +45% MoM ✅

4.7 Agent Opportunity: CD-4 — Client-Specific Knowledge Bases

What It Does

Dedicated Claude Projects (or equivalent LLM workspaces), one per client, pre-loaded with brand voice, past scripts, performance data, audience demographics, and style guides. CDs query conversationally for on-brand suggestions.

Knowledge Base Contents Per Client

Data Category	Source	Update Frequency
Brand voice documentation	Notion (Editing SOP)	On change
Past scripts (all versions)	Notion	Per batch
Performance data (views, retention, CTR)	YouTube API	Weekly
Audience demographics	YouTube Analytics	Monthly
Style guide + visual treatment	Notion, ClickUp	On change
Competitor outlier data	CD-2 agent output	Weekly
Client feedback history	Frame.io, Slack	Per review cycle
Monthly report insights	Notion, YouTube	Monthly

Conversational Query Examples

CD: "What topics have performed best for Client X in the last 3 months?"
Agent: "Top 3 by views: (1) 'AI in Surgery' — 1.2M views, 65% retention. (2) 'Medical Myths' — 890K, 58% retention. (3) 'Day in the Life' — 750K, 72% retention. Pattern: Personal/experiential content retains better than data-heavy content."

CD: "Draft 3 title options for a video about hospital costs in Client X's voice"
Agent: Based on Client X's voice (direct, slightly provocative, uses "you" frequently):
1. "Your Hospital Bill Is a Lie (Here's What It Really Costs)"
2. "I Broke Down Every Dollar of a $50,000 Hospital Stay"
3. "Why Your Insurance Company Doesn't Want You to See This"

4.8 Agent Opportunity: CD-5 — AI-Assisted Script Voice Matching

What It Does

Takes a draft script and rewrites/adjusts it to match a specific client's voice and delivery style. Trained on examples of the client's previous scripts, verbal cadences, vocabulary preferences, and personality.

```
voice_matching_agent = Agent(
    name="ScriptVoiceMatchingAgent",
    model="gpt-4o",
    instructions="""You adjust scripts to match client voice for DFM.

    PROCESS:
    1. Load client voice profile from CD-4 knowledge base
    2. Analyze draft script for voice mismatches
    3. Rewrite flagged sections to match client cadence
    4. Preserve all factual content and structure
    5. Highlight changes for CD review

    VOICE DIMENSIONS:
    - Formality level (1-10)
    - Humor frequency and style
    - Sentence length preference
    - Vocabulary complexity
    - Catchphrases and verbal tics
    - Transition style (hard cuts vs. smooth bridges)
    - CTA style (direct vs. subtle)

    OUTPUT: Revised script with tracked changes + voice match score""",
    tools=[
        get_client_voice_profile,   # Function: from CD-4
        analyze_voice_match,        # Function: NLP comparison
        rewrite_section,            # Function: GPT-4o rewrite
        notion_update_page,         # MCP: Notion
    ]
)
```

4.9 Cross-Agent Handoffs (CD ↔ Other Roles)

Handoff	Trigger	From	To	Data
Competitor Data → Ideation	Weekly digest	CD-2 Scraper	CD-4 Knowledge Base	Outlier videos, patterns, hooks
Script Draft → Retention Score	Script V1 complete	Scriptwriter	CD-1 Retention	Script text, client context
Retention Score → CD Review	Score generated	CD-1 Retention	CD (human)	Retention curve, drop-off flags, suggestions
Ideation Approved → Producer	CD marks complete	CD Agent	PR-4 Producer Agent	Ideation doc link, status update
Thumbnail → Packaging Score	Designer uploads V1	PC Status Agent	CD-3 Packaging Roaster	Thumbnail image, title options
V2 Ready → CD Review	PPM approves V2	PPM QC flow	CD notification	Frame.io link, QC report, PPM notes
Monthly Data → Knowledge Base	DA completes report	Data Analyst	CD-4 Knowledge Base	Performance data, insights, trends

4.10 Training Plan

> 📊 ***Training Calibration:*** *CDs have the biggest knowledge gap. All use ChatGPT but most haven't explored beyond it. One CD admitted not having sat down to learn other tools. Training has* ***outsized impact*** *here — demos and hands-on sessions will unlock the most value. Focus on showing CDs what's possible, not teaching AI fundamentals.*

Week	Topic	Format	Outcome
1	CD-4 Knowledge Bases: Querying client context conversationally	Live demo + hands-on	CDs can use knowledge bases for ideation
1	CD-1 Retention Scoring: Interpreting curves and acting on flags	Workshop with real scripts	CDs can use retention scores to improve scripts
2	CD-2 Competitor Digests: Reading and applying outlier insights	Walkthrough	CDs incorporate competitor data into ideation
2	CD-3 Packaging Roaster: /roast command and thumbnail optimization	Hands-on	CDs can score and iterate on thumbnails
3	CD-5 Voice Matching: Reviewing and refining voice-matched scripts	Workshop	CDs can quality-check voice-matched output
3	AI Creative Toolkit: NotebookLM, Eddie AI, Claude Projects	Demo day	CDs exposed to full toolkit (addressing knowledge gap)
4	Advanced: Combining agents for end-to-end ideation workflow	Pod simulation	CDs can run full ideation cycle with agent support

4.11 KPIs & Success Metrics

KPI	Baseline	Target (90 days)	Measurement
Preproduction time allocation	28.9%	50%	Time audit
Time-to-first-draft	Current baseline	30% faster	ClickUp task duration
AI-assisted ideation rate	~20% (ChatGPT only)	80%+	Survey + agent usage logs
ClickUp admin time	1.7%	0%	Time audit
Non-creative meeting time	~5%	0%	Time audit
Competitor insights used in ideation	Ad hoc	100% of ideation docs reference CD-2 data	Notion audit
Retention score accuracy	N/A	Correlation >0.6 with actual retention	Post-publish comparison

Playbook 5 — Editor Agent Playbook

5.1 Role Profile & Survey Snapshot

Attribute	Detail
Headcount	54 Editors (largest team — 63% of org)
Weekly Capacity	2,160h (5d × 8h × 54 people)
Logged Hours	2,119.8h (Feb 4–10, 2026) — 98% utilization
Current Client Load	4 clients
Dream Client Load	7 clients
Current Core Editing %	65.9%
Dream Core Editing %	79% ("spend closer to 80% of time on core editing")
Survey Respondents	46 (63% of total — the power users)

📊 ***Survey Insight:*** *Editors are the* ***power users*** *— 46 editors average 5+ tools each. They drive demand for video gen (Higgsfield 28%, Veo 37%, Kling 24%), image gen (Freepik 57%, Firefly 50%), and audio (ElevenLabs 52%).* ***17 editors pay out of pocket for ChatGPT alone.*** *Key quote: "ChatGPT feels like my art director." — Levi C., Editor. Top requests: ChatGPT Paid (13), Higgsfield (11), Gemini Premium (7), Adobe CC/Firefly (5). Editors are the most tool-diverse and AI-enthusiastic group. Even small per-editor efficiency gains compound massively across 54 people.*

5.2 Current vs. Dream Time Allocation

Task Category	Current %	Dream %	Δ	Agent Impact
Core Editing (Total)	65.9%	79%	▲ 13.1%	Higher V1 quality + fewer revisions
└ V1 Editing	28.3%	45%	▲ 16.7%	Freed overhead + eliminated idle → more V1 capacity
└ Revisions	13%	8%	▼ 5%	Goal: ≤V3 + higher first-submission approval rate
└ Animating	9.3%	10%	▲ 0.7%	More creative time
└ Exporting	3.6%	2%	▼ 1.6%	Automated export workflows
└ Asset Collection	3.6%	3.5%	—	Roughly maintained
└ Rough Cut	2.8%	4%	▲ 1.2%	More time for quality rough cuts

└ Audio Mixing	1.9%	3%	▲ 1.1%	Slight increase for quality
└ Troubleshooting	1.9%	1%	▼ 0.9%	Reduced via standardized pipelines
└ Self QC/Review	1.3%	2.5%	▲ 1.2%	Catch issues before PPM review
Idle / Waiting	6.5%	2%	▼ 4.5%	AI assignment routing + even workload distribution
Slack Communication	3.1%	2%	▼ 1.1%	Automated notifications + structured feedback routing
Footage Downloading	2.7%	1%	▼ 1.7%	Automated file ingest-to-Descript workflow
ClickUp Administration	2.5%	1%	▼ 1.5%	Automated status/assignment workflows
Meetings – Internal	2.6%	2.5%	—	Roughly maintained (pod meetings + 1:1s)
Breaks	10.8%	10%	—	Maintained
Peer Support	0.6%	2.5%	▲ 1.9%	Formalized peer support

🎯 **Net Impact:** Core editing time increases from **66% → 79%**. Key reductions: Idle time (6.5% → 2%), Footage downloading (2.7% → 1%), ClickUp admin (2.5% → 1%), Revisions (13% → 8%). At 54 editors, even 1% = 21.6 hours/week recovered. The 13.1% increase in core editing = **283 additional editing hours per week** — equivalent to adding ~7 full-time editors without hiring. Revision target: ~10% of editing time (≈8% of capacity) — down from ~20% of editing time.

5.3 Pipeline Steps Automated (Editor-Owned)

Pipeline Step	Current Tool	Agent Action	Integration
Editor downloads footage	Dropbox, Make	Footage Ingest Agent auto-downloads to editor workspace on assignment	API Dropbox
Editor uploads footage to Descript	Descript	Agent auto-uploads to Descript project, triggers transcription	API Descript
Editor reviews Edit SOP (if new)	Notion	Agent surfaces SOP link in Slack DM on first assignment for client	MCP Notion + Slack
Editor reviews Style Edit	Frame.io	Agent surfaces Style Edit link alongside SOP	API Frame.io
Editor assembles Roadmap	After Effects	ED-3 Rough Cut Agent provides structured timeline from script	SDK Script analysis
Editor uploads to ClickUp, tags CD	Slack, ClickUp, Make, Zapier	Agent auto-updates ClickUp status, notifies CD via Slack	MCP ClickUp + Slack
Editor provides link via Frame.io	Frame.io, Premiere	Agent detects Frame.io upload, updates ClickUp, notifies reviewers	API Frame.io + MCP ClickUp
Editor reviews feedback (V2/V3/V4)	Frame.io	Agent summarizes feedback with priority tags, groups by category	API Frame.io
Editor updates link & confirms	Premiere, Frame.io, ClickUp	Agent auto-updates ClickUp status on Frame.io re-upload	API Frame.io + MCP ClickUp

5.4 Agent Opportunity: ED-3 — Rough Cut Acceleration Tool

283h

Additional editing hours per week recovered across 54 editors

What It Does

Ingests raw footage alongside a script/outline, automatically syncs dialogue to transcript, removes silences and obvious mistakes, and produces a structured timeline organized by script section. Eliminates repetitive manual assembly so editors focus on creative decisions. This has a **multiplier effect across all 54 editors** and is one of the highest-ROI automation opportunities in the organization.

Agent Architecture

```
rough_cut_agent = Agent(
    name="RoughCutAccelerationAgent",
    model="gpt-4o",
    instructions="""You accelerate rough cut assembly for DFM editors.

    PROCESS:
    1. Ingest raw footage metadata (duration, file names, timestamps)
    2. Load script/outline from Notion
    3. Use Descript transcript to map dialogue to script sections
    4. Identify and mark: silences >2s, false starts, repeated takes
    5. Generate structured timeline: script section → footage segment mapping
    6. Output: XML/EDL timeline importable to Premiere Pro

    ASSEMBLY RULES:
    - Map each script section to best take (longest uninterrupted, clearest audio)
    - Mark B-roll insertion points per script markers
    - Flag sections with no matching footage (missing coverage)
    - Preserve all footage — mark as "selected" vs "alternate" vs "unused"

    OUTPUT:
    - Premiere-compatible XML timeline
    - Assembly report: coverage map, missing sections, take selections
    - Estimated time saved vs. manual assembly

    NOTE: This is assembly assistance, not creative editing.
    The editor makes all creative decisions from the structured starting point.""",
    tools=[
        descript_get_transcript,    # API: Descript
        notion_get_script,          # MCP: Notion
        analyze_footage_metadata,   # Function: file analysis
        map_script_to_footage,      # Function: NLP matching
        generate_timeline_xml,      # Function: XML generation
        dropbox_get_files,          # API: Dropbox
    ]
)
```

Time Savings Calculation

Current rough cut assembly time: ~2-4 hours per longform video
With ED-3 agent: ~30-60 minutes (editor reviews and adjusts structured timeline)
Time saved per video: ~2 hours
Videos per week (4 clients × ~4 videos): ~16 longform
Weekly time saved: ~32 hours
At 7 clients: ~56 hours/week saved on rough cut assembly alone

Compound effect: Better rough cuts → fewer revision cycles → less PPM/CD review time → faster publish → more capacity for additional clients.

5.5 Agent Opportunity: ED-4 — Shortform Edit Acceleration

What It Does

Dramatically accelerates shortform video editing (Reels, Shorts, TikToks). Includes: AI-powered clip selection from longform source material, automatic caption generation and styling, music sync and beat matching, template-based format configurations, and one-click export to platform specs.

Shortform Pipeline

Step	Manual Time	Agent-Assisted Time	How
Clip selection from longform	30-60 min	5 min	AI identifies high-engagement moments from retention data + transcript analysis
Caption generation	15-20 min	2 min	Auto-generated from Descript transcript, styled per brand
Music selection + sync	15-30 min	5 min	AI suggests tracks from Artlist matching clip energy, auto-syncs beats
Format configuration	10 min	1 min	Template-based: 9:16 crop, safe zones, platform-specific specs
Export to platform specs	5-10 min	1 min	One-click export to Reels/Shorts/TikTok specs
Total per shortform	**75-130 min**	**14 min**	**~85% time reduction**

5.6 Agent Opportunity: Automated Feedback Summarization

What It Does

When editors receive Frame.io feedback (from PPM, CD, or client), the agent automatically summarizes and categorizes comments into actionable groups, reducing the time editors spend parsing feedback.

Raw Frame.io Comments (12 comments across timeline):
• 01:23 — "Music too loud here" (PPM)
• 01:45 — "Love this transition!" (PPM)
• 02:10 — "Can we try a different B-roll shot?" (CD)
• 02:10 — "The pacing feels slow in this section" (CD)
• 03:30 — "Lower third has a typo — 'Docter' should be 'Doctor'" (PPM)
• ... (7 more comments)

Agent Summary:
🔴 **Must Fix (3):**

1. 01:23 — Audio: Music level too high [PPM]
2. 03:30 — Text: Lower third typo "Docter" → "Doctor" [PPM]
3. 05:15 — Export: Wrong aspect ratio on end card [PPM]

🟡 **Creative Adjustments (4):**
1. 02:10 — B-roll: Try different shot [CD]
2. 02:10-03:00 — Pacing: Section feels slow [CD]
3. 04:00 — Color: Slightly warm compared to style guide [PPM]
4. 06:30 — Music: Transition to quieter track for interview [CD]

✅ **Positive (2):** 01:45 transition, 04:30 animation
📊 **Overall Sentiment: 7/10** — Mostly positive with standard revision items

5.7 Agent Opportunity: Idle Time Reduction

What It Does

Monitors editor workload in real-time and proactively assigns upcoming tasks to editors who are about to become idle. Targets reducing idle/waiting time from 6.5% → 2%.

```
idle_reduction_agent = Agent(
    name="IdleTimeReductionAgent",
    model="gpt-4o",
    instructions="""You minimize editor idle time at DFM.

    MONITORING:
    - Track all editor task statuses in ClickUp
    - Detect: task completion, waiting for feedback, waiting for footage
    - Predict: when editors will finish current tasks (based on avg duration)

    PROACTIVE ASSIGNMENT:
    - When editor has < 4h of work remaining, check for upcoming tasks
    - Pre-assign next task so editor transitions immediately
    - If no tasks available, suggest: peer review, training, SOP review

    WORKLOAD BALANCING:
    - Monitor distribution across pod editors
    - Flag imbalances: if any editor has >150% avg workload
    - Suggest redistribution to PC for approval

    IDLE ALERTS:
    - Editor idle > 2h → Slack DM to PC with available tasks
    - Editor idle > 4h → Escalate to Producer
    - Pattern: Editor consistently idle → flag for capacity planning""",
    tools=[
        clickup_get_tasks,          # MCP: ClickUp
        clickup_get_workload,       # MCP: ClickUp
        predict_completion_time,    # Function: estimation
        slack_send_message,         # MCP: Slack
    ]
)
```

5.8 Cross-Agent Handoffs (Editor ↔ Other Roles)

Handoff	Trigger	From	To	Data
Task Assigned → Editor Onboarding	ED-2 assigns task	ED-2 Capacity Agent	Editor notification	Task details, footage link, SOP, style guide, script
Footage Ready → Editor	Ingest complete	PC Ingest Agent	Editor notification	Dropbox link, Descript project, task ID
Editor Submits → QC Pre-screen	Frame.io upload	PC Status Agent	ED-1 QC Agent	Video link, checklist, client config
Feedback Received → Editor	PPM/CD comments	Feedback Summarizer	Editor notification	Categorized feedback, priority tags, sentiment

Editor Idle → PC Alert	Idle > 2h	Idle Reduction Agent	PC notification	Editor name, idle duration, available tasks
Revision Complete → Status Update	Frame.io re-upload	PC Status Agent	PPM/CD notification	Updated video link, changes made, version number

5.9 Training Plan

> 📊 ***Training Calibration:*** *Editors are the most AI-savvy group — 5+ tools average, 17 pay out of pocket for ChatGPT. They already use AI for ideation, image gen, video gen, audio fixes, and code/expressions. Training focuses on the* ***new agent-assisted workflow*** *(how tasks arrive, how feedback is structured, how to use rough cut acceleration) rather than AI tool basics. Scale challenge: 54 editors across time zones requires async training materials.*

Week	Topic	Format	Outcome
1	New assignment flow: How tasks arrive via ED-2 agent	Async video + doc	Editors understand the new assignment notification system
1	ED-3 Rough Cut: Using structured timelines as starting points	Live demo (recorded)	Editors can import and work from agent-generated timelines
2	Feedback summarization: Reading categorized feedback	Async doc	Editors can quickly parse agent-summarized feedback
2	Self QC: Using ED-1 QC checker before submission	Hands-on workshop	Editors run QC check before submitting, reducing revision cycles
3	ED-4 Shortform: Accelerated shortform workflow	Live demo (recorded)	Editors can produce shortform content 85% faster
3	AI Creative Tools: Company-provided ChatGPT, Higgsfield, etc.	Tool access + guides	Editors stop paying out of pocket, use company tools
4	Advanced: Combining agent outputs for faster V1 delivery	Peer-led sessions	Top editors share workflows with peers

5.10 KPIs & Success Metrics

KPI	Baseline	Target (90 days)	Measurement
Core editing time	65.9%	79%	Time audit
V1 editing time allocation	28.3%	45%	Time audit
Revision time	13%	8%	Time audit
Idle/waiting time	6.5%	2%	ClickUp idle tracking
Average revision count	~V3-V4	≤V3	ClickUp version tracking
Rough cut assembly time	2-4h/video	30-60 min/video	Agent logs + editor self-report
Shortform edit time	75-130 min	~14 min	Agent logs

Footage download time	2.7% of capacity	1%	Time audit
Editors paying out of pocket	17 (for ChatGPT)	0	Survey
Client load capacity	4 clients	7 clients	Pod assignment count

Cross-Role Summary — Batch 3 Complete

Coordination Overhead Reduction by Role

Role	Headcount	Current Overhead	Dream Overhead	Δ Freed	Hours/Week Freed
Producers	6	74.5%	41%	33.5%	~80h
Production Coordinators	8	70%	40%	30%	~96h
Post-Production Managers	5	121% util.	100% util.	21%+	~42h
Creative Directors	6	29% preprod	50% preprod	+21% creative	~50h to creative
Editors	54	66% editing	79% editing	+13% editing	~283h to editing
TOTAL	**79**				**~551h/week**

🎯 **Organization-Wide Impact: 551 hours per week** recovered or redirected to higher-value work. This is equivalent to **~14 full-time employees** worth of capacity — without hiring a single person. At 7 clients (up from 4), DFM scales revenue by 75% while maintaining or improving quality. The agent architecture makes this possible by eliminating coordination overhead, reducing idle time, accelerating mechanical tasks, and enabling proactive (vs. reactive) management across all roles.

Agent Count by Role

Role	Primary Agents	Supporting Agents	Total Tools
Producers	PR-4 (ClickUp), PR-1 (Timeline), PR-2 (Sentiment), PR-3 (Templates)	ED-2 (capacity data)	4 primary + 1 supporting
PCs	ED-2 (Assignment), Status Router, Publishing, Ingest	PR-4 (batch data)	4 primary + 1 supporting
PPMs	ED-1 (QC), ED-5 (Sentiment), Performance Tracker	Status Router	3 primary + 1 supporting
CDs	CD-1 (Retention), CD-2 (Competitor), CD-3 (Packaging), CD-4 (Knowledge), CD-5 (Voice)	ED-1 (QC data)	5 primary + 1 supporting
Editors	ED-3 (Rough Cut), ED-4 (Shortform), Feedback Summarizer, Idle Reducer	ED-1 (self-QC), ED-2 (assignment)	4 primary + 2 supporting
TOTAL	**20 primary agents + 6 supporting integrations**		

			26 agent touchpoints

Wish List Coverage

Wish List ID	Tool Name	Playbook Coverage	Status
CD-1	Predictive Retention Scoring	Playbook 4, Section 4.4	✅ Full agent design
CD-2	Competitor Script Scraper	Playbook 4, Section 4.5	✅ Full agent design
CD-3	Packaging Roaster	Playbook 4, Section 4.6	✅ Full agent design
CD-4	Client Knowledge Bases	Playbook 4, Section 4.7	✅ Full agent design
CD-5	Script Voice Matching	Playbook 4, Section 4.8	✅ Full agent design
ED-1	Automated Video QC	Playbook 3, Section 3.4	✅ Full agent design
ED-2	Capacity-Based Assignment	Playbook 2, Section 2.4	✅ Full agent design
ED-3	Rough Cut Acceleration	Playbook 5, Section 5.4	✅ Full agent design
ED-4	Shortform Edit Acceleration	Playbook 5, Section 5.5	✅ Full agent design
ED-5	Frame.io Sentiment Analyzer	Playbook 3, Section 3.5	✅ Full agent design
PR-1	Timeline Calculator	Playbook 1, Section 1.5	✅ Full agent design
PR-2	Client Sentiment Tracker	Playbook 1, Section 1.6	✅ Full agent design
PR-3	Slack Message Templates	Playbook 1, Section 1.7	✅ Full agent design
PR-4	Claude-to-ClickUp Agent	Playbook 1, Section 1.4	✅ Full agent design

Note: FA-1 through FA-5 (Finance), HR-1 through HR-5 (HR), and IO-1 (IT Suppor