

Better Flow with AI

How Custom Agents Improve Collaboration

SAFe & AI
SUMMIT
AMSTERDAM, NETHERLANDS





Nils Hyoma

Manager
MHP – A Porsche Company

Nils Hyoma

Manager & ASPC

- **Core Philosophy:** Co-creation drives ownership and commitment -critical for high-performing Agile Teams in the AI era.
- **Expertise:** Bridging structure and creativity to strengthen collaboration.
- **Innovation:** Developer of the Agile Card Games and specialized AI Agents / Workflows.




Agenda

- Nils Hyoma
- Agenda
- Motivation / Studies
- My Challenges
- Best Practices and AI
- Exercise: Sort the BDD Scenario - The Coffee Order
- The Problem Persona Cards
- Exercise: Creating a BDD Problem / Error Scenario
- Exercise: Use of the Custom GPT
- Demo: Custom GPT / Skills in the IDE
- Sources
- Conclusion



Motivation / Studies


Transform the Value Stream with AI




- Generative AI induces a fundamental shift in how developers allocate their daily efforts, moving from administrative "noise" to core value creation.
- **Focus on Core Work:** The share of total time dedicated to pure coding activities increased by **12.4%** process-oriented project management tasks dropped by **24.9%**
- **Maximized Gains for "Low Performers":** Developers with lower experience, tenure, or achievement metrics saw their coding output surge by **26.6%**
- **Eliminate Routine Friction:** AI handles tedious, process-oriented tasks, allowing experts to refocus on **strategic, complex technical problem-solving.**


Human in the Loop

- **High-Value Work:** **69.4%** of workers want AI to handle the routine so they can focus on tasks that require human intuition, creativity, and complex social interaction.
- **The Mandate:** In **45.2%** of all analyzed occupational tasks, workers explicitly prefer **Level H3: Equal Partnership**.
- **Trust Through Collaboration:** The study found that **45.0%** of worker summaries expressed a lack of trust in AI's accuracy. By keeping the human in the **H3 "Equal Partnership"** loop, we bridge this trust gap.





My Challenges



Product Owner

"The Product feels like a Swiss Cheese!"

"The department just delivers too late!"

"I do not like to click outside the designated path!"

"..but, we have to meet the deadline!"



Best Practices and AI

Scenario: Barcode Generation Timeout

Given the Vehicle Service returned valid data for all selected vehicles

When the Barcode Service (FTP1-862) times out or returns no image

Then the system retries once

And if it still fails, the vehicle entry is skipped with a message "Barcode could not be generated"

And the document is still created for all other vehicles


Tacho wird
gewechselt

Validierung der KM-
Stände macht nicht immer
Sinn, da vor der Rückgabe
Umbauten durchgeführt
werden könnten, welche
den KM-Stand
beeinflussen. -> KM-Zähler
dadurch geringer als bei
Auslieferung.

(i)
Modellbezeich-
nung inkl. Farbe

(i)
Word Datei

(i)
FIN




Exercise: Sort the BDD

Scenario - The Coffee Order

A 3D animated barista with a mustache and glasses is looking at a tablet in a coffee shop. The background shows shelves with coffee beans and a cup of coffee on the counter.


**How do you prefer to drink
your coffee?**




The Goal: "Find the correct sequence – your first Happy Path."

Instructions:

- **Work with your neighbor.**
- **Read all 8 sentences.**
- **Discuss together:** What happens first, and what happens last?
- **Write the correct sequence (numbers) on your worksheet.**
- **Pro-tip:** Use "Given – When – Then" steps!
- **Time:** 3 Minutes.

- 
- 1 The customer clicks on "Order Now."
 - 2 The customer has opened the online café website.
 - 3 The customer selects a cappuccino and adds it to the shopping cart.
 - 4 The order is successfully saved in the system.
 - 5 A confirmation email is sent to the customer.
 - 6 The barista receives the order in the café app.
 - 7 The payment was successful.
 - 8 The customer sees the message "Thank you for your order!"



Given

And

When ① The customer clicks on "Order Now."


And

Then

And


And

And



Given ② The customer has opened the online café website.
And ③ The customer selects a cappuccino and adds it to the shopping cart.
When ① The customer clicks on "Order Now."
And ⑦ The payment was successful.
Then ④ The order is successfully saved in the system.
And ⑥ The barista receives the order in the café app.
And ⑤ A confirmation email is sent to the customer.
And ⑧ The customer sees the message "Thank you for your order!"

Learning



Approximately 95% success rate in creating agile artifacts.

73% of all "workers" want to work with AI, provided they retain control!

Agile artifacts are proven foundations for this.

A horizontal band of a repeating geometric pattern in a lighter shade of purple, featuring stylized four-pointed stars and circles.Abstract geometric shapes in teal, orange, and brown in the top right corner.

The Problem Persona Cards

My Teams



"We don't dare to ask!"



"We only develop!"

Thorsten Tester

"If there's a button, I'll press it. If there's a field, I'll fill it."



A Passionate Test Manager

Description

Explores edge cases by entering bizarre values and triggering workflows in unpredictable ways. If he can break it by inputs alone, real users surely will too.

Typical Scenarios

Inputs strange or nonsensical values.
Skips required fields: "Let's see if it still works!"
Clicks elements in a random, erratic sequence.
Enters overly long or unusual characters.

1

Nils Newby

"I'm not sure if I'm doing this right... but I'll try anyway."



Insecure, but pro-active

Description

Eager but inexperienced user who skips fields, enters wrong values. Often clicks through forms too quickly, unsure what each step really does.

Typical Scenarios

Skips mandatory input fields.
Enters wrong values by mistake.
Repeats the same errors when retrying.
Revisits previous steps to correct inputs.

8

Chaos Claus

"Nobody trained me, so I'll just do it. If it breaks, it breaks."



IT-Admin of Hell


Description

Well-meaning but reckless admin who misconfigures systems, forgets documentation, and breaks deployments during daytime. Thinks he's fixing things, but mostly...

Typical Scenarios


Breaks deployment by misconfiguring settings. Removes user access accidentally. Corrupts database or infrastructure configs. "Fixes" production directly without a backup.

11



Exercise:


Creating a BBD Problem / Error Scenario




Choose a **persona card of your choice**
(Nils Newby, Thorsten Tester, or Chaos Claus).

Consider: *How would this persona mess up the coffee order?*


- Based on that, expand and create the **BDD scenario**
- Write it in bullet points on page 2
- Then briefly present your scenario to the group
- The funniest scenario wins




Given ② The customer has opened the online café website.
And ③ The customer selects a cappuccino and adds it to the shopping cart.
When ① The customer clicks on "Order Now."
And ⑦ The payment was successful.
Then ④ The order is successfully saved in the system.
And ⑥ The barista receives the order in the café app.
And ⑤ A confirmation email is sent to the customer.
And ⑧ The customer sees the message "Thank you for your order!"



Given Thorsten has a cappuccino (€3.20) in the shopping cart
And the page displays the button "Order now"
When he clicks twice within 300 ms
Then exactly one order ID is generated
And the payment service is called exactly once
And the UI displays the order



Given Klaus configures "<http://paypal.com>" as the payment webhook
When he saves it in the backend
Then the change is rejected with the message "HTTPS required"
And no traffic is directed to the insecure URL



Your Scenario:

Learning


Incorporating gamification
and humorous personas
encourages
experimentation with new
approaches.





Exercise:

Use of the Custom GPT



Perspective of the organization

20-30% efficiency increase in product development

Only 10% of the developers in the team used GitHub Co-Pilot

30% DIY IT in the department



Open the **Custom GPT – Problem Persona BDD Copilot**


<https://chat.openai.com/g/g-68d1bc47e300819196a0b009c97ef095-problem-persona-bdd-copilot>

Copy the **User Story** and **Acceptance Criteria** (Happy Path) into the Custom GPT, without adding any prompt!

Choose a scenario that **surprises or inspires** you.

Time: 5 minutes





As a customer, I want to be able to order and pay for my favorite coffee online, **so that I can pick it up at the café without having to wait in line.**

Given the customer has opened the online café website

And the customer selects a cappuccino and adds it to the shopping cart

When the customer clicks on "Order now"


And the payment is successful

Then the order is successfully saved in the system

And the barista receives the order in the app

And the customer sees the message "Thank you for your order!"

And a confirmation email is sent to the customer



Demo:

Custom GPT / Skills in the IDE

Open Editors

Walkthrough - Creating BDD Scenarios

planning-poker

__mocks__

agent/bdd-problem-persona

SKILL.md

github

vscode

docs

firebase-emulators

public

src

env

env.example

firebasearc

gitignore

prettierrc

Dockerfile

eslint.config.js

firebase.json

index.html

LICENSE

package.json

README.md

tsconfig.json

vite-env.d.ts

vite.config.mjs

yarn.lock

Outline

Timeline

master*

Jira: TecUserEventChat

No active issue

Sign in to Bitbucket

0

Walkthrough about 1 month

Walkthrough - BDD Scenarios for Planning Poker

I have generated 20 detailed BDD scenarios covering a wide range of personas and risks associated with the Planning Poker application.

Key Scenarios Overview

1. Robustness & Resilience

Thorsten Tester and Confused Conrad scenarios focus on rapid clicking and page refreshes, ensuring the system handles erratic user behavior without losing data or hanging.

2. Security & Compliance

Malicious Max scenarios test for SQL injection and unauthorized data modification.

Compliance Clara scenarios address data retention and auditability.

3. Accessibility & Inclusivity

Accessibility Alex scenarios ensure the app is navigable via keyboard and compatible with screen readers.

4. Connectivity Handling

Poolside Phil and Third-Party Theo scenarios deal with flaky Wi-Fi and external dependency failures (Firebase).

Verification Results

All scenarios are implementation-agnostic and focus on user behavior.

Personas are correctly tagged and represented with images.

Clear distinction between happy and error paths.

BDD Scenarios for Planning Poker

Persona: Thorsten Tester



src create 20 bdd scenarios based on the personas

Thought for 1s

Analyzed ~/Documents/GitHub - Mac Book/planning-poker

Analyzed SKILL.md#L1-66

Thought for 1s

Created outline raw.githubusercontent.com View Page

Analyzed src

Analyzed content Pre-Mortem Personas Knowledge Base

Analyzed content 3 chunks

Analyzed content 4 chunks

Analyzed content 4 chunks

Analyzed content Malicious Max

Analyzed src/components

Analyzed src/pages

Analyzed src/service

Thought Process

Planning BDD Scenarios

I have researched the project structure, fetched the persona knowledge base, and drafted 20 BDD scenarios across different personas. I have updated the implementation plan with these scenarios.

Files Edited

Implementation Plan Task

Progress Updates Expand all

Creating task.md and implementation_plan.md

Notifying user for plan approval

I have analyzed the Planning Poker application and drafted 20 BDD scenarios based on the "Pre-Mortem Personas" knowledge base. I've updated the implementation plan with the categories of scenarios I'll be covering. Would you like me to proceed with generating the full Chorkin scenarios for these personas?

Implementation Plan Open

Task Open

Proceeded with Implementation Plan Task

Auto-proceeded by agent. Agent Decides

Thought for 6s

Ask anything, @ to mention, / for workflows

Planning Gemini 3.1 Pro (Low)

Antigravity - Settings

...

Walkthrough

about 1 month ago

src

create 20 bbd scenarios based on the personas

Thought for 1s

Analyzed ~/Documents/GitHub - Mac Book/planning-poker

Analyzed SKILL.md #L1-65

Thought for 1s

Created outline raw.githubusercontent.com

Analyzed src

Analyzed content Pre-Mortem Personas Knowledge Base

Analyzed content 3 chunks

Analyzed content 4 chunks

Analyzed content 4 chunks

Analyzed content Mallicious Max

Analyzed src/components

Analyzed src/pages

Analyzed src/service

Thought Process

Planning BDD Scenarios

I have researched the project structure, fetched the persona knowledge base, and drafted 20 BDD scenarios across different personas. I have updated the implementation plan with these scenarios.

Files Edited

Implementation Plan Task

Progress Updates

1 Creating task.md and implementation_plan.md

2 Notifying user for plan approval

I have analyzed the Planning Poker application and drafted 20 BDD scenarios based on the "Pre-Mortem Personas" knowledge base. I've updated the implementation plan with the categories of scenarios I'll be covering. Would you like me to proceed with generating the full Gherkin scenarios for these personas?

Implementation Plan

Task

Proceeded with Implementation Plan Task

Auto-proceeded by agent.

Thought for 6s

Ask anything. @ to mention. / for workflow

planing-poker Walkthrough

Review

Explorer

Open Editors

Walkthrough Creating BDD Scenarios

planning-poker

__mocks__

agent/bdd-problem-persona

SKILL.md

github

vscode

docs

firebase-emulators

public

src

env

env.example

firebasearc

gitignore

prattierc

Dockerfile

eslint.config.js

firebase.json

index.html

UCENSE

package.json

README.md

tsconfig.json

vite-env.d.ts

vite.config.mjs

yarn.lock

Walkthrough

about 1 month ago



Description: Exposes learnability and UX weaknesses. Makes repeated simple errors.

Why These Scenarios Matter: Improves learnability and prevents user frustration.

Scenarios

gherkin

@persona(Nils) @risk(usability)

12. Scenario: Missing name during game creation

Given Nils is on the Home Page

When he clicks "Create Game" without entering a name

Then the system highlights the "Your Name" field in red

And displays a message "Please enter your name to start a game."

@persona(Nils) @risk(learnability)

13. Scenario: Confusing "Reset" with "Delete"


Given Nils is the host of a finished game

When he hovers over the "Reset Game" button

Then a tooltip appears explaining "This will clear all votes for a new round without deleting the game session."


Persona: Confused Conrad







Sources



22,99 €

Inkl. lokaler Steuern (wo zutreffend)

BDD Problem Personas

AgileGames ★★★★★ [Shop in deiner Region](#)

- 📍 Versand aus Deutschland
- ✓ Schnelle Lieferung! Erhalte es am 02.06. Feb., wenn du heute bestellst
- ✓ Rückgaben und Umtausch werden akzeptiert

In bis zu 30 Tagen bezahlen. Sicher mit **Klarna** [Mehr erfahren](#)

In den Warenkorb

❤️ Zu Kollektion hinzufügen

Produktdetails

Highlights

- 📍 Verschickt von einem Kleinunternehmen in Deutschland
- 📄 Materialien: Foto- & imaging-papier, plastik


A playful, practical card deck that helps Agile teams, product owners, and developers uncover why BDD (Behavior-Driven Development) scenarios fail, spark better conversations, and co-create shared

[Erfahre mehr über diesen Artikel](#)

Gib die erste Bewertung für diesen Artikel ab

★ Noch keine Bewertungen. Sieh dir an, was Kund:innen über andere Artikel dieses Shops sagen.
[Lies die Bewertungen für andere Artikel](#)

"Think like a saboteur - build like a pro!"



Conclusion

AI makes work easier – as long as humans remain in control.

"Role plays" and funny personas help deliver new

Which annoying task would you most like to automate immediately with a AI workflow?

Proben a
Models, as both are "trained" on them.
(94% accuracy with user stories)

Personas reduce barriers for the Early and Late Majority.
(47% of American workers want to work with AI!)

THANK YOU

Please rate this session!

