NATIONAL UNIVERSITY OF MODERN LANGUAGES

Visual Programming Open Ended Lab

SUBMITTED BY: M Abdul Rafay

ROLL NO: FL23791

PROGRAM: BSSE (6th Semester Afternoon)

COURSE: Visual Programming

SUBMITTED TO: Mr M.Irtza

DATE: 9/3/2026 **DAY: Monday**

Open Ended Lab

Task: Create a Program for Employee management system where you have to use two textboxes for the input of the data and store them in the database using a DbCon Class

Form Layout:





Database Creation Script (SQL Server)



Employee.cs Code:



```csharp
        public DataTable GetEmployees()
        {
            using (SqlConnection con = new SqlConnection(conString))
            {
                string query = "SELECT * FROM Employee";

                using (SqlDataAdapter da = new SqlDataAdapter(query, con))
                {
                    DataTable dt = new DataTable();
                    da.Fill(dt);
                    return dt;
                }
            }
        }
    }
}
```

Form1.cs Code:

signup | signup.Form1 | label2_Click(object sender, EventArgs e)

```csharp
using System;
using System.Windows.Forms;

namespace signup
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }

        private void button1_Click(object sender, EventArgs e)
        {
            string name = textBox1.Text.Trim();
            string ageText = textBox2.Text.Trim();

            if (string.IsNullOrEmpty(name) || string.IsNullOrEmpty(ageText))
            {
                MessageBox.Show("Enter Name and Age");
                return;
            }

            if (!int.TryParse(ageText, out int age))
            {
                MessageBox.Show("Age must be a number");
                return;
            }

            Form2 f2 = new Form2(name, age);
            f2.Show();
        }

        private void textBox1_TextChanged(object sender, EventArgs e) { }
        private void textBox2_TextChanged(object sender, EventArgs e) { }
        private void label1_Click(object sender, EventArgs e) { }
        private void label2_Click(object sender, EventArgs e) { }
    }
}
```

Form2.cs Code:

```csharp
using System;
using System.Data;
using System.Windows.Forms;

namespace signup
{
    public partial class Form2 : Form
    {
        string name;
        int age;

        public Form2(string name, int age)
        {
            InitializeComponent();
            this.name = name;
            this.age = age;

            this.Load += Form2_Load;
        }
        private void Form2_Load(object sender, EventArgs e)
        {
            if (!this.DesignMode)
            {
                try
                {
                    Employees emp = new Employees();

                    emp.InsertEmployee(name, age);

                    DataTable dt = emp.GetEmployees();

                    dataGridView1.DataSource = null;
                    dataGridView1.DataSource = dt;
                    dataGridView1.AutoResizeColumns();
                }
                catch (Exception ex)
                {
                    MessageBox.Show("Database Error: " + ex.Message);
                }
            }
        }
    }
}
```

Program.cs Code:

```csharp
using System;
using System.Collections.Generic;
using System.Linq;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace signup
{
    static class Program
    {
        /// <summary>
        /// The main entry point for the application.
        /// </summary>
        [STAThread]
        static void Main()
        {
            Application.EnableVisualStyles();
            Application.SetCompatibleTextRenderingDefault(false);
            Application.Run(new Form1());
        }
    }
}
```

App.config Code:

Program.cs Form2.cs* Employees.cs* App.config Form1.cs*

```xml
<?xml version="1.0" encoding="utf-8" ?>
<configuration>
    <connectionStrings>
        <add name="DBConnection"
             connectionString="Data Source=DESKTOP-BPSQRG1\SQLEXPRESS;Initial Catalog=AbdulRafayDB;Integrated Security=True"
             providerName="System.Data.SqlClient"/>
    </connectionStrings>

    <startup>
        <supportedRuntime version="v4.0" sku=".NETFramework,Version=v4.7.2" />
    </startup>
</configuration>
```