



NATIONAL UNIVERSITY OF MODERN LANGUAGES

Web Engineering Lab Report 10

Submitted by: Abdul Rafay

Roll No: F123843

PROGRAM: BSSE (5th Semester)

COURSE: Web Engineering



SUBMITTED TO: Mam Meher Un Nissa

DATE: 1/12/2025

DAY: Sunday

Lab Report 10

Lab Task: Make a simple calculator



Code :

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8" />
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

```
<title>Simple Calculator</title>
```

```
<style>
```

```
  body {
```

```
font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
background: #1e1e2f;
display: flex;
justify-content: center;
align-items: center;
height: 100vh;
margin: 0;
}
```

```
.calculator {
  background: #2c2c44;
  padding: 25px;
  width: 100%;
  max-width: 360px;
  border-radius: 20px;
  box-shadow: 0 10px 30px rgba(0,0,0,0.4);
  box-sizing: border-box;
}
```

```
#display {
  width: 100%;
  height: 70px;
  margin-bottom: 20px;
  font-size: 32px;
  text-align: right;
  padding: 15px;
  border: none;
```

```
background: #3a3a5c;
color: #fff;
border-radius: 12px;
box-sizing: border-box;
}
```

```
.buttons {
  display: grid;
  grid-template-columns: repeat(4, 1fr);
  gap: 15px;
}
```

```
button {
  padding: 22px;
  font-size: 22px;
  border: none;
  border-radius: 12px;
  cursor: pointer;
  transition: 0.2s;
  color: #fff;
  box-shadow: 0 5px 10px rgba(0,0,0,0.2);
}
```

```
button:hover {
  transform: translateY(-2px);
  box-shadow: 0 8px 15px rgba(0,0,0,0.3);
}
```

```
/* Number buttons */
```

```
button:not(.operator):not(.equal):not(.clear) {  
    background: #5c5cff;  
}
```

```
button:not(.operator):not(.equal):not(.clear):hover {  
    background: #3a3aff;  
}
```

```
/* Operator buttons */
```

```
.operator {  
    background: #ff9500;  
}
```

```
.operator:hover {  
    background: #e08900;  
}
```

```
/* Equal button */
```

```
.equal {  
    background: #28c76f;  
}
```

```
.equal:hover {  
    background: #20a65d;  
}
```

```
/* Clear button */

.clear {
    background: #ff3b30;
}

.clear:hover {
    background: #cc2b24;
}

</style>
</head>

<body>

<div class="calculator">

    <input type="text" id="display" disabled>

    <div class="buttons" id="btnContainer">

        <!-- Buttons will be generated with JS loop -->

    </div>

</div>

<script>

const buttons = [
    'C','/', '*', '-',
    '7','8','9','+',
    '4','5','6',",
```

```
'1','2','3','=',  
'0','.'  
];
```

```
const container = document.getElementById("btnContainer");  
const display = document.getElementById("display");
```

```
const operators = ['/', '*', '-', '+'];
```

```
for (let i = 0; i < buttons.length; i++) {  
  if (buttons[i] === "") continue; // skip empty placeholders  
  let btn = document.createElement("button");  
  btn.textContent = buttons[i];  
  
  if (buttons[i] === "=") btn.classList.add("equal");  
  else if (buttons[i] === "C") btn.classList.add("clear");  
  else if (operators.includes(buttons[i])) btn.classList.add("operator");  
  
  btn.addEventListener("click", () => {  
    if (buttons[i] === "=") {  
      try {  
        display.value = eval(display.value);  
      } catch {  
        display.value = "Error";  
      }  
    } else if (buttons[i] === "C") {  
      display.value = "";
```

```
    } else {  
        display.value += buttons[i];  
    }  
});
```

```
    container.appendChild(btn);
```

```
}
```

```
</script>
```

```
</body>
```

```
</html>
```