Started on	Wednesday, 15 April 2020, 11:52 AM
State	Finished
Completed on	Wednesday, 15 April 2020, 11:56 AM
Time taken	3 mins 50 secs
Grade	**1.20** out of 3.60 (**33**%)

Question **1**

Complete

Mark 0.40 out of 0.40

$$\int_2^3 f(x)dx = F(3) - F(2),$$

unde F si f sunt functia de repartitie, respectiv densitate de probabilitate ale unei variabile aleatoare X.

Select one:

- True
- False

Question **2**

Complete

Mark 0.00 out of 0.40

$$\Phi(-1,83) = 0,0336$$

Select one:

- True
- False

Question **3**

Complete

Mark 0.40 out of 0.40

Functia de repartitie este derivata densitatii de probabilitate.

Select one:

- True
- False

Question **4**

Complete

Mark 0.00 out of 0.40

Se arunca o moneda de 10 ori. Fie X variabila aleatoare ce reprezinta numarul de aparitii ale stemei. Atunci

$$P(X = 5) = C_{10}^5 \cdot \frac{1}{2^{10}}$$

Select one:

- True
- False

Question **5**

Complete

Mark 0.00 out of 0.40

Daca variabila aleatoare

$$X \sim N(2,4),$$

atunci

$$P(0<X<1)=\Phi(\frac{1}{2})-\Phi(\frac{1}{4})$$

Select one:

- True
- False

Question **6**

Complete

Mark 0.00 out of 0.40

$$P(x_1<X\leq x_2)=P(x_1\leq X\leq x_2)$$

Select one:

- True
- False

Question **7**

Complete

Mark 0.00 out of 0.40

O cutie cu creioane colorate contine 8 creioane rosii si 10 verzi. Un elev ia 4 creioane la intamplare (fara a le pune inapoi). Fie X variabila aleatoare ce reprezinta numarul de creioane rosii dintre cele extrase. Atunci

$$P(X=3)=\frac{C_8^1\cdot C_{10}^3}{C_{18}^4}$$

.

Select one:

- True
- False

Question **8**

Complete

Mark 0.40 out of 0.40

Densitatea de probabilitate este derivata functiei de repartitie.

Select one:

- True
- False

Question **9**

Complete

Mark 0.00 out of 0.40

O variabila aleatoare

$$X \sim N(1,2)$$

are densitatea de probabilitate

$$f(x)=\frac{1}{\sqrt{2\pi}}e^{-\frac{(x-2)^2}{2}}$$

Select one:

- True
- False

◄ Seminar

Jump to...

Variabile aleatoare ►