Started on	Thursday, 20 October 2022, 9:40 PM
State	Finished
Completed on	Thursday, 20 October 2022, 9:50 PM
Time taken	10 mins 18 secs
Grade	**8.00** out of 10.00 (**80**%)

Question **1**

Complete

Mark 1.00 out of 1.00

Care este rezultatul următoarei secvente?

```
int x = 0;
int[] primes = {1,2,3,5};
for(int i: primes)
  switch(i) {
    case 1: x += i;
    case 5: x += i;
    case 2: x += i;
    default: x += i;
  }
System.out.println(x);
```

a. 26

b. 13

c. 23

d. 11

Question **2**

Complete

Mark 1.00 out of 1.00

Ce linie inserata in cod va face ca programul sa compileze?

```
class Loopy {
  public static void main(String[] args){
    int[] x = { 7, 6, 5, 4, 3, 2, 1 };
    // codul tau aici
      System.out.print(y + "" "");
    }
  }
}
```

a. for(x : int y) {

b. for(int y : x) {

c. int y = 0; for(y : x) {

d. for(int y=0, int z=0; z<x.length; z++) { y = x[z];

Question **3**

Complete

Mark 1.00 out of 1.00

Care este rezultatul rularii urmatoarei secvente de cod?

```
public class Test {
  public static void main(String[] args) {
    int i = 4;
    float f = 4.3;
    double d = 1.8;
    int c = 0;
    if (i == f) c++;
    if (((int) (f + d)) == ((int) f + (int) d)) c += 2;
    System.out.println(c);
  }
}
```

a. Se va afisa valoarea 1

b. Se va afisa valoarea 0

c. Se va afisa valoarea 2

d. Codul nu va compila

Question **4**

Complete

Mark 1.00 out of 1.00

Care este tipul de polimorfism care adreseaza multiple forme ale aceluiasi obiect?

a. Niciunul din raspunsurile anterioare

b. Polimorfism de subtip

c. Polimorfism adhoc

d. Polimorfism parametric

Question **5**

Complete

Mark 1.00 out of 1.00

Care principiu de OOP presupune relatii de tipul IS-A?

a. Polimorfism

b. Encapsulare

c. Mostenire

d. Abstractizare

Question **6**

Complete

Mark 1.00 out of 1.00

Care este rezultatul rularii urmatoarei secvente de cod?

```
public class Test {
  public static void main(String [] args) {
    int x = 5;
    boolean b1 = true;
    boolean b2 = false;
    if ((x==4) && !b2)
      System.out.print("1 ");
    System.out.print("2 ");
    if ((b2 = true) && b1)
      System.out.print("3 ");
  }
}
```

a. 3

b. 2 3

c. 1 2 3

d. 1 2

Question **7**

Complete

Mark 0.00 out of 1.00

Care este valoarea de adevar a urmatoarei afirmatii: Abstractizarea ajuta la reducerea complexitatii prin prezentarea tuturor detaliilor de implementare.

Select one:

- True
- False

Question **8**

Complete

Mark 0.00 out of 1.00

Care este rezultatul rularii urmatoarei secvente de cod?

```
public class A {
  public void doit() { //1
  }

  public String doit() { //2
    return “a”;
  }

  public double doit(int x) { //3
    return 1.0;
  }
}
```

a. Eroare de compilare la //1

b. Compilare cu succes

c. Eroare de compilare la //2

d. Eroare de compilare la //3

Question **9**

Complete

Mark 1.00 out of 1.00

Printre dezantajele limbajului Java se numara:

a. Documentatia si suportul unei comunitati mari

b. Performanta versus alte limbaje low level

c. Scalabilitatea la nivel aplicatiilor de mari dimensiuni (enterprise)

d. Independenta de platforma pe care este rulata aplicatia

Question **10**

Complete

Mark 1.00 out of 1.00

Separarea accesului la date este adresata de:

a. Mostenire

b. Abstractizare

c. Polimorfism

d. Encapsulare

◄ Laborator 2

Jump to...

04 - Thinking in objects ►