Question	Answer	Marks	Partial Marks
4(c)(ii)	Correct histogram	**4**	**B1** for each correct block If 0 scored, **SC1** for 5, 20, 24, 1 seen
5(a)	4.73 or 4.730 to 4.731...	**3**	**M2** for $3 \times 1.2 + \pi \times 0.6^2$ oe or **M1** for $\pi \times 0.6^2$ or $\frac{1}{2} \times \pi \times 0.6^2$ or 3×1.2
5(b)	946 or 946.0 to 946.2...	**3**	**M2** for *their* **(a)** $\times 0.2 \times 1000$ oe or **M1** for *their* **(a)** $\times 0.2$ or 20 implied by figs 946[0] to 9462
5(c)	1.28 or 1.29 or 1.284 to 1.290	**3**	**M2** for $\frac{(1007 - \textit{their}(\mathbf{b})) \div 1000}{\textit{their}(\mathbf{a})} \times 100$ oe or for $\frac{1007 - \textit{their}(\mathbf{b})}{\textit{their}(\mathbf{b})} \times 20$ oe or **M1** for figs $\frac{1007 - \textit{their}(\mathbf{b})}{\textit{their}(\mathbf{a})}$ or figs $\frac{1007}{\textit{their}(\mathbf{a})}$ or for $\frac{1007 - \textit{their}(\mathbf{b})}{\textit{their}(\mathbf{b})}$ or $\frac{1007}{\textit{their}(\mathbf{b})} \times 20$ oe
6(a)		**2**	**B1** for any one correct
6(b)	110	**1**	**FT** *their* 110 in Venn diagram
6(c)	$\frac{10}{240}$ oe	**1**	**FT** $\frac{\textit{their}10}{240}$

Question	Answer	Marks	Partial Marks
6(d)	$\frac{870}{1560}$ oe	**3**	**M2** for $\frac{their30}{40} \times \frac{their30-1}{39}$ or **M1** for $\frac{p}{q} \times \frac{p-1}{q-1}$ $p < q$ or for $\frac{their30}{40}$ soi
7(a)(i)	1.991×10^3	**4**	**B3** for 1991 or 1.99×10^3 or $1.991\ldots \times 10^3$ or **B2** for 1990 or 1991. … OR **M1** for $104.3 \times 26.5 + \frac{1}{2} \times (-2.2) \times 26.5^2$ oe **B1** for *their* seen value correctly rounded to 4 sf **B1** for *their* seen value correctly converted into standard form
7(a)(ii)	$\frac{2(s-ut)}{t^2}$ oe final answer	**3**	**M1** for correct multiplication by 2 oe **M1** for correct rearrangement to isolate term with a **M1** for correct division by t^2 for 3 marks e.g. cannot have a fraction in denominator nor $\div t^2$ in numerator
7(b)(i)	$(2x+3)(x-1)-(x+1)(x-2)=62$	**M1**	
	$2x^2+3x-2x-3$ oe or $x^2+x-2x-2$ oe	**B1**	
	$x^2+2x-63=0$	**A1**	Established with no errors or omissions
7(b)(ii)	$(x+9)(x-7)$	**2**	**B1** for $(x+a)(x+b)$ where $ab=-63$ or $a+b=2$ or for $x(x-7)+9(x-7)$ or for $x(x+9)-7(x+9)$
7(b)(iii)	20	**2**	**FT** $2 \times$ *their* positive root $+ 6$ **M1** for substituting *their* positive root into four lengths or for stating $2x+6$