Question	Answer	Marks	Partial Marks
7(e)(ii)	$\frac{1}{25}$ or 0.04	**1**	
7(f)	6.5	**5**	**M2** for $10x + 8 = 33$ or $5x + 4 = 16.5$ or **M1** for [2 ×] $(3x – 1 + 2x + 5)$ oe **M1** for a correct first step in solving *their* linear equation **A1** for [x =] 2.5 If **A0** scored, **SC1** for $3x – 1$ correctly evaluated **FT** *their* positive x
8(a)(i)	Chord	**1**	
8(a)(ii)	Angle [between] tangent [and] radius [is] 90°	**1**	
8(a)(iii)	106	**3**	**M1** for 90 – 53 soi by 37 **M1** for 180 – 2 × *their* angle *OPQ*
8(b)(i)	48 corresponding	**2**	**B1** for 48
8(b)(ii)	67 angles [on a straight] line [add to] 180	**2**	**B1** for 67
8(b)(iii)	115	**2**	**B1** for 65 or 115 seen in correct position
8(c)	17.5 or 17.49…	**3**	**M2** for [x =] $\frac{11.8}{\tan 34}$ or [x =] 11.8 tan 56 or **M1** for tan [34] = $\frac{11.8}{x}$ or tan 56 = $\frac{x}{11.8}$
9(a)		**1**	
9(b)	10 12 16 25	**2**	**B1** for 2 or 3 correct
9(c)(i)	$2n + 2$ oe final answer	**2**	**B1** for $2n + c$ or $kn + 2$, ($k \neq 0$) as final answer or for $2n + 2$ seen then spoilt
9(c)(ii)	n^2	**1**	

Question	Answer	Marks	Partial Marks
9(d)	No with a correct supporting reason	**2**	**M1** for 12 substituted into *their* $2n + 2$ or *their* n^2 or 26 [black] or 144 [white] or $\sqrt{140} = 11.8...$ [white]