Question	Answer	Marks	Partial Marks
13(a)	5	**1**	
13(b)(i)	(0, 7)	**1**	
13(b)(ii)	$\left(-\frac{7}{5}, 0\right)$ oe	**2**	**B1** for $0 = 5x + 7$ oe
14(a)	Triangle at (–1, 1) (–4, 2) (–3, 5)	**1**	
14(b)	Triangle at (–2, –3) (1, –2) (0, 1)	**2**	**B1** for translation by $\begin{pmatrix} -3 \\ k \end{pmatrix}$ or by $\begin{pmatrix} k \\ -4 \end{pmatrix}$
15	10^{-4}	**1**	
16	Positive	**1**	
17	805	**3**	**B2** for 105 or **M2** for $\frac{700\times2.5\times6}{100}+700$ oe or **M1** for $\frac{700\times2.5[\times6]}{100}$ oe
18(a)	89, 111	**2**	**B1** for each If 0 scored, **SC1** for two terms with a difference of 22
18(b)	$22n-21$ oe final answer	**2**	**B1** for final answers $22n+j$ or $kn-21$ $k\neq0$ or for correct answer seen and spoilt
19(a)	$-3f+9g$ final answer	**2**	**B1** for $-3f$ or 9g or correct answer spoilt
19(b)	h^7 final answer	**1**	
19(c)	$20x$	**2**	**B1** for $\sqrt{16x^2}=4x$ soi or $y^0=1$ soi
20	$\frac{3}{10}n$	**2**	**B1** for $\frac{7}{10}n$ or $n-\frac{1}{5}n-\frac{1}{2}n$ oe
21(a)	$A\cap B$	**1**	
21(b)	5	**1**	
22	$\frac{7}{3}$ oe improper fraction	**M1**	or $\frac{k}{3}\times\frac{11}{14}$ where $k>3$
	$1\frac{5}{6}$ cao	**A2**	**A1** for $\frac{77}{42}$ or $\frac{11}{6}$ or $1\frac{35}{42}$
23(a)	$x^2-2x-15$ final answer	**2**	**B1** for $x^2-5x+3x-15$ with at least 3 terms correct or for correct answer seen and spoilt

Question	Answer	Marks	Partial Marks
23(b)	Correct reason $4x(2x-3)$	**2**	**B1** for each
24	18 30	**2**	**M1** for 2,3,3,5 or **B1** for recognising both numbers are multiples of 6 and greater than 6 or for giving two numbers greater than 6 and $\leqslant$ 90, satisfying either LCM is 90 or HCF is 6

© UCLES 2022