Question	Answer	Mark	Partial Marks
14	$y = \frac{1}{2}x + 2$ oe	**2**	**M1** for $\frac{6-2}{8-0}$ oe or for $y = kx + 2$
15	224	**3**	**M2** for a fully correct method e.g. 360 – (180 – 104 + 60) oe or **B2** for 120, 136, 44, 46, 14, or 16 in the correct position or **B1** for 60, 76, 104 or 284 in the correct position or for interior angle of triangle = 60 i.e. these positions for B2 or B1: 
16(a)	0.2 oe	**1**	
16(b)	4240	**3**	**M2** for $\frac{1}{2}\times(210+320)\times 16$ oe or **M1** for one area correct
17	 	**2**	**B1** for 2 sections out of 4 correct
18(a)	tangent ruled at $x = 3$	**1**	

Question	Answer	Mark	Partial Marks
18(b)	4.8 to 5.8	**2**	dep on a close attempt at a tangent **M1** for $\frac{\text{rise}}{\text{run}}$ also dep on close attempt at tangent
19(a)	12	**3**	**M1** for $y = k(x-1)^2$ oe **M1** for $y = \textit{their } k(7-1)^2$ oe
19(b)	divided by 3 oe	**1**	
20	3.9	**3**	**M2** for $5.2 \times \sqrt[3]{\frac{33.75}{80}}$ oe or **M1** for $\frac{\sqrt[3]{33.75}}{\sqrt[3]{80}}$ oe or $\frac{\sqrt[3]{80}}{\sqrt[3]{33.75}}$ oe or $\frac{h^3}{5.2^3} = \frac{33.75}{80}$ oe
21	$4x^2 + 3x - 85[=0]$ or $16y^2 - 113y + 7[=0]$ oe simplified	**M2**	**M1** for $4(x^2 - 18) + 3x = 13$ or $x^2 - 18 = \frac{13-3x}{4}$ or $y = \left(\frac{13-4y}{3}\right)^2 - 18$ oe or better
	correct method to solve *their* quadratic equation e.g. factors, quadratic formula, completing the square	**M1**	$\frac{-3 \pm \sqrt{3^2 - 4 \times 4 \times -85}}{2 \times 4}$ oe, $(4x - 17)(x + 5)$ $\frac{-(-113) \pm \sqrt{(-113)^2 - 4 \times 16 \times 7}}{2 \times 16}$ oe, $(16y - 1)(y - 7)$
	$x = -5$ $y = 7$ $x = \frac{17}{4}$ oe $y = \frac{1}{16}$ oe	**B2**	**B1** for one correct pair or two correct x values or two correct y values If B0 scored and at least 2 method marks scored, **SC1** for correct substitution of both of their x values or their y values into $4y + 3x = 13$ or $y = x^2 - 18$
22(a)(i)	cubic	**1**	
22(a)(ii)	reciprocal	**1**	